## Leonardo Tondo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3172964/publications.pdf

Version: 2024-02-01

125 papers 8,501 citations

44069 48 h-index 90 g-index

128 all docs

128 docs citations

128 times ranked

5297 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Decreased risk of suicides and attempts during long-term lithium treatment: a meta-analytic review.<br>Bipolar Disorders, 2006, 8, 625-639.   | 1.9  | 655       |
| 2  | The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.  | 7.2  | 579       |
| 3  | Risk of Recurrence of Bipolar Disorder in Pregnant and Nonpregnant Women After Discontinuing<br>Lithium Maintenance. American Journal of Psychiatry, 2000, 157, 179-184.  | 7.2  | 406       |
| 4  | Course of the Manic-Depressive Cycle and Changes Caused by Treatments. Pharmacopsychiatry, 1980, 13, 156-167.   | 3.3  | 391       |
| 5  | Suicidal Behaviour in Bipolar Disorder. CNS Drugs, 2003, 17, 491-511.   | 5.9  | 342       |
| 6  | International Society for Bipolar Disorders Task Force on Suicide: metaâ€analyses and metaâ€regression of correlates of suicide attempts and suicide deaths in bipolar disorder. Bipolar Disorders, 2015, 17, 1-16. | 1.9  | 265       |
| 7  | Lower suicide risk with longâ€ŧerm lithium treatment in major affective illness:‒a metaâ€analysis. Acta<br>Psychiatrica Scandinavica, 2001, 104, 163-172.   | 4.5  | 225       |
| 8  | Outcome After Rapid vs Gradual Discontinuation of Lithium Treatment in Bipolar Disorders. Archives of General Psychiatry, 1993, 50, 448.  | 12.3 | 221       |
| 9  | Mania associated with antidepressant treatment: comprehensive metaâ€analytic review. Acta<br>Psychiatrica Scandinavica, 2010, 121, 404-414.   | 4.5  | 190       |
| 10 | Lithium Treatment Reduces Suicide Risk in Recurrent Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 380-383.   | 2.2  | 179       |
| 11 | Suicidal risks among 2826 Sardinian major affective disorder patients. Acta Psychiatrica Scandinavica, 2007, 116, 419-428.  | 4.5  | 164       |
| 12 | Suicide Rates in Relation to Health Care Access in the United States. Journal of Clinical Psychiatry, 2006, 67, 517-523.  | 2.2  | 156       |
| 13 | Lithium Treatment and Risk of Suicidal Behavior in Bipolar Disorder Patients. Journal of Clinical<br>Psychiatry, 1998, 59, 405-414.   | 2.2  | 145       |
| 14 | Rapid cyclers, temperament, and antidepressants. Comprehensive Psychiatry, 1983, 24, 249-258.   | 3.1  | 143       |
| 15 | Effect of Lithium Maintenance on. Suicidal Behavior in Major Mood Disorders <sup>a</sup> . Annals of the New York Academy of Sciences, 1997, 836, 339-351.  | 3.8  | 143       |
| 16 | Pharmacological treatment of adult bipolar disorder. Molecular Psychiatry, 2019, 24, 198-217.   | 7.9  | 143       |
| 17 | Age at onset versus family history and clinical outcomes in 1,665 international bipolarâ€l disorder patients. World Psychiatry, 2012, 11, 40-46.  | 10.4 | 138       |
| 18 | Bipolar depression: a major unsolved challenge. International Journal of Bipolar Disorders, 2020, 8, 1.   | 2.2  | 137       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Long-term morbidity in bipolar-I, bipolar-II, and unipolar major depressive disorders. Journal of Affective Disorders, 2015, 178, 71-78.   | 4.1 | 130       |
| 20 | Clinical use of lithium salts: guide for users and prescribers. International Journal of Bipolar Disorders, 2019, 7, 16.   | 2.2 | 126       |
| 21 | Discontinuing lithium maintenance treatment in bipolar disorders: risks and implications. Bipolar<br>Disorders, 1999, 1, 17-24.  | 1.9 | 122       |
| 22 | Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 785-802. | 2.3 | 122       |
| 23 | Predominant recurrence polarity among 928 adult international bipolar I disorder patients. Acta Psychiatrica Scandinavica, 2012, 125, 293-302.   | 4.5 | 119       |
| 24 | Effects of treatment latency on response to maintenance treatment in manic-depressive disorders. Bipolar Disorders, 2007, 9, 386-393.  | 1.9 | 115       |
| 25 | Rapid-cycling bipolar disorder: effects of long-term treatments. Acta Psychiatrica Scandinavica, 2003, 108, 4-14.  | 4.5 | 102       |
| 26 | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. British Journal of Psychiatry, 2001, 178, s184-s190.  | 2.8 | 98        |
| 27 | Suicide attempts in bipolar disorders: comprehensive review of 101 reports. Acta Psychiatrica Scandinavica, 2016, 133, 174-186.  | 4.5 | 97        |
| 28 | Illness Risk Following Rapid Versus Gradual Discontinuation of Antidepressants. American Journal of Psychiatry, 2010, 167, 934-941.  | 7.2 | 95        |
| 29 | A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1006-1020.            | 2.3 | 87        |
| 30 | Clinical risk factors for bipolar disorders: A systematic review of prospective studies. Journal of Affective Disorders, 2014, 168, 314-321.   | 4.1 | 86        |
| 31 | Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. International Journal of Bipolar Disorders, 2017, 5, 27.  | 2.2 | 81        |
| 32 | Treating the Suicidal Patient with Bipolar Disorder. Annals of the New York Academy of Sciences, 2001, 932, 24-43.   | 3.8 | 79        |
| 33 | Affective temperaments in general population: A review and combined analysis from national studies. Journal of Affective Disorders, 2012, 139, 18-22.  | 4.1 | 77        |
| 34 | Depression and Mania in Bipolar Disorder. Current Neuropharmacology, 2017, 15, 353-358.  | 2.9 | 76        |
| 35 | Reduced morbidity after gradual discontinuation of lithium treatment for bipolar I and II disorders: a replication study. American Journal of Psychiatry, 1997, 154, 551-553.  | 7.2 | 74        |
| 36 | Discontinuation of Maintenance Treatment in Bipolar Disorder: Risks and Implications. Harvard Review of Psychiatry, 1993, 1, 131-144.  | 2.1 | 72        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Response to lithium maintenance treatment in bipolar disorders: comparison of women and men. Bipolar Disorders, 2001, 3, 245-252.   | 1.9 | 70        |
| 38 | Overview of antidepressant treatment of bipolar depression. International Journal of Neuropsychopharmacology, 2013, 16, 1673-1685.  | 2.1 | 70        |
| 39 | Suicidal risk factors in major affective disorders. British Journal of Psychiatry, 2019, 215, 621-626.  | 2.8 | 67        |
| 40 | Bipolar disorders following initial depression: Modeling predictive clinical factors. Journal of Affective Disorders, 2014, 167, 44-49.   | 4.1 | 66        |
| 41 | Prophylaxis Latency and Outcome in Bipolar Disorders. Canadian Journal of Psychiatry, 2003, 48, 449-457.  | 1.9 | 65        |
| 42 | Ecological Studies of Antidepressant Treatment and Suicidal Risks. Harvard Review of Psychiatry, 2007, 15, 133-145.   | 2.1 | 65        |
| 43 | Clinical responses to antidepressants among 1036 acutely depressed patients with bipolar or unipolar major affective disorders. Acta Psychiatrica Scandinavica, 2013, 127, 355-364. | 4.5 | 59        |
| 44 | Suicidal Behavior in Mood Disorders: Response to Pharmacological Treatment. Current Psychiatry Reports, 2016, 18, 88.   | 4.5 | 59        |
| 45 | Is Lithium Still Worth Using? An Update of Selected Recent Research. Harvard Review of Psychiatry, 2002, 10, 59-75.   | 2.1 | 56        |
| 46 | Course sequences in bipolar disorder: Depressions preceding or following manias or hypomanias. Journal of Affective Disorders, 2013, 151, 105-110.                                  | 4.1 | 54        |
| 47 | Age at onset in 3014 Sardinian bipolar and major depressive disorder patients. Acta Psychiatrica<br>Scandinavica, 2010, 121, 446-452.   | 4.5 | 52        |
| 48 | Lithium's antiviral effects: a potential drug for CoViD-19 disease?. International Journal of Bipolar Disorders, 2020, 8, 21.   | 2.2 | 52        |
| 49 | Suicidal Risks during Treatment of Bipolar Disorder Patients with Lithium versus Anticonvulsants. Pharmacopsychiatry, 2009, 42, 72-75.  | 3.3 | 51        |
| 50 | Suicidal status during antidepressant treatment in 789 Sardinian patients with major affective disorder. Acta Psychiatrica Scandinavica, 2008, 118, 106-115.                        | 4.5 | 50        |
| 51 | Lithium treatment for unipolar major depressive disorder: Systematic review. Journal of Psychopharmacology, 2019, 33, 167-176.  | 4.0 | 50        |
| 52 | Antisuicidal Effects in Mood Disorders: Are They Unique to Lithium?. Pharmacopsychiatry, 2018, 51, 177-188.   | 3.3 | 49        |
| 53 | Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. Clinical Drug Investigation, 2017, 37, 713-727.   | 2.2 | 48        |
| 54 | The Italian version of the validated short TEMPS-A: The temperament evaluation of Memphis, Pisa, Paris and San Diego. Journal of Affective Disorders, 2010, 120, 207-212.           | 4.1 | 47        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | Efficacy and Tolerability of Combination Treatments for Major Depression: Antidepressants plus Second-Generation Antipsychotics vs. Esketamine vs. Lithium. Journal of Psychopharmacology, 2021, 35, 890-900. | 4.0 | 47        |
| 56 | Mixed symptoms in major depressive and bipolar disorders: A systematic review. Journal of Affective Disorders, 2018, 225, 756-760.  | 4.1 | 46        |
| 57 | Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review.<br>Harvard Review of Psychiatry, 2018, 26, 8-18.   | 2.1 | 45        |
| 58 | Prevention of suicidal behavior in bipolar disorder. Bipolar Disorders, 2021, 23, 14-23.  | 1.9 | 45        |
| 59 | Suicidal Risks in 12 DSM-5 Psychiatric Disorders. Journal of Affective Disorders, 2020, 271, 66-73.   | 4.1 | 41        |
| 60 | Effects of Treatment Discontinuation in Clinical Psychopharmacology. Psychotherapy and Psychosomatics, 2019, 88, 65-70.   | 8.8 | 40        |
| 61 | Latency and episodes before treatment: response to lithium maintenance in bipolar I and II disorders $1$ . Bipolar Disorders, $1999$ , $1$ , $91-97$ .  | 1.9 | 37        |
| 62 | Options for Pharmacological Treatment of Refractory Bipolar Depression. Current Psychiatry Reports, 2014, 16, 431.  | 4.5 | 37        |
| 63 | Characteristics of depressive and bipolar disorder patients with mixed features. Acta Psychiatrica Scandinavica, 2018, 138, 243-252.  | 4.5 | 37        |
| 64 | Affective temperaments and suicidal ideation and behavior in mood and anxiety disorder patients. Journal of Affective Disorders, 2016, 198, 78-82.  | 4.1 | 36        |
| 65 | Attention deficit-hyperactivity disorder in adult bipolar disorder patients. Journal of Affective Disorders, 2019, 243, 391-396.  | 4.1 | 35        |
| 66 | Suicide attempts in major affective disorder patients with comorbid substance use disorders. Journal of Clinical Psychiatry, 1999, 60 Suppl 2, 63-9; discussion 75-6, 113-6.                                  | 2.2 | 35        |
| 67 | Pretreatment Episode Count and Response to Lithium Treatment in Manic-Depressive Illness. Harvard Review of Psychiatry, 2003, 11, 245-256.  | 2.1 | 32        |
| 68 | Effectiveness of Maintenance Electroconvulsive Therapy in Rapid-Cycling Bipolar Disorder. Journal of ECT, 2011, 27, 123-126.  | 0.6 | 32        |
| 69 | Efficacy and tolerability of treatments for bipolar depression. Journal of Affective Disorders, 2015, 183, 258-262.   | 4.1 | 32        |
| 70 | Melancholic versus Nonmelancholic Major Depression Compared. Journal of Affective Disorders, 2020, 266, 760-765.  | 4.1 | 29        |
| 71 | Declining efficacy in controlled trials of antidepressants: effects of placebo dropout. International Journal of Neuropsychopharmacology, 2014, 17, 1343-1352.  | 2.1 | 28        |
| 72 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9.  | 3.1 | 25        |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 73 | Relationship between REM sleep latency and nocturnal cortisol concentrations in depressed patients. Journal of Sleep Research, 1992, 1, 54-57.  | 3.2  | 24        |
| 74 | Comparison of psychotic bipolar disorder, schizoaffective disorder, and schizophrenia: an international, multisite study. Acta Psychiatrica Scandinavica, 2016, 133, 34-43.           | 4.5  | 23        |
| 75 | Association of suicidal risk with ratings of affective temperaments. Journal of Affective Disorders, 2018, 229, 322-327.  | 4.1  | 22        |
| 76 | Course of manic-depressive recurrences under lithium. Comprehensive Psychiatry, 1975, 16, 517-524.  | 3.1  | 20        |
| 77 | Reduced suicide risk during lithium maintenance treatment. Journal of Clinical Psychiatry, 2000, 61<br>Suppl 9, 97-104.   | 2.2  | 20        |
| 78 | Standardization of the TEMPS-A in the Greek general population. Journal of Affective Disorders, 2014, 158, 19-29.   | 4.1  | 17        |
| 79 | Age at menarche predicts age at onset of major affective and anxiety disorders. European Psychiatry, 2017, 39, 80-85.   | 0.2  | 16        |
| 80 | Suicidal behavior in juvenile bipolar disorder and major depressive disorder patients: Systematic review and meta-analysis. Journal of Affective Disorders, 2022, 311, 572-581.       | 4.1  | 15        |
| 81 | Standardization of the NEO-PI-3 in the Greek general population. Annals of General Psychiatry, 2014, 13, 36.  | 2.7  | 14        |
| 82 | Early clinical predictors and correlates of long-term morbidity in bipolar disorder. European Psychiatry, 2017, 43, 35-43.  | 0.2  | 14        |
| 83 | Potential Novel Treatments for Bipolar Depression: Ketamine, Fatty Acids, Anti-inflammatory Agents, and Probiotics. CNS and Neurological Disorders - Drug Targets, 2018, 16, 858-869. | 1.4  | 14        |
| 84 | Relationships of affective temperament ratings to diagnosis and morbidity measures in major affective disorders. European Psychiatry, 2021, 64, e74.                                  | 0.2  | 14        |
| 85 | Factors associated with single versus multiple suicide attempts in depressive disorders. Journal of Affective Disorders, 2020, 277, 306-312.  | 4.1  | 13        |
| 86 | Discontinuing psychotropic drug treatment. BJPsych Open, 2020, 6, e24.  | 0.7  | 13        |
| 87 | Testing for Antisuicidal Effects of Lithium Treatment. JAMA Psychiatry, 2022, 79, 9.  | 11.0 | 13        |
| 88 | Is lithium still worth using? An update of selected recent research. Harvard Review of Psychiatry, 2002, 10, 59-75.   | 2.1  | 12        |
| 89 | Clinical Management of Suicidal Risk. , 2015, , 509-528.  |      | 11        |
| 90 | Melancholia: does this ancient concept have contemporary utility?. International Review of Psychiatry, 2020, 32, 466-470.   | 2.8  | 10        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. British Journal of Psychiatry, 2001, 178, S184-90.                            | 2.8 | 10        |
| 92  | Correlates and antecedents of hospital admission for attempted suicide: a nationwide survey in Italy. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 181-190. | 3.2 | 9         |
| 93  | What happens to the course of bipolar disorder after electroconvulsive therapy?. Journal of Affective Disorders, 2016, 195, 180-184.   | 4.1 | 9         |
| 94  | Suicidal Behavior Associated with Mixed Features in Major Mood Disorders. Psychiatric Clinics of North America, 2020, 43, 83-93.   | 1.3 | 9         |
| 95  | Antidepressant responses in direct comparisons of melancholic and non-melancholic depression. Journal of Psychopharmacology, 2020, 34, 1335-1341.                                    | 4.0 | 9         |
| 96  | Pretreatment episode count and response to lithium treatment in manic-depressive illness. Harvard Review of Psychiatry, 2003, 11, 245-56.  | 2.1 | 9         |
| 97  | Cutaneous adverse reaction during lithium treatment: a case report and updated systematic review with meta-analysis. International Journal of Bipolar Disorders, 2017, 5, 20.        | 2.2 | 8         |
| 98  | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.            | 2.2 | 6         |
| 99  | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. The British Journal of Psychiatry Supplement, 2001, 41, s184-90.              | 0.1 | 6         |
| 100 | Are renal tumors associated with lithium treatment?. International Journal of Bipolar Disorders, 2014, 2, 6.   | 2.2 | 5         |
| 101 | Depression following mania. Molecular Psychiatry, 2016, 21, 990-990.   | 7.9 | 5         |
| 102 | Overweight in mood disorders: Effects on morbidity and treatment response. Journal of Affective Disorders, 2022, 297, 169-175.   | 4.1 | 5         |
| 103 | Risk factors for early recurrence after discontinuing lithium in bipolar disorder. Bipolar Disorders, 2022, 24, 720-725.   | 1.9 | 5         |
| 104 | Physical exercise, depression, and anxiety in 2190 affective disorder subjects. Journal of Affective Disorders, 2022, 309, 172-177.  | 4.1 | 5         |
| 105 | Illness history: Not associated with remission during treatment of major depression in 515 mood disorder patients. Journal of Affective Disorders, 2016, 191, 118-122.               | 4.1 | 4         |
| 106 | Lithium and bipolar depression. Bipolar Disorders, 2019, 21, 458-459.  | 1.9 | 4         |
| 107 | Commentary: Lithium treatment for bipolar disorder. Bipolar Disorders, 2021, 23, 93-94.  | 1.9 | 4         |
| 108 | Fluoxetine augmentation in bipolar disorder patients on maintenance lithium treatment. International Journal of Psychiatry in Clinical Practice, 1997, 1, 203-206.                   | 2.4 | 3         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Forty Years of Lithium Treatmentâ€"Reply. Archives of General Psychiatry, 1998, 55, 93.   | 12.3 | 3         |
| 110 | Fertility Rates in Patients With Mood Disorder in Sweden and Sardinia. JAMA Psychiatry, 2013, 70, 1115.   | 11.0 | 3         |
| 111 | Methodological considerations regarding Joyce et al. 2016. International Journal of Bipolar<br>Disorders, 2017, 5, 12.                                | 2.2  | 3         |
| 112 | Early clinical predictors of longâ€term morbidity in major depressive disorder. Microbial Biotechnology, 2019, 13, 999-1002.                          | 1.7  | 3         |
| 113 | Clinical response and metabolic effects of lithium in 323 mood disorder patients. Journal of Affective Disorders, 2020, 270, 9-14.                    | 4.1  | 3         |
| 114 | Long-Term Treatment of Bipolar Disorder with Valproate: Updated Systematic Review and Meta-analyses. Harvard Review of Psychiatry, 2021, 29, 188-195. | 2.1  | 3         |
| 115 | Suicidal risks in rural versus urban populations in Sardinia. Journal of Affective Disorders, 2021, 295, 1449-1455.                                   | 4.1  | 2         |
| 116 | Unmet Needs in Psychiatry: Bipolar Depression. , 2020, , 39-82.   |      | 2         |
| 117 | Psychotropic medicines: increased appetite rather than weight gain. Lancet Psychiatry, the, 2022, 9, e8.  | 7.4  | 2         |
| 118 | Pharmacologic interventions in suicide prevention. Journal of Clinical Psychiatry, 2001, 62 Suppl 25, 51-5.   | 2.2  | 2         |
| 119 | Melancholia as a DSM-5 specifier or a separate category?. Journal of Affective Disorders, 2021, 282, 39-40.   | 4.1  | 1         |
| 120 | Do micronutrients help in ADHD?. British Journal of Psychiatry, 2015, 207, 460-460.   | 2.8  | 0         |
| 121 | International suicide rates versus adequate treatments. British Journal of Psychiatry, 2017, 210, 298-299.  | 2.8  | 0         |
| 122 | Modeling suicide. Bipolar Disorders, 2018, 20, 564-565.   | 1.9  | 0         |
| 123 | Suicide in psychiatric disorders: rates, risk factors, and therapeutics., 2021,, 85-115.  |      | 0         |
| 124 | Transitions: Hagop Souren Akiskal. Journal of Affective Disorders, 2021, 284, 201-202.  | 4.1  | 0         |
| 125 | Intensive treatment with lithium carbonate "once a day" in bipolar patients. Clinica Terapeutica, 2001, 152, 277-80.                                  | 0.1  | 0         |