Leonardo Tondo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3172964/publications.pdf

Version: 2024-02-01

125 papers 8,501 citations

43973 48 h-index 90 g-index

128 all docs

 $\begin{array}{c} 128 \\ \\ \text{docs citations} \end{array}$

times ranked

128

5297 citing authors

#	Article	IF	CITATIONS
1	Decreased risk of suicides and attempts during long-term lithium treatment: a meta-analytic review. Bipolar Disorders, 2006, 8, 625-639.	1.1	655
2	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	4.0	579
3	Risk of Recurrence of Bipolar Disorder in Pregnant and Nonpregnant Women After Discontinuing Lithium Maintenance. American Journal of Psychiatry, 2000, 157, 179-184.	4.0	406
4	Course of the Manic-Depressive Cycle and Changes Caused by Treatments. Pharmacopsychiatry, 1980, 13, 156-167.	1.7	391
5	Suicidal Behaviour in Bipolar Disorder. CNS Drugs, 2003, 17, 491-511.	2.7	342
6	International Society for Bipolar Disorders Task Force on Suicide: metaâ€analyses and metaâ€egression of correlates of suicide attempts and suicide deaths in bipolar disorder. Bipolar Disorders, 2015, 17, 1-16.	1.1	265
7	Lower suicide risk with long-term lithium treatment in major affective illness:â€ʿa meta-analysis. Acta Psychiatrica Scandinavica, 2001, 104, 163-172.	2.2	225
8	Outcome After Rapid vs Gradual Discontinuation of Lithium Treatment in Bipolar Disorders. Archives of General Psychiatry, 1993, 50, 448.	13.8	221
9	Mania associated with antidepressant treatment: comprehensive metaâ€analytic review. Acta Psychiatrica Scandinavica, 2010, 121, 404-414.	2.2	190
10	Lithium Treatment Reduces Suicide Risk in Recurrent Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 380-383.	1.1	179
11	Suicidal risks among 2826 Sardinian major affective disorder patients. Acta Psychiatrica Scandinavica, 2007, 116, 419-428.	2.2	164
12	Suicide Rates in Relation to Health Care Access in the United States. Journal of Clinical Psychiatry, 2006, 67, 517-523.	1.1	156
13	Lithium Treatment and Risk of Suicidal Behavior in Bipolar Disorder Patients. Journal of Clinical Psychiatry, 1998, 59, 405-414.	1.1	145
14	Rapid cyclers, temperament, and antidepressants. Comprehensive Psychiatry, 1983, 24, 249-258.	1.5	143
15	Effect of Lithium Maintenance on. Suicidal Behavior in Major Mood Disorders. Annals of the New York Academy of Sciences, 1997, 836, 339-351.	1.8	143
16	Pharmacological treatment of adult bipolar disorder. Molecular Psychiatry, 2019, 24, 198-217.	4.1	143
17	Age at onset versus family history and clinical outcomes in 1,665 international bipolarâ€l disorder patients. World Psychiatry, 2012, 11, 40-46.	4.8	138
18	Bipolar depression: a major unsolved challenge. International Journal of Bipolar Disorders, 2020, 8, 1.	0.8	137

#	Article	IF	CITATIONS
19	Long-term morbidity in bipolar-I, bipolar-II, and unipolar major depressive disorders. Journal of Affective Disorders, 2015, 178, 71-78.	2.0	130
20	Clinical use of lithium salts: guide for users and prescribers. International Journal of Bipolar Disorders, 2019, 7, 16.	0.8	126
21	Discontinuing lithium maintenance treatment in bipolar disorders: risks and implications. Bipolar Disorders, 1999, 1, 17-24.	1.1	122
22	Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 785-802.	1.3	122
23	Predominant recurrence polarity among 928 adult international bipolar I disorder patients. Acta Psychiatrica Scandinavica, 2012, 125, 293-302.	2.2	119
24	Effects of treatment latency on response to maintenance treatment in manic-depressive disorders. Bipolar Disorders, 2007, 9, 386-393.	1.1	115
25	Rapid-cycling bipolar disorder: effects of long-term treatments. Acta Psychiatrica Scandinavica, 2003, 108, 4-14.	2.2	102
26	Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. British Journal of Psychiatry, 2001, 178, s184-s190.	1.7	98
27	Suicide attempts in bipolar disorders: comprehensive review of 101 reports. Acta Psychiatrica Scandinavica, 2016, 133, 174-186.	2.2	97
28	Illness Risk Following Rapid Versus Gradual Discontinuation of Antidepressants. American Journal of Psychiatry, 2010, 167, 934-941.	4.0	95
29	A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1006-1020.	1.3	87
30	Clinical risk factors for bipolar disorders: A systematic review of prospective studies. Journal of Affective Disorders, 2014, 168, 314-321.	2.0	86
31	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. International Journal of Bipolar Disorders, 2017, 5, 27.	0.8	81
32	Treating the Suicidal Patient with Bipolar Disorder. Annals of the New York Academy of Sciences, 2001, 932, 24-43.	1.8	79
33	Affective temperaments in general population: A review and combined analysis from national studies. Journal of Affective Disorders, 2012, 139, 18-22.	2.0	77
34	Depression and Mania in Bipolar Disorder. Current Neuropharmacology, 2017, 15, 353-358.	1.4	76
35	Reduced morbidity after gradual discontinuation of lithium treatment for bipolar I and II disorders: a replication study. American Journal of Psychiatry, 1997, 154, 551-553.	4.0	74
36	Discontinuation of Maintenance Treatment in Bipolar Disorder: Risks and Implications. Harvard Review of Psychiatry, 1993, 1, 131-144.	0.9	72

3

#	Article	IF	CITATIONS
37	Response to lithium maintenance treatment in bipolar disorders: comparison of women and men. Bipolar Disorders, 2001, 3, 245-252.	1.1	70
38	Overview of antidepressant treatment of bipolar depression. International Journal of Neuropsychopharmacology, 2013, 16, 1673-1685.	1.0	70
39	Suicidal risk factors in major affective disorders. British Journal of Psychiatry, 2019, 215, 621-626.	1.7	67
40	Bipolar disorders following initial depression: Modeling predictive clinical factors. Journal of Affective Disorders, 2014, 167, 44-49.	2.0	66
41	Prophylaxis Latency and Outcome in Bipolar Disorders. Canadian Journal of Psychiatry, 2003, 48, 449-457.	0.9	65
42	Ecological Studies of Antidepressant Treatment and Suicidal Risks. Harvard Review of Psychiatry, 2007, 15, 133-145.	0.9	65
43	Clinical responses to antidepressants among 1036 acutely depressed patients with bipolar or unipolar major affective disorders. Acta Psychiatrica Scandinavica, 2013, 127, 355-364.	2.2	59
44	Suicidal Behavior in Mood Disorders: Response to Pharmacological Treatment. Current Psychiatry Reports, 2016, 18, 88.	2.1	59
45	Is Lithium Still Worth Using? An Update of Selected Recent Research. Harvard Review of Psychiatry, 2002, 10, 59-75.	0.9	56
46	Course sequences in bipolar disorder: Depressions preceding or following manias or hypomanias. Journal of Affective Disorders, 2013, 151, 105-110.	2.0	54
47	Age at onset in 3014 Sardinian bipolar and major depressive disorder patients. Acta Psychiatrica Scandinavica, 2010, 121, 446-452.	2.2	52
48	Lithium's antiviral effects: a potential drug for CoViD-19 disease?. International Journal of Bipolar Disorders, 2020, 8, 21.	0.8	52
49	Suicidal Risks during Treatment of Bipolar Disorder Patients with Lithium versus Anticonvulsants. Pharmacopsychiatry, 2009, 42, 72-75.	1.7	51
50	Suicidal status during antidepressant treatment in 789 Sardinian patients with major affective disorder. Acta Psychiatrica Scandinavica, 2008, 118, 106-115.	2.2	50
51	Lithium treatment for unipolar major depressive disorder: Systematic review. Journal of Psychopharmacology, 2019, 33, 167-176.	2.0	50
52	Antisuicidal Effects in Mood Disorders: Are They Unique to Lithium?. Pharmacopsychiatry, 2018, 51, 177-188.	1.7	49
53	Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. Clinical Drug Investigation, 2017, 37, 713-727.	1.1	48
54	The Italian version of the validated short TEMPS-A: The temperament evaluation of Memphis, Pisa, Paris and San Diego. Journal of Affective Disorders, 2010, 120, 207-212.	2.0	47

#	Article	IF	CITATIONS
55	Efficacy and Tolerability of Combination Treatments for Major Depression: Antidepressants plus Second-Generation Antipsychotics vs. Esketamine vs. Lithium. Journal of Psychopharmacology, 2021, 35, 890-900.	2.0	47
56	Mixed symptoms in major depressive and bipolar disorders: A systematic review. Journal of Affective Disorders, 2018, 225, 756-760.	2.0	46
57	Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review. Harvard Review of Psychiatry, 2018, 26, 8-18.	0.9	45
58	Prevention of suicidal behavior in bipolar disorder. Bipolar Disorders, 2021, 23, 14-23.	1,1	45
59	Suicidal Risks in 12 DSM-5 Psychiatric Disorders. Journal of Affective Disorders, 2020, 271, 66-73.	2.0	41
60	Effects of Treatment Discontinuation in Clinical Psychopharmacology. Psychotherapy and Psychosomatics, 2019, 88, 65-70.	4.0	40
61	Latency and episodes before treatment: response to lithium maintenance in bipolar I and II disorders 1. Bipolar Disorders, 1999, 1, 91-97.	1.1	37
62	Options for Pharmacological Treatment of Refractory Bipolar Depression. Current Psychiatry Reports, 2014, 16, 431.	2.1	37
63	Characteristics of depressive and bipolar disorder patients with mixed features. Acta Psychiatrica Scandinavica, 2018, 138, 243-252.	2.2	37
64	Affective temperaments and suicidal ideation and behavior in mood and anxiety disorder patients. Journal of Affective Disorders, 2016, 198, 78-82.	2.0	36
65	Attention deficit-hyperactivity disorder in adult bipolar disorder patients. Journal of Affective Disorders, 2019, 243, 391-396.	2.0	35
66	Suicide attempts in major affective disorder patients with comorbid substance use disorders. Journal of Clinical Psychiatry, 1999, 60 Suppl 2, 63-9; discussion 75-6, 113-6.	1,1	35
67	Pretreatment Episode Count and Response to Lithium Treatment in Manic-Depressive Illness. Harvard Review of Psychiatry, 2003, 11, 245-256.	0.9	32
68	Effectiveness of Maintenance Electroconvulsive Therapy in Rapid-Cycling Bipolar Disorder. Journal of ECT, 2011, 27, 123-126.	0.3	32
69	Efficacy and tolerability of treatments for bipolar depression. Journal of Affective Disorders, 2015, 183, 258-262.	2.0	32
70	Melancholic versus Nonmelancholic Major Depression Compared. Journal of Affective Disorders, 2020, 266, 760-765.	2.0	29
71	Declining efficacy in controlled trials of antidepressants: effects of placebo dropout. International Journal of Neuropsychopharmacology, 2014, 17, 1343-1352.	1.0	28
72	Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9.	1.5	25

#	Article	IF	CITATIONS
73	Relationship between REM sleep latency and nocturnal cortisol concentrations in depressed patients. Journal of Sleep Research, 1992, 1, 54-57.	1.7	24
74	Comparison of psychotic bipolar disorder, schizoaffective disorder, and schizophrenia: an international, multisite study. Acta Psychiatrica Scandinavica, 2016, 133, 34-43.	2.2	23
75	Association of suicidal risk with ratings of affective temperaments. Journal of Affective Disorders, 2018, 229, 322-327.	2.0	22
76	Course of manic-depressive recurrences under lithium. Comprehensive Psychiatry, 1975, 16, 517-524.	1.5	20
77	Reduced suicide risk during lithium maintenance treatment. Journal of Clinical Psychiatry, 2000, 61 Suppl 9, 97-104.	1.1	20
78	Standardization of the TEMPS-A in the Greek general population. Journal of Affective Disorders, 2014, 158, 19-29.	2.0	17
79	Age at menarche predicts age at onset of major affective and anxiety disorders. European Psychiatry, 2017, 39, 80-85.	0.1	16
80	Suicidal behavior in juvenile bipolar disorder and major depressive disorder patients: Systematic review and meta-analysis. Journal of Affective Disorders, 2022, 311, 572-581.	2.0	15
81	Standardization of the NEO-PI-3 in the Greek general population. Annals of General Psychiatry, 2014, 13, 36.	1.2	14
82	Early clinical predictors and correlates of long-term morbidity in bipolar disorder. European Psychiatry, 2017, 43, 35-43.	0.1	14
83	Potential Novel Treatments for Bipolar Depression: Ketamine, Fatty Acids, Anti-inflammatory Agents, and Probiotics. CNS and Neurological Disorders - Drug Targets, 2018, 16, 858-869.	0.8	14
84	Relationships of affective temperament ratings to diagnosis and morbidity measures in major affective disorders. European Psychiatry, 2021, 64, e74.	0.1	14
85	Factors associated with single versus multiple suicide attempts in depressive disorders. Journal of Affective Disorders, 2020, 277, 306-312.	2.0	13
86	Discontinuing psychotropic drug treatment. BJPsych Open, 2020, 6, e24.	0.3	13
87	Testing for Antisuicidal Effects of Lithium Treatment. JAMA Psychiatry, 2022, 79, 9.	6.0	13
88	Is lithium still worth using? An update of selected recent research. Harvard Review of Psychiatry, 2002, 10, 59-75.	0.9	12
89	Clinical Management of Suicidal Risk. , 2015, , 509-528.		11
90	Melancholia: does this ancient concept have contemporary utility?. International Review of Psychiatry, 2020, 32, 466-470.	1.4	10

#	Article	IF	Citations
91	Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. British Journal of Psychiatry, 2001, 178, S184-90.	1.7	10
92	Correlates and antecedents of hospital admission for attempted suicide: a nationwide survey in Italy. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 181-190.	1.8	9
93	What happens to the course of bipolar disorder after electroconvulsive therapy?. Journal of Affective Disorders, 2016, 195, 180-184.	2.0	9
94	Suicidal Behavior Associated with Mixed Features in Major Mood Disorders. Psychiatric Clinics of North America, 2020, 43, 83-93.	0.7	9
95	Antidepressant responses in direct comparisons of melancholic and non-melancholic depression. Journal of Psychopharmacology, 2020, 34, 1335-1341.	2.0	9
96	Pretreatment episode count and response to lithium treatment in manic-depressive illness. Harvard Review of Psychiatry, 2003, 11, 245-56.	0.9	9
97	Cutaneous adverse reaction during lithium treatment: a case report and updated systematic review with meta-analysis. International Journal of Bipolar Disorders, 2017, 5, 20.	0.8	8
98	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	0.8	6
99	Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. The British Journal of Psychiatry Supplement, 2001, 41, s184-90.	0.3	6
100	Are renal tumors associated with lithium treatment?. International Journal of Bipolar Disorders, 2014, 2, 6.	0.8	5
101	Depression following mania. Molecular Psychiatry, 2016, 21, 990-990.	4.1	5
102	Overweight in mood disorders: Effects on morbidity and treatment response. Journal of Affective Disorders, 2022, 297, 169-175.	2.0	5
103	Risk factors for early recurrence after discontinuing lithium in bipolar disorder. Bipolar Disorders, 2022, 24, 720-725.	1.1	5
104	Physical exercise, depression, and anxiety in 2190 affective disorder subjects. Journal of Affective Disorders, 2022, 309, 172-177.	2.0	5
105	Illness history: Not associated with remission during treatment of major depression in 515 mood disorder patients. Journal of Affective Disorders, 2016, 191, 118-122.	2.0	4
106	Lithium and bipolar depression. Bipolar Disorders, 2019, 21, 458-459.	1.1	4
107	Commentary: Lithium treatment for bipolar disorder. Bipolar Disorders, 2021, 23, 93-94.	1.1	4
108	Fluoxetine augmentation in bipolar disorder patients on maintenance lithium treatment. International Journal of Psychiatry in Clinical Practice, 1997, 1, 203-206.	1.2	3

#	Article	IF	CITATIONS
109	Forty Years of Lithium Treatmentâ€"Reply. Archives of General Psychiatry, 1998, 55, 93.	13.8	3
110	Fertility Rates in Patients With Mood Disorder in Sweden and Sardinia. JAMA Psychiatry, 2013, 70, 1115.	6.0	3
111	Methodological considerations regarding Joyce et al. 2016. International Journal of Bipolar Disorders, 2017, 5, 12.	0.8	3
112	Early clinical predictors of longâ€term morbidity in major depressive disorder. Microbial Biotechnology, 2019, 13, 999-1002.	0.9	3
113	Clinical response and metabolic effects of lithium in 323 mood disorder patients. Journal of Affective Disorders, 2020, 270, 9-14.	2.0	3
114	Long-Term Treatment of Bipolar Disorder with Valproate: Updated Systematic Review and Meta-analyses. Harvard Review of Psychiatry, 2021, 29, 188-195.	0.9	3
115	Suicidal risks in rural versus urban populations in Sardinia. Journal of Affective Disorders, 2021, 295, 1449-1455.	2.0	2
116	Unmet Needs in Psychiatry: Bipolar Depression. , 2020, , 39-82.		2
117	Psychotropic medicines: increased appetite rather than weight gain. Lancet Psychiatry, the, 2022, 9, e8.	3.7	2
118	Pharmacologic interventions in suicide prevention. Journal of Clinical Psychiatry, 2001, 62 Suppl 25, 51-5.	1.1	2
119	Melancholia as a DSM-5 specifier or a separate category?. Journal of Affective Disorders, 2021, 282, 39-40.	2.0	1
120	Do micronutrients help in ADHD?. British Journal of Psychiatry, 2015, 207, 460-460.	1.7	0
121	International suicide rates versus adequate treatments. British Journal of Psychiatry, 2017, 210, 298-299.	1.7	0
122	Modeling suicide. Bipolar Disorders, 2018, 20, 564-565.	1.1	0
123	Suicide in psychiatric disorders: rates, risk factors, and therapeutics. , 2021, , 85-115.		0
124	Transitions: Hagop Souren Akiskal. Journal of Affective Disorders, 2021, 284, 201-202.	2.0	0
125	Intensive treatment with lithium carbonate "once a day" in bipolar patients. Clinica Terapeutica, 2001, 152, 277-80.	0.1	0