

Xingxiang Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3175019/publications.pdf>

Version: 2024-02-01

163
papers

5,283
citations

76326

40
h-index

106344

65
g-index

163
all docs

163
docs citations

163
times ranked

5529
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Fracture toughness of graphene. <i>Nature Communications</i> , 2014, 5, 3782. | 12.8 | 567 |
| 2 | Shape-stabilized phase change materials based on polyethylene glycol/porous carbon composite: The influence of the pore structure of the carbon materials. <i>Solar Energy Materials and Solar Cells</i> , 2012, 105, 21-26. | 6.2 | 341 |
| 3 | Graphene oxide stabilized polyethylene glycol for heat storage. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 13233. | 2.8 | 197 |
| 4 | Reversible thermochromic microencapsulated phase change materials for thermal energy storage application in thermal protective clothing. <i>Applied Energy</i> , 2018, 217, 281-294. | 10.1 | 192 |
| 5 | Design of a Janus F-TiO ₂ @PPS Porous Membrane with Asymmetric Wettability for Switchable Oil/Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 22408-22418. | 8.0 | 122 |
| 6 | Microencapsulated Phase Change Materials in Solar-Thermal Conversion Systems: Understanding Geometry-Dependent Heating Efficiency and System Reliability. <i>ACS Nano</i> , 2017, 11, 721-729. | 14.6 | 98 |
| 7 | Fabrication and morphological characterization of microencapsulated phase change materials (MicroPCMs) and macrocapsules containing MicroPCMs for thermal energy storage. <i>Energy</i> , 2012, 38, 249-254. | 8.8 | 95 |
| 8 | Facile flexible reversible thermochromic membranes based on micro/nanoencapsulated phase change materials for wearable temperature sensor. <i>Applied Energy</i> , 2019, 247, 615-629. | 10.1 | 95 |
| 9 | Enhanced stress transfer and thermal properties of polyimide composites with covalent functionalized reduced graphene oxide. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 68, 140-148. | 7.6 | 93 |
| 10 | Enhanced Thermal-to-Flexible Phase Change Materials Based on Cellulose/Modified Graphene Composites for Thermal Management of Solar Energy. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 45832-45843. | 8.0 | 83 |
| 11 | Functionalized carbon nanotubes as phase change materials with enhanced thermal, electrical conductivity, light-to-thermal, and electro-to-thermal performances. <i>Carbon</i> , 2019, 149, 263-272. | 10.3 | 81 |
| 12 | Fabrication and characterization of microencapsulated phase change material with low supercooling for thermal energy storage. <i>Energy</i> , 2014, 68, 160-166. | 8.8 | 78 |
| 13 | Structures and Properties of Wet Spun Thermo-Regulated Polyacrylonitrile-Vinylidene Chloride Fibers. <i>Textile Research Journal</i> , 2006, 76, 351-359. | 2.2 | 75 |
| 14 | Novel sulfonated polyimide/zwitterionic polymer-functionalized graphene oxide hybrid membranes for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015, 299, 255-264. | 7.8 | 75 |
| 15 | Low-temperature nanowelding ultrathin silver nanowire sandwiched between polydopamine-functionalized graphene and conjugated polymer for highly stable and flexible transparent electrodes. <i>Chemical Engineering Journal</i> , 2018, 345, 260-270. | 12.7 | 68 |
| 16 | Design and fabrication of reversible thermochromic microencapsulated phase change materials for thermal energy storage and its antibacterial activity. <i>Energy</i> , 2018, 159, 857-869. | 8.8 | 68 |
| 17 | Biodegradable Transparent Substrate Based on Edible Starch-Chitosan Embedded with Nature-Inspired Three-Dimensionally Interconnected Conductive Nanocomposites for Wearable Green Electronics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 23037-23047. | 8.0 | 68 |
| 18 | Chitosan composite microencapsulated comb-like polymeric phase change material via coacervation microencapsulation. <i>Carbohydrate Polymers</i> , 2018, 200, 602-610. | 10.2 | 64 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Electrostatic Assembly of a Titanium Dioxide@Hydrophilic Poly(phenylene sulfide) Porous Membrane with Enhanced Wetting Selectivity for Separation of Strongly Corrosive Oil/Water Emulsions. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35479-35487. | 8.0 | 62 |
| 20 | Composite macrocapsule of phase change materials/expanded graphite for thermal energy storage. <i>Energy</i> , 2013, 57, 607-614. | 8.8 | 61 |
| 21 | Fabrication and characterization of polyamide 6-functionalized graphene nanocomposite fiber. <i>Journal of Materials Science</i> , 2012, 47, 8052-8060. | 3.7 | 60 |
| 22 | Superhydrophobic Covalent Organic Frameworks Prepared via Pore Surface Modifications for Functional Coatings under Harsh Conditions. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 2926-2934. | 8.0 | 59 |
| 23 | Continuously hierarchical nanoporous graphene film for flexible solid-state supercapacitors with excellent performance. <i>Nano Energy</i> , 2016, 24, 158-164. | 16.0 | 56 |
| 24 | Mussel-Inspired Polydopamine-Functionalized Graphene as a Conductive Adhesion Promoter and Protective Layer for Silver Nanowire Transparent Electrodes. <i>Langmuir</i> , 2016, 32, 5365-5372. | 3.5 | 56 |
| 25 | Superhydrophilic and underwater superoleophobic poly (acrylonitrile-co-methyl acrylate) membrane for highly efficient separation of oil-in-water emulsions. <i>Journal of Membrane Science</i> , 2018, 564, 712-721. | 8.2 | 56 |
| 26 | Graphene and carbon nanotubes for the synergistic reinforcement of polyamide 6 fibers. <i>Journal of Materials Science</i> , 2015, 50, 2797-2805. | 3.7 | 54 |
| 27 | Fabrication of a PPS Microporous Membrane for Efficient Water-in-Oil Emulsion Separation. <i>Langmuir</i> , 2018, 34, 10580-10590. | 3.5 | 51 |
| 28 | Bioinspired Superwetable Covalent Organic Framework Nanofibrous Composite Membrane with a Spindle-Knotted Structure for Highly Efficient Oil/Water Emulsion Separation. <i>Langmuir</i> , 2019, 35, 16545-16554. | 3.5 | 49 |
| 29 | Structure and thermal performance of poly(ethylene glycol) alkyl ether (Brij)/porous silica (MCM-41) composites as shape-stabilized phase change materials. <i>Thermochimica Acta</i> , 2013, 570, 1-7. | 2.7 | 48 |
| 30 | Synthesis and characterization of thermal energy storage microencapsulated n-dodecanol with acrylic polymer shell. <i>Energy</i> , 2015, 87, 86-94. | 8.8 | 48 |
| 31 | Fabrication and characterization of novel shape-stabilized synergistic phase change materials based on PHDA/GO composites. <i>Energy</i> , 2017, 138, 157-166. | 8.8 | 48 |
| 32 | Adhesive-free in situ synthesis of a coral-like titanium dioxide@poly(phenylene sulfide) microporous membrane for visible-light photocatalysis. <i>Chemical Engineering Journal</i> , 2019, 374, 1382-1393. | 12.7 | 48 |
| 33 | Gamma irradiation and microemulsion assisted synthesis of monodisperse flower-like platinum-gold nanoparticles/reduced graphene oxide nanocomposites for ultrasensitive detection of carcinoembryonic antigen. <i>Sensors and Actuators B: Chemical</i> , 2019, 287, 267-277. | 7.8 | 48 |
| 34 | Fabrication and properties of graphene oxide-grafted-poly(hexadecyl acrylate) as a solid-solid phase change material. <i>Composites Science and Technology</i> , 2017, 149, 262-268. | 7.8 | 47 |
| 35 | Multiresponsive Shape-Stabilized Hexadecyl Acrylate-Grafted Graphene as a Phase Change Material with Enhanced Thermal and Electrical Conductivities. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 8982-8991. | 8.0 | 47 |
| 36 | Intelligent adjustment of light-to-thermal energy conversion efficiency of thermo-regulated fabric containing reversible thermochromic MicroPCMs. <i>Chemical Engineering Journal</i> , 2021, 408, 127276. | 12.7 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Preparation and properties of poly(vinyl alcohol)-g-octadecanol copolymers based solid-phase change materials. <i>Materials Chemistry and Physics</i> , 2011, 131, 108-112. | 4.0 | 45 |
| 38 | Shape-stabilized phase change materials based on poly(ethylene-graft-maleic anhydride)-g-alkyl alcohol comb-like polymers. <i>Solar Energy Materials and Solar Cells</i> , 2015, 143, 21-28. | 6.2 | 44 |
| 39 | The production of a melt-spun functionalized graphene/poly(μ -caprolactam) nanocomposite fiber. <i>Composites Science and Technology</i> , 2013, 81, 61-68. | 7.8 | 42 |
| 40 | Enhancing solar-thermal-electric energy conversion based on m-PEGMA/GO synergistic phase change aerogels. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13207-13217. | 10.3 | 42 |
| 41 | Composition and Characterization of Thermoregulated Fiber Containing Acrylic-Based Copolymer Microencapsulated Phase-Change Materials (MicroPCMs). <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 5413-5420. | 3.7 | 39 |
| 42 | A novel PVDF/graphene composite membrane based on electrospun nanofibrous film for oil/water emulsion separation. <i>Composites Communications</i> , 2016, 2, 5-8. | 6.3 | 39 |
| 43 | Thermo-responsive PVDF/PSMA composite membranes with micro/nanoscale hierarchical structures for oil/water emulsion separation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 516, 305-316. | 4.7 | 39 |
| 44 | Novel Dual-Component Microencapsulated Hydrophobic Amine and Microencapsulated Isocyanate Used for Self-Healing Anti-Corrosion Coating. <i>Polymers</i> , 2018, 10, 319. | 4.5 | 38 |
| 45 | Reversible photochromic energy storage polyurea microcapsules via in-situ polymerization. <i>Energy</i> , 2021, 219, 119630. | 8.8 | 38 |
| 46 | Preparation and Properties of Microencapsulated Phase Change Materials Containing Two-Phase Core Materials. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 14706-14712. | 3.7 | 37 |
| 47 | Free-standing dual-network red phosphorus@porous multichannel carbon nanofibers/carbon nanotubes as a stable anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2019, 322, 134696. | 5.2 | 37 |
| 48 | Preparation of polyaniline-coated polyacrylonitrile fiber mats and their application to Cr(VI) removal. <i>Synthetic Metals</i> , 2016, 222, 255-266. | 3.9 | 36 |
| 49 | Radiation resistance of carbon fiber-reinforced epoxy composites optimized synergistically by carbon nanotubes in interface area/matrix. <i>Composites Part B: Engineering</i> , 2019, 172, 447-457. | 12.0 | 35 |
| 50 | Structure and thermal performance of poly(styrene-co-maleic anhydride)-g-alkyl alcohol comb-like copolymeric phase change materials. <i>Thermochimica Acta</i> , 2013, 564, 34-38. | 2.7 | 34 |
| 51 | Bead nano-necklace spheres on 3D carbon nanotube scaffolds for high-performance electromagnetic-interference shielding. <i>Chemical Engineering Journal</i> , 2019, 360, 1241-1246. | 12.7 | 34 |
| 52 | Preparation, characterization and permeation kinetics description of calcium alginate macro-capsules containing shape-stabilize phase change materials. <i>Renewable Energy</i> , 2011, 36, 2984-2991. | 8.9 | 33 |
| 53 | Effects of oil-soluble etherified melamine-formaldehyde prepolymers on in situ microencapsulation and macroencapsulation of n-dodecanol. <i>New Journal of Chemistry</i> , 2017, 41, 9424-9437. | 2.8 | 32 |
| 54 | Liquid phase exfoliation of graphite into few-layer graphene by sonication and microfluidization. <i>Materials Express</i> , 2017, 7, 491-499. | 0.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Enhanced sheet-sheet welding and interfacial wettability of 3D graphene networks as radiation protection in gamma-irradiated epoxy composites. <i>Composites Science and Technology</i> , 2018, 157, 57-66. | 7.8 | 30 |
| 56 | 3D graphene foams/epoxy composites with double-sided binder polyaniline interlayers for maintaining excellent electrical conductivities and mechanical properties. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 110, 246-257. | 7.6 | 29 |
| 57 | Fabrication, characterization, and supercooling suppression of nanoencapsulated n-octadecane with methyl methacrylate- ω -octadecyl methacrylate copolymer shell. <i>Colloid and Polymer Science</i> , 2013, 291, 1705-1712. | 2.1 | 28 |
| 58 | Conductive polypyrrole/viscose fiber composites. <i>Carbohydrate Polymers</i> , 2015, 127, 332-339. | 10.2 | 28 |
| 59 | Homogeneous synthesis of cellulose acrylate-g-poly (n-alkyl acrylate) solid- ω -solid phase change materials via free radical polymerization. <i>Carbohydrate Polymers</i> , 2018, 193, 129-136. | 10.2 | 28 |
| 60 | Microstructure regulation of microencapsulated bio-based <i>n</i> -dodecanol as phase change materials via in situ polymerization. <i>New Journal of Chemistry</i> , 2017, 41, 14696-14707. | 2.8 | 27 |
| 61 | Poly-L-Lactic Acid/Graphene Electrospun Composite Nanofibers for Wearable Sensors. <i>Energy Technology</i> , 2020, 8, 1901252. | 3.8 | 27 |
| 62 | Fabrication and properties of poly(polyethylene glycol octadecyl ether methacrylate). <i>Thermochimica Acta</i> , 2013, 574, 116-120. | 2.7 | 26 |
| 63 | Highly Efficient Purification of Multicomponent Wastewater by Electrospinning Kidney-Bean-Skin-like Porous H-PPAN/rGO-g-PAO@Ag ⁺ /Ag Composite Nanofibrous Membranes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 46920-46929. | 8.0 | 26 |
| 64 | Effect of N-isopropylacrylamide on the preparation and properties of microencapsulated phase change materials. <i>Energy</i> , 2016, 106, 221-230. | 8.8 | 24 |
| 65 | A Novel Method for the Preparation of Narrow-Disperse Nanoencapsulated Phase Change Materials by Phase Inversion Emulsification and Suspension Polymerization. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 9307-9313. | 3.7 | 23 |
| 66 | Amphiphilic cellulose for enhancing the antifouling and separation performances of poly (acrylonitrile-co-methyl acrylate) ultrafiltration membrane. <i>Journal of Membrane Science</i> , 2019, 591, 117276. | 8.2 | 23 |
| 67 | Fiber-welded ciliated-like nonwoven fabric nano-composite multiscale architectures for superior mechanical and electromagnetic shielding behaviors. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 121, 321-329. | 7.6 | 23 |
| 68 | Direct Liquid Phase Exfoliation of Graphite to Produce Few-Layer Graphene by Microfluidization. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 2078-2086. | 0.9 | 23 |
| 69 | Green fabrication of functionalized graphene via one-step method and its reinforcement for polyamide 66 fibers. <i>Materials Chemistry and Physics</i> , 2020, 240, 122288. | 4.0 | 23 |
| 70 | Cellulose-based phase change fibres for thermal energy storage and management applications. <i>Chemical Engineering Journal</i> , 2021, 412, 128596. | 12.7 | 23 |
| 71 | Nanoconfinement crystallization of frustrated alkyl groups: crossover of mesophase to crystalline structure. <i>Chemical Communications</i> , 2011, 47, 3825. | 4.1 | 22 |
| 72 | Design, controlled fabrication and characterization of narrow-disperse macrocapsules containing Micro/NanoPCMs. <i>Materials and Design</i> , 2016, 99, 225-234. | 7.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Fabrication and characterization of core-shell novel PU microcapsule using TDI trimer for release system. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 550, 138-144. | 4.7 | 22 |
| 74 | Synthesis and characterization of cellulose-g-polyoxyethylene (2) hexadecyl ether solid-solid phase change materials. <i>Cellulose</i> , 2016, 23, 1663-1674. | 4.9 | 21 |
| 75 | Crystalline structure and phase behavior of N-alkylated polypyrrole comb-like polymers. <i>CrystEngComm</i> , 2014, 16, 7090. | 2.6 | 20 |
| 76 | Preparation, Morphology, and Thermal Performance of Microencapsulated Phase Change Materials with a MF/SiO ₂ Composite Shell. <i>Energy & Fuels</i> , 2020, 34, 16819-16830. | 5.1 | 19 |
| 77 | Synthesis and characterization of microencapsulated phase change materials with chitosan-based polyurethane shell. <i>Carbohydrate Polymers</i> , 2021, 273, 118629. | 10.2 | 19 |
| 78 | Synthesis and electrochemical properties of Fe_2O_3 porous microrods as anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 794, 333-340. | 5.5 | 18 |
| 79 | Crystal structure and thermal property of polyethylene glycol octadecyl ether. <i>Thermochimica Acta</i> , 2013, 558, 83-86. | 2.7 | 17 |
| 80 | Fabrication and Performances of Microencapsulated <i>n</i> -Alkanes with Copolymers Having <i>n</i> -Octadecyl Side Chains As Shells. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 1678-1687. | 3.7 | 17 |
| 81 | Thermo-regulated sheath/core submicron fiber with poly(diethylene glycol hexadecyl ether acrylate) as a core. <i>Textile Reseach Journal</i> , 2016, 86, 493-501. | 2.2 | 17 |
| 82 | Thermoelectric behavior of PEDOT:PSS/CNT/graphene composites. <i>Journal of Polymer Engineering</i> , 2018, 38, 381-389. | 1.4 | 17 |
| 83 | Preparation and Properties of Narrowly Dispersed Polyurethane Nanocapsules Containing Essential Oil via Phase Inversion Emulsification. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 10799-10807. | 5.2 | 17 |
| 84 | Fabrication of high-strength PET fibers modified with graphene oxide of varying lateral size. <i>Journal of Materials Science</i> , 2020, 55, 8940-8953. | 3.7 | 17 |
| 85 | Chain packing and phase transition of N-hexacosylated polyethyleneimine comb-like polymer: A combined investigation by synchrotron X-ray scattering and FTIR spectroscopy. <i>Polymer</i> , 2013, 54, 6261-6266. | 3.8 | 15 |
| 86 | Properties and Fabrication of PA66/Surface-Modified Multi-Walled Nanotubes Composite Fibers by Ball Milling and Melt-Spinning. <i>Polymers</i> , 2018, 10, 547. | 4.5 | 15 |
| 87 | Catalyst-free large-scale synthesis of composite SiC@SiO ₂ /carbon nanofiber mats by blow-spinning. <i>Journal of Materials Chemistry C</i> , 2019, 7, 15233-15242. | 5.5 | 15 |
| 88 | SMA-Assisted Exfoliation of Graphite by Microfluidization for Efficient and Large-Scale Production of High-Quality Graphene. <i>Nanomaterials</i> , 2019, 9, 1653. | 4.1 | 15 |
| 89 | Quantitative Analysis of Adulterations in Oat Flour by FT-NIR Spectroscopy, Incomplete Unbalanced Randomized Block Design, and Partial Least Squares. <i>Journal of Analytical Methods in Chemistry</i> , 2014, 2014, 1-5. | 1.6 | 14 |
| 90 | Thermal performance and crystallization behavior of poly(ethylene glycol) hexadecyl ether in confined environment. <i>Polymer International</i> , 2014, 63, 982-988. | 3.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Preparation of bi-continuous poly(acrylonitrile-co-methyl acrylate) microporous membranes by a thermally induced phase separation method. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46173. | 2.6 | 14 |
| 92 | Microencapsulation of oil soluble polyaspartic acid ester and isophorone diisocyanate and their application in self-healing anticorrosive epoxy resin. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48478. | 2.6 | 14 |
| 93 | Suppressing Thermal Negative Effect and Maintaining High-Temperature Steady Electrical Performance of Triboelectric Nanogenerators by Employing Phase Change Material. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 41657-41668. | 8.0 | 14 |
| 94 | Synthesis and properties of self-assembled ultralong core-shell Si ₃ N ₄ /SiO ₂ nanowires by catalyst-free technique. <i>Ceramics International</i> , 2019, 45, 20040-20045. | 4.8 | 13 |
| 95 | Chemical synthesis and characterization of dodecylbenzene sulfonic acid-doped polyaniline/viscose fiber. <i>RSC Advances</i> , 2015, 5, 44687-44695. | 3.6 | 12 |
| 96 | Fabrication and properties of poly(polyethylene glycol n-alkyl ether vinyl ether)s as polymeric phase change materials. <i>Thermochimica Acta</i> , 2016, 633, 161-169. | 2.7 | 12 |
| 97 | Polyamide 66 and amino-functionalized multi-walled carbon nanotube composites and their melt-spun fibers. <i>Journal of Materials Science</i> , 2019, 54, 11056-11068. | 3.7 | 12 |
| 98 | Design and synthesis of microcapsules with cross-linking network supporting core for supercooling degree regulation. <i>Energy and Buildings</i> , 2021, 253, 111437. | 6.7 | 12 |
| 99 | Microencapsulated Comb-Like Polymeric Solid-Solid Phase Change Materials via In-Situ Polymerization. <i>Polymers</i> , 2018, 10, 172. | 4.5 | 11 |
| 100 | Lightweight sandwich fiber-welded foam-like nonwoven fabrics/graphene composites for electromagnetic shielding. <i>Materials Chemistry and Physics</i> , 2019, 232, 246-253. | 4.0 | 11 |
| 101 | Synthesis and characterization of hydrophobic reversible thermochromic MicroPCMs with amino resins shell for thermal energy storage. <i>Energy and Buildings</i> , 2021, 230, 110528. | 6.7 | 11 |
| 102 | Structure and properties of mixtures based on long chain polyacrylate and 1-alcohol composites. <i>Materials Chemistry and Physics</i> , 2014, 143, 1069-1074. | 4.0 | 10 |
| 103 | Fabrication and characterization of diethylene glycol hexadecyl ether-grafted graphene oxide as a form-stable phase change material. <i>Thermochimica Acta</i> , 2018, 661, 166-173. | 2.7 | 10 |
| 104 | Fabrication and Performance of Composite Microencapsulated Phase Change Materials with Palmitic Acid Ethyl Ester as Core. <i>Polymers</i> , 2018, 10, 726. | 4.5 | 10 |
| 105 | Thermal energy regulated and thermochromic composite film with temperature-sensitive "breathable" stomata. <i>Journal of Materials Science</i> , 2020, 55, 12921-12939. | 3.7 | 10 |
| 106 | Fabrication and Characterization of Poly(<i>n</i> -alkyl acrylic) Ester Shape-Stable Phase-Change Materials Based on UV Curing. <i>ACS Applied Energy Materials</i> , 2021, 4, 3358-3368. | 5.1 | 10 |
| 107 | Effect of surface treatment on surface characteristics of carbon fibers and interfacial bonding of epoxy resin composites. <i>Fibers and Polymers</i> , 2014, 15, 2395-2403. | 2.1 | 9 |
| 108 | Poly(styrene-co-maleic anhydride) functionalized graphene oxide. <i>Journal of Applied Polymer Science</i> , 2015, 132, . | 2.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Reversible Photochromic Nanofiber Membrane Containing Comb-Like Poly(octadecyl acrylate) Nanoparticles Used for Ultraviolet Intensity Indicator. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1900299. | 3.6 | 9 |
| 110 | Electromagnetic shielding of ultrathin, lightweight and strong nonwoven composites decorated by a bandage-style interlaced layer electropolymerized with polyaniline. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 20420-20431. | 2.2 | 9 |
| 111 | Mace-like carbon fibers@Fe ₃ O ₄ @carbon composites as anode materials for lithium-ion batteries. <i>Ionics</i> , 2020, 26, 5923-5934. | 2.4 | 9 |
| 112 | Preparation of 3D crimped ZnO/PAN hybrid nanofiber mats with photocatalytic activity and antibacterial properties by blow-spinning. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49908. | 2.6 | 9 |
| 113 | Influences of PVA modification on performance of microencapsulated reversible thermochromic phase change materials for energy storage application. <i>Solar Energy Materials and Solar Cells</i> , 2021, 222, 110938. | 6.2 | 9 |
| 114 | Synthesis and photochromic behavior of comb-like acrylate polymer nanoparticle containing spiropyran. <i>Dyes and Pigments</i> , 2021, 189, 109237. | 3.7 | 9 |
| 115 | Effects of Polyvinyl Alcohol Modification on Microstructure, Thermal Properties and Impermeability of Microencapsulated n-Dodecanol as Phase Change Material. <i>ChemistrySelect</i> , 2017, 2, 9369-9376. | 1.5 | 8 |
| 116 | Facile Fabrication of PA66/GO/MWNTs-COOH Nanocomposites and Their Fibers. <i>Fibers</i> , 2019, 7, 69. | 4.0 | 8 |
| 117 | Elucidating synthesis of noble metal nanoparticles/graphene oxide in free-scavenger β -irradiation. <i>Current Applied Physics</i> , 2019, 19, 780-786. | 2.4 | 8 |
| 118 | Research on long-chain alkanol etherified melamine-formaldehyde resin MicroPCMs for energy storage. <i>Energy</i> , 2021, 214, 119029. | 8.8 | 8 |
| 119 | Graphene-Based Film Reduced by a Chemical and Thermal Synergy Method as a Transparent Conductive Electrode. <i>Science of Advanced Materials</i> , 2016, 8, 1066-1073. | 0.7 | 8 |
| 120 | Polyamide 66 fibers synergistically reinforced with functionalized graphene and multi-walled carbon nanotubes. <i>Materials Chemistry and Physics</i> , 2021, 271, 124898. | 4.0 | 7 |
| 121 | PVDF microspheres@PLLA nanofibers-based hybrid tribo/piezoelectric nanogenerator with excellent electrical output properties. <i>Materials Advances</i> , 2021, 2, 6011-6019. | 5.4 | 7 |
| 122 | Fabrication, Characterization and Suppression of Supercooling in Microencapsulated n-Octadecane with Methyl Methacrylate-Octadecyl Methacrylate Copolymer as Shell. <i>Science of Advanced Materials</i> , 2014, 6, 120-127. | 0.7 | 7 |
| 123 | Novel dye-containing copolyimides: synthesis, characterization and effect of chain entanglements on developed electrospun nanofiber morphologies. <i>Journal of Polymer Research</i> , 2015, 22, 1. | 2.4 | 6 |
| 124 | Microencapsulation and characterization of polyamic acid microcapsules containing n-octadecane via electrospaying method. <i>Materials Express</i> , 2015, 5, 480-488. | 0.5 | 6 |
| 125 | Structure and properties of poly(acrylonitrile-co-methyl acrylate) membranes prepared via thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 2.6 | 6 |
| 126 | Preparation of MnO ₂ @P(AN-VDC)/AC composite fibers for high capacity formaldehyde removal. <i>Materials Letters</i> , 2019, 242, 51-54. | 2.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Constitutive Relationship of New Steel 33Mn2V and Its Application in Piercing Process by FEM Simulation. <i>Journal of Iron and Steel Research International</i> , 2011, 18, 47-52. | 2.8 | 5 |
| 128 | The continuous flexible three dimensional curly carbon-based hybrid nanofibers with good resilience and electrochemical performance. <i>Materials and Design</i> , 2018, 147, 114-121. | 7.0 | 5 |
| 129 | Facile preparation and thermoelectric properties of PEDOT nanowires/Bi ₂ Te ₃ nanocomposites. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 17367-17373. | 2.2 | 5 |
| 130 | Fabrication of High Performance PET/TLCP Fibers through the Synergistic Interfacial Enhancement and Compatibilization of Functional 1D and 2D Carbon Nanomaterials. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2000661. | 3.6 | 5 |
| 131 | Removal of formaldehyde from overactivated carbon fiber loaded biological enzyme. <i>Journal of Applied Polymer Science</i> , 2013, 130, 2619-2623. | 2.6 | 4 |
| 132 | Structures and properties of thermoregulated acrylonitrile-methyl acrylate sheet containing microphase change materials. <i>Polymer Composites</i> , 2013, 34, 641-649. | 4.6 | 4 |
| 133 | Functionalized multiwalled carbon nanotubes in mild polyphosphoric acid/phosphorous pentoxide/phosphoric acid and their composites with epoxy resin. <i>Polymer Composites</i> , 2014, 35, 1275-1284. | 4.6 | 4 |
| 134 | Fabrication and wet spinning of a fully aromatic meta-polybenzimidazole. <i>High Performance Polymers</i> , 2016, 28, 288-295. | 1.8 | 4 |
| 135 | Fabrication and characterization of conductive microcapsule containing phase change material. <i>E-Polymers</i> , 2019, 19, 519-526. | 3.0 | 4 |
| 136 | Properties of PEDOT nanowire/Te nanowire nanocomposites and fabrication of a flexible thermoelectric generator. <i>RSC Advances</i> , 2020, 10, 33965-33971. | 3.6 | 4 |
| 137 | Fabrication and Characterization of Electrospun Poly(acrylonitrile-co-vinylidene Chloride) Copolymer/Poly(<i>n</i> -tetradecyl acrylate-co- <i>n</i> -hexadecyl Acrylate) Sheath/Core Nanofiber-wrapped Thermo-regulated Filaments. <i>ACS Applied Energy Materials</i> , 2021, 4, 5359-5366. | 5.1 | 4 |
| 138 | Impact-resistant membranes from electrospun fibers with a shear-thickening core. <i>Materials Chemistry and Physics</i> , 2022, 277, 125478. | 4.0 | 4 |
| 139 | Biodegradable poly(lactic acid) microspheres containing total alkaloids of <i>Caulis sinomenii</i> . <i>Bulletin of Materials Science</i> , 2011, 34, 1715-1719. | 1.7 | 3 |
| 140 | Effects of Fatty Acid Anhydride on the Structure and Thermal Properties of Cellulose-g-Polyoxyethylene (2) Hexadecyl Ether. <i>Polymers</i> , 2018, 10, 498. | 4.5 | 3 |
| 141 | Fabrication and Characterization of Novel Shape-Stabilized Phase Change Materials Based on P(TDA-co-HDA)/GO Composites. <i>Polymers</i> , 2019, 11, 1113. | 4.5 | 3 |
| 142 | Preparation of Polyethylene Terephthalate/Polyketone/Graphene Oxide Composite Fibers: Implications for High-Performance Polymer Composites Modified with Carbon Nanomaterials. <i>ACS Applied Nano Materials</i> , 2021, 4, 9768-9778. | 5.0 | 3 |
| 143 | Facile Synthesis of Highly Photoactive ATO-Based Microcapsule for Solar Energy Harvesting. <i>Science of Advanced Materials</i> , 2013, 5, 1498-1503. | 0.7 | 3 |
| 144 | Fabrication and characterization of hexadecyl acrylate cross-linked phase change microspheres. <i>E-Polymers</i> , 2020, 20, 69-75. | 3.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Microencapsulated Phase Change Materials and its Application in Thermal-Regulated Fibers. Key Engineering Materials, 0, 519, 6-9. | 0.4 | 2 |
| 146 | Preparation of poly(acrylonitrile-methacrylate) membrane via thermally induced phase separation: effects of MA with different feeding molar ratios. Desalination and Water Treatment, 0, , 1-17. | 1.0 | 2 |
| 147 | Preparation and properties of polyaniline/viscose fiber adducts. Polymer Composites, 2017, 38, 782-788. | 4.6 | 2 |
| 148 | Microencapsulation and Morphological Characterization of Renewable Microencapsulated Phase-Change Materials with Cellulose Diacetate Shell. ChemistrySelect, 2017, 2, 5917-5923. | 1.5 | 2 |
| 149 | Poly(mono/diethylene glycol n-tetradecyl ether vinyl ether)s with Various Molecular Weights as Phase Change Materials. Polymers, 2018, 10, 197. | 4.5 | 2 |
| 150 | Enhancement of physical and mechanical properties of polyamide 66 fibers using polysiloxane-functionalized multi-walled carbon nanotubes. Journal of Applied Polymer Science, 2021, 138, 50170. | 2.6 | 2 |
| 151 | Effect of Solid-state Shear Milling Process on Mechanical Properties of PA66/graphene Nanocomposite Fibers. Fibers and Polymers, 0, , 1. | 2.1 | 2 |
| 152 | Coaxial Electrospun Thermo-Regulated Sheath/Core Nanofibers with a Comb-Like Polymer Core. Science of Advanced Materials, 2014, 6, 2640-2645. | 0.7 | 2 |
| 153 | Influences of Lateral Size on the Properties of Graphene Based Materials and Poly(vinylbutyral)/Graphene Composite Materials. Science of Advanced Materials, 2015, 7, 1213-1220. | 0.7 | 2 |
| 154 | High water flux poly(acrylonitrile-co-methyl acrylate) membranes fabricated via thermally induced phase separation. , 0, 120, 73-87. | | 2 |
| 155 | New Approach to Fabricate Microcapsules with Comb-Like Copolymer Shell by Phase Separation Method. Advanced Materials Research, 0, 860-863, 577-581. | 0.3 | 1 |
| 156 | Photoinduced Microencapsulation of Microcapsules Containing n -Octadecane with P(APUA) and P(AMA) Shell. Materials Science Forum, 0, 852, 1182-1187. | 0.3 | 1 |
| 157 | Microencapsulation of energy conversion photochromic materials with epoxy resin shell by interfacial polymerization. IOP Conference Series: Materials Science and Engineering, 0, 394, 022009. | 0.6 | 1 |
| 158 | Preparation and properties of shape-stabilized phase change material cellulose benzoate-g-polyoxyethylene (2) hexadecyl ether with potential for thermal energy storage. Textile Research Journal, 2019, 89, 1512-1521. | 2.2 | 1 |
| 159 | Synthesis of γ -Fe ₂ O ₃ double-layer hollow spheres with carbon coating using carbonaceous sphere templates for lithium ion battery anodes. Journal of Solid State Electrochemistry, 2021, 25, 267-278. | 2.5 | 1 |
| 160 | Facile fabrication of high-performance PA66/MWNT nanocomposite fibers. Colloid and Polymer Science, 2022, 300, 509-519. | 2.1 | 1 |
| 161 | Fabrication and performance of shape-stable phase change materials based on epoxy group crosslinking. Journal of Applied Polymer Science, 2021, 138, 50681. | 2.6 | 0 |
| 162 | Flexible thermoelectric nanodevices based on three-dimensional networks of poly(3,4-ethylenedioxythiophene) nanowires and graphene. High Performance Polymers, 2021, 33, 657-664. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Facial fabrication of few-layer functionalized graphene with sole functional group through Diels-Alder reaction by ball milling. RSC Advances, 2022, 12, 17990-18003. | 3.6 | 0 |