

Maria Jesus Santofimia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3175209/publications.pdf>

Version: 2024-02-01

69
papers

4,546
citations

76326

40
h-index

118850

62
g-index

70
all docs

70
docs citations

70
times ranked

1698
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of work hardening mechanisms in Quenching and Partitioning steels combining experiments with a 3D micro-mechanical model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 846, 143301.	5.6	8
2	Microstructural Impact of Si and Ni During High Temperature Quenching and Partitioning Process in Medium-Mn Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 1321-1335.	2.2	8
3	Advanced High-Strength Steels by Quenching and Partitioning. <i>Metals</i> , 2021, 11, 1419.	2.3	2
4	Coalescence of martensite under uniaxial tension of iron crystallites by atomistic simulations. <i>Materials Science and Technology</i> , 2020, 36, 1191-1199.	1.6	6
5	Austenite Reverse Transformation in a Q&P Route of Mn and Ni Added Steels. <i>Metals</i> , 2020, 10, 862.	2.3	11
6	Influence of martensite/austenite interfaces on bainite formation in low-alloy steels below M. <i>Acta Materialia</i> , 2020, 188, 394-405.	7.9	45
7	Unravelling the mechanical behaviour of advanced multiphase steels isothermally obtained below M. <i>Materials and Design</i> , 2020, 188, 108484.	7.0	16
8	Impact of austenite grain boundaries and ferrite nucleation on bainite formation in steels. <i>Acta Materialia</i> , 2020, 188, 424-434.	7.9	53
9	The role of grain-boundary cementite in bainite formation in high-carbon steels. <i>Scripta Materialia</i> , 2020, 185, 7-11.	5.2	17
10	Microstructure evolution during high-temperature partitioning of a medium-Mn quenching and partitioning steel. <i>Materialia</i> , 2019, 8, 100492.	2.7	40
11	The role of the austenite grain size in the martensitic transformation in low carbon steels. <i>Materials and Design</i> , 2019, 167, 107625.	7.0	141
12	The influence of the austenite grain size on the microstructural development during quenching and partitioning processing of a low-carbon steel. <i>Materials and Design</i> , 2019, 178, 107847.	7.0	48
13	Fracture mechanisms and microstructure in a medium Mn quenching and partitioning steel exhibiting macrosegregation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 754, 766-777.	5.6	48
14	Effect of C on the Martensitic Transformation in Fe-C Alloys in the Presence of Pre-Existing Defects: A Molecular Dynamics Study. <i>Crystals</i> , 2019, 9, 99.	2.2	19
15	Interplay between metastable phases controls strength and ductility in steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 745, 185-194.	5.6	15
16	Theoretical Aspects of Spinodal Decomposition in Fe-C. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019, 50, 1175-1184.	2.2	5
17	Cellular Automata Modeling of Plastic Deformation in Ferrite During Martensite Formation in Dual-Phase Steels. , 2019, , .		0
18	Effect of pre-existing defects in the parent fcc phase on atomistic mechanisms during the martensitic transformation in pure Fe: A molecular dynamics study. <i>Acta Materialia</i> , 2018, 142, 71-81.	7.9	49

#	ARTICLE	IF	CITATIONS
19	Influence of bainite reaction on the kinetics of carbon redistribution during the Quenching and Partitioning process. <i>Acta Materialia</i> , 2018, 142, 142-151.	7.9	56
20	Influence of the prior athermal martensite on the mechanical response of advanced bainitic steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 735, 343-353.	5.6	26
21	Controlling the work hardening of martensite to increase the strength/ductility balance in quenched and partitioned steels. <i>Materials and Design</i> , 2017, 117, 248-256.	7.0	64
22	Thermal and mechanical stability of retained austenite surrounded by martensite with different degrees of tempering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 690, 337-347.	5.6	145
23	Characterization of bainitic/martensitic structures formed in isothermal treatments below the M _s temperature. <i>Materials Characterization</i> , 2017, 128, 248-256.	4.4	108
24	A quantitative investigation of the effect of Mn segregation on microstructural properties of quenching and partitioning steels. <i>Scripta Materialia</i> , 2017, 137, 27-30.	5.2	40
25	The role of silicon in carbon partitioning processes in martensite/austenite microstructures. <i>Materials and Design</i> , 2017, 127, 336-345.	7.0	54
26	Bainite formation kinetics in steels and the dynamic nature of the autocatalytic nucleation process. <i>Scripta Materialia</i> , 2017, 140, 82-86.	5.2	62
27	Analysis of the mechanical behavior of a 0.3C-1.6Si-3.5Mn(wt%) quenching and partitioning steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 677, 505-514.	5.6	59
28	Thermodynamic aspects of carbon redistribution during ageing and tempering of Fe-Ni-C alloys. <i>Philosophical Magazine</i> , 2016, 96, 2632-2648.	1.6	12
29	Molecular dynamics simulations of the mechanisms controlling the propagation of bcc/fcc semi-coherent interfaces in iron. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2016, 24, 055019.	2.0	21
30	Effect of Prior Austenite Grain Size Refinement by Thermal Cycling on the Microstructural Features of As-Quenched Lath Martensite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 5288-5301.	2.2	159
31	Exploring bainite formation kinetics distinguishing grain-boundary and autocatalytic nucleation in high and low-Si steels. <i>Acta Materialia</i> , 2016, 105, 155-164.	7.9	86
32	Interaction of carbon partitioning, carbide precipitation and bainite formation during the Q&P process in a low C steel. <i>Acta Materialia</i> , 2016, 104, 72-83.	7.9	166
33	Phase field modelling of microstructural evolution during the quenching and partitioning treatment in low-alloy steels. <i>Computational Materials Science</i> , 2016, 112, 245-256.	3.0	38
34	Effect of Prior Athermal Martensite on the Isothermal Transformation Kinetics Below M _s in a Low-C High-Si Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 1028-1039.	2.2	98
35	In situ austenite-martensite interface mobility study during annealing. <i>Acta Materialia</i> , 2015, 90, 161-168.	7.9	52
36	An improved X-ray diffraction analysis method to characterize dislocation density in lath martensitic structures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 639, 208-218.	5.6	217

#	ARTICLE	IF	CITATIONS
37	Elastic Strain Measurement of Miniature Tensile Specimens. <i>Experimental Mechanics</i> , 2014, 54, 165-173.	2.0	22
38	Microstructural analysis of martensite constituents in quenching and partitioning steels. <i>Materials Characterization</i> , 2014, 92, 91-95.	4.4	94
39	Deformation behavior of a high strength multiphase steel at macro- and micro-scales. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 611, 201-211.	5.6	53
40	Microstructure, tensile and toughness properties after quenching and partitioning treatments of a medium-carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 559, 486-495.	5.6	139
41	Microstructure and Properties of Ultrafast Annealed High Strength Steel. <i>Materials Science Forum</i> , 2013, 753, 554-558.	0.3	3
42	Temperature dependence of carbon supersaturation of ferrite in bainitic steels. <i>Scripta Materialia</i> , 2012, 67, 846-849.	5.2	83
43	Phase field simulation of the carbon redistribution during the quenching and partitioning process in a low-carbon steel. <i>Acta Materialia</i> , 2012, 60, 2916-2926.	7.9	51
44	Microstructural development during the quenching and partitioning process in a newly designed low-carbon steel. <i>Acta Materialia</i> , 2011, 59, 6059-6068.	7.9	269
45	Overview of Mechanisms Involved During the Quenching and Partitioning Process in Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 3620-3626.	2.2	96
46	New low carbon Q&P steels containing film-like intercritical ferrite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 6429-6439.	5.6	154
47	Experimental study of the distribution of alloying elements after the formation of epitaxial ferrite upon cooling in a low-carbon steel. <i>Materials Characterization</i> , 2010, 61, 937-942.	4.4	28
48	The Complexity of the Microstructural Changes during the Partitioning Step of the Quenching and Partitioning Process in Low Carbon Steels. <i>Materials Science Forum</i> , 2010, 638-642, 3485-3490.	0.3	6
49	Influence of carbon partitioning kinetics on final austenite fraction during quenching and partitioning. <i>Scripta Materialia</i> , 2009, 61, 149-152.	5.2	150
50	Theoretical design and advanced microstructure in super high strength steels. <i>Materials & Design</i> , 2009, 30, 2077-2083.	5.1	164
51	Microstructural Evolution of a Low-Carbon Steel during Application of Quenching and Partitioning Heat Treatments after Partial Austenitization. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2009, 40, 46-57.	2.2	166
52	Toughness deterioration in advanced high strength bainitic steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 525, 87-95.	5.6	87
53	New experimental evidence on the incomplete transformation phenomenon in steel. <i>Acta Materialia</i> , 2009, 57, 8-17.	7.9	139
54	Influence of interface mobility on the evolution of austeniteâ€“martensite grain assemblies during annealing. <i>Acta Materialia</i> , 2009, 57, 4548-4557.	7.9	134

#	ARTICLE	IF	CITATIONS
55	Experimental evidence for bainite formation below Ms in Fe-0.66C. Scripta Materialia, 2008, 58, 488-491.	5.2	121
56	Model for the interaction between interface migration and carbon diffusion during annealing of martensite-austenite microstructures in steels. Scripta Materialia, 2008, 59, 159-162.	5.2	93
57	Characterization of the microstructure obtained by the quenching and partitioning process in a low-carbon steel. Materials Characterization, 2008, 59, 1758-1764.	4.4	139
58	Effects of Morphology and Stability of Retained Austenite on the Ductility of TRIP-aided Bainitic Steels. ISIJ International, 2008, 48, 1256-1262.	1.4	90
59	Design of Advanced Bainitic Steels by Optimisation of TTT Diagrams and T0 Curves. ISIJ International, 2006, 46, 1479-1488.	1.4	89
60	Evaluation of Displacive Models for Bainite Transformation Kinetics in Steels. Materials Transactions, 2006, 47, 1492-1500.	1.2	43
61	New Model for the Overall Transformation Kinetics of Bainite. Part 1: the Model. Materials Transactions, 2006, 47, 2465-2472.	1.2	32
62	New Model for the Overall Transformation Kinetics of Bainite. Part 2: Validation. Materials Transactions, 2006, 47, 2473-2479.	1.2	12
63	Time-Temperature-Transformation Diagram within the Bainitic Temperature Range in a Medium Carbon Steel. Materials Transactions, 2004, 45, 3272-3281.	1.2	23
64	The Influence of Titanium and Vanadium on Isothermal Growth Kinetics of Allotriomorphic Ferrite in Medium Carbon Microalloyed Steels. Materials Transactions, 2003, 44, 220-225.	1.2	1
65	Toughness of Advanced High Strength Bainitic Steels. Materials Science Forum, 0, 638-642, 118-123.	0.3	10
66	Model for the Annealing of Partial Martensite-Austenite Microstructures in Steels. Solid State Phenomena, 0, 172-174, 567-572.	0.3	0
67	Volume Change Associated to Carbon Partitioning from Martensite to Austenite. Materials Science Forum, 0, 706-709, 2290-2295.	0.3	45
68	Optimizing Mechanical Properties of a 0.3C-1.5Si-3.5Mn Quenched and Partitioned Steel. Advanced Materials Research, 0, 829, 100-104.	0.3	11
69	Influence of the Partitioning Treatment on the Mechanical Properties of a 0.3C-1.5Si-3.5Mn Q&P Steel. Advanced Materials Research, 0, 922, 224-229.	0.3	5