
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3175410/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Qualitative description – the poor cousin of health research?. BMC Medical Research Methodology, 2009, 9, 52.	1.4	1,202
2	General Practice and Primary Health Care in Denmark. Journal of the American Board of Family Medicine, 2012, 25, S34-S38.	0.8	389
3	Time intervals from first symptom to treatment of cancer: a cohort study of 2,212 newly diagnosed cancer patients. BMC Health Services Research, 2011, 11, 284.	0.9	180
4	Socioeconomic patient characteristics predict delay in cancer diagnosis: a Danish cohort study. BMC Health Services Research, 2008, 8, 49.	0.9	153
5	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2012, 20, 2913-2924.	1.0	118
6	Side Effects of Longâ€Term Proton Pump Inhibitor Use: A Review. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 114-121.	1.2	105
7	Myocardial Infarction and Risk of Suicide. Circulation, 2010, 122, 2388-2393.	1.6	98
8	Association between unmet needs and quality of life of cancer patients: A population-based study. Acta Oncológica, 2013, 52, 391-399.	0.8	95
9	Self-reported symptoms and healthcare seeking in the general population -exploring "The Symptom Iceberg― BMC Public Health, 2015, 15, 685.	1.2	93
10	Patient delay in cancer studies: a discussion of methods and measures. BMC Health Services Research, 2009, 9, 189.	0.9	92
11	Early discontinuation of antidepressants in general practice: association with patient and prescriber characteristics. Family Practice, 2004, 21, 623-629.	0.8	86
12	Overlap of symptoms of gastroesophageal reflux disease, dyspepsia and irritable bowel syndrome in the general population. Scandinavian Journal of Gastroenterology, 2015, 50, 162-169.	0.6	82
13	Tools for Deprescribing in Frail Older Persons and Those with Limited Life Expectancy: A Systematic Review. Journal of the American Geriatrics Society, 2019, 67, 172-180.	1.3	80
14	How Conducting a Clinical Trial Affects Physicians' Guideline Adherence and Drug Preferences. JAMA - Journal of the American Medical Association, 2006, 295, 2759.	3.8	75
15	Social inequality in cancer rehabilitation: A population-based cohort study. Acta Oncológica, 2013, 52, 410-422.	0.8	68
16	â€~Containment' as an analytical framework for understanding patient delay: AÂqualitative study of cancer patients' symptom interpretation processes. Social Science and Medicine, 2010, 71, 378-385.	1.8	64
17	Cancer rehabilitation: Psychosocial rehabilitation needs after discharge from hospital?. Scandinavian Journal of Primary Health Care, 2008, 26, 216-221.	0.6	56
18	Preference for placeâ€ofâ€death among terminally ill cancer patients in Denmark. Scandinavian Journal of Caring Sciences, 2011, 25, 627-636.	1.0	55

#	Article	IF	CITATIONS
19	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. Family Practice, 2018, 35, 383-398.	0.8	55
20	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. European Journal of Preventive Cardiology, 2018, 25, 1326-1340.	0.8	55
21	Associations between home death and GP involvement in palliative cancer care. British Journal of General Practice, 2009, 59, 671-677.	0.7	54
22	Association of Socioeconomic Status With Dementia Diagnosis Among Older Adults in Denmark. JAMA Network Open, 2021, 4, e2110432.	2.8	54
23	Revisiting the trajectory of medical students' empathy, and impact of gender, specialty preferences and nationality: a systematic review. BMC Medical Education, 2020, 20, 52.	1.0	53
24	Case management used to optimize cancer care pathways: A systematic review. BMC Health Services Research, 2008, 8, 227.	0.9	52
25	What is spiritual care? Professional perspectives on the concept of spiritual care identified through group concept mapping. BMJ Open, 2020, 10, e042142.	0.8	47
26	Does the organizational structure of health care systems influence care-seeking decisions? A qualitative analysis of Danish cancer patients' reflections on care-seeking. Scandinavian Journal of Primary Health Care, 2011, 29, 144-149.	0.6	46
27	Determinants of Successful eHealth Coaching for Consumer Lifestyle Changes: Qualitative Interview Study Among Health Care Professionals. Journal of Medical Internet Research, 2018, 20, e237.	2.1	44
28	Low Back Pain in Primary Care: A Description of 1250 Patients with Low Back Pain in Danish General and Chiropractic Practice. International Journal of Family Medicine, 2014, 2014, 1-7.	1.2	43
29	Faith Moves Mountains—Mountains Move Faith: Two Opposite Epidemiological Forces in Research on Religion and Health. Journal of Religion and Health, 2017, 56, 294-304.	0.8	43
30	General Practitioners' Perspective on eHealth and Lifestyle Change: Qualitative Interview Study. JMIR MHealth and UHealth, 2018, 6, e88.	1.8	43
31	The validated sun exposure questionnaire: association of objective and subjective measures of sun exposure in a Danish populationâ€based sample. British Journal of Dermatology, 2017, 176, 446-456.	1.4	41
32	Drivers for successful long-term lifestyle change, the role of e-health: a qualitative interview study. BMJ Open, 2018, 8, e017466.	0.8	41
33	Health care professionals' attitudes towards deprescribing in older patients with limited life expectancy: A systematic review. British Journal of Clinical Pharmacology, 2019, 85, 868-892.	1.1	41
34	Cancer survivors' rehabilitation needs in a primary health care context. Family Practice, 2009, 26, 221-230.	0.8	40
35	Shared Care in Basic Level Palliative Home Care: Organizational and Interpersonal Challenges. Journal of Palliative Medicine, 2010, 13, 1071-1077.	0.6	40
36	Socio-economic inequalities in first-time use of antidepressants: a population-based study. European Journal of Clinical Pharmacology, 2004, 60, 51-55.	0.8	39

#	Article	IF	CITATIONS
37	Impact of pharmaceutical representative visits on GPs' drug preferences. Family Practice, 2009, 26, 204-209.	0.8	39
38	Mercury exports from a High-Arctic river basin in Northeast Greenland (74°N) largely controlled by glacial lake outburst floods. Science of the Total Environment, 2015, 514, 83-91.	3.9	39
39	Detailed postal feedback about prescribing to asthma patients combined with a guideline statement showed no impact: a randomised controlled trial. European Journal of Clinical Pharmacology, 2002, 58, 127-132.	0.8	38
40	Performance of activities of daily living among hospitalized cancer patients. Scandinavian Journal of Occupational Therapy, 2015, 22, 137-146.	1.1	38
41	Mailed prescriber feedback in addition to a clinical guideline has no impact: a randomised, controlled trial. Scandinavian Journal of Primary Health Care, 2003, 21, 47-51.	0.6	37
42	Prevalence of cancer alarm symptoms: A population-based cross-sectional study. Scandinavian Journal of Primary Health Care, 2010, 28, 132-137.	0.6	37
43	Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. Basic and Clinical Pharmacology and Toxicology, 2014, 114, 407-413.	1.2	37
44	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100 000 Individuals. International Journal of Family Medicine, 2014, 2014, 1-10.	1.2	37
45	Medical and nonâ€medical predictors of initiating longâ€ŧerm use of proton pump inhibitors: a nationwide cohort study of firstâ€time users during a 10â€year period. Alimentary Pharmacology and Therapeutics, 2016, 44, 78-87.	1.9	37
46	Earlyâ€onset type 2 diabetes: Age gradient in clinical and behavioural risk factors in 5115 persons with newly diagnosed type 2 diabetes—Results from the DD2 study. Diabetes/Metabolism Research and Reviews, 2018, 34, e2968.	1.7	37
47	Multimorbidity and Blood Pressure Control in 37Â651 Hypertensive Patients From Danish General Practice. Journal of the American Heart Association, 2013, 2, e004531.	1.6	36
48	Physicians' experiences, attitudes, and beliefs towards medical cannabis: a systematic literature review. BMC Family Practice, 2021, 22, 212.	2.9	36
49	Infant Respiratory Tract Infections or Wheeze and Maternal Vitamin D in Pregnancy. Pediatric Infectious Disease Journal, 2017, 36, 384-391.	1.1	34
50	A New Fracture Risk Assessment Tool (FREM) Based on Public Health Registries. Journal of Bone and Mineral Research, 2018, 33, 1967-1979.	3.1	34
51	Development of an mHealth Application for Women Newly Diagnosed with Osteoporosis without Preceding Fractures: A Participatory Design Approach. International Journal of Environmental Research and Public Health, 2018, 15, 330.	1.2	34
52	†We are the barriers': Danish general practitioners' interpretations of why the existential and spiritual dimensions are neglected in patient care. Communication and Medicine, 2018, 14, 108-120.	0.1	34
53	General practitioner characteristics and delay in cancer diagnosis. a population-based cohort study. BMC Family Practice, 2011, 12, 100.	2.9	33
54	Associations between generic substitution and patients' attitudes, beliefs and experiences. European Journal of Clinical Pharmacology, 2013, 69, 1827-1836.	0.8	33

#	Article	IF	CITATIONS
55	Depressive Symptoms and Risk of New Cardiovascular Events or Death in Patients with Myocardial Infarction: A Population-Based Longitudinal Study Examining Health Behaviors and Health Care Interventions. PLoS ONE, 2013, 8, e74393.	1.1	33
56	The NERSH International Collaboration on Values, Spirituality and Religion in Medicine: Development of Questionnaire, Description of Data Pool, and Overview of Pool Publications. Religions, 2016, 7, 107.	0.3	33
57	Antidepressant drug use in general practice: inter-practice variation and association with practice characteristics. European Journal of Clinical Pharmacology, 2003, 59, 143-149.	0.8	32
58	Evaluation of the use of common sculpin (Myoxocephalus scorpius) organ histology as bioindicator for element exposure in the fjord of the mining area Maarmorilik, West Greenland. Environmental Research, 2014, 133, 304-311.	3.7	32
59	The existential dimension in general practice: identifying understandings and experiences of general practitioners in Denmark. Scandinavian Journal of Primary Health Care, 2016, 34, 385-393.	0.6	32
60	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. Respirology, 2019, 24, 1183-1190.	1.3	32
61	Socio-economic status influences blood pressure control despite equal access to care. Family Practice, 2012, 29, 503-510.	0.8	31
62	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. European Journal of Public Health, 2019, 29, 88-93.	0.1	31
63	Specific and non-specific symptoms of colorectal cancer and contact to general practice. Family Practice, 2015, 32, cmv032.	0.8	29
64	Barriers to lifestyle changes for prevention of cardiovascular disease – a survey among 40–60-year old Danes. BMC Cardiovascular Disorders, 2017, 17, 245.	0.7	29
65	Determinants of preferences for lifestyle changes versus medication and beliefs in ability to maintain lifestyle changes. A population-based survey. Preventive Medicine Reports, 2017, 6, 66-73.	0.8	28
66	Developing and evaluating a course programme to enhance existential communication with cancer patients in general practice. Scandinavian Journal of Primary Health Care, 2018, 36, 142-151.	0.6	27
67	Breastfeeding and Infections in Early Childhood: A Cohort Study. Pediatrics, 2020, 146, .	1.0	27
68	General practitioners prefer prescribing indicators based on detailed information on individual patients: a Delphi study. European Journal of Clinical Pharmacology, 2005, 61, 237-241.	0.8	24
69	Associations between successful palliative trajectories, place of death and GP involvement. Scandinavian Journal of Primary Health Care, 2010, 28, 138-145.	0.6	24
70	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2014, 22, 2095-2105.	1.0	24
71	General practice variation when initiating long-term prescribing of proton pump inhibitors: a nationwide cohort study. BMC Family Practice, 2016, 17, 57.	2.9	24
72	Attitudes Towards Deprescribing Among Older Adults with Limited Life Expectancy and Their Relatives: A Systematic Review. Drugs and Aging, 2020, 37, 503-520.	1.3	24

#	Article	IF	CITATIONS
73	Does the early adopter of drugs exist? A population-based study of general practitioners? prescribing of new drugs. European Journal of Clinical Pharmacology, 2004, 60, 667-672.	0.8	23
74	Perforated peptic ulcer and shortâ€ŧerm mortality among tramadol users. British Journal of Clinical Pharmacology, 2008, 65, 565-572.	1.1	23
75	Feasibility of smartphone diaries and personal dosimeters to quantitatively study exposure to ultraviolet radiation in a small national sample. Photodermatology Photoimmunology and Photomedicine, 2015, 31, 252-260.	0.7	23
76	Variation in general practitioners' information-seeking behaviour – a cross-sectional study on the influence of gender, age and practice form. Scandinavian Journal of Primary Health Care, 2016, 34, 327-335.	0.6	23
77	Intensive community pharmacy intervention had little impact on triptan consumption: A randomized controlled trial. Scandinavian Journal of Primary Health Care, 2006, 24, 16-21.	0.6	22
78	Rehabilitation status three months after first-time myocardial infarction. Scandinavian Journal of Primary Health Care, 2011, 29, 210-215.	0.6	22
79	The Danish Model for Improvement of Diabetes Care in General Practice: Impact of Automated Collection and Feedback of Patient Data. International Journal of Family Medicine, 2012, 2012, 1-5.	1.2	22
80	The effect on knee-joint load of instruction in analgesic use compared with neuromuscular exercise in patients with knee osteoarthritis: study protocol for a randomized, single-blind, controlled trial (the EXERPHARMA trial). Trials, 2014, 15, 444.	0.7	22
81	Relations between task delegation and job satisfaction in general practice: a systematic literature review. BMC Family Practice, 2016, 17, 168.	2.9	22
82	Religious values of physicians affect their clinical practice. Medicine (United States), 2019, 98, e17265.	0.4	22
83	The Catalogue of Spiritual Care Instruments: A Scoping Review. Religions, 2020, 11, 252.	0.3	22
84	A multifaceted intervention according to the Audit Project Odense method improved secondary prevention of ischemic heart disease: a randomised controlled trial. Family Practice, 2006, 23, 198-202.	0.8	21
85	When does proton pump inhibitor treatment become long term? A scoping review. BMJ Open Gastroenterology, 2021, 8, e000563.	1.1	21
86	Neuromuscular Exercises Improve Shoulder Function More Than Standard Care Exercises in Patients With a Traumatic Anterior Shoulder Dislocation: A Randomized Controlled Trial. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596711989610.	0.8	21
87	Why has postal prescriber feedback no substantial impact on general practitioners' prescribing practice? A qualitative study. European Journal of Clinical Pharmacology, 2002, 58, 133-136.	0.8	20
88	General practitioners' adoption of new drugs and previous prescribing of drugs belonging to the same therapeutic class: a pharmacoepidemiological study. British Journal of Clinical Pharmacology, 2005, 60, 526-533.	1.1	20
89	Generic Switching and Non-Persistence among Medicine Users: A Combined Population-Based Questionnaire and Register Study. PLoS ONE, 2015, 10, e0119688.	1.1	20
90	Benefits of Cloud Computing: Literature Review in a Maturity Model Perspective. Communications of the Association for Information Systems, 0, 37, .	0.7	20

#	Article	IF	CITATIONS
91	Religiosity and Health-Related Risk Behaviours in a Secular Culture—Is there a Correlation?. Journal of Religion and Health, 2020, 59, 2381-2396.	0.8	20
92	Screening for depression in patients with myocardial infarction by general practitioners. European Journal of Preventive Cardiology, 2013, 20, 800-806.	0.8	19
93	The effect of instruction in analgesic use compared with neuromuscular exercise on knee-joint load in patients with knee osteoarthritis: a randomized, single-blind, controlled trial. Osteoarthritis and Cartilage, 2017, 25, 470-480.	0.6	19
94	The International NERSH Data Pool—A Methodological Description of a Data Pool of Religious and Spiritual Values of Health Professionals from Six Continents. Religions, 2017, 8, 24.	0.3	19
95	Predictive values of upper gastrointestinal cancer alarm symptoms in the general population: a nationwide cohort study. BMC Cancer, 2018, 18, 440.	1.1	19
96	Increased use of inhaled corticosteroids among young Danish adult asthmatics: An observational study. Respiratory Medicine, 2010, 104, 1817-1824.	1.3	18
97	Association between prescribing patterns of anti-asthmatic drugs and clinically uncontrolled asthma: A cross-sectional study. Pulmonary Pharmacology and Therapeutics, 2011, 24, 647-653.	1.1	18
98	Comparison of heavy metals, parasites and histopathology in sculpins (Myoxocephalus spp.) from two sites at a lead-zinc mine in North East Greenland. Environmental Research, 2018, 165, 306-316.	3.7	18
99	Attitudes towards deprescribing: The perspectives of geriatric patients and nursing home residents. Journal of the American Geriatrics Society, 2021, 69, 1508-1518.	1.3	18
100	Evaluation of the Clinical and Economic Effects of a Primary Care Anchored, Collaborative, Electronic Health Lifestyle Coaching Program in Denmark: Protocol for a Two-Year Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e19172.	0.5	18
101	Excessive workload, uncertain career opportunities and lack of funding are important barriers to recruiting and retaining primary care medical researchers: a qualitative interview study. Family Practice, 2006, 23, 545-549.	0.8	17
102	Lack of spirometry use in Danish patients initiating medication targeting obstructive lung disease. Respiratory Medicine, 2012, 106, 1743-1748.	1.3	17
103	A survey of cancer patients' unmet information and coordination needs in handovers – a cross-sectional study. BMC Research Notes, 2013, 6, 378.	0.6	17
104	Specific and unspecific gynecological alarm symptoms – prevalence estimates in different age groups: a populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 191-197.	1.3	17
105	Effects of smartphone diaries and personal dosimeters on behavior in a randomized study of methods to document sunlight exposure. Preventive Medicine Reports, 2016, 3, 367-372.	0.8	17
106	Empathy Variation in General Practice: A Survey among General Practitioners in Denmark. International Journal of Environmental Research and Public Health, 2018, 15, 433.	1.2	17
107	Predictive values of colorectal cancer alarm symptoms in the general population: a nationwide cohort study. British Journal of Cancer, 2019, 120, 595-600.	2.9	17
108	Promotional methods used by representatives of drug companies: A prospective survey in general practice. Scandinavian Journal of Primary Health Care, 2007, 25, 93-97.	0.6	16

#	Article	IF	CITATIONS
109	All Danish first-time COPD hospitalisations 2002–2008: Incidence, outcome, patients, and care. Respiratory Medicine, 2012, 106, 549-556.	1.3	16
110	Development of the EMAP tool facilitating existential communication between general practitioners and cancer patients. European Journal of General Practice, 2017, 23, 261-268.	0.9	16
111	Religious Values in Clinical Practice are Here to Stay. Journal of Religion and Health, 2020, 59, 188-194.	0.8	16
112	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. International Journal of Clinical Pharmacy, 2011, 33, 1019-1027.	1.0	15
113	Treatment of 5413 hypertensive patients: a cross-sectional study. Family Practice, 2011, 28, 599-607.	0.8	15
114	Associations between health care seeking and socioeconomic and demographic determinants among people reporting alarm symptoms of cancer: a population-based cross-sectional study. Family Practice, 2013, 30, 655-665.	0.8	15
115	Left in limbo – Experiences and needs among postmenopausal women newly diagnosed with osteoporosis without preceding osteoporotic fractures: A qualitative study. Post Reproductive Health, 2018, 24, 26-33.	0.3	15
116	Help at hand: Women's experiences of using a mobile health application upon diagnosis of asymptomatic osteoporosis. SAGE Open Medicine, 2018, 6, 205031211880761.	0.7	15
117	Association of osteoarthritis risk factors with knee and hip pain in a population-based sample of 29–59Âyear olds in Denmark: a cross-sectional analysis. BMC Musculoskeletal Disorders, 2018, 19, 300.	0.8	15
118	Effectiveness of stratified treatment for back pain in Danish primary care: A randomized controlled trial. European Journal of Pain, 2021, 25, 2020-2038.	1.4	15
119	Cancer surviving patients' rehabilitation – understanding failure through application of theoretical perspectives from Habermas. BMC Health Services Research, 2008, 8, 122.	0.9	14
120	A complex intervention to enhance the involvement of general practitioners in cancer rehabilitation. Protocol for a randomised controlled trial and feasibility study of a multimodal intervention. Acta Oncológica, 2011, 50, 299-306.	0.8	14
121	Impact of socioeconomic status on the use of inhaled corticosteroids in young adult asthmatics. Respiratory Medicine, 2011, 105, 683-690.	1.3	14
122	A randomised controlled trial of hospital-based case management to improve colorectal cancer patients' health-related quality of life and evaluations of care. BMJ Open, 2012, 2, e001481.	0.8	14
123	Associations between reporting of cancer alarm symptoms and socioeconomic and demographic determinants: a population-based, cross-sectional study. BMC Public Health, 2012, 12, 686.	1.2	14
124	Information on risk of constipation for Danish users of opioids, and their laxative use. International Journal of Clinical Pharmacy, 2014, 36, 291-294.	1.0	14
125	Lead and Other Trace Elements in Danish Birds of Prey. Archives of Environmental Contamination and Toxicology, 2019, 77, 359-367.	2.1	14
126	Learning based on patient case reviews: an interview study. BMC Medical Education, 2008, 8, 43.	1.0	13

#	Article	IF	CITATIONS
127	Accreditation in general practice in Denmark: study protocol for a cluster-randomized controlled trial. Trials, 2017, 18, 69.	0.7	13
128	Association Between Mode of Delivery and Risk of Infection in Early Childhood. Pediatric Infectious Disease Journal, 2018, 37, 316-323.	1.1	13
129	General practitioners' continuation and acceptance of medication changes at sectorial transitions of geriatric patients - a qualitative interview study. BMC Family Practice, 2018, 19, 168.	2.9	13
130	Not just an information-delivery tool. An ethnographic study exploring Danish GPs' perspectives on and experiences with the relational potential of email consultation. Scandinavian Journal of Primary Health Care, 2020, 38, 411-420.	0.6	13
131	Knowledge deficit, attitude and behavior scales association to objective measures of sun exposure and sunburn in a Danish population based sample. PLoS ONE, 2017, 12, e0178190.	1.1	13
132	Enhanced involvement of general practitioners in cancer rehabilitation: a randomised controlled trial. BMJ Open, 2012, 2, e000764.	0.8	12
133	Danish General Practitioners' Use of Prostate-Specific Antigen in Opportunistic Screening for Prostate Cancer: A Survey Comprising 174 GPs. International Journal of Family Medicine, 2013, 2013, 1-6.	1.2	12
134	Associations between patients' risk attitude and their adherence to statin treatment – a population based questionnaire and register study. BMC Family Practice, 2016, 17, 28.	2.9	12
135	A neuromuscular exercise programme versus standard care for patients with traumatic anterior shoulder instability: study protocol for a randomised controlled trial (the SINEX study). Trials, 2017, 18, 90.	0.7	12
136	Stability of the frequent COPD exacerbator in the general population: A Danish nationwide register-based study. Npj Primary Care Respiratory Medicine, 2017, 27, 25.	1.1	12
137	Associations between degrees of task delegation and job satisfaction of general practitioners and their staff: a cross-sectional study. BMC Health Services Research, 2017, 17, 44.	0.9	12
138	Reliability and consistency of a validated sun exposure questionnaire in a population-based Danish sample. Preventive Medicine Reports, 2018, 10, 43-48.	0.8	12
139	One year effectiveness of neuromuscular exercise compared with instruction in analgesic use on knee function in patients with early knee osteoarthritis: the EXERPHARMA randomized trial. Osteoarthritis and Cartilage, 2018, 26, 28-33.	0.6	12
140	Translation, cross-cultural adaptation, and validation of the Danish version of the revised Patients' Attitudes Towards Deprescribing (rPATD) questionnaire: Version for older people with limited life expectancy. Research in Social and Administrative Pharmacy, 2021, 17, 1444-1452.	1.5	12
141	Predictive values of lung cancer alarm symptoms in the general population: a nationwide cohort study. Npj Primary Care Respiratory Medicine, 2020, 30, 15.	1.1	12
142	"Ask a Doctor About Coronavirus― How Physicians on Social Media Can Provide Valid Health Information During a Pandemic. Journal of Medical Internet Research, 2021, 23, e24586.	2.1	12
143	Evaluation of general practitioners' assessment of overweight among children attending the five-year preventive child health examination: A cross-sectional survey. Scandinavian Journal of Primary Health Care, 2012, 30, 176-182.	0.6	11
144	General practice variation in spirometry testing among patients receiving first-time prescriptions for medication targeting obstructive lung disease in Denmark: a population-based observational study. BMC Family Practice, 2013, 14, 113.	2.9	11

#	Article	IF	CITATIONS
145	A randomised controlled trial to improve the role of the general practitioner in cancer rehabilitation: effect on patients' satisfaction with their general practitioners. BMJ Open, 2013, 3, e002726.	0.8	11
146	A randomised controlled trial to improve general practitioners' services in cancer rehabilitation: Effects on general practitioners' proactivity and on patients' participation in rehabilitation activities. Acta Oncolųgica, 2013, 52, 400-409.	0.8	11
147	Relational Coordination and Organisational Social Capital Association with Characteristics of General Practice. International Journal of Family Medicine, 2014, 2014, 1-7.	1.2	11
148	Polypharmacy among people living with type 2 diabetes mellitus in rural communes in Vietnam. PLoS ONE, 2021, 16, e0249849.	1.1	11
149	Validation of the Fracture Risk Evaluation Model (FREM) in predicting major osteoporotic fractures and hip fractures using administrative health data. Bone, 2021, 147, 115934.	1.4	11
150	Digital Recruitment and Acceptance of a Stepwise Model to Prevent Chronic Disease in the Danish Primary Care Sector: Cross-Sectional Study. Journal of Medical Internet Research, 2019, 21, e11658.	2.1	11
151	Long-Term Effect of Interactive Online Dietician Weight Loss Advice in General Practice (LIVA) Protocol for a Randomized Controlled Trial. International Journal of Family Medicine, 2014, 2014, 1-6.	1.2	10
152	Lifestyle factors and contact to general practice with respiratory alarm symptoms—a population-based study. BMC Family Practice, 2016, 17, 47.	2.9	10
153	The Relationships Between Use of Quality-of-Care Feedback Reports on Chronic Diseases and Medical Engagement in General Practice. Quality Management in Health Care, 2018, 27, 191-198.	0.4	10
154	Lifestyle, socioeconomic status and healthcare seeking among women with gynaecological cancer alarm symptoms: a combined questionnaire-based and register-based population study. BMJ Open, 2018, 8, e021815.	0.8	10
155	General practitioners' perspectives on chronic care consultations for patients with a history of cancer: a qualitative interview study. BMC Family Practice, 2019, 20, 119.	2.9	10
156	The International NERSH Data Pool of Health Professionals' Attitudes Toward Religiosity and Spirituality in 12 Countries. Journal of Religion and Health, 2021, 60, 596-619.	0.8	10
157	A Randomized Controlled Trial of Hospital-based Case Management in Cancer Care: a General Practitioner Perspective. Family Practice, 2013, 30, 5-13.	0.8	9
158	Patients' concern about their medicine after a generic switch: a combined crossâ€sectional questionnaire and register study. Pharmacoepidemiology and Drug Safety, 2014, 23, 965-973.	0.9	9
159	GPs' Perceptions of Cardiovascular Risk and Views on Patient Compliance: A Qualitative Interview Study. International Journal of Family Medicine, 2015, 2015, 1-7.	1.2	9
160	Healthcare resource use and costs of opioid-induced constipation among non-cancer and cancer patients on opioid therapy: A nationwide register-based cohort study in Denmark. Scandinavian Journal of Pain, 2017, 15, 83-90.	0.5	9
161	Bioaccumulation of rare earth elements in juvenile arctic char (Salvelinus alpinus) under field experimental conditions. Science of the Total Environment, 2019, 688, 529-535.	3.9	9
162	Improving continuity by bringing the cancer patient, general practitioner and oncologist together in a shared video-based consultation – protocol for a randomised controlled trial. BMC Family Practice, 2019, 20, 86.	2.9	9

#	Article	IF	CITATIONS
163	Cross-sectoral video consultations in cancer care: perspectives of cancer patients, oncologists and general practitioners. Supportive Care in Cancer, 2021, 29, 107-116.	1.0	9
164	Risk factor management of type 2 diabetic patients in primary care in the Scandinavian countries between 2003 and 2015. Primary Care Diabetes, 2021, 15, 262-268.	0.9	9
165	Feasibility assessment of an occupational therapy lifestyle intervention added to multidisciplinary chronic pain treatment at a Danish pain centre: a qualitative evaluation from the perspectives of patients and clinicians. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1949900.	0.6	9
166	Short-term effectiveness of high-load compared with low-load strengthening exercise on self-reported function in patients with hypermobile shoulders: a randomised controlled trial. British Journal of Sports Medicine, 2022, 56, 1269-1276.	3.1	9
167	Trends in the lifetime risk of COPD exacerbation requiring hospitalisation. European Respiratory Journal, 2013, 42, 964-971.	3.1	8
168	Quality of life in children with otitis mediaa cohort study. Family Practice, 2014, 31, 30-37.	0.8	8
169	Alarm symptoms of upper gastrointestinal cancer and contact to general practice – A population-based study. Scandinavian Journal of Gastroenterology, 2015, 50, 1268-1275.	0.6	8
170	Exploring the concurrent validity of the nationwide assessment of permanent nursing home residence in Denmark - A cross-sectional data analysis using two administrative registries. BMC Health Services Research, 2017, 17, 607.	0.9	8
171	A Socio-Temporal Perspective on Pilot Implementation: Bootstrapping Preventive Care. Computer Supported Cooperative Work, 2020, 29, 419-449.	1.9	8
172	A randomised controlled trial of heavy shoulder strengthening exercise in patients with hypermobility spectrum disorder or hypermobile Ehlers-Danlos syndrome and long-lasting shoulder complaints: study protocol for the Shoulder-MOBILEX study. Trials, 2020, 21, 992.	0.7	8
173	Life goes on… Patient perspectives on having a cancer diagnosis and other comorbid diseases: A qualitative study. Chronic Illness, 2021, 17, 17-28.	0.6	8
174	The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial. Chiropractic & Manual Therapies, 2021, 29, 15.	0.6	8
175	Nationwide study on trends in unplanned hospital attendance and deaths during the 7 weeks after the onset of the COVID-19 pandemic in Denmark. BMJ Quality and Safety, 2021, 30, 986-995.	1.8	8
176	Similarities and differences between two well-performing healthcare systems: a comparison between the Israeli and the Danish healthcare systems. Israel Journal of Health Policy Research, 2022, 11, 14.	1.4	8
177	How to improve practice by means of the Audit Project Odense method. British Journal of General Practice, 2022, 72, 235-236.	0.7	8
178	ls a targeted intensive intervention effective for improvements in hypertension control? A randomized controlled trial. Family Practice, 2012, 29, 626-632.	0.8	7
179	Influence of socioeconomic and demographic status on spirometry testing in patients initiating medication targeting obstructive lung disease: a population-based cohort study. BMC Public Health, 2013, 13, 580.	1.2	7
180	Evaluation of a complex intervention to improve activities of daily living of disabled cancer patients: protocol for a randomised controlled study and feasibility of recruitment and intervention. BMC Health Services Research, 2014, 14, 194.	0.9	7

#	Article	IF	CITATIONS
181	Gynecological cancer alarm symptoms: is contact with specialist care associated with lifestyle and socioeconomic status? A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 976-983.	1.3	7
182	Completing a Questionnaire at Home Prior to Needs Assessment in General Practice: A Qualitative Study of Cancer Patients' Experience. Patient, 2016, 9, 223-230.	1.1	7
183	Medical engagement and organizational characteristics in general practice. Family Practice, 2016, 33, 69-74.	0.8	7
184	Work motivation, task delegation and job satisfaction of general practice staff: a cross-sectional study. Family Practice, 2017, 34, cmw142.	0.8	7
185	"… Above All, It's a Matter of  This Person's Quality of Life― Health Care Professionals' Pe Deprescribing in Older Patients With Limited Life Expectancy. Gerontologist, The, 2020, 60, 439-449.	rspectives	oŋ
186	"l simply don't know, because I don't know which drugs I get― Perspectives on deprescribing among older adults with limited life expectancy and their relatives. Basic and Clinical Pharmacology and Toxicology, 2021, 128, 115-127.	1.2	7
187	Factors Associated with Antibiotic Prescribing in Children with Otitis Media. ISRN Family Medicine, 2013, 2013, 1-7.	0.4	7
188	Addressing the future role of general practice at the 16th Nordic Congress in Copenhagen 2009: How can we ensure sustainable care in a complex world of evidence, context, organization, and personal care?. Scandinavian Journal of Primary Health Care, 2008, 26, 193-195.	0.6	6
189	Primary care physicians' adoption of new drugs is not associated with their clinical interests: A pharmacoepidemiologic study. Scandinavian Journal of Primary Health Care, 2011, 29, 117-121.	0.6	6
190	Accumulation dynamics and cellular locations of Pb, Zn and Cd in resident and transplanted Flavocetraria nivalis lichens near a former Pb–Zn mine. Environmental Monitoring and Assessment, 2013, 185, 10167-10176.	1.3	6
191	Care for overweight children attending the 5-year preventive child health examination in general practice. Family Practice, 2013, 30, 48-55.	0.8	6
192	General practitioners' home visit tendency and readmission-free survival after COPD hospitalisation: a Danish nationwide cohort study. Npj Primary Care Respiratory Medicine, 2014, 24, 14100.	1.1	6
193	How CPs implement clinical guidelines in everyday clinical practice—a qualitative interview study. Family Practice, 2015, 32, cmv061.	0.8	6
194	Associations between patients' adherence and GPs' attitudes towards risk, statin therapy and management of non-adherence—a survey and register-based study. Family Practice, 2016, 33, 140-147.	0.8	6
195	Hepatic and renal histology and mercury concentrations of North West and North East Greenland narwhals (<i>Monodon monoceros</i>). Journal of Toxicology and Environmental Health - Part A: Current Issues, 2018, 81, 202-211.	1.1	6
196	Primary health care: an opportunity for early identification of people living with undiagnosed HIV infection. HIV Medicine, 2019, 20, 404-417.	1.0	6
197	Multiple physical symptoms and individual characteristics – A cross-sectional study of the general population. Journal of Psychosomatic Research, 2020, 131, 109941.	1.2	6
198	Effects of a Co-Design–Based Invitation Strategy on Participation in a Preventive Health Check Program: Randomized Controlled Trial. JMIR Public Health and Surveillance, 2021, 7, e25617.	1.2	6

#	Article	lF	CITATIONS
199	Seventeen‥ear Nationwide Trends in Use of Longâ€acting Bronchodilators and Inhaled Corticosteroids among Adults – A Danish Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 58-64.	1.2	5
200	The effect of chiropractic treatment on infantile colic: study protocol for a single-blind randomized controlled trial. Chiropractic & Manual Therapies, 2018, 26, 17.	0.6	5
201	Does changed referral options affect the use of MRI for patients with low back pain? Evidence from a natural experiment using nationwide data. BMJ Open, 2019, 9, e025921.	0.8	5
202	Danish general practitioners' management of patients with COPD: aÂnationwide survey. Scandinavian Journal of Primary Health Care, 2020, 38, 391-398.	0.6	5
203	Associations of health-related quality of life with sociodemographic characteristics, health, pain, and lifestyle factors, and motivation for changing lifestyle in adults living with chronic pain: a cross-sectional exploratory study. Scandinavian Journal of Pain, 2022, 22, 142-153.	0.5	5
204	Factor analysis improves the selection of prescribing indicators. European Journal of Clinical Pharmacology, 2006, 62, 953-958.	0.8	4
205	On the crest of a wave: Danish prevalence of hospitalisation-required COPD 2002–2009. Respiratory Medicine, 2012, 106, 1396-1403.	1.3	4
206	Lifestyle factors and experience of respiratory alarm symptoms in the general population. BMJ Open Respiratory Research, 2015, 2, e000101.	1.2	4
207	The effectiveness of a stratified care model for non-specific low back pain in Danish primary care compared to current practice: study protocol of a randomised controlled trial. Trials, 2018, 19, 315.	0.7	4
208	What should selective cardiometabolic prevention programmes in European primary care look like? A consensus-based design by the SPIMEU group. European Journal of General Practice, 2019, 25, 101-108.	0.9	4
209	The Effect of Economic Assets on Mortality in Patients with Dementia: A Population-Based Cohort Study. Journal of Alzheimer's Disease, 2019, 67, 1245-1253.	1.2	4
210	Socioeconomic status and barriers for contacting the general practitioner when bothered by erectile dysfunction: a population-based cross-sectional study. BMC Family Practice, 2020, 21, 166.	2.9	4
211	Development in Danish medical students' empathy: study protocol of a cross-sectional and longitudinal mixed-methods study. BMC Medical Education, 2020, 20, 54.	1.0	4
212	Women's barriers for contacting general practice when experiencing gynecological cancer symptoms: a population-based study. BMC Family Practice, 2021, 22, 167.	2.9	4
213	Prescription of antimicrobials in primary health care as a marker to identify people living with undiagnosed HIV infection, Denmark, 1998 to 2016. Eurosurveillance, 2019, 24, .	3.9	4
214	Are formalised implementation activities associated with aspects of quality of care in general practice? A cross-sectional study. BJGP Open, 2017, 1, bjgpopen17X100737.	0.9	4
215	Four aspects of spiritual care: a phenomenological action research study on practicing and improving spiritual care at two Danish hospices. Palliative Care and Social Practice, 2021, 15, 263235242110506.	0.6	4
216	Quality clusters in general practice: associations between cluster organization and general practitioners' self-reported benefits. Family Practice, 2022, 39, 852-859.	0.8	4

#	Article	IF	CITATIONS
217	Measuring Spiritual Needs in a Secular Society: Validation and Clinimetric Properties of the Danish 20-Item Spiritual Needs Questionnaire. Journal of Religion and Health, 2022, 61, 3542-3565.	0.8	4
218	Health alliance for prudent prescribing and yield of antibiotics in a patient-centred perspective (HAPPY) Tj ETQqC) 0 0 rgBT	/Overlock 10
219	Protocol for EXICODE: the EXIstential health COhort DEnmark—a register and survey study of adult Danes. BMJ Open, 2022, 12, e058257.	0.8	4
220	The WONCA World Congress 2004 did not meet academic standards. Family Practice, 2005, 22, 576-577.	0.8	3
221	Association between sexually transmitted disease and church membership. A retrospective cohort study of two Danish religious minorities. BMJ Open, 2016, 6, e010128.	0.8	3
222	General practitioners' experience of using a questionnaire when assessing cancer patients' needs: a qualitative study. Family Practice, 2017, 34, 114-118.	0.8	3
223	Proton pump inhibitor use among patients at risk of peptic ulcer bleeding: a nationwide register-based study. Scandinavian Journal of Gastroenterology, 2021, 56, 6-12.	0.6	3
224	Socioeconomic position and mental health care use before and after first redeemed antidepressant and time until subsequent contact to psychologist or psychiatrists: a nationwide Danish follow-up study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 449-462.	1.6	3
225	General practitioners' perceptions of treatment of chronically ill patients managed in general practice: An interview study. European Journal of General Practice, 2021, 27, 103-110.	0.9	3
226	Involving people with type 2 diabetes in facilitating participation in a cardiovascular screening programme. Health Expectations, 2021, 24, 880-891.	1.1	3
227	Identification of Important Factors Affecting Use of Digital Individualised Coaching and Treatment of Type 2 Diabetes in General Practice: A Qualitative Feasibility Study. International Journal of Environmental Research and Public Health, 2021, 18, 3924.	1.2	3
228	Health professionals' attitudes toward religiosity and spirituality: a NERSH Data Pool based on 23 surveys from six continents. F1000Research, 0, 10, 446.	0.8	3
229	A randomized controlled study of biochemical tests in primary care: interventions can reduce the number of tests but usage does not become more appropriate. Clinical Chemistry and Laboratory Medicine, 2022, 60, 343-350.	1.4	3
230	Child overweight in general practice – parents' beliefs and expectations – a questionnaire survey study. BMC Family Practice, 2013, 14, 152.	2.9	2
231	Associations between symptoms, clinical findings and the short-term prognosis among children with otitis media: A cohort study. International Journal of Pediatric Otorhinolaryngology, 2013, 77, 210-215.	0.4	2
232	Revisiting the Forward Premium Anomaly Using Consumption Habits: A New Keynesian Model. Economica, 2017, 84, 516-540.	0.9	2
233	The effect of neuromuscular exercise compared with instruction in analgesic use on knee function in patients with early knee osteoarthritis – one year outcome of the exerpharma randomized trial. Osteoarthritis and Cartilage, 2017, 25, S49.	0.6	2
234	Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. European Journal of Clinical Pharmacology, 2019, 75, 1025-1032.	0.8	2

#	Article	IF	CITATIONS
235	Danish Evaluation of Your Heart Forecast (DANY): study protocol for a cluster randomised controlled trial on an interactive risk-communication tool aimed at improving adherence of patients with high blood pressure. Trials, 2020, 21, 11.	0.7	2
236	Does socioeconomic status make a difference? A register-based study on the extent to which cardiovascular screening in patients with inflammatory arthritis leads to recommended follow-up in general practice. RMD Open, 2020, 6, e000940.	1.8	2
237	Use of prescription medication in the last years of life: a population-based comparison of two oldest old Danish birth cohorts born 10Âyears apart. Age and Ageing, 2020, 49, 1105-1109.	0.7	2
238	Facilitating participation in cardiovascular preventive initiatives among people with diabetes: a qualitative study. BMC Public Health, 2021, 21, 203.	1.2	2
239	Similarities and Differences between Danish and American Physicians' Religious Characteristics and Clinical Communication: Two Cross-Sectional Surveys. Religions, 2021, 12, 116.	0.3	2
240	Cross-sectoral communication by bringing together patient with cancer, general practitioner and oncologist in a video-based consultation: a qualitative study of oncologists' and nurse specialists' perspectives. BMJ Open, 2021, 11, e043038.	0.8	2
241	Health professionals' attitudes toward religiosity and spirituality: a NERSH Data Pool based on 23 surveys from six continents. F1000Research, 2021, 10, 446.	0.8	2
242	Older Adults' Experience of Meaning at the End of Life in Two Danish Hospices: A Qualitative Interview Study. Frontiers in Psychology, 2021, 12, 700285.	1.1	2
243	The NERSH Questionnaire and Pool of Data from 12 Countries: Development and Description. Journal of Religion and Health, 2022, 61, 2605-2630.	0.8	2
244	Changes in Health-Risk Behavior, Body Mass Index, Mental Well-Being, and Risk Status Following Participation in a Stepwise Web-Based and Face-to-Face Intervention for Prevention of Lifestyle-Related Diseases: Nonrandomized Follow-Up Cohort Study. JMIR Public Health and Surveillance, 2020, 6, e16083.	1.2	2
245	Using Participatory Design to design and develop mHealth for women with osteoporosis. International Journal of Integrated Care, 2016, 16, 23.	0.1	2
246	Danish feasibility study of a new innovation for treating alcohol disorders in primary care: the 15-method. , 2022, 23, 34.		2
247	Physicians' religious/spiritual characteristics and their behavior regarding religiosity and spirituality in clinical practice. Medicine (United States), 2021, 100, e27750.	0.4	2
248	The Effect of Occupational Engagement on Lifestyle in Adults Living with Chronic Pain: A Systematic Review and Meta-analysis. Occupational Therapy International, 2022, 2022, 1-15.	0.3	2
249	The PROTECCT-M study: a cohort study investigating associations between novel specific biomarkers, patient-related, healthcare system markers and the trajectory of COPD patients treated in primary care. BMC Pulmonary Medicine, 2014, 14, 88.	0.8	1
250	The effect on knee-joint load of instruction in analgesic use compared with neuromuscular exercise in patients with early knee osteoarthritis–A randomized, single-blind, controlled trial. Osteoarthritis and Cartilage, 2016, 24, S497-S498.	0.6	1
251	Cross-cultural adaptation of the medical engagement scale into Danish general practice setting. Scandinavian Journal of Primary Health Care, 2019, 37, 200-206.	0.6	1
252	Associations between degrees of task delegation and adherence to COPD guidelines on spirometry testing in general practice - a national cross-sectional study. BMC Health Services Research, 2019, 19, 464.	0.9	1

#	Article	IF	CITATIONS
253	ldentifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colicAthrough prespecified secondary analyses of a randomised controlled trial. Chiropractic & Manual Therapies, 2021, 29, 16.	0.6	1
254	Healthcare costs of patients with chronic obstructive pulmonary disease in Denmark – specialist care versus GP care only. BMC Health Services Research, 2022, 22, 408.	0.9	1
255	Exploring the validity of identifying care home residents through a new national register. Scandinavian Journal of Public Health, 2022, , 140349482210810.	1.2	1
256	1210 POSTER Delay in cancer diagnosis – is there a problem?. European Journal of Cancer, Supplement, 2007, 5, 163-164.	2.2	0
257	Response to Letter Regarding Article, "Myocardial Infarction and Risk of Suicide: A Population-Based Case-Control Study― Circulation, 2011, 124, .	1.6	0
258	Leveraging datasets and insisting on quality to address unmet research needs—the epidemiologists' dream. Journal of Thoracic Disease, 2016, 8, S446-S446.	0.6	0
259	Interventions that influence prescribing decisions and drug utilization. , 2016, , 460-467.		0
260	Association of osteoarthritis risk factors with knee and hip pain in a population-based sample of 2424 30–59 year olds in Denmark: a cross-sectional analysis Osteoarthritis and Cartilage, 2017, 25, S192-S193.	0.6	0
261	Use of Sedatives, Antidepressants and Antipsychotic Medicine among Seventh-day Adventists and Baptists in Denmark. Journal of Religion and Health, 2017, 56, 1553-1560.	0.8	0
262	THU0601â€Cardiovascular screening among patients with inflammatory arthritis: to what extent do patients follow recommendations?. , 2017, , .		0
263	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. International Journal of Environmental Research and Public Health, 2020, 17, 9080.	1.2	0
264	Experiences of becoming widowed in old age – a cross-countries study with qualitative interviews from Denmark and quantitative measures of association in a Swedish sample. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1871181.	0.6	0
265	Response to Letter to the Editor: "The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial―and "Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial― Chiropractic & Manual Therapies, 2021, 29, 29.	0.6	0
266	Stability of the frequent exacerbator $\hat{a} \in \hat{~}$ A Danish nationwide register-based study. , 2016, , .		0
267	FRIO738-HPRâ€Nurse-led screening: changes in cardiovascular risk profile and association to socio-economic status in outpatients with inflammatory arthritis. , 2018, , .		0
268	Long term Weight Loss in a Primary Care-Anchored Human eHealth Lifestyle Coaching Program in Denmark: A Randomized Controlled Trial. Diabetologie Und Stoffwechsel, 2022, , .	0.0	0