

Robert B Zipursky

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3188072/publications.pdf>

Version: 2024-02-01

121
papers

9,377
citations

31976

53
h-index

38395

95
g-index

123
all docs

123
docs citations

123
times ranked

7383
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Brain Gray and White Matter Volume Loss Accelerates with Aging in Chronic Alcoholics: A Quantitative MRI Study. <i>Alcoholism: Clinical and Experimental Research</i> , 1992, 16, 1078-1089. | 2.4 | 525 |
| 2 | Randomized, Double-Blind Trial of Olanzapine Versus Placebo in Patients Prodromally Symptomatic for Psychosis. <i>American Journal of Psychiatry</i> , 2006, 163, 790-799. | 7.2 | 500 |
| 3 | Comparative Efficacy and Safety of Atypical and Conventional Antipsychotic Drugs in First-Episode Psychosis: A Randomized, Double-Blind Trial of Olanzapine Versus Haloperidol. <i>American Journal of Psychiatry</i> , 2003, 160, 1396-1404. | 7.2 | 380 |
| 4 | 5-HT ₂ and D ₂ Receptor Occupancy of Olanzapine in Schizophrenia: A PET Investigation. <i>American Journal of Psychiatry</i> , 1998, 155, 921-928. | 7.2 | 359 |
| 5 | The Myth of Schizophrenia as a Progressive Brain Disease. <i>Schizophrenia Bulletin</i> , 2013, 39, 1363-1372. | 4.3 | 274 |
| 6 | Pregnancy Outcome of Women Using Atypical Antipsychotic Drugs. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 444-449. | 2.2 | 267 |
| 7 | Increased dopamine D ₂ receptor binding after long-term treatment with antipsychotics in humans: a clinical PET study. <i>Psychopharmacology</i> , 2000, 152, 174-180. | 3.1 | 249 |
| 8 | A longitudinal study of neurocognitive function in individuals at-risk for psychosis. <i>Schizophrenia Research</i> , 2006, 88, 26-35. | 2.0 | 236 |
| 9 | A randomized controlled trial of cognitive behavioral therapy for individuals at clinical high risk of psychosis. <i>Schizophrenia Research</i> , 2011, 125, 54-61. | 2.0 | 209 |
| 10 | The D ₂ dopamine receptor occupancy of risperidone and its relationship to extrapyramidal symptoms: A pet study. <i>Life Sciences</i> , 1995, 57, PL103-PL107. | 4.3 | 204 |
| 11 | Volumetric MRI assessment of temporal lobe structures in schizophrenia. <i>Biological Psychiatry</i> , 1994, 35, 501-516. | 1.3 | 203 |
| 12 | The Formation of Abnormal Associations in Schizophrenia: Neural and Behavioral Evidence. <i>Neuropsychopharmacology</i> , 2008, 33, 473-479. | 5.4 | 195 |
| 13 | Randomized trial of olanzapine versus placebo in the symptomatic acute treatment of the schizophrenic prodrome. <i>Biological Psychiatry</i> , 2003, 54, 453-464. | 1.3 | 194 |
| 14 | Evidence for Onset of Antipsychotic Effects Within the First 24 Hours of Treatment. <i>American Journal of Psychiatry</i> , 2005, 162, 939-946. | 7.2 | 193 |
| 15 | Factors of the Wisconsin Card Sorting Test as measures of frontal-lobe function in schizophrenia and in chronic alcoholism. <i>Psychiatry Research</i> , 1993, 46, 175-199. | 3.3 | 183 |
| 16 | Course and predictors of weight gain in people with first-episode psychosis treated with olanzapine or haloperidol. <i>British Journal of Psychiatry</i> , 2005, 187, 537-543. | 2.8 | 183 |
| 17 | Risk of symptom recurrence with medication discontinuation in first-episode psychosis: A systematic review. <i>Schizophrenia Research</i> , 2014, 152, 408-414. | 2.0 | 172 |
| 18 | Cerebral white matter deficiencies in pedophilic men. <i>Journal of Psychiatric Research</i> , 2008, 42, 167-183. | 3.1 | 159 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cerebral gray matter and white matter volume deficits in adolescent girls with anorexia nervosa. <i>Journal of Pediatrics</i> , 1996, 129, 794-803. | 1.8 | 154 |
| 20 | Equivalent Occupancy of Dopamine D ₁ and D ₂ Receptors With Clozapine: Differentiation From Other Atypical Antipsychotics. <i>American Journal of Psychiatry</i> , 2004, 161, 1620-1625. | 7.2 | 146 |
| 21 | Predictors of antipsychotic treatment response in patients with first-episode schizophrenia, schizoaffective and schizophreniform disorders. <i>British Journal of Psychiatry</i> , 2004, 185, 18-24. | 2.8 | 143 |
| 22 | Adverse Subjective Experience With Antipsychotics and Its Relationship to Striatal and Extrastriatal D ₂ Receptors: a PET Study in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 630-637. | 7.2 | 141 |
| 23 | Predictors of antipsychotic medication adherence in patients recovering from a first psychotic episode. <i>Schizophrenia Research</i> , 2006, 83, 53-63. | 2.0 | 135 |
| 24 | The relationship between D ₂ receptor occupancy and plasma levels on low dose oral haloperidol: a PET study. <i>Psychopharmacology</i> , 1997, 131, 148-152. | 3.1 | 118 |
| 25 | Striatal Vs Extrastriatal Dopamine D ₂ Receptors in Antipsychotic Response—A Double-Blind PET Study in Schizophrenia. <i>Neuropsychopharmacology</i> , 2007, 32, 1209-1215. | 5.4 | 118 |
| 26 | Cognitive Function and Brain Structure in Females With a History of Adolescent-Onset Anorexia Nervosa. <i>Pediatrics</i> , 2008, 122, e426-e437. | 2.1 | 117 |
| 27 | Does relapse contribute to treatment resistance? Antipsychotic response in first- vs. second-episode schizophrenia. <i>Neuropsychopharmacology</i> , 2019, 44, 1036-1042. | 5.4 | 116 |
| 28 | Qualitative MRI findings in adults with 22q11 deletion syndrome and schizophrenia. <i>Biological Psychiatry</i> , 1999, 46, 1436-1442. | 1.3 | 115 |
| 29 | Meta-Regression Analysis of Placebo Response in Antipsychotic Trials, 1970–2010. <i>American Journal of Psychiatry</i> , 2013, 170, 1335-1344. | 7.2 | 112 |
| 30 | The Dopamine D ₂ Receptors in High-Affinity State and D ₃ Receptors in Schizophrenia: A Clinical [¹¹ C]-(+)-PHNO PET Study. <i>Neuropsychopharmacology</i> , 2009, 34, 1078-1086. | 5.4 | 109 |
| 31 | Serotonin 5-HT ₂ Receptors in Schizophrenia: A PET Study Using [¹⁸ F]Setoperone in Neuroleptic-Naive Patients and Normal Subjects. <i>American Journal of Psychiatry</i> , 1999, 156, 72-78. | 7.2 | 108 |
| 32 | Structural brain abnormalities in patients with schizophrenia and 22q11 deletion syndrome. <i>Biological Psychiatry</i> , 2002, 51, 208-215. | 1.3 | 103 |
| 33 | Deficits in gray matter volume are present in schizophrenia but not bipolar disorder1This work was presented at the Meeting of the Society of Biological Psychiatry, Philadelphia, PA, USA, May 1994.1. <i>Schizophrenia Research</i> , 1997, 26, 85-92. | 2.0 | 101 |
| 34 | Increased Dopamine D ₂ Receptor Occupancy and Elevated Prolactin Level Associated With Addition of Haloperidol to Clozapine. <i>American Journal of Psychiatry</i> , 2001, 158, 311-314. | 7.2 | 99 |
| 35 | A deficit profile of executive, memory, and motor functions in schizophrenia. <i>Biological Psychiatry</i> , 1994, 36, 641-653. | 1.3 | 94 |
| 36 | PET Evidence That Loxapine Is an Equipotent Blocker of 5-HT ₂ and D ₂ Receptors: Implications for the Therapeutics of Schizophrenia. <i>American Journal of Psychiatry</i> , 1997, 154, 1525-1529. | 7.2 | 92 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Substance Use and Abuse in First-Episode Psychosis: Prevalence Before and After Early Intervention. <i>Schizophrenia Bulletin</i> , 2006, 33, 1354-1363. | 4.3 | 89 |
| 38 | MRI Study of Brain Changes with Short-Term Abstinence from Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 1989, 13, 664-667. | 2.4 | 84 |
| 39 | Early Use of Clozapine for Poorly Responding First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 369-373. | 1.4 | 82 |
| 40 | Starving the brain: Structural abnormalities and cognitive impairment in adolescents with anorexia nervosa. <i>Seminars in Clinical Neuropsychiatry</i> , 2001, 6, 146-152. | 1.9 | 80 |
| 41 | Temporal horn enlargement is present in schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 1998, 44, 418-422. | 1.3 | 79 |
| 42 | PET and SPECT Imaging in Psychiatric Disorders. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 146-157. | 1.9 | 79 |
| 43 | Neuropsychological course in the prodrome and first episode of psychosis: Findings from the PRIME North America Double Blind Treatment Study. <i>Schizophrenia Research</i> , 2008, 105, 1-9. | 2.0 | 79 |
| 44 | Effects of catecholamine depletion on D2 receptor binding, mood, and attentiveness in humans: a replication study. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 74, 425-432. | 2.9 | 76 |
| 45 | Quetiapine: An Effective Antipsychotic in First-Episode Schizophrenia Despite Only Transiently High Dopamine-2 Receptor Blockade. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 992-997. | 2.2 | 71 |
| 46 | Is amoxapine an atypical antipsychotic? positron-emission tomography investigation of its dopamine2 and serotonin2 occupancy. <i>Biological Psychiatry</i> , 1999, 45, 1217-1220. | 1.3 | 70 |
| 47 | Pharmacotherapy of first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 1998, 172, 66-70. | 2.8 | 68 |
| 48 | Use of Atypical Antipsychotics During Pregnancy and the Risk of Neural Tube Defects in Infants. <i>American Journal of Psychiatry</i> , 2002, 159, 136-137. | 7.2 | 65 |
| 49 | The effect of antipsychotic treatment on Theory of Mind. <i>Psychological Medicine</i> , 2007, 37, 595. | 4.5 | 64 |
| 50 | In vivo quantification of the limbic system using MRI: Effects of normal aging. <i>Psychiatry Research - Neuroimaging</i> , 1990, 35, 15-26. | 1.8 | 60 |
| 51 | Cortical gray matter volume deficits in schizophrenia: a replication. <i>Schizophrenia Research</i> , 1996, 20, 157-164. | 2.0 | 57 |
| 52 | Cognitive and motor impairments are related to gray matter volume deficits in schizophrenia. <i>Biological Psychiatry</i> , 1996, 39, 234-240. | 1.3 | 56 |
| 53 | Functional network differences in schizophrenia. <i>NeuroReport</i> , 1998, 9, 1697-1700. | 1.2 | 55 |
| 54 | The selective effect of antipsychotics on the different dimensions of the experience of psychosis in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2006, 88, 111-118. | 2.0 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | The contribution of constructional accuracy and organizational strategy to nonverbal recall in Schizophrenia and chronic alcoholism. <i>Biological Psychiatry</i> , 1992, 32, 312-333. | 1.3 | 51 |
| 56 | Volumetric assessment of cerebral asymmetry from CT scans. <i>Psychiatry Research - Neuroimaging</i> , 1990, 35, 71-89. | 1.8 | 49 |
| 57 | A voxel-by-voxel analysis of [18F]setoperone PET data shows no substantial serotonin 5-HT2A receptor changes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2000, 99, 123-135. | 1.8 | 49 |
| 58 | MRI-targeted repetitive transcranial magnetic stimulation of Heschl's gyrus for refractory auditory hallucinations. <i>Brain Stimulation</i> , 2012, 5, 577-585. | 1.6 | 48 |
| 59 | Neuroimaging studies of schizophrenia. <i>Schizophrenia Research</i> , 1991, 4, 193-208. | 2.0 | 45 |
| 60 | Happiness in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 98-103. | 2.0 | 45 |
| 61 | A quantitative analysis of CT and cognitive measures in normal aging and Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 1990, 35, 115-136. | 1.8 | 43 |
| 62 | Effect of antipsychotics on cortical inhibition using transcranial magnetic stimulation. <i>Psychopharmacology</i> , 2003, 170, 255-262. | 3.1 | 43 |
| 63 | Why Are the Outcomes in Patients With Schizophrenia So Poor?. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 20-24. | 2.2 | 42 |
| 64 | Reshaping an enduring sense of self: the process of recovery from a first episode of schizophrenia. <i>Microbial Biotechnology</i> , 2010, 4, 243-250. | 1.7 | 41 |
| 65 | MRI correlates of treatment response in first episode psychosis. <i>Schizophrenia Research</i> , 1998, 30, 81-90. | 2.0 | 35 |
| 66 | Early detection of psychosis: finding those at clinical high risk. <i>Microbial Biotechnology</i> , 2008, 2, 147-153. | 1.7 | 33 |
| 67 | Recovery, not progressive deterioration, should be the expectation in schizophrenia. <i>World Psychiatry</i> , 2015, 14, 94-96. | 10.4 | 33 |
| 68 | An investigation of ethnic and gender differences in the pharmacodynamics of haloperidol. <i>Psychiatry Research</i> , 1998, 81, 333-339. | 3.3 | 32 |
| 69 | Volumetric MRI measurement of caudate nuclei in antipsychotic-naïve patients suffering from a first episode of psychosis. <i>Journal of Psychiatric Research</i> , 2005, 39, 365-370. | 3.1 | 32 |
| 70 | Caudate volume changes in first episode psychosis parallel the effects of normal aging: a 5-year follow-up study. <i>Schizophrenia Research</i> , 2002, 58, 185-188. | 2.0 | 31 |
| 71 | Deficits in automatically detecting changes in conjunction of auditory features in patients with schizophrenia. <i>Psychophysiology</i> , 2002, 39, 599-606. | 2.4 | 31 |
| 72 | Adolescents with Anorexia Nervosa: The Impact of the Disorder on Bones and Brains. <i>Annals of the New York Academy of Sciences</i> , 1997, 817, 127-137. | 3.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | How antipsychotics work: The patients' perspective. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 859-864. | 4.8 | 30 |
| 74 | Increasing D2 affinity results in the loss of clozapine's atypical antipsychotic action. NeuroReport, 2002, 13, 831-835. | 1.2 | 29 |
| 75 | A randomised controlled trial of a group intervention to reduce engulfment and self-stigmatisation in first episode schizophrenia. Australian E-Journal for the Advancement of Mental Health, 2007, 6, 212-220. | 0.2 | 28 |
| 76 | Treating young individuals at clinical high risk for psychosis. Microbial Biotechnology, 2012, 6, 60-68. | 1.7 | 27 |
| 77 | Test-retest reliability and stability of N400 effects in a word-pair semantic priming paradigm. Clinical Neurophysiology, 2013, 124, 667-674. | 1.5 | 26 |
| 78 | Treatment Response to Olanzapine and Haloperidol and its Association with Dopamine D ₂ Receptor Occupancy in First-Episode Psychosis. Canadian Journal of Psychiatry, 2005, 50, 462-469. | 1.9 | 24 |
| 79 | Inconsistency in the relationship between duration of untreated psychosis (DUP) and negative symptoms: Sorting out the problem of heterogeneity. Schizophrenia Research, 2007, 93, 152-159. | 2.0 | 24 |
| 80 | Electrophysiological evidence for primary semantic memory functional organization deficits in schizophrenia. Psychiatry Research, 2012, 196, 171-180. | 3.3 | 24 |
| 81 | The Relationship Between Risperidone Plasma Levels and Dopamine D (2) Occupancy. Journal of Clinical Psychopharmacology, 1998, 18, 82-83. | 1.4 | 23 |
| 82 | A "navigator" model in emerging mental illness?. Microbial Biotechnology, 2013, 7, 451-457. | 1.7 | 22 |
| 83 | Modeling the mental health service utilization decisions of university undergraduates: A discrete choice conjoint experiment. Journal of American College Health, 2017, 65, 389-399. | 1.5 | 22 |
| 84 | Brain Size in Schizophrenia. Archives of General Psychiatry, 1991, 48, 179. | 12.3 | 20 |
| 85 | Auditory feature conjunction in patients with schizophrenia. Schizophrenia Research, 2001, 49, 179-191. | 2.0 | 19 |
| 86 | Relationship between negative symptoms in chronic schizophrenia and neuroleptic dose, plasma levels and side effects. Schizophrenia Research, 1997, 25, 71-78. | 2.0 | 18 |
| 87 | Preferences for Early Intervention Mental Health Services: A Discrete-Choice Conjoint Experiment. Psychiatric Services, 2016, 67, 184-191. | 2.0 | 18 |
| 88 | Visual feature conjunction in patients with schizophrenia: an event-related brain potential study. Schizophrenia Research, 2002, 57, 69-79. | 2.0 | 17 |
| 89 | Event-related brain potential study of semantic priming in unaffected first-degree relatives of schizophrenia patients. Schizophrenia Research, 2014, 153, 78-86. | 2.0 | 16 |
| 90 | Stable deficits in gray matter volumes following a first episode of schizophrenia. Schizophrenia Research, 2004, 71, 515-516. | 2.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Depth-of-processing effects on semantic activation deficits in schizophrenia: An electrophysiological investigation. <i>Schizophrenia Research</i> , 2011, 133, 91-98. | 2.0 | 14 |
| 92 | Examining the Effects of Enhanced Funding for Specialized Community Mental Health Programs on Continuity of Care. <i>Canadian Journal of Community Mental Health</i> , 2010, 29, 23-40. | 0.4 | 14 |
| 93 | Understanding and Managing Treatment Adherence in Schizophrenia. <i>Clinical Schizophrenia and Related Psychoses</i> , 2019, , . | 1.4 | 13 |
| 94 | Characterizing outcome preferences in patients with psychotic disorders: a discrete choice conjoint experiment. <i>Schizophrenia Research</i> , 2017, 185, 107-113. | 2.0 | 12 |
| 95 | You say "schizophrenia" and I say "psychosis" Just tell me when I can come off this medication. <i>Schizophrenia Research</i> , 2020, 225, 39-46. | 2.0 | 11 |
| 96 | Effects of raclopride treatment on plasma and CSF HVA: relationships with clinical improvement in male schizophrenics. <i>Psychopharmacology</i> , 1994, 116, 291-296. | 3.1 | 10 |
| 97 | The role of maintenance pharmacotherapy in achieving recovery from a first episode of schizophrenia. <i>International Review of Psychiatry</i> , 2002, 14, 284-292. | 2.8 | 10 |
| 98 | Illness Intrusiveness and Subjective Well-Being in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 798-805. | 1.0 | 9 |
| 99 | Association of abnormal semantic processing with delusion-like ideation in frequent cannabis users: an electrophysiological study. <i>Psychopharmacology</i> , 2013, 225, 95-104. | 3.1 | 9 |
| 100 | Values in First-Episode Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 507-514. | 1.9 | 8 |
| 101 | Improving outcomes in schizophrenia by preventing early relapses. <i>Lancet Psychiatry</i> , 2018, 5, 384-386. | 7.4 | 8 |
| 102 | Rethinking service design for youth with mental health needs: The development of the Youth Wellness Centre, St. Joseph's Healthcare Hamilton. <i>Microbial Biotechnology</i> , 2020, 14, 365-372. | 1.7 | 7 |
| 103 | New insights into schizophrenia from neuroimaging. <i>Current Opinion in Psychiatry</i> , 1998, 11, 33-37. | 6.3 | 7 |
| 104 | 4: Effects of menstrual function and weight restoration on cognitive function in females with adolescent-onset anorexia nervosa. <i>Journal of Adolescent Health</i> , 2007, 40, S12. | 2.5 | 5 |
| 105 | Investigating service features to sustain engagement in early intervention mental health services. <i>Microbial Biotechnology</i> , 2019, 13, 241-250. | 1.7 | 5 |
| 106 | APA Practice Guideline for Schizophrenia: Risperidone Equivalents. <i>American Journal of Psychiatry</i> , 1998, 155, 1301a-1302. | 7.2 | 4 |
| 107 | Clinical and neuropsychologic characteristics of schizophrenics showing impairment on the luria-nebraska neuropsychological battery. <i>Schizophrenia Research</i> , 1989, 2, 61. | 2.0 | 3 |
| 108 | Imaging Mental Disorders in the 21st Century. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 133-134. | 1.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Specialized home treatment versus hospital-based outpatient treatment for first-episode psychosis: a randomized clinical trial. <i>Microbial Biotechnology</i> , 2009, 3, 304-311. | 1.7 | 3 |
| 110 | Rapid remission of first-episode schizophrenia with standardised treatment. <i>Lancet Psychiatry</i> , the, 2018, 5, 770-771. | 7.4 | 2 |
| 111 | Volumetric MRI study of first episode schizophrenia. <i>Schizophrenia Research</i> , 1997, 24, 161. | 2.0 | 1 |
| 112 | Ethical issues in schizophrenia research. <i>Current Psychiatry Reports</i> , 1999, 1, 13-19. | 4.5 | 1 |
| 113 | Specialised care for early psychosis may reduce number of readmissions. <i>Evidence-Based Mental Health</i> , 2005, 8, 34-34. | 4.5 | 1 |
| 114 | Gender, age, ethnicity and area of residence influence incidence of psychotic disorders. <i>Evidence-Based Mental Health</i> , 2006, 9, 107-107. | 4.5 | 1 |
| 115 | Imagining schizophrenia without relapses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 764-765. | 2.3 | 1 |
| 116 | Modeling the Reduction of Attrition in Campus Mental Health Services: A Discrete Choice Conjoint Experiment. <i>Emerging Adulthood</i> , 2020, , 216769682094689. | 2.4 | 1 |
| 117 | Motivational Enhancement as a Pretreatment to a Transdiagnostic Intervention for Emerging Adults with Emotion Dysregulation: A Pilot Randomized Controlled Trial. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2020, 29, 132-148. | 0.6 | 1 |
| 118 | Psychotic Recurrence After Antipsychotic Discontinuation. <i>American Journal of Psychiatry</i> , 2002, 159, 1441-a-1442. | 7.2 | 0 |
| 119 | Do anxiety and depression symptoms moderate the effect of motivational enhancement therapy as a pretreatment to dialectical behaviour therapy skills training? A follow-up analysis of a pilot randomised controlled trial for youth. <i>Microbial Biotechnology</i> , 2021, , . | 1.7 | 0 |
| 120 | Alvin Zipursky (1930-2021): an unsurpassable mentor, counselor, and child health advocate. <i>Pediatric Research</i> , 2021, , . | 2.3 | 0 |
| 121 | Second generation antipsychotics are not superior in relieving family burden in schizophrenia compared with the first generation antipsychotic perphenazine. <i>Evidence-Based Mental Health</i> , 2010, 13, 84-84. | 4.5 | 0 |