

Marcela InÃ©s Schneider

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/318909/publications.pdf>

Version: 2024-02-01

36

papers

1,524

citations

331670

21

h-index

361022

35

g-index

36

all docs

36

docs citations

36

times ranked

1115

citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of selective and non-selective insecticides on survival and feeding behavior of the spiders <i>Hogna cf. bivittata</i> and <i>Lycosa poliolostoma</i> (Araneae: Lycosidae). Journal of Arachnology, 2021, 48, .	0.5	0
2	Age-Stage, two-sex life table: an introduction to theory, data analysis, and application. Entomologia Generalis, 2020, 40, 103-124.	3.1	208
3	Interactions between the entomopathogenic fungus <i>Beauveria bassiana</i> and the Neotropical predator <i>Eriopis connexa</i> (Coleoptera: Coccinellidae): Implications in biological control of pest. Journal of Plant Protection Research, 2018, .	1.0	6
4	Lethal and Sublethal Effects on <i>Tamarixia triozae</i> (Hymenoptera: Eulophidae), an Ectoparasitoid of <i>Bactericera cockerelli</i> (Hemiptera: Triozidae), of Three Insecticides Used on Solanaceous Crops. Journal of Economic Entomology, 2018, 111, 1048-1055.	1.8	10
5	Selectivity assessment of two biorational insecticides, azadirachtin and pyriproxyfen, in comparison to a neonicotinoid, acetamiprid, on pupae and adults of a Neotropical strain <i>Eretmocerus mundus</i> Mercet. Chemosphere, 2018, 206, 349-358.	8.2	15
6	Side effects of spirotetramat on pupae and adults of a Neotropical strain of <i>Eretmocerus mundus</i> (Hymenoptera: Aphelinidae): Effects on the life parameters and demography. Environmental Science and Pollution Research, 2017, 24, 17719-17730.	5.3	12
7	Comparative susceptibility of two Neotropical predators, <i>Eriopis connexa</i> and <i>Chrysoperla externa</i> , to acetamiprid and pyriproxyfen: Short and long-term effects after egg exposure. Environmental Pollution, 2017, 231, 1042-1050.	7.5	23
8	Encapsulation and Self-Superparasitism of <i>Pseudapanteles dignus</i> (Muesebeck) (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 40 e0163196.	2.5	14
9	Toxicity assessment of four insecticides with different modes of action on pupae and adults of <i>Eriopis connexa</i> (Coleoptera: Coccinellidae), a relevant predator of the Neotropical Region. Environmental Science and Pollution Research, 2016, 23, 14918-14926.	5.3	26
10	Improvement of the mass rearing of larvae of the neotropical lacewing <i>Chrysoperla externa</i> through the incorporation of a new semiliquid artificial diet. BioControl, 2016, 61, 69-78.	2.0	7
11	Intraguild predation between an exotic and a native coccinellid in Argentina: the role of prey density. Journal of Pest Science, 2015, 88, 155-162.	3.7	49
12	Short and long-term effects of three neurotoxic insecticides on biological and behavioural attributes of the orb-web spider <i>Alpaida veniliae</i> (Araneae, Araneidae): implications for IPM programs. Ecotoxicology, 2013, 22, 1155-1164.	2.4	39
13	Impact of the neonicotinoid acetamiprid on immature stages of the predator <i>Eriopis connexa</i> (Coleoptera: Coccinellidae). Ecotoxicology, 2013, 22, 1063-1071.	2.4	94
14	A novel estrogen-regulated avian apolipoprotein. Biochimie, 2013, 95, 2445-2453.	2.6	22
15	Lethal and sublethal effects of cypermethrin and methoxyfenozide on the larvae of <i>Rachiplusia nu</i> (Guenee) (Lepidoptera: Noctuidae). Invertebrate Reproduction and Development, 2012, 56, 200-208.	0.8	9
16	Short and Long-Term Effects of Endosulfan, Cypermethrin, Spinosad, and Methoxyfenozide on Adults of <math>Chrysoperla externa</math> (Neuroptera: Chrysopidae). Journal of Economic Entomology, 2012, 105, 1982-1987.	1.8	30
17	Long-Term Effects of Methoxyfenozide on the Adult Reproductive Processes and Longevity of <i>Spodoptera exigua</i> (Lepidoptera: Noctuidae). Journal of Economic Entomology, 2011, 104, 1229-1235.	1.8	10
18	Lethal and Sublethal Effects of Methoxyfenozide on the Development, Survival and Reproduction of the Fall Armyworm, <i>Spodoptera frugiperda</i> (J. E. Smith) (Lepidoptera: Noctuidae). Neotropical Entomology, 2011, 40, 129-137.	1.2	22

#	ARTICLE	IF	CITATIONS
19	Toxicity and Sublethal Effects of Methoxyfenozide on <math>Spodoptera exigua</math> (Lepidoptera: Tephritidae). <i>Tropical Entomology Quarterly</i> , 2011, 10, 784-814.	1.8	38
20	Effects of the herbicide glyphosate on biological attributes of <i>Alpaida veniliae</i> (Araneae, Araneidae), in laboratory. <i>Chemosphere</i> , 2010, 78, 871-876.	8.2	72
21	Impact of glyphosate on the development, fertility and demography of <i>Chrysoperla externa</i> (Neuroptera: Chrysopidae): Ecological approach. <i>Chemosphere</i> , 2009, 76, 1451-1455.	8.2	104
22	Influence of Azadirachtin and Methoxyfenozide on Life Parameters of <math>Spodoptera littoralis</math> (Lepidoptera: Noctuidae). <i>Journal of Economic Entomology</i> , 2009, 102, 1490-1496.	1.8	57
23	The ecological impact of four IGR insecticides in adults of <i>Hyposoter didymator</i> (Hym., Ichneumonidae). <i>Tropical Entomology Quarterly</i> , 2010, 10, 784-814.	1.8	48
24	Monitoring of beet armyworm resistance to spinosad and methoxyfenozide in Mexico. <i>Pest Management Science</i> , 2008, 64, 1001-1007.	3.4	93
25	Susceptibility of <math>Chrysoperla externa</math> Eggs (Neuroptera: Chrisopidae) to Conventional and Biorational Insecticides. <i>Environmental Entomology</i> , 2008, 37, 1252-1257.	1.4	18
26	Susceptibility of <i>Chrysoperla externa</i> Eggs (Neuroptera: Chrisopidae) to Conventional and Biorational Insecticides. <i>Environmental Entomology</i> , 2008, 37, 1252-1257.	1.4	37
27	Lethal and Sublethal Effects of Methoxyfenozide and Spinosad on <i>Spodoptera littoralis</i> (Lepidoptera: Noctuidae). <i>Journal of Economic Entomology</i> , 2007, 100, 773-780.	1.8	67
28	Lethal and Sublethal Effects of Methoxyfenozide and Spinosad on <i>Spodoptera littoralis</i> (Lepidoptera: Tephritidae). <i>Tropical Entomology Quarterly</i> , 2007, 10, 784-814.	1.8	54
29	Improvements in rearing method for <i>Hyposoter didymator</i> (Hymenoptera: Ichneumonidae), considering sex allocation and sex determination theories used for Hymenoptera. <i>Biological Control</i> , 2007, 43, 271-277.	3.0	9
30	Pathogenicity of Two Entomopathogenic Fungi on <i>Trialeurodes vaporariorum</i> and Field Evaluation of a <i>Paecilomyces fumosoroseus</i> Isolate. <i>Southwestern Entomologist</i> , 2007, 32, 43-52.	0.2	19
31	Toxicity and Pharmacokinetics of Spinosad and Methoxyfenozide to <i>Spodoptera littoralis</i> (Lepidoptera: Tephritidae). <i>Tropical Entomology Quarterly</i> , 2007, 10, 784-814.	1.4	38
32	Effects of Two Biorational Insecticides, Spinosad and Methoxyfenozide, on <i>Spodoptera littoralis</i> (Lepidoptera: Noctuidae) Under Laboratory Conditions. <i>Journal of Economic Entomology</i> , 2004, 97, 1906-1911.	1.8	7
33	Effects of Two Biorational Insecticides, Spinosad and Methoxyfenozide, on <i>Spodoptera littoralis</i> (Lepidoptera: Noctuidae) Under Laboratory Conditions. <i>Journal of Economic Entomology</i> , 2004, 97, 1906-1911.	1.8	43
34	Action of insect growth regulator insecticides and spinosad on life history parameters and absorption in third-instar larvae of the endoparasitoid <i>Hyposoter didymator</i> . <i>Biological Control</i> , 2004, 31, 189-198.	3.0	110
35	Toxicity and Pharmacokinetics of Insect Growth Regulators and Other Novel Insecticides on Pupae of <i>Hyposoter didymator</i> (Hymenoptera: Ichneumonidae), a Parasitoid of Early Larval Instars of Lepidopteran Pests. <i>Journal of Economic Entomology</i> , 2003, 96, 1054-1065.	1.8	53
36	Toxicity and Pharmacokinetics of Insect Growth Regulators and Other Novel Insecticides on Pupae of <i>Hyposoter didymator</i> (Hymenoptera: Ichneumonidae), a Parasitoid of Early Larval Instars of Lepidopteran Pests. <i>Journal of Economic Entomology</i> , 2003, 96, 1054-1065.	1.8	61