## David J Torgerson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3193634/publications.pdf

Version: 2024-02-01

415 papers

21,518 citations

69 h-index 131 g-index

425 all docs

425 docs citations

times ranked

425

22108 citing authors

| #  | Article   | IF                 | CITATIONS            |
|----|---|--------------------|----------------------|
| 1  | The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. Osteoporosis International, 2007, 18, 1033-1046.                           | 3.1                | 1,017                |
| 2  | Guidelines for diagnosis and management of osteoporosis. Osteoporosis International, 1997, 7, 390-406.  | 3.1                | 713                  |
| 3  | General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. Lancet, The, 2008, 372, 2132-2142.   | 13.7               | 514                  |
| 4  | Randomised controlled trial of calcium and supplementation with cholecalciferol (vitamin D) Tj ETQq $000$ rgBT /O $1003$ .  | Overlock 10<br>2.3 | ) Tf 50 627 T<br>449 |
| 5  | Hormone Replacement Therapy and Prevention of Nonvertebral Fractures. JAMA - Journal of the American Medical Association, 2001, 285, 2891.  | 7.4                | 436                  |
| 6  | Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. JAMA - Journal of the American Medical Association, 2015, 313, 1037.  | 7.4                | 398                  |
| 7  | Rethinking pragmatic randomised controlled trials: introducing the "cohort multiple randomised controlled trial" design. BMJ: British Medical Journal, 2010, 340, c1066-c1066.                                    | 2.3                | 391                  |
| 8  | Contamination in trials: is cluster randomisation the answer?. BMJ: British Medical Journal, 2001, 322, 355-357.  | 2.3                | 387                  |
| 9  | Patient level pooled analysis of 68 500 patients from seven major vitamin D fracture trials in US and Europe. BMJ: British Medical Journal, 2010, 340, b5463-b5463.   | 2.3                | 342                  |
| 10 | Systematic review of stepped wedge cluster randomized trials shows that design is particularly used to evaluate interventions during routine implementation. Journal of Clinical Epidemiology, 2011, 64, 936-948. | 5.0                | 340                  |
| 11 | Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences.<br>BMJ: British Medical Journal, 1999, 319, 279-283.  | 2.3                | 319                  |
| 12 | Reporting attrition in randomised controlled trials. BMJ: British Medical Journal, 2006, 332, 969-971.  | 2.3                | 318                  |
| 13 | Vitamin K and the Prevention of Fractures. Archives of Internal Medicine, 2006, 166, 1256.  | 3.8                | 317                  |
| 14 | Evidence for risk of bias in cluster randomised trials: review of recent trials published in three general medical journals. BMJ: British Medical Journal, 2003, 327, 785-789.                                    | 2.3                | 307                  |
| 15 | A UK Consensus Group on management of glucocorticoidâ€induced osteoporosis: an update. Journal of Internal Medicine, 1998, 244, 271-292.  | 6.0                | 287                  |
| 16 | Designing Randomised Trials in Health, Education and the Social Sciences. , 2008, , .   |                    | 283                  |
| 17 | Should we pay the patient? Review of financial incentives to enhance patient compliance. BMJ: British Medical Journal, 1997, 315, 703-707.  | 2.3                | 282                  |
| 18 | Increasing recruitment to randomised trials: a review of randomised controlled trials. BMC Medical Research Methodology, 2006, 6, 34.   | 3.1                | 270                  |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | The use of unequal randomisation ratios in clinical trials: A review. Contemporary Clinical Trials, 2006, 27, 1-12.   | 1.8  | 269       |
| 20 | Dietary protein and bone health: a systematic review and meta-analysis. American Journal of Clinical Nutrition, 2009, 90, 1674-1692.  | 4.7  | 268       |
| 21 | Understanding controlled trials: What is a patient preference trial?. BMJ: British Medical Journal, 1998, 316, 360-360.   | 2.3  | 257       |
| 22 | Sample size calculations for pilot randomized trials: a confidence intervalÂapproach. Journal of Clinical Epidemiology, 2013, 66, 197-201.  | 5.0  | 248       |
| 23 | Methodological bias in cluster randomised trials. BMC Medical Research Methodology, 2005, 5, 10.  | 3.1  | 246       |
| 24 | Economic Note: Cost of illness studies. BMJ: British Medical Journal, 2000, 320, 1335-1335.   | 2.3  | 244       |
| 25 | Patients' preferences within randomised trials: systematic review and patient level meta-analysis. BMJ:<br>British Medical Journal, 2008, 337, a1864-a1864.   | 2.3  | 243       |
| 26 | Effect of regression to the mean on decision making in health care. BMJ: British Medical Journal, 2003, 326, 1083-1084.   | 2.3  | 227       |
| 27 | Long-Term Follow-Up for Mortality and Cancer in a Randomized Placebo-Controlled Trial of Vitamin D <sub>3</sub> and/or Calcium (RECORD Trial). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 614-622.         | 3.6  | 223       |
| 28 | Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. Lancet, The, 2016, 387, 146-155.                                | 13.7 | 217       |
| 29 | Screening in the community to reduce fractures in older women (SCOOP): a randomised controlled trial. Lancet, The, 2018, 391, 741-747.  | 13.7 | 206       |
| 30 | Larval therapy for leg ulcers (VenUS II): randomised controlled trial. BMJ: British Medical Journal, 2009, 338, b773-b773.  | 2.3  | 193       |
| 31 | Yoga for Chronic Low Back Pain. Annals of Internal Medicine, 2011, 155, 569.  | 3.9  | 193       |
| 32 | Vitamin D with Calcium Reduces Mortality: Patient Level Pooled Analysis of 70,528 Patients from Eight Major Vitamin D Trials. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2670-2681.                        | 3.6  | 186       |
| 33 | Economics notes: Definitions of efficiency. BMJ: British Medical Journal, 1999, 318, 1136-1136.   | 2.3  | 183       |
| 34 | Clinical and cost-effectiveness of compression hosiery versus compression bandages in treatment of venous leg ulcers (Venous leg Ulcer Study IV, VenUS IV): a randomised controlled trial. Lancet, The, 2014, 383, 871-879. | 13.7 | 172       |
| 35 | Factors associated with onset of menopause in women aged 45–49. Maturitas, 1994, 19, 83-92.   | 2.4  | 169       |
| 36 | Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. Spine, 2007, 32, 1578-1585.  | 2.0  | 169       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. Trials, 2018, 19, 139.  | 1.6 | 168       |
| 38 | Mothers and daughters menopausal ages: is there a link?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1997, 74, 63-66.  | 1.1 | 164       |
| 39 | Adequacy and reporting of allocation concealment: review of recent trials published in four general medical journals. BMJ: British Medical Journal, 2005, 330, 1057-1058.   | 2.3 | 162       |
| 40 | Collaborative care for depression in UK primary care: a randomized controlled trial. Psychological Medicine, 2008, 38, 279-287.   | 4.5 | 135       |
| 41 | A systematic metaâ€analytic review of evidence for the effectiveness of the â€Fast ForWord' language intervention program. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 224-235.  | 5.2 | 132       |
| 42 | Alexander Technique Lessons or Acupuncture Sessions for Persons With Chronic Neck Pain. Annals of Internal Medicine, 2015, 163, 653-662.  | 3.9 | 126       |
| 43 | Review of randomised trials using the post-randomised consent (Zelen's) design. Contemporary Clinical Trials, 2006, 27, 305-319.  | 1.8 | 125       |
| 44 | Validity of open-ended and payment scale approaches to eliciting willingness to pay. Applied Economics, 1997, 29, 79-84.  | 2.2 | 123       |
| 45 | Patient Preferences in Randomised Trials: Threat or Opportunity?. Journal of Health Services Research and Policy, 1996, 1, 194-197.   | 1.7 | 122       |
| 46 | Randomised trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: outcomes and patients' preference. BMJ: British Medical Journal, 2005, 330, 75.  | 2.3 | 120       |
| 47 | Randomised, controlled trial of alternating pressure mattresses compared with alternating pressure overlays for the prevention of pressure ulcers: PRESSURE (pressure relieving support surfaces) trial. BMJ: British Medical Journal, 2006, 332, 1413. | 2.3 | 118       |
| 48 | Bias in identifying and recruiting participants in cluster randomised trials: what can be done?. BMJ: British Medical Journal, 2009, 339, b4006-b4006.  | 2.3 | 115       |
| 49 | The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. Health Technology Assessment, 2014, 18, 1-146.  | 2.8 | 114       |
| 50 | Cluster randomized controlled trials. Journal of Evaluation in Clinical Practice, 2005, 11, 479-483.  | 1.8 | 110       |
| 51 | Acupuncture and Counselling for Depression in Primary Care: A Randomised Controlled Trial. PLoS Medicine, 2013, 10, e1001518.   | 8.4 | 106       |
| 52 | Environmental Assessment and Modification to Prevent Falls in Older People. Journal of the American Geriatrics Society, 2011, 59, 26-33.  | 2.6 | 104       |
| 53 | The Need for Randomised Controlled Trials in Educational Research. British Journal of Educational Studies, 2001, 49, 316-328.   | 1.3 | 102       |
| 54 | Regression to the mean: treatment effect without the intervention. Journal of Evaluation in Clinical Practice, 2005, 11, 59-65.   | 1.8 | 102       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | A systematic review of the effects of calcium supplementation on body weight. British Journal of Nutrition, 2006, 95, 1033-1038.   | 2.3  | 101       |
| 56 | Assessing the impact of attrition in randomized controlled trials. Journal of Clinical Epidemiology, 2010, 63, 1264-1270.  | 5.0  | 101       |
| 57 | Understanding controlled trials: Randomisation methods in controlled trials. BMJ: British Medical Journal, 1998, 317, 1301-1310.   | 2.3  | 98        |
| 58 | Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. Lancet, The, 2020, 396, 977-989.   | 13.7 | 97        |
| 59 | Understanding controlled trials: What is Zelen's design?. BMJ: British Medical Journal, 1998, 316, 606-606.  | 2.3  | 97        |
| 60 | Is there another way to take account of noncompliance in randomized controlled trials?. Cmaj, 2006, 175, 347-347.  | 2.0  | 92        |
| 61 | The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial – a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults. Health Technology Assessment, 2015, 19, 1-280. | 2.8  | 91        |
| 62 | Understanding controlled trials: Randomisation methods: concealment. BMJ: British Medical Journal, 1999, 319, 375-376.   | 2.3  | 89        |
| 63 | The health-related quality of life and cost implications of falls in elderly women. Osteoporosis International, 2009, 20, 869-878.   | 3.1  | 87        |
| 64 | Short-term opioids for breathlessness in stable chronic heart failure: a randomized controlled trial. European Journal of Heart Failure, 2011, 13, 1006-1012.  | 7.1  | 82        |
| 65 | Randomized clinical trial of four-layer and short-stretch compression bandages for venous leg ulcers (VenUS I). British Journal of Surgery, 2004, 91, 1292-1299.   | 0.3  | 81        |
| 66 | Alcohol consumption and age of maternal menopause are associated with menopause onset. Maturitas, 1997, 26, 21-25.   | 2.4  | 80        |
| 67 | Does Length of Questionnaire Matter? A Randomised Trial of Response Rates to a Mailed Questionnaire. Journal of Health Services Research and Policy, 2000, 5, 219-221.   | 1.7  | 78        |
| 68 | Cost-effectiveness analysis of a home-based social work intervention for children and adolescents who have deliberately poisoned themselves. British Journal of Psychiatry, 1999, 174, 56-62.  | 2.8  | 77        |
| 69 | Systematic review of topical treatments for fungal infections of the skin and nails of the feet. BMJ: British Medical Journal, 1999, 319, 79-82.   | 2.3  | 76        |
| 70 | Collection of Delinquent Fines: An Adaptive Randomized Trial to Assess the Effectiveness of Alternative Text Messages. Journal of Policy Analysis and Management, 2013, 32, 718-730.   | 1.4  | 76        |
| 71 | Economics notes: Discounting. BMJ: British Medical Journal, 1999, 319, 914-915.  | 2.3  | 74        |
| 72 | Cost-effectiveness of intensive v. standard case management for severe psychotic illness. British Journal of Psychiatry, 2000, 176, 537-543.   | 2.8  | 74        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Randomized controlled trial of hip protectors among women living in the community. Osteoporosis International, 2004, 15, 701-6.   | 3.1  | 70        |
| 74 | Setting priorities for research. Health Policy, 2004, 69, 1-10.   | 3.0  | 70        |
| 75 | Cryotherapy versus salicylic acid for the treatment of plantar warts (verrucae): a randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d3271-d3271.   | 2.3  | 68        |
| 76 | A pragmatic cluster randomized controlled trial of an educational intervention for GPs in the assessment and management of depression. Psychological Medicine, 2004, 34, 63-72.   | 4.5  | 67        |
| 77 | Differential recruitment in a cluster randomized trial in primary care: the experience of the UK Back pain, Exercise, Active management and Manipulation (UK BEAM) feasibility study. Clinical Trials, 2005, 2, 119-124.  | 1.6  | 65        |
| 78 | Pressure relieving support surfaces (PRESSURE) trial: cost effectiveness analysis. BMJ: British Medical Journal, 2006, 332, 1416.   | 2.3  | 65        |
| 79 | CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. BMJ, The, 2021, 373, n857.  | 6.0  | 65        |
| 80 | VenUS IV (Venous leg Ulcer Study IV) – compression hosiery compared with compression bandaging in the treatment of venous leg ulcers: a randomised controlled trial, mixed-treatment comparison and decision-analytic model. Health Technology Assessment, 2014, 18, 1-294. | 2.8  | 65        |
| 81 | Cost effectiveness analysis of larval therapy for leg ulcers. BMJ: British Medical Journal, 2009, 338, b825-b825.   | 2.3  | 64        |
| 82 | VenUS II: a randomised controlled trial of larval therapy in the management of leg ulcers. Health Technology Assessment, 2009, 13, 1-182, iii-iv.   | 2.8  | 64        |
| 83 | Exploring the relationship between fear of falling and neuroticism: a cross-sectional study in community-dwelling women over 70. Age and Ageing, 2006, 35, 143-147.   | 1.6  | 63        |
| 84 | Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis. Annals of Internal Medicine, 2018, 168, 385.  | 3.9  | 63        |
| 85 | Health-Related Quality of Life of Colles' Fracture Patients. Osteoporosis International, 1999, 9, 196-199.  | 3.1  | 62        |
| 86 | Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401.   | 13.7 | 62        |
| 87 | Risk factors for fracture in a UK population: a prospective cohort study. QJM - Monthly Journal of the Association of Physicians, 2004, 97, 569-574.  | 0.5  | 61        |
| 88 | Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. Trials, 2014, 15, 407.  | 1.6  | 61        |
| 89 | A randomized trial comparing a group exercise programme for back pain patients with individual physiotherapy in a severely deprived area. Disability and Rehabilitation, 2005, 27, 929-937.   | 1.8  | 60        |
| 90 | A Pragmatic Multicentered Randomized Controlled Trial of Yoga for Chronic Low Back Pain. Spine, 2012, 37, 1593-1601.  | 2.0  | 60        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Is restricted randomisation necessary?. BMJ: British Medical Journal, 2006, 332, 1506-1508.  | 2.3 | 58        |
| 92  | Randomised controlled trial of food elimination diet based on IgG antibodies for the prevention of migraine like headaches. Nutrition Journal, 2011, 10, 85.   | 3.4 | 58        |
| 93  | The Cost-Effectiveness of Screening in the Community to Reduce Osteoporotic Fractures in Older Women in the UK: Economic Evaluation of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 845-851.                                   | 2.8 | 58        |
| 94  | Measuring sexual functioning in premenopausal women. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 311-316.   | 2.3 | 56        |
| 95  | Cost-effectiveness analysis of general anaesthesia <i>versus</i> local anaesthesia for carotid surgery (GALA Trial). British Journal of Surgery, 2010, 97, 1218-1225.  | 0.3 | 56        |
| 96  | CollAborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-252.                     | 2.8 | 56        |
| 97  | Randomised controlled trial of hip protectors for the prevention of second hip fractures. Age and Ageing, 2003, 32, 442-444.   | 1.6 | 54        |
| 98  | Public health and bovine tuberculosis: what's all the fuss about?. Trends in Microbiology, 2010, 18, 67-72.  | 7.7 | 54        |
| 99  | Cost Analysis of Fracture of the Neck of Femur. Age and Ageing, 1995, 24, 185-189.   | 1.6 | 51        |
| 100 | A pragmatic randomised controlled trial of the effectiveness and cost-effectiveness of screening older women for the prevention of fractures: rationale, design and methods for the SCOOP study. Osteoporosis International, 2012, 23, 2507-2515.  | 3.1 | 51        |
| 101 | A randomised controlled trial of yoga for the treatment of chronic low back pain: Results of a pilot study. Complementary Therapies in Clinical Practice, 2010, 16, 187-193.   | 1.7 | 50        |
| 102 | Acupuncture for irritable bowel syndrome: primary care based pragmatic randomised controlled trial. BMC Gastroenterology, 2012, 12, 150.   | 2.0 | 49        |
| 103 | Economic evaluations of interventions for the prevention and treatment of osteoporosis: a structured review of the literature. Osteoporosis International, 2006, 17, 29-40.  | 3.1 | 48        |
| 104 | The impact of trial baseline imbalances should be considered in systematic reviews: a methodological case study. Journal of Clinical Epidemiology, 2007, 60, 1229-1233.  | 5.0 | 48        |
| 105 | Population screening for osteoporosis risk: a randomised control trial of medication use and fracture risk. Osteoporosis International, 2010, 21, 561-568.   | 3.1 | 48        |
| 106 | Yorkshire Lung Screening Trial (YLST): protocol for a randomised controlled trial to evaluate invitation to community-based low-dose CT screening for lung cancer versus usual care in a targeted population at risk. BMJ Open, 2020, 10, e037075. | 1.9 | 48        |
| 107 | Private versus social opportunity cost of time: Valuing time in the demand for health care. Health Economics (United Kingdom), 1994, 3, 149-155.   | 1.7 | 47        |
| 108 | Clinical effectiveness of a brief educational intervention in Type 1 diabetes: results from the BITES (Brief Intervention in Type 1 diabetes, Education for Selfâ€efficacy) trial. Diabetic Medicine, 2008, 25, 1447-1453.                         | 2.3 | 47        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Educating nursing home staff on fracture prevention: a cluster randomised trial. Age and Ageing, 2008, 37, 167-172.  | 1.6 | 47        |
| 110 | Fracture incidence and changes in quality of life in women with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). Osteoporosis International, 2008, 19, 493-501.  | 3.1 | 46        |
| 111 | Bias in recruitment to cluster randomized trials: a review of recent publications. Journal of Evaluation in Clinical Practice, 2012, 18, 878-886.  | 1.8 | 46        |
| 112 | The effect of supplementation with alkaline potassium salts on bone metabolism: a meta-analysis. Osteoporosis International, 2015, 26, 1311-1318.  | 3.1 | 46        |
| 113 | The effect of fundholding on prescribing and referral costs: a review of the evidence. Health Policy, 1997, 40, 103-114.   | 3.0 | 45        |
| 114 | Management of Patients With High Baseline Hip Fracture Risk by FRAX Reduces Hip Fractures—A Post Hoc Analysis of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 1020-1026.   | 2.8 | 45        |
| 115 | Protocol for the ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial: a pragmatic multi-centre randomised controlled trial of surgical versus non-surgical treatment for proximal fracture of the humerus in adults. BMC Musculoskeletal Disorders, 2009, 10, 140. | 1.9 | 44        |
| 116 | A randomised controlled trial of three or one breathing technique training sessions for breathlessness in people with malignant lung disease. BMC Medicine, 2015, 13, 213.   | 5.5 | 44        |
| 117 | Allocation concealment in randomised controlled trials: are we getting better?: Table 1. BMJ, The, 2016, 355, i5663.   | 6.0 | 44        |
| 118 | Use of weekly, low dose, high frequency ultrasound for hard to heal venous leg ulcers: the VenUS III randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d1092-d1092.  | 2.3 | 43        |
| 119 | Oral treatments for fungal infections of the skin of the foot. The Cochrane Library, 2012, 10, CD003584.   | 2.8 | 43        |
| 120 | An economic view of high compliance as a screening objective. BMJ: British Medical Journal, 1994, 308, 117-19.   | 2.3 | 43        |
| 121 | Comparison of the European and USA Practice Guidelines for Osteoporosis. Trends in Endocrinology and Metabolism, 2000, 11, 28-32.  | 7.1 | 42        |
| 122 | Randomized trial of two physiotherapy interventions for primary care back and neck pain patients: cost effectiveness analysis. Rheumatology, 2007, 46, 1495-1501.  | 1.9 | 41        |
| 123 | Listen to the data when results are not significant. BMJ: British Medical Journal, 2008, 336, 23-25.   | 2.3 | 41        |
| 124 | The use of unequal randomisation in clinical trials — An update. Contemporary Clinical Trials, 2015, 45, 113-122.  | 1.8 | 38        |
| 125 | Hormone replacement therapy: compliance and cost after screening for osteoporosis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 59, 57-60.   | 1.1 | 37        |
| 126 | Submission to multiple journals: a method of reducing time to publication?. BMJ: British Medical Journal, 2005, 330, 305-307.  | 2.3 | 37        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). PLoS ONE, 2017, 12, e0168712.   | 2.5 | 37        |
| 128 | Marginal costs and benefits. BMJ: British Medical Journal, 1996, 312, 35-36.   | 2.3 | 37        |
| 129 | LIFE-STYLE, ENVIRONMENTAL AND MEDICAL FACTORS INFLUENCING PEAK BONE MASS IN WOMEN.<br>Rheumatology, 1995, 34, 620-624.   | 1.9 | 36        |
| 130 | Cost-effectiveness analysis of open colposuspension versus laparoscopic colposuspension in the treatment of urodynamic stress incontinence. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 1014-1022.            | 2.3 | 36        |
| 131 | GALA: an international multicentre randomised trial comparing general anaesthesia versus local anaesthesia for carotid surgery. Trials, 2008, 9, 28.   | 1.6 | 36        |
| 132 | The effectiveness and cost-effectiveness of the Family Nurse Partnership home visiting programme for first time teenage mothers in England: a protocol for the Building Blocks randomised controlled trial. BMC Pediatrics, 2013, 13, 114. | 1.7 | 36        |
| 133 | A cluster randomised trial of strategies to increase cervical screening uptake at first invitation (STRATEGIC). Health Technology Assessment, 2016, 20, 1-138.   | 2.8 | 36        |
| 134 | A cost comparison of hysterectomy and hysteroscopic surgery for the treatment of menorrhagia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 70, 87-92.  | 1.1 | 35        |
| 135 | Economics Notes: Measuring outcomes in economic evaluations. BMJ: British Medical Journal, 1999, 318, 1413-1413.   | 2.3 | 35        |
| 136 | A comparison of randomised controlled trials in health and education. British Educational Research Journal, 2005, 31, 761-785.   | 2.5 | 35        |
| 137 | A pilot randomised controlled trial of negative pressure wound therapy to treat grade III/IV pressure ulcers [ISRCTN69032034]. Trials, 2012, 13, 119.  | 1.6 | 35        |
| 138 | Electronic prompts significantly increase response rates to postal questionnaires: a randomized trial within a randomized trial and meta-analysis. Journal of Clinical Epidemiology, 2015, 68, 1446-1450.                                  | 5.0 | 35        |
| 139 | Feasibility, acceptability and validity of SMS text messaging for measuring change in depression during a randomised controlled trial. BMC Psychiatry, 2015, 15, 68.   | 2.6 | 35        |
| 140 | Unequal Randomisation Can Improve the Economic Efficiency of Clinical Trials. Journal of Health Services Research and Policy, 1997, 2, 81-85.  | 1.7 | 33        |
| 141 | A randomized trial of electronic reminders showed a reduction in the time to respond to postal questionnaires. Journal of Clinical Epidemiology, 2011, 64, 208-212.  | 5.0 | 33        |
| 142 | Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power:ÂaÂsystematic review and meta-analyses. Journal of Clinical Epidemiology, 2016, 74, 57-65.                 | 5.0 | 33        |
| 143 | The effect of a direct payment or a lottery on questionnaire response rates: a randomised controlled trial. Journal of Epidemiology and Community Health, 2000, 54, 71-72.   | 3.7 | 32        |
| 144 | Economic analysis of VenUS I, a randomized trial of two bandages for treating venous leg ulcers. British Journal of Surgery, 2004, 91, 1300-1306.  | 0.3 | 32        |

| #   | Article   | lF  | Citations |
|-----|---|-----|-----------|
| 145 | Health care costs of women with symptomatic vertebral fractures. Bone, 2004, 35, 383-386.   | 2.9 | 32        |
| 146 | Methods to Assess Cost-Effectiveness and Value of Further Research When Data Are Sparse. Medical Decision Making, 2013, 33, 415-436.  | 2.4 | 32        |
| 147 | The Economics of Osteoporosis and Its Prevention. Pharmacoeconomics, 1997, 11, 126-138.   | 3.3 | 31        |
| 148 | Producing better evidence on how to improve randomised controlled trials. BMJ, The, 2015, 351, h4923.   | 6.0 | 31        |
| 149 | Randomized Trial of Osteoporosis Screening. Archives of Internal Medicine, 1997, 157, 2121.   | 3.8 | 30        |
| 150 | Is an intervention using computer software effective in literacy learning? A randomised controlled trial. Educational Studies, 2006, 32, 133-143.   | 2.4 | 30        |
| 151 | Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. Trials, 2015, 16, 77.   | 1.6 | 30        |
| 152 | Cost effectiveness of surgical <i>versus</i> non-surgical treatment of adults with displaced fractures of the proximal humerus. Bone and Joint Journal, 2016, 98-B, 152-159.  | 4.4 | 30        |
| 153 | An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144.  | 1.6 | 30        |
| 154 | Using Economics to Prioritize Research: A Case Study of Randomized Trials for the Prevention of Hip Fractures Due to Osteoporosis. Journal of Health Services Research and Policy, 1996, 1, 141-146.  | 1.7 | 29        |
| 155 | Avoiding Bias in Randomised Controlled Trials in Educational Research. British Journal of Educational Studies, 2003, 51, 36-45.   | 1.3 | 29        |
| 156 | Randomized trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: Cost-effectiveness analysis. International Journal of Technology Assessment in Health Care, 2006, 22, 67-75.                         | 0.5 | 29        |
| 157 | Characterization of patients with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). QJM - Monthly Journal of the Association of Physicians, 2006, 99, 531-543.                         | 0.5 | 29        |
| 158 | There are some circumstances where the stepped-wedge cluster randomized trial is preferable to the alternative: no randomized trial at all. Response to the commentary by Kotz and colleagues. Journal of Clinical Epidemiology, 2012, 65, 1253-1254. | 5.0 | 29        |
| 159 | Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. Trials, 2020, 21, 33.   | 1.6 | 29        |
| 160 | Electronic reminders did not improve postal questionnaire response rates or response times: a randomized controlled trial. Journal of Clinical Epidemiology, 2011, 64, 1001-1004.   | 5.0 | 28        |
| 161 | Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. Research Integrity and Peer Review, 2018, 3, 9.   | 5.2 | 28        |
| 162 | Oral modified release morphine for breathlessness in chronic heart failure: a randomized placeboâ€controlled trial. ESC Heart Failure, 2019, 6, 1149-1160.  | 3.1 | 28        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Screening Elderly Women for Risk of Future Fracturesâ€"Participation Rates and Impact on Incidence of Falls and Fractures. Calcified Tissue International, 2005, 76, 243-248.   | 3.1 | 27        |
| 164 | A randomised evaluation of CollAborative care and active surveillance for Screen-Positive EldeRs with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.   | 1.6 | 27        |
| 165 | The effect of digital technology on prisoner behavior and reoffending: a natural stepped-wedge design. Journal of Experimental Criminology, 2017, 13, 455-482.  | 2.9 | 27        |
| 166 | A review of cluster randomized trials found statistical evidence of selection bias. Journal of Clinical Epidemiology, 2018, 99, 106-112.  | 5.0 | 27        |
| 167 | VenUS III: a randomised controlled trial of therapeutic ultrasound in the management of venous leg ulcers. Health Technology Assessment, 2011, 15, 1-192.   | 2.8 | 27        |
| 168 | Acupuncture for chronic pain and depression in primary care: a programme of research. Programme Grants for Applied Research, 2017, 5, 1-316.  | 1.0 | 27        |
| 169 | Resource use data by patient report or hospital records: Do they agree?. BMC Health Services Research, 2002, 2, 2.  | 2.2 | 26        |
| 170 | Prior notification of trial participants by newsletter increased response rates: a randomized controlled trial. Journal of Clinical Epidemiology, 2012, 65, 1348-1352.  | 5.0 | 26        |
| 171 | Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. Trials, 2013, 14, 64.  | 1.6 | 26        |
| 172 | Baseline testing in cluster randomised controlled trials: should this be done?. BMC Medical Research Methodology, 2019, 19, 106.  | 3.1 | 26        |
| 173 | Shoulder acute pain in primary healthcare: is retraining effective for GP principals? SAPPHIRE-a randomized controlled trial. Rheumatology, 2008, 47, 1795-1802.  | 1.9 | 25        |
| 174 | Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. BMC Musculoskeletal Disorders, 2016, 17, 248.  | 1.9 | 25        |
| 175 | Subversion of allocation concealment in a randomised controlled trial: a historical case study. Trials, 2017, 18, 204.  | 1.6 | 25        |
| 176 | United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. Trials, 2017, 18, 614. | 1.6 | 25        |
| 177 | Falling and Perimenopausal Women. Age and Ageing, 1993, 22, 59-64.  | 1.6 | 24        |
| 178 | Economics notes: Use of unequal randomisation to aid the economic efficiency of clinical trials. BMJ: British Medical Journal, 2000, 321, 759-759.  | 2.3 | 24        |
| 179 | Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.  | 3.1 | 24        |
| 180 | Cluster randomized trials produced similar results to individually randomized trials in a meta-analysis of enhanced care for depression. Journal of Clinical Epidemiology, 2008, 61, 160-168.e2.  | 5.0 | 24        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 181 | Assessing the impact of retraction on the citation of randomized controlled trial reports: an interrupted time-series analysis. Journal of Health Services Research and Policy, 2019, 24, 44-51.   | 1.7 | 24        |
| 182 | Increasing response rates to postal questionnaires: a randomised trial of variations in design. Journal of Health Services Research and Policy, 2004, 9, 213-217.  | 1.7 | 23        |
| 183 | Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .   | 2.8 | 23        |
| 184 | Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. Health Technology Assessment, 2015, 19, 1-120. | 2.8 | 23        |
| 185 | The use of Zelen's design in randomised trials. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 2-2.  | 2.3 | 22        |
| 186 | The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.   | 2.2 | 22        |
| 187 | Text message reminders to improve questionnaire response rates. Journal of Clinical Epidemiology, 2016, 79, 90-95.   | 5.0 | 22        |
| 188 | Shoulder acute pain in primary health care: is retraining GPs effective? The SAPPHIRE randomized trial: a cost–effectiveness analysis. Rheumatology, 2009, 48, 558-563.  | 1.9 | 21        |
| 189 | Acupuncture for irritable bowel syndrome: A protocol for a pragmatic randomised controlled trial. BMC Gastroenterology, 2010, 10, 63.  | 2.0 | 21        |
| 190 | The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977.   | 1.9 | 21        |
| 191 | The Vein Graft Surveillance Trial: Rationale, Design and Methods. European Journal of Vascular and Endovascular Surgery, 1999, 18, 469-474.  | 1.5 | 20        |
| 192 | Research governance: a barrier to ethical research?. QJM - Monthly Journal of the Association of Physicians, 2004, 97, 113-114.  | 0.5 | 20        |
| 193 | Axial BMD, change in BMD and bone turnover do not predict breast cancer incidence in early postmenopausal women. Osteoporosis International, 2005, 16, 1627-1632.  | 3.1 | 20        |
| 194 | Use of the h-index to measure the quality of the output of health services researchers. Journal of Health Services Research and Policy, 2014, 19, 102-109.   | 1.7 | 20        |
| 195 | The 2 $\tilde{A}$ — 2 cluster randomized controlled factorial trial design is mainly used for efficiency and to explore intervention interactions: a systematic review. Journal of Clinical Epidemiology, 2014, 67, 1083-1092.   | 5.0 | 20        |
| 196 | A feasibility study for a randomised controlled trial of treatment withdrawal in psoriatic arthritis   |     |           |

| #   | Article  | IF               | CITATIONS     |
|-----|--|------------------|---------------|
| 199 | A randomised controlled trial to assess the effectiveness of offering study results as an incentive to increase response rates to postal questionnaires [ISRCTN26118436]. BMC Medical Research Methodology, 2005, 5, 34.     | 3.1              | 19            |
| 200 | Does risk to humans justify high cost of fighting bovine TB?. Nature, 2008, 455, 1029-1029.  | 27.8             | 19            |
| 201 | Cost-effectiveness of acupuncture for irritable bowel syndrome: findings from an economic evaluation conducted alongside a pragmatic randomised controlled trial in primary care. BMC Gastroenterology, 2012, 12, 149.       | 2.0              | 19            |
| 202 | The impact of pre and perinatal lifestyle factors on child long term health and social outcomes: a systematic review. Health Economics Review, 2018, 8, 2.   | 2.0              | 19            |
| 203 | Reducing criminal recidivism: evaluation of Citizenship, an evidence-based probation supervision process. Journal of Experimental Criminology, 2011, 7, 73-102.  | 2.9              | 18            |
| 204 | Economic evaluation of a randomized controlled trial of ultrasound therapy for hard-to-heal venous leg ulcers. British Journal of Surgery, 2011, 98, 1099-1106.  | 0.3              | 18            |
| 205 | Short message service text messaging was feasible as a tool for data collection in a trial of treatment for irritable bowel syndrome. Journal of Clinical Epidemiology, 2014, 67, 993-1000.                                  | 5.0              | 18            |
| 206 | A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. Journal of Clinical Epidemiology, 2014, 67, 1016-1024.   | 5.0              | 18            |
| 207 | Enclosing a pen reduced time to response to questionnaire mailings. Journal of Clinical Epidemiology, 2016, 74, 144-150.   | 5.0              | 18            |
| 208 | Evaluation of the Citizenship Evidence-Based Probation Supervision Program Using a Stepped Wedge Cluster Randomized Controlled Trial. Crime and Delinquency, 2016, 62, 899-924.  | 1.7              | 18            |
| 209 | Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. BMJ Open, 2018, 8, e022488.  | 1.9              | 18            |
| 210 | Population screening for low bone mineral density: Do non-attenders have a lower risk of osteoporosis?. Osteoporosis International, 1994, 4, 149-153.  | 3.1              | 17            |
| 211 | Costâ€effectiveness of cryotherapy versus salicylic acid for the treatment of plantar warts: economic evaluation alongside a randomised controlled trial (EVerT trial). Journal of Foot and Ankle Research, 2012, 5, 4.      | 1.9              | 17            |
| 212 | Patient-led training on patient safety: A pilot study to test the feasibility and acceptability of an educational intervention. Medical Teacher, 2013, 35, e1464-e1471.  | 1.8              | 17            |
| 213 | Costâ€effectiveness of the Family Nurse Partnership (FNP) programme in England: Evidence from the building blocks trial. Journal of Evaluation in Clinical Practice, 2017, 23, 1367-1374.                                    | 1.8              | 17            |
| 214 | Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. PLoS ONE, 2017, 12, e0184377.                                | 2.5              | 17            |
| 215 | Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) Tj ETQq1 1 0.78 21. 1-198. | 4314 rgBT<br>2.8 | <br> Oyerlock |
| 216 | Randomised controlled trial of incentives to improve attendance at adult literacy classes. Oxford Review of Education, 2008, 34, 493-504.  | 2.0              | 16            |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 217 | A pragmatic multi-centred randomised controlled trial of yoga for chronic low back pain: Trial protocol. Complementary Therapies in Clinical Practice, 2010, 16, 76-80.  | 1.7 | 16        |
| 218 | Poor reporting quality of key Randomization and Allocation Concealment details is still prevalent among published <scp>RCTs</scp> in 2011: a review. Journal of Evaluation in Clinical Practice, 2013, 19, 703-707.  | 1.8 | 16        |
| 219 | Identifying the primary outcome for a randomised controlled trial in rheumatoid arthritis: the role of a discrete choice experiment. Journal of Foot and Ankle Research, 2017, 10, 57.   | 1.9 | 16        |
| 220 | Increasing response rates to postal questionnaires. BMJ: British Medical Journal, 2002, 325, 444-444.  | 2.3 | 16        |
| 221 | A systematic review of oral treatments for fungal infections of the skin of the feet. Journal of Dermatological Treatment, 2001, 12, 69-74.  | 2.2 | 15        |
| 222 | Parable of Two Agencies, One of Which Randomizes. Annals of the American Academy of Political and Social Science, 2010, 628, 11-29.  | 1.6 | 15        |
| 223 | Brushing RemInder 4 Good oral HealTh (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. Trials, 2019, 20, 452. | 1.6 | 15        |
| 224 | Publicity does not increase recruitment to falls prevention trials: the results of two quasi-randomized trials. Journal of Clinical Epidemiology, 2009, 62, 1332-1335.   | 5.0 | 14        |
| 225 | Conceptual, Design, and Statistical Complications Associated with Participant Preference. Annals of the American Academy of Political and Social Science, 2010, 628, 176-188.  | 1.6 | 14        |
| 226 | Reporting Methodological Items in Randomized Experiments in Political Science. Annals of the American Academy of Political and Social Science, 2010, 628, 112-131.   | 1.6 | 14        |
| 227 | Database recruitment: a solution to poor recruitment in randomized trials?. Family Practice, 2011, 28, 329-333.  | 1.9 | 14        |
| 228 | Alexander Technique Lessons, Acupuncture Sessions or usual care for patients with chronic neck pain (ATLAS): study protocol for a randomised controlled trial. Trials, 2013, 14, 209.  | 1.6 | 14        |
| 229 | Negative pressure wound therapy versus usual care for Surgical Wounds Healing by Secondary Intention (SWHSI trial): study protocol for a randomised controlled pilot trial. Trials, 2016, 17, 535.   | 1.6 | 14        |
| 230 | A simple technique investigating baseline heterogeneity helped to eliminate potential bias in meta-analyses. Journal of Clinical Epidemiology, 2018, 95, 55-62.  | 5.0 | 14        |
| 231 | What type of environmental assessment and modification prevents falls in community dwelling older people?. BMJ: British Medical Journal, 2019, 364, l880.  | 2.3 | 14        |
| 232 | The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. Trials, 2020, 21, 183.   | 1.6 | 14        |
| 233 | An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. F1000Research, 2020, 9, 154.  | 1.6 | 14        |
| 234 | Who Answers â€~Willingness to Pay' Questions?. Journal of Health Services Research and Policy, 2000, 5, 7-11.  | 1.7 | 13        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 235 | Cost-Effectiveness of Hormone Replacement Therapy for Fracture Prevention in Young Postmenopausal Women: An Economic Analysis Based on a Prospective Cohort Study. Osteoporosis International, 2002, 13, 637-643.  | 3.1  | 13        |
| 236 | The Design and Conduct of Randomised Controlled Trials in Education: Lessons from health care. Oxford Review of Education, 2003, 29, 67-80.  | 2.0  | 13        |
| 237 | How to perform a critical analysis of a randomised controlled trial. Best Practice and Research in Clinical Rheumatology, 2009, 23, 291-303.   | 3.3  | 13        |
| 238 | Benefits of stemming bovine TB need to be demonstrated. Nature, 2009, 457, 657-657.  | 27.8 | 13        |
| 239 | Acupuncture, Counseling, and Usual care for Depression (ACUDep): study protocol for a randomized controlled trial. Trials, 2012, 13, 209.  | 1.6  | 13        |
| 240 | An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). PLoS ONE, 2017, 12, e0178918.   | 2.5  | 13        |
| 241 | Caution to Readers About Systematic Review on Vitamin K and Prevention of Fractures That Included Problematic Trials. JAMA Internal Medicine, 2018, 178, 863.  | 5.1  | 13        |
| 242 | Cost-Effectiveness Analysis of Acupuncture, Counselling and Usual Care in Treating Patients with Depression: The Results of the ACUDep Trial. PLoS ONE, 2014, 9, e113726.  | 2.5  | 13        |
| 243 | The economics of osteoporosis prevention. Trends in Endocrinology and Metabolism, 1997, 8, 236-239.  | 7.1  | 12        |
| 244 | The development and validation of the Edinburgh Knee Function Scale: a simple tool for outcome measurement in non-surgical patients. Knee, 1999, 6, 115-123.   | 1.6  | 12        |
| 245 | Extracts from "Clinical Evidence": Athlete's foot and fungally infected toenails. BMJ: British Medical Journal, 2001, 322, 288-289.  | 2.3  | 12        |
| 246 | Economics Notes: Economic modelling before clinical trials. BMJ: British Medical Journal, 2002, 325, 98-98.  | 2.3  | 12        |
| 247 | Potential for technical errors and subverted allocation can be reduced if certain guidelines are followed: Examples from a web-based survey. Journal of Clinical Epidemiology, 2009, 62, 261-269.  | 5.0  | 12        |
| 248 | Using short information leaflets as recruitment tools did not improve recruitment: a randomized controlled trial. Journal of Clinical Epidemiology, 2012, 65, 147-154.   | 5.0  | 12        |
| 249 | SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. Trials, 2019, 20, 141.   | 1.6  | 12        |
| 250 | Can we achieve better recruitment by providing better information? Meta-analysis of  studies within a trial' (SWATs) of optimised participant information sheets. BMC Medicine, 2021, 19, 218.   | 5.5  | 12        |
| 251 | Ethics review in research. BMJ: British Medical Journal, 2004, 328, 710.2.   | 2.3  | 12        |
| 252 | CollAborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-196. | 2.8  | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Osteoporosis prevention through screening: will it be cost effective?. Bailliere's Clinical Rheumatology, 1993, 7, 603-622.  | 1.0 | 11        |
| 254 | Economics notes: Cost effectiveness calculations and sample size. BMJ: British Medical Journal, 2000, 321, 697-697.  | 2.3 | 11        |
| 255 | Individual allocation had an advantage over cluster randomization in statistical efficiency in some circumstances. Journal of Clinical Epidemiology, 2008, 61, 1004-1008.  | 5.0 | 11        |
| 256 | Muslim communities learning about second-hand smoke (MCLASS): study protocol for a pilot cluster randomised controlled trial. Trials, 2013, 14, 295.   | 1.6 | 11        |
| 257 | Waiting list randomized controlled trial within a caseâ€finding design: methodological considerations. Journal of Evaluation in Clinical Practice, 2014, 20, 601-605.  | 1.8 | 11        |
| 258 | Compliance effects in a randomised controlled trial of yoga for chronic low back pain: a methodological study. Physiotherapy, 2014, 100, 256-262.  | 0.4 | 11        |
| 259 | Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. F1000Research, 2019, 8, 315.  | 1.6 | 11        |
| 260 | Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234.  | 2.8 | 11        |
| 261 | Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. Health Technology Assessment, 2020, 24, 1-162.   | 2.8 | 11        |
| 262 | A systematic review and metaâ€analysis of randomised controlled trials evaluating the effect of hypnosis on exam anxiety. Effective Education, 2009, 1, 27-41.   | 0.3 | 10        |
| 263 | A randomised controlled trial of patient led training in medical education: protocol. BMC Medical Education, 2010, 10, 90.   | 2.4 | 10        |
| 264 | Important outcome predictors showed greater baseline heterogeneity than age in two systematic reviews. Journal of Clinical Epidemiology, 2015, 68, 175-181.  | 5.0 | 10        |
| 265 | Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. Gerontology, 2018, 64, 503-512.  | 2.8 | 10        |
| 266 | A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. Bone & Joint Open, 2021, 2, 150-163. | 2.6 | 10        |
| 267 | Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577.  | 1.6 | 10        |
| 268 | The need for Pragmatic Experimentation in Educational Research. Economics of Innovation and New Technology, 2007, 16, 323-330.   | 3.4 | 9         |
| 269 | Simple sample size calculation. Journal of Evaluation in Clinical Practice, 2007, 13, 952-953.   | 1.8 | 9         |
| 270 | <i>Every Child Counts (i): testing policy effectiveness using a randomised controlled trial, designed, conducted and reported to CONSORT standards. Research in Mathematics Education, 2013, 15, 141-153.</i>  | 1,2 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Oral treatments for fungal infections of the skin of the foot. Sao Paulo Medical Journal, 2014, 132, 127-127.   | 0.9 | 9         |
| 272 | Randomized cohort trial was shown to be feasible for evaluating treatments in low back pain. Journal of Clinical Epidemiology, 2014, 67, 940-946.   | 5.0 | 9         |
| 273 | Muslim communities learning about second-hand smoke: a pilot cluster randomised controlled trial and cost-effectiveness analysis. Npj Primary Care Respiratory Medicine, 2015, 25, 15052.   | 2.6 | 9         |
| 274 | Holistic assessment of women with hyperemesis gravidarum: A randomised controlled trial. International Journal of Nursing Studies, 2015, 52, 1669-1677.   | 5.6 | 9         |
| 275 | Determining the optimal approach to identifying individuals with chronic obstructive pulmonary disease: The DOC study. Journal of Evaluation in Clinical Practice, 2018, 24, 487-495.   | 1.8 | 9         |
| 276 | Commentary: considerations for using the †Trials within Cohorts†design in a clinical trial of an investigational medicinal product. Trials, 2018, 19, 18.   | 1.6 | 9         |
| 277 | Timing of electronic reminders did not improve trial participant questionnaire response: a randomized trial and meta-analyses. Journal of Clinical Epidemiology, 2020, 122, 70-77.  | 5.0 | 9         |
| 278 | Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). BMJ Open, 2021, 11, e049093. | 1.9 | 9         |
| 279 | The Pharmacoeconomics of Hormone Replacement Therapy. Pharmacoeconomics, 1999, 16, 9-16.  | 3.3 | 8         |
| 280 | The use of minimization to form comparison groups in educational research. Educational Studies, 2007, 33, 333-337.  | 2.4 | 8         |
| 281 | The effect of hypnotherapy on exam anxiety and exam performance: a pilot randomised controlled trial. Effective Education, 2010, 2, 143-154.  | 0.3 | 8         |
| 282 | Retrospective cohort study highlighted outcome reporting bias in UK publicly funded trials. Journal of Clinical Epidemiology, 2011, 64, 1317-1324.  | 5.0 | 8         |
| 283 | Computer-based instruction for improving student nurses' general numeracy: is it effective? Two randomised trials. Educational Studies, 2012, 38, 151-163.  | 2.4 | 8         |
| 284 | Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. Journal of Clinical Epidemiology, 2018, 100, 13-21.   | 5.0 | 8         |
| 285 | The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial.<br>Trials, 2019, 20, 570.   | 1.6 | 8         |
| 286 | Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118.   | 2.8 | 8         |
| 287 | Meta-analysis of cigarette smoking, bone mineral density, and risk of hip fracture. BMJ: British Medical Journal, 1998, 316, 1017-1017.   | 2.3 | 8         |
| 288 | Advice given to patients with fractures. BMJ: British Medical Journal, 1999, 318, 1698-1698.  | 2.3 | 8         |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 289 | An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.  | 1.6  | 8         |
| 290 | Effects of rapid recruitment and dissemination on Covid-19 mortality: the RECOVERY trial. F1000Research, 2020, 9, 1017.  | 1.6  | 8         |
| 291 | Effectiveness of hip protectors. BMJ: British Medical Journal, 2003, 326, 930-930.   | 2.3  | 7         |
| 292 | Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. Journal of Clinical Epidemiology, 2007, 60, 1046-1051.   | 5.0  | 7         |
| 293 | Allocation concealment: a methodological review. Journal of Evaluation in Clinical Practice, 2013, 19, 708-712.  | 1.8  | 7         |
| 294 | Skill-sharing between allied health professionals in a community setting: A randomised controlled trial. International Journal of Therapy and Rehabilitation, 2015, 22, 524-534.   | 0.3  | 7         |
| 295 | Sources of bias in outcome assessment in randomised controlled trials: a case study. Educational Research and Evaluation, 2015, 21, 3-14.  | 1.6  | 7         |
| 296 | Efficacy of a Sexual Assault Resistance Program for University Women. New England Journal of Medicine, 2015, 373, 1375-1376.   | 27.0 | 7         |
| 297 | Randomized trial within a trial of yellow †post-it notes' did not improve questionnaire response rates among participants in a trial of treatments for neck pain. Journal of Evaluation in Clinical Practice, 2015, 21, 202-204. | 1.8  | 7         |
| 298 | Cost-effectiveness of antibiotics for COPD management: observational analysis using CPRD data. ERJ Open Research, 2017, 3, 00085-2016.   | 2.6  | 7         |
| 299 | Does time to surgery affect patient-reported outcome in proximal humeral fractures? A subanalysis of the PROFHER randomized clinical trial. Bone and Joint Journal, 2020, 102-B, 33-41.  | 4.4  | 7         |
| 300 | Risk factors for breast cancer. BMJ: British Medical Journal, 1994, 309, 1662-1662.  | 2.3  | 7         |
| 301 | Priority setting in health care: should we ask the tax payer?. BMJ: British Medical Journal, 2000, 320, 1679-1679.   | 2.3  | 7         |
| 302 | The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.   | 1.2  | 7         |
| 303 | The impact of maternal age on the cost effectiveness of Down's syndrome screening. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 581-583.   | 2.3  | 6         |
| 304 | The Need for Randomized Controlled Trials in Podiatric Medical Research. Journal of the American Podiatric Medical Association, 2004, 94, 221-228.   | 0.3  | 6         |
| 305 | The Quality of Trials in Operative Surgery. Annals of Surgery, 2007, 246, 1104-1109.   | 4.2  | 6         |
| 306 | Brief Intervention in Type 1 diabetes $\hat{a} \in ``Education for Self-efficacy (BITES): Protocol for a randomised control trial to assess biophysical and psychological effectiveness. BMC Endocrine Disorders, 2007, 7, 6.$   | 2.2  | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | EVerT2â€"needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. BMJ Open, 2015, 5, e009406.  | 1.9 | 6         |
| 308 | An randomized controlled trial of Postâ€it® notes did not increase postal response rates in older depressed participants. Journal of Evaluation in Clinical Practice, 2017, 23, 102-107.  | 1.8 | 6         |
| 309 | SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. BMJ Open, 2018, 8, e026023.  | 1.9 | 6         |
| 310 | Knee Replacement Bandaging Study (KReBS) evaluating the effect of a two-layer compression bandage system on knee function following total knee arthroplasty: study protocol for a randomised controlled trial. Trials, 2019, 20, 261.                                   | 1.6 | 6         |
| 311 | Randomised study within a trial (SWAT) to evaluate personalised versus standard text message prompts for increasing trial participant response to postal questionnaires (PROMPTS). Trials, 2021, 22, 502.   | 1.6 | 6         |
| 312 | Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.   | 1.6 | 6         |
| 313 | Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. Occupational and Environmental Medicine, 2021, 78, 472-478.  | 2.8 | 6         |
| 314 | Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. F1000Research, 2019, 8, 659.  | 1.6 | 6         |
| 315 | Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. Contemporary Clinical Trials, 2022, 113, 106665. | 1.8 | 6         |
| 316 | Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. BMJ, The, 2021, 375, e067742.   | 6.0 | 6         |
| 317 | Osteoporosis as a Candidate for Disease Management. Disease Management and Health Outcomes, 1998, 3, 207-214.   | 0.4 | 5         |
| 318 | Costs of breast cancer treatment in the United Kingdom. Breast, 1999, 8, 205-207.   | 2.2 | 5         |
| 319 | Purity, pragmatism and hip protector pads. Age and Ageing, 2002, 31, 319-321.   | 1.6 | 5         |
| 320 | Invited editorial Randomised controlled trials in children's services. Journal of Children's Services, 2008, 3, 2-8.  | 0.7 | 5         |
| 321 | Aspirin for Venous Ulcers: Randomised Trial (AVURT): study protocol for a randomised controlled trial. Trials, 2015, 16, 513.   | 1.6 | 5         |
| 322 | A randomized, embedded trial of preâ€notification of trial participation did not increase recruitment rates to a falls prevention trial. Journal of Evaluation in Clinical Practice, 2017, 23, 73-78.   | 1.8 | 5         |
| 323 | Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. Trials, 2017, 18, 615.  | 1.6 | 5         |
| 324 | Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. Trials, 2021, 22, 269.   | 1.6 | 5         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 325 | Compliance in screening programmes. BMJ: British Medical Journal, 1994, 308, 978-978.  | 2.3 | 5         |
| 326 | Alcohol consumption may influence onset of the menopause. BMJ: British Medical Journal, 1997, 315, 188-188.  | 2.3 | 5         |
| 327 | Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.  | 1.6 | 5         |
| 328 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623.                        | 1.6 | 5         |
| 329 | Increasing response rates to postal questionnaires. Effect of incentives on response rates must be considered. BMJ, The, 2002, 325, 444.   | 6.0 | 5         |
| 330 | Pharmaceutical treatment of symptomatic vertebral fractures in primary care. Annals of the Rheumatic Diseases, 2004, 63, 853-856.  | 0.9 | 4         |
| 331 | Patient Preference and Validity of Randomized Controlled Trials. JAMA - Journal of the American Medical Association, 2005, 294, 41.  | 7.4 | 4         |
| 332 | A controlled trial of envelope colour for increasing response rates in older women. Aging Clinical and Experimental Research, 2011, 23, 236-240.   | 2.9 | 4         |
| 333 | A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. Trials, 2013, 14, .   | 1.6 | 4         |
| 334 | Developing Interventions for Children's Exercise (DICE): A Pilot Evaluation of School-Based Exercise Interventions for Primary School Children Aged 7 to 8 Years. Journal of Physical Activity and Health, 2014, 11, 699-704.    | 2.0 | 4         |
| 335 | Evaluating â€~enhancing pragmatic language skills for young children with social communication impairments' (E-PLAYS): protocol for a feasibility randomised controlled trial study. Pilot and Feasibility Studies, 2019, 5, 75. | 1.2 | 4         |
| 336 | Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: protocol for a cluster randomised controlled trial. Trials, 2020, 21, 234.                       | 1.6 | 4         |
| 337 | Envelope use and reporting in randomised controlled trials: A guide for researchers. Research Methods in Medicine & Health Sciences, 2021, 2, 2-11.  | 1.2 | 4         |
| 338 | What is to be done about fundholding?. BMJ: British Medical Journal, 1997, 315, 170-171.   | 2.3 | 4         |
| 339 | Costs and consequences of the Family Nurse Partnership (FNP) programme in England: evidence from the Building Blocks trial. F1000Research, 2019, 8, 1640.  | 1.6 | 4         |
| 340 | Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623.                           | 1.6 | 4         |
| 341 | Surgery versus conservative management of stable thoracolumbar fracture: the PRESTO feasibility RCT. Health Technology Assessment, 2021, 25, 1-126.  | 2.8 | 4         |
| 342 | The effectiveness of behaviour change interventions delivered by non-dental health workers in promoting children's oral health: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0262118.                             | 2.5 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 0, 10, 326.                                   | 1.6 | 4         |
| 344 | The Economics and Management of Osteoporosis in Postmenopausal Women. The Journal of the British Menopause Society, 1999, 5, 67-71.   | 1.3 | 3         |
| 345 | Missing Data From Missing Participants. Journal of Pain and Symptom Management, 2012, 44, e1-e2.  | 1.2 | 3         |
| 346 | The effect of patients' preference on outcome in the EVerT cryotherapy versus salicylic acid for the treatment of plantar warts (verruca) trial. Journal of Foot and Ankle Research, 2012, 5, 28.   | 1.9 | 3         |
| 347 | Scoop pen sub-study-a †trial within a trial' of enclosing a pen in questionnaire mailings to increase response rate. Trials, 2015, 16, .  | 1.6 | 3         |
| 348 | A randomised controlled feasibility trial of family and social network intervention for young people who misuse alcohol and drugs: study protocol (Y-SBNT). Pilot and Feasibility Studies, 2015, 1, 8.  | 1.2 | 3         |
| 349 | The impact of lung function caseâ€finding tests on smoking behaviour: A nested randomised trial within a caseâ€finding cohort. Health Science Reports, 2018, 1, e41.  | 1.5 | 3         |
| 350 | Using pairwise randomisation to reduce the risk of bias. Research Methods in Medicine & Health Sciences, 2020, 1, 2-6.  | 1.2 | 3         |
| 351 | Pragmatic randomised evaluation of stable thoracolumbar fracture treatment outcomes (PRESTO): study protocol for a randomised controlled feasibility trial combined with a qualitative study and survey. Pilot and Feasibility Studies, 2020, 6, 38.  | 1.2 | 3         |
| 352 | Evaluating â€ <sup>*</sup> Enhancing Pragmatic Language skills for Young children with Social communication impairmentsâ€ <sup>™</sup> (E-PLAYS): a feasibility cluster-randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 5.       | 1.2 | 3         |
| 353 | An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.   | 1.6 | 3         |
| 354 | Calcium and vitamin D in preventing fractures: Author's reply. BMJ: British Medical Journal, 2005, 331, 109.1.  | 2.3 | 3         |
| 355 | A study update newsletter or Post-it $\hat{A}^{\otimes}$ note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083.                                 | 1.6 | 3         |
| 356 | Optimised patient information materials and recruitment to a study of behavioural activation in older adults: an embedded study within a trial. F1000Research, 2020, 9, 417.  | 1.6 | 3         |
| 357 | AVURT: aspirin versus placebo for the treatment of venous leg ulcers – a Phase II pilot randomised controlled trial. Health Technology Assessment, 2018, 22, 1-138.   | 2.8 | 3         |
| 358 | A nested randomised controlled trial of a newsletter and Post-it $\hat{A}^{\otimes}$ note did not increase postal questionnaire response rates in a falls prevention trial. F1000Research, 2018, 7, 1083.   | 1.6 | 3         |
| 359 | Protocol for a factorial randomised controlled trial, embedded within WHiTE 8 COPAL, of an Enhanced Trainee Principal Investigator Package and Additional Digital Nudge to increase recruitment rates. F1000Research, 2019, 8, 1153.                  | 1.6 | 3         |
| 360 | Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069. | 1.2 | 3         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 361 | Economic evaluations before clinical trials. Lancet, The, 1996, 348, 687.  | 13.7 | 2         |
| 362 | Regarding the systematic review of hip protectors undertaken by Waldegger et al Osteoporosis International, 2003, 14, 868-869.   | 3.1  | 2         |
| 363 | Selection bias in cluster trial. BMJ: British Medical Journal, 2008, 336, 573.3-573.   | 2.3  | 2         |
| 364 | Text message reminders to improve questionnaire response rates in RCTs: findings from three randomised sub-studies. Trials, $2015,16,.$  | 1.6  | 2         |
| 365 | The reform patient information sheet sub study - an embedded trial evaluating the enhancement of patient information sheets to improve recruitment. Trials, $2015, 16, .$  | 1.6  | 2         |
| 366 | Questioning the outcome of the Building Blocks trial – Authors' reply. Lancet, The, 2016, 387, 1616-1617.  | 13.7 | 2         |
| 367 | Poor allocation concealment methods are associated with heterogeneity in age and statistical significance of the primary outcome: Review of recent trials published in four general medical journals. Journal of Evaluation in Clinical Practice, 2020, 26, 1316-1319. | 1.8  | 2         |
| 368 | Avoiding biased exclusions in cluster trials. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 145-146.  | 2.8  | 2         |
| 369 | Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348.                            | 1.6  | 2         |
| 370 | A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 2021, 10, 326.   | 1.6  | 2         |
| 371 | Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.   | 1.6  | 2         |
| 372 | Cost-effectiveness of hydroxychloroquine versus placebo for hand osteoarthritis: economic evaluation of the HERO trial. F1000Research, 2021, 10, 821.  | 1.6  | 2         |
| 373 | Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. Bone & Joint Open, 2021, 2, 685-695.   | 2.6  | 2         |
| 374 | A review found small variable blocking schemes may not protect against selection bias in randomised controlled trials. Journal of Clinical Epidemiology, 2021, 141, 90-98.   | 5.0  | 2         |
| 375 | Overestimation of cost savings: in prevention of osteoporosis. BMJ: British Medical Journal, 1994, 308, 138-138.   | 2.3  | 2         |
| 376 | Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. Trials, 2021, 22, 739.                       | 1.6  | 2         |
| 377 | Prescribing practice may have been inefficient. BMJ: British Medical Journal, 1995, 311, 128-128.  | 2.3  | 2         |
| 378 | Effects of rapid recruitment and dissemination on Covid-19 mortality: the RECOVERY trial. F1000Research, 2020, 9, 1017.  | 1.6  | 2         |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 379 | Purity, pragmatism and hip protector pads. Age and Ageing, 2002, 31, 319; author reply 320-1.  | 1.6  | 2         |
| 380 | Evaluation of costs. Lancet, The, 1994, 344, 755-756.  | 13.7 | 1         |
| 381 | Economic issues in nutrition research. Nutrition, 1998, 14, 248-250.   | 2.4  | 1         |
| 382 | Cost-Effectiveness Analysis and Health Policy. Nestle Nutrition Workshop Series Clinical & Performance Programme, 2009, 12, 95-104.  | 0.4  | 1         |
| 383 | The effectiveness of an intensive individual tutoring programme (Numbers Count) delivered individually or to small groups of children: a randomised controlled trial. Effective Education, 2012, 4, 73-86.   | 0.3  | 1         |
| 384 | Assuring the Safety and Effectiveness of New Drugs: Rigorous Phase IV Trials Randomizing General Practices to Delayed Access to New Drugs. Journal of Health Services Research and Policy, 2012, 17, 56-59.  | 1.7  | 1         |
| 385 | No proved benefit for cryotherapy over salicylic acid in treating verrucas. BMJ, The, 2014, 348, g4090-g4090.  | 6.0  | 1         |
| 386 | Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) $\hat{a} \in \text{``lessons learned.}$ Journal of Foot and Ankle Research, 2016, 9, 21.  | 1.9  | 1         |
| 387 | Revised Meta-analysis of Vitamin K and Fracturesâ€"Reply. JAMA Internal Medicine, 2018, 178, 1135.   | 5.1  | 1         |
| 388 | Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. Public Health Research, 2021, 9, 1-150.  | 1.3  | 1         |
| 389 | Comparison of the EQ-5D-5L and the EQ-5D-3L using individual patient data from the REFORM trial. F1000Research, 0, 10, 974.  | 1.6  | 1         |
| 390 | Methods used in economic evaluations of prenatal screening are disputed. BMJ: British Medical Journal, 1996, 313, 303-303.   | 2.3  | 1         |
| 391 | Clinical and economic arguments favour extension to upper age limit for breast screening. BMJ:<br>British Medical Journal, 1998, 316, 1829-1829.   | 2.3  | 1         |
| 392 | Randomise foundation trusts. BMJ: British Medical Journal, 2003, 327, 291-a-291.   | 2.3  | 1         |
| 393 | EnTraP: A factorial randomised controlled trial embedded within world hip trauma evaluation eight COPAL investigating the effect of an enhanced trainee principal investigator package and digital nudge on recruitment rates. Research Methods in Medicine & Health Sciences, 2022, 3, 33-41.       | 1.2  | 1         |
| 394 | Scaling up Quality Improvement for Surgical Teams (QIST)—avoiding surgical site infection and anaemia at the time of surgery: a cluster randomised controlled trial of the effectiveness of quality improvement collaboratives to introduce change in the NHS. Implementation Science, 2022, 17, 22. | 6.9  | 1         |
| 395 | The Cost Effectiveness of HRT. The Journal of the British Menopause Society, 1999, 5, 11-11.   | 1.3  | 0         |
| 396 | Musculo-Skeletal Physician Care Among Orthopaedic Outpatients Unlikely to Require Surgery: The Omens Trial – An Opportunistic Evaluation Journal of Orthopaedic Medicine, 2002, 24, 6-12.  | 0.0  | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Using dietetic assistants to improve the outcome of hip fracture. Age and Ageing, 2006, 35, 544-545.   | 1.6 | O         |
| 398 | A pilot factorial randomised cohort trial of manual therapy or acupuncture for low back pain. Trials, $2011, 12, \ldots$   | 1.6 | 0         |
| 399 | Trials within trials of interventions to improve recruitment and retention: the experience of York Trials Unit. Trials, $2015, 16, .$  | 1.6 | 0         |
| 400 | The use of hospital episode statistics (HES) records alongside clinical trials. Trials, 2015, 16, .  | 1.6 | 0         |
| 401 | Post-it notes to improve questionnaire response rates in RCTs - findings from a randomised sub-study. Trials, 2015, 16, .  | 1.6 | 0         |
| 402 | The reform study: a case study of embedded trials. Trials, 2015, 16, .   | 1.6 | 0         |
| 403 | Testing the effectiveness of user-tested patient information on recruitment rates across multiple trials: meta-analysis of data from the start programme. Trials, 2015, 16, .  | 1.6 | 0         |
| 404 | Need for a trial of solanezumab in mild Alzheimer's disease. BMJ, The, 2015, 351, h4441.   | 6.0 | 0         |
| 405 | Effectiveness of a Nurse-Led Intensive Home-Visitation Program for First-Time Teenage Mothers (Building Blocks). Obstetrical and Gynecological Survey, 2016, 71, 263-265.  | 0.4 | 0         |
| 406 | Cost effectiveness of public health interventions may be overestimated. BMJ: British Medical Journal, 2017, 357, j2100.  | 2.3 | 0         |
| 407 | Exploring engagement with authors of randomised controlled trials to develop recommendations to improve allocation concealment implementation and reporting. F1000Research, 0, 10, 83.   | 1.6 | 0         |
| 408 | Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose policies on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224. | 1.6 | 0         |
| 409 | Placebo and Sham Trials. , 2008, , 71-75.  |     | 0         |
| 410 | Sample Size and Analytical Issues. , 2008, , 127-146.  |     | 0         |
| 411 | Study authors respond to points in editorial. BMJ: British Medical Journal, 2009, 338, b2098-b2098.  | 2.3 | 0         |
| 412 | Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224.          | 1.6 | 0         |
| 413 | A Discrete-Choice Experiment to capture public preferences on the benefits of home-visiting programme for teenage mothers. F1000Research, 0, 9, 677.   | 1.6 | 0         |
| 414 | The epidemiology, management and impact of surgical wounds healing by secondary intention: a research programme including the SWHSI feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-122.  | 1.0 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. Injury Prevention, 2022, 28, 256-258. | 2.4 | 0         |