
David J Torgerson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3193634/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	EnTraP: A factorial randomised controlled trial embedded within world hip trauma evaluation eight COPAL investigating the effect of an enhanced trainee principal investigator package and digital nudge on recruitment rates. Research Methods in Medicine & Health Sciences, 2022, 3, 33-41.	1.2	1
2	The effectiveness of behaviour change interventions delivered by non-dental health workers in promoting children's oral health: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0262118.	2.5	4
3	Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. Contemporary Clinical Trials, 2022, 113, 106665.	1.8	6
4	Scaling up Quality Improvement for Surgical Teams (QIST)—avoiding surgical site infection and anaemia at the time of surgery: a cluster randomised controlled trial of the effectiveness of quality improvement collaboratives to introduce change in the NHS. Implementation Science, 2022, 17, 22.	6.9	1
5	Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. Injury Prevention, 2022, 28, 256-258.	2.4	0
6	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.	1.2	7
7	Envelope use and reporting in randomised controlled trials: A guide for researchers. Research Methods in Medicine & Health Sciences, 2021, 2, 2-11.	1.2	4
8	Evaluating â€~Enhancing Pragmatic Language skills for Young children with Social communication impairments' (E-PLAYS): a feasibility cluster-randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 5.	1.2	3
9	Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. Public Health Research, 2021, 9, 1-150.	1.3	1
10	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. Bone & Joint Open, 2021, 2, 150-163.	2.6	10
11	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. BMJ, The, 2021, 373, n857.	6.0	65
12	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). BMJ Open, 2021, 11, e049093.	1.9	9
13	Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. Trials, 2021, 22, 269.	1.6	5
14	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 2021, 10, 326.	1.6	2
15	Randomised study within a trial (SWAT) to evaluate personalised versus standard text message prompts for increasing trial participant response to postal questionnaires (PROMPTS). Trials, 2021, 22, 502.	1.6	6
16	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118.	2.8	8
17	Cost-effectiveness of hydroxychloroquine versus placebo for hand osteoarthritis: economic evaluation of the HERO trial. F1000Research, 2021, 10, 821.	1.6	2
18	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. Bone & Joint Open, 2021, 2, 685-695.	2.6	2

#	Article	IF	CITATIONS
19	A review found small variable blocking schemes may not protect against selection bias in randomised controlled trials. Journal of Clinical Epidemiology, 2021, 141, 90-98.	5.0	2
20	Can we achieve better recruitment by providing better information? Meta-analysis of †studies within a trial' (SWATs) of optimised participant information sheets. BMC Medicine, 2021, 19, 218.	5.5	12
21	Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. Occupational and Environmental Medicine, 2021, 78, 472-478.	2.8	6
22	Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. Trials, 2021, 22, 739.	1.6	2
23	Surgery versus conservative management of stable thoracolumbar fracture: the PRESTO feasibility RCT. Health Technology Assessment, 2021, 25, 1-126.	2.8	4
24	Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. BMJ, The, 2021, 375, e067742.	6.0	6
25	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. Trials, 2020, 21, 33.	1.6	29
26	Poor allocation concealment methods are associated with heterogeneity in age and statistical significance of the primary outcome: Review of recent trials published in four general medical journals. Journal of Evaluation in Clinical Practice, 2020, 26, 1316-1319.	1.8	2
27	Using pairwise randomisation to reduce the risk of bias. Research Methods in Medicine & Health Sciences, 2020, 1, 2-6.	1.2	3
28	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. Lancet, The, 2020, 396, 977-989.	13.7	97
29	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401.	13.7	62
30	Yorkshire Lung Screening Trial (YLST): protocol for a randomised controlled trial to evaluate invitation to community-based low-dose CT screening for lung cancer versus usual care in a targeted population at risk. BMJ Open, 2020, 10, e037075.	1.9	48
31	Does time to surgery affect patient-reported outcome in proximal humeral fractures? A subanalysis of the PROFHER randomized clinical trial. Bone and Joint Journal, 2020, 102-B, 33-41.	4.4	7
32	Pragmatic randomised evaluation of stable thoracolumbar fracture treatment outcomes (PRESTO): study protocol for a randomised controlled feasibility trial combined with a qualitative study and survey. Pilot and Feasibility Studies, 2020, 6, 38.	1.2	3
33	Timing of electronic reminders did not improve trial participant questionnaire response: a randomized trial and meta-analyses. Journal of Clinical Epidemiology, 2020, 122, 70-77.	5.0	9
34	The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. Trials, 2020, 21, 183.	1.6	14
35	Avoiding biased exclusions in cluster trials. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 145-146.	2.8	2
36	Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: protocol for a cluster randomised controlled trial. Trials, 2020, 21, 234.	1.6	4

#	Article	IF	CITATIONS
37	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348.	1.6	2
38	Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose policies on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224.	1.6	0
39	An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. F1000Research, 2020, 9, 154.	1.6	14
40	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577.	1.6	10
41	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623.	1.6	5
42	Optimised patient information materials and recruitment to a study of behavioural activation in older adults: an embedded study within a trial. F1000Research, 2020, 9, 417.	1.6	3
43	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234.	2.8	11
44	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. Health Technology Assessment, 2020, 24, 1-162.	2.8	11
45	Effects of rapid recruitment and dissemination on Covid-19 mortality: the RECOVERY trial. F1000Research, 2020, 9, 1017.	1.6	2
46	Effects of rapid recruitment and dissemination on Covid-19 mortality: the RECOVERY trial. F1000Research, 2020, 9, 1017.	1.6	8
47	Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224.	1.6	Ο
48	The epidemiology, management and impact of surgical wounds healing by secondary intention: a research programme including the SWHSI feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-122.	1.0	0
49	Oral modified release morphine for breathlessness in chronic heart failure: a randomized placeboâ€controlled trial. ESC Heart Failure, 2019, 6, 1149-1160.	3.1	28
50	Brushing RemInder 4 Good oral HealTh (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. Trials, 2019, 20, 452.	1.6	15
51	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. Trials, 2019, 20, 570.	1.6	8
52	Baseline testing in cluster randomised controlled trials: should this be done?. BMC Medical Research Methodology, 2019, 19, 106.	3.1	26
53	Evaluating â€~enhancing pragmatic language skills for young children with social communication impairments' (E-PLAYS): protocol for a feasibility randomised controlled trial study. Pilot and Feasibility Studies, 2019, 5, 75.	1.2	4
54	Knee Replacement Bandaging Study (KReBS) evaluating the effect of a two-layer compression bandage system on knee function following total knee arthroplasty: study protocol for a randomised controlled trial. Trials, 2019, 20, 261.	1.6	6

#	Article	IF	CITATIONS
55	What type of environmental assessment and modification prevents falls in community dwelling older people?. BMJ: British Medical Journal, 2019, 364, 1880.	2.3	14
56	SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. Trials, 2019, 20, 141.	1.6	12
57	Assessing the impact of retraction on the citation of randomized controlled trial reports: an interrupted time-series analysis. Journal of Health Services Research and Policy, 2019, 24, 44-51.	1.7	24
58	Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. F1000Research, 2019, 8, 315.	1.6	11
59	Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. F1000Research, 2019, 8, 659.	1.6	6
60	Costs and consequences of the Family Nurse Partnership (FNP) programme in England: evidence from the Building Blocks trial. F1000Research, 2019, 8, 1640.	1.6	4
61	Protocol for a factorial randomised controlled trial, embedded within WHiTE 8 COPAL, of an Enhanced Trainee Principal Investigator Package and Additional Digital Nudge to increase recruitment rates. F1000Research, 2019, 8, 1153.	1.6	3
62	The Cost-Effectiveness of Screening in the Community to Reduce Osteoporotic Fractures in Older Women in the UK: Economic Evaluation of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 845-851.	2.8	58
63	Management of Patients With High Baseline Hip Fracture Risk by FRAX Reduces Hip Fractures—A Post Hoc Analysis of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 1020-1026.	2.8	45
64	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. Journal of Clinical Epidemiology, 2018, 100, 13-21.	5.0	8
65	Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. Trials, 2018, 19, 139.	1.6	168
66	A review of cluster randomized trials found statistical evidence of selection bias. Journal of Clinical Epidemiology, 2018, 99, 106-112.	5.0	27
67	Caution to Readers About Systematic Review on Vitamin K and Prevention of Fractures That Included Problematic Trials. JAMA Internal Medicine, 2018, 178, 863.	5.1	13
68	Determining the optimal approach to identifying individuals with chronic obstructive pulmonary disease: The DOC study. Journal of Evaluation in Clinical Practice, 2018, 24, 487-495.	1.8	9
69	A simple technique investigating baseline heterogeneity helped to eliminate potential bias in meta-analyses. Journal of Clinical Epidemiology, 2018, 95, 55-62.	5.0	14
70	Screening in the community to reduce fractures in older women (SCOOP): a randomised controlled trial. Lancet, The, 2018, 391, 741-747.	13.7	206
71	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. Research Integrity and Peer Review, 2018, 3, 9.	5.2	28
72	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. BMJ Open, 2018, 8, e026023.	1.9	6

#	Article	IF	CITATIONS
73	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. BMJ Open, 2018, 8, e022488.	1.9	18
74	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. Gerontology, 2018, 64, 503-512.	2.8	10
75	Revised Meta-analysis of Vitamin K and Fractures—Reply. JAMA Internal Medicine, 2018, 178, 1135.	5.1	1
76	Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis. Annals of Internal Medicine, 2018, 168, 385.	3.9	63
77	Commentary: considerations for using the †Trials within Cohorts' design in a clinical trial of an investigational medicinal product. Trials, 2018, 19, 18.	1.6	9
78	The impact of pre and perinatal lifestyle factors on child long term health and social outcomes: a systematic review. Health Economics Review, 2018, 8, 2.	2.0	19
79	The impact of lung function caseâ€finding tests on smoking behaviour: A nested randomised trial within a caseâ€finding cohort. Health Science Reports, 2018, 1, e41.	1.5	3
80	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083.	1.6	3
81	AVURT: aspirin versus placebo for the treatment of venous leg ulcers – a Phase II pilot randomised controlled trial. Health Technology Assessment, 2018, 22, 1-138.	2.8	3
82	A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. F1000Research, 2018, 7, 1083.	1.6	3
83	A randomized, embedded trial of preâ€notification of trial participation did not increase recruitment rates to a falls prevention trial. Journal of Evaluation in Clinical Practice, 2017, 23, 73-78.	1.8	5
84	Cost-effectiveness of antibiotics for COPD management: observational analysis using CPRD data. ERJ Open Research, 2017, 3, 00085-2016.	2.6	7
85	Costâ€effectiveness of the Family Nurse Partnership (FNP) programme in England: Evidence from the building blocks trial. Journal of Evaluation in Clinical Practice, 2017, 23, 1367-1374.	1.8	17
86	An randomized controlled trial of Postâ€it® notes did not increase postal response rates in older depressed participants. Journal of Evaluation in Clinical Practice, 2017, 23, 102-107.	1.8	6
87	The effect of digital technology on prisoner behavior and reoffending: a natural stepped-wedge design. Journal of Experimental Criminology, 2017, 13, 455-482.	2.9	27
88	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144.	1.6	30
89	Subversion of allocation concealment in a randomised controlled trial: a historical case study. Trials, 2017, 18, 204.	1.6	25
90	Cost effectiveness of public health interventions may be overestimated. BMJ: British Medical Journal, 2017, 357, j2100.	2.3	0

#	Article	IF	CITATIONS
91	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). PLoS ONE, 2017, 12, e0168712.	2.5	37
92	An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). PLoS ONE, 2017, 12, e0178918.	2.5	13
93	Identifying the primary outcome for a randomised controlled trial in rheumatoid arthritis: the role of a discrete choice experiment. Journal of Foot and Ankle Research, 2017, 10, 57.	1.9	16
94	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. Trials, 2017, 18, 614.	1.6	25
95	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. Trials, 2017, 18, 615.	1.6	5
96	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. PLoS ONE, 2017, 12, e0184377.	2.5	17
97	CollAborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-196.	2.8	12
98	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) Tj ETQq0 0 0 rg	BT /Qverlo 2.8	ck <u>1</u> 0 Tf 50 4
99	21, 1-198. CollAborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-252.	2.8	56
100	Acupuncture for chronic pain and depression in primary care: a programme of research. Programme Grants for Applied Research, 2017, 5, 1-316.	1.0	27
101	Effectiveness of a Nurse-Led Intensive Home-Visitation Program for First-Time Teenage Mothers (Building Blocks). Obstetrical and Gynecological Survey, 2016, 71, 263-265.	0.4	0
102	Cost effectiveness of surgical <i>versus</i> non-surgical treatment of adults with displaced fractures of the proximal humerus. Bone and Joint Journal, 2016, 98-B, 152-159.	4.4	30
103	Negative pressure wound therapy versus usual care for Surgical Wounds Healing by Secondary Intention (SWHSI trial): study protocol for a randomised controlled pilot trial. Trials, 2016, 17, 535.	1.6	14
104	Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power:ÂaÂsystematic review and meta-analyses. Journal of Clinical Epidemiology, 2016, 74, 57-65.	5.0	33
105	Text message reminders to improve questionnaire response rates. Journal of Clinical Epidemiology, 2016, 79, 90-95.	5.0	22
106	Allocation concealment in randomised controlled trials: are we getting better?: Table 1. BMJ, The, 2016, 355, i5663.	6.0	44
107	Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) – lessons learned. Journal of Foot and Ankle Research, 2016, 9, 21.	1.9	1
108	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. BMC Musculoskeletal Disorders, 2016, 17, 248.	1.9	25

#	Article	IF	CITATIONS
109	Enclosing a pen reduced time to response to questionnaire mailings. Journal of Clinical Epidemiology, 2016, 74, 144-150.	5.0	18
110	Evaluation of the Citizenship Evidence-Based Probation Supervision Program Using a Stepped Wedge Cluster Randomized Controlled Trial. Crime and Delinquency, 2016, 62, 899-924.	1.7	18
111	Questioning the outcome of the Building Blocks trial $\hat{a} \in$ '' Authors' reply. Lancet, The, 2016, 387, 1616-1617.	13.7	2
112	Effectiveness of a nurse-led intensive home-visitation programme for first-time teenage mothers (Building Blocks): a pragmatic randomised controlled trial. Lancet, The, 2016, 387, 146-155.	13.7	217
113	A cluster randomised trial of strategies to increase cervical screening uptake at first invitation (STRATEGIC). Health Technology Assessment, 2016, 20, 1-138.	2.8	36
114	A randomised controlled trial of three or one breathing technique training sessions for breathlessness in people with malignant lung disease. BMC Medicine, 2015, 13, 213.	5.5	44
115	Skill-sharing between allied health professionals in a community setting: A randomised controlled trial. International Journal of Therapy and Rehabilitation, 2015, 22, 524-534.	0.3	7
116	EVerT2—needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. BMJ Open, 2015, 5, e009406.	1.9	6
117	Alexander Technique Lessons or Acupuncture Sessions for Persons With Chronic Neck Pain. Annals of Internal Medicine, 2015, 163, 653-662.	3.9	126
118	Scoop pen sub-study-a â€~trial within a trial' of enclosing a pen in questionnaire mailings to increase response rate. Trials, 2015, 16, .	1.6	3
119	Trials within trials of interventions to improve recruitment and retention: the experience of York Trials Unit. Trials, 2015, 16, .	1.6	0
120	The use of hospital episode statistics (HES) records alongside clinical trials. Trials, 2015, 16, .	1.6	0
121	Muslim communities learning about second-hand smoke: a pilot cluster randomised controlled trial and cost-effectiveness analysis. Npj Primary Care Respiratory Medicine, 2015, 25, 15052.	2.6	9
122	Aspirin for Venous Ulcers: Randomised Trial (AVURT): study protocol for a randomised controlled trial. Trials, 2015, 16, 513.	1.6	5
123	Post-it notes to improve questionnaire response rates in RCTs - findings from a randomised sub-study. Trials, 2015, 16, .	1.6	0
124	Text message reminders to improve questionnaire response rates in RCTs: findings from three randomised sub-studies. Trials, 2015, 16, .	1.6	2
125	The reform study: a case study of embedded trials. Trials, 2015, 16, .	1.6	0
126	Testing the effectiveness of user-tested patient information on recruitment rates across multiple trials: meta-analysis of data from the start programme. Trials, 2015, 16, .	1.6	0

#	Article	IF	CITATIONS
127	The reform patient information sheet sub study - an embedded trial evaluating the enhancement of patient information sheets to improve recruitment. Trials, 2015, 16, .	1.6	2
128	Need for a trial of solanezumab in mild Alzheimer's disease. BMJ, The, 2015, 351, h4441.	6.0	0
129	The use of unequal randomisation in clinical trials — An update. Contemporary Clinical Trials, 2015, 45, 113-122.	1.8	38
130	Electronic prompts significantly increase response rates to postal questionnaires: a randomized trial within a randomized trial and meta-analysis. Journal of Clinical Epidemiology, 2015, 68, 1446-1450.	5.0	35
131	Important outcome predictors showed greater baseline heterogeneity than age in two systematic reviews. Journal of Clinical Epidemiology, 2015, 68, 175-181.	5.0	10
132	A feasibility study for a randomised controlled trial of treatment withdrawal in psoriatic arthritis		

#	Article	IF	CITATIONS
145	Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. Trials, 2014, 15, 407.	1.6	61
146	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977.	1.9	21
147	Waiting list randomized controlled trial within a caseâ€finding design: methodological considerations. Journal of Evaluation in Clinical Practice, 2014, 20, 601-605.	1.8	11
148	Oral treatments for fungal infections of the skin of the foot. Sao Paulo Medical Journal, 2014, 132, 127-127.	0.9	9
149	Use of the h-index to measure the quality of the output of health services researchers. Journal of Health Services Research and Policy, 2014, 19, 102-109.	1.7	20
150	Clinical and cost-effectiveness of compression hosiery versus compression bandages in treatment of venous leg ulcers (Venous leg Ulcer Study IV, VenUS IV): a randomised controlled trial. Lancet, The, 2014, 383, 871-879.	13.7	172
151	Short message service text messaging was feasible as a tool for data collection in a trial of treatment for irritable bowel syndrome. Journal of Clinical Epidemiology, 2014, 67, 993-1000.	5.0	18
152	The 2 × 2 cluster randomized controlled factorial trial design is mainly used for efficiency and to explore intervention interactions: a systematic review. Journal of Clinical Epidemiology, 2014, 67, 1083-1092.	5.0	20
153	Randomized cohort trial was shown to be feasible for evaluating treatments in low back pain. Journal of Clinical Epidemiology, 2014, 67, 940-946.	5.0	9
154	Compliance effects in a randomised controlled trial of yoga for chronic low back pain: a methodological study. Physiotherapy, 2014, 100, 256-262.	0.4	11
155	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. Journal of Clinical Epidemiology, 2014, 67, 1016-1024.	5.0	18
156	Developing Interventions for Children's Exercise (DICE): A Pilot Evaluation of School-Based Exercise Interventions for Primary School Children Aged 7 to 8 Years. Journal of Physical Activity and Health, 2014, 11, 699-704.	2.0	4
157	No proved benefit for cryotherapy over salicylic acid in treating verrucas. BMJ, The, 2014, 348, g4090-g4090.	6.0	1
158	Cost-Effectiveness Analysis of Acupuncture, Counselling and Usual Care in Treating Patients with Depression: The Results of the ACUDep Trial. PLoS ONE, 2014, 9, e113726.	2.5	13
159	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. Health Technology Assessment, 2014, 18, 1-146.	2.8	114
160	VenUS IV (Venous leg Ulcer Study IV) – compression hosiery compared with compression bandaging in the treatment of venous leg ulcers: a randomised controlled trial, mixed-treatment comparison and decision-analytic model. Health Technology Assessment, 2014, 18, 1-294.	2.8	65
161	Alexander Technique Lessons, Acupuncture Sessions or usual care for patients with chronic neck pain (ATLAS): study protocol for a randomised controlled trial. Trials, 2013, 14, 209.	1.6	14
162	Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. Trials, 2013, 14, 64.	1.6	26

#	Article	IF	CITATIONS
163	Muslim communities learning about second-hand smoke (MCLASS): study protocol for a pilot cluster randomised controlled trial. Trials, 2013, 14, 295.	1.6	11
164	The effectiveness and cost-effectiveness of the Family Nurse Partnership home visiting programme for first time teenage mothers in England: a protocol for the Building Blocks randomised controlled trial. BMC Pediatrics, 2013, 13, 114.	1.7	36
165	Sample size calculations for pilot randomized trials: a confidence intervalÂapproach. Journal of Clinical Epidemiology, 2013, 66, 197-201.	5.0	248
166	Collection of Delinquent Fines: An Adaptive Randomized Trial to Assess the Effectiveness of Alternative Text Messages. Journal of Policy Analysis and Management, 2013, 32, 718-730.	1.4	76
167	A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. Trials, 2013, 14, .	1.6	4
168	Patient-led training on patient safety: A pilot study to test the feasibility and acceptability of an educational intervention. Medical Teacher, 2013, 35, e1464-e1471.	1.8	17
169	Acupuncture and Counselling for Depression in Primary Care: A Randomised Controlled Trial. PLoS Medicine, 2013, 10, e1001518.	8.4	106
170	<i>Every Child Counts</i> : testing policy effectiveness using a randomised controlled trial, designed, conducted and reported to CONSORT standards. Research in Mathematics Education, 2013, 15, 141-153.	1.2	9
171	Methods to Assess Cost-Effectiveness and Value of Further Research When Data Are Sparse. Medical Decision Making, 2013, 33, 415-436.	2.4	32
172	Allocation concealment: a methodological review. Journal of Evaluation in Clinical Practice, 2013, 19, 708-712.	1.8	7
173	Poor reporting quality of key Randomization and Allocation Concealment details is still prevalent among published <scp>RCTs</scp> in 2011: a review. Journal of Evaluation in Clinical Practice, 2013, 19, 703-707.	1.8	16
174	Computer-based instruction for improving student nurses' general numeracy: is it effective? Two randomised trials. Educational Studies, 2012, 38, 151-163.	2.4	8
175	The effectiveness of an intensive individual tutoring programme (Numbers Count) delivered individually or to small groups of children: a randomised controlled trial. Effective Education, 2012, 4, 73-86.	0.3	1
176	Assuring the Safety and Effectiveness of New Drugs: Rigorous Phase IV Trials Randomizing General Practices to Delayed Access to New Drugs. Journal of Health Services Research and Policy, 2012, 17, 56-59.	1.7	1
177	A Pragmatic Multicentered Randomized Controlled Trial of Yoga for Chronic Low Back Pain. Spine, 2012, 37, 1593-1601.	2.0	60
178	A pragmatic randomised controlled trial of the effectiveness and cost-effectiveness of screening older women for the prevention of fractures: rationale, design and methods for the SCOOP study. Osteoporosis International, 2012, 23, 2507-2515.	3.1	51
179	Missing Data From Missing Participants. Journal of Pain and Symptom Management, 2012, 44, e1-e2.	1.2	3
180	Long-Term Follow-Up for Mortality and Cancer in a Randomized Placebo-Controlled Trial of Vitamin D ₃ and/or Calcium (RECORD Trial). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 614-622.	3.6	223

#	Article	IF	CITATIONS
181	Using short information leaflets as recruitment tools did not improve recruitment: a randomized controlled trial. Journal of Clinical Epidemiology, 2012, 65, 147-154.	5.0	12
182	Acupuncture for irritable bowel syndrome: primary care based pragmatic randomised controlled trial. BMC Gastroenterology, 2012, 12, 150.	2.0	49
183	A pilot randomised controlled trial of negative pressure wound therapy to treat grade III/IV pressure ulcers [ISRCTN69032034]. Trials, 2012, 13, 119.	1.6	35
184	The effect of patients' preference on outcome in the EVerT cryotherapy versus salicylic acid for the treatment of plantar warts (verruca) trial. Journal of Foot and Ankle Research, 2012, 5, 28.	1.9	3
185	Costâ€effectiveness of cryotherapy versus salicylic acid for the treatment of plantar warts: economic evaluation alongside a randomised controlled trial (EVerT trial). Journal of Foot and Ankle Research, 2012, 5, 4.	1.9	17
186	Prior notification of trial participants by newsletter increased response rates: a randomized controlled trial. Journal of Clinical Epidemiology, 2012, 65, 1348-1352.	5.0	26
187	There are some circumstances where the stepped-wedge cluster randomized trial is preferable to the alternative: no randomized trial at all. Response to the commentary by Kotz and colleagues. Journal of Clinical Epidemiology, 2012, 65, 1253-1254.	5.0	29
188	Oral treatments for fungal infections of the skin of the foot. The Cochrane Library, 2012, 10, CD003584.	2.8	43
189	Cost-effectiveness of acupuncture for irritable bowel syndrome: findings from an economic evaluation conducted alongside a pragmatic randomised controlled trial in primary care. BMC Gastroenterology, 2012, 12, 149.	2.0	19
190	Acupuncture, Counseling, and Usual care for Depression (ACUDep): study protocol for a randomized controlled trial. Trials, 2012, 13, 209.	1.6	13
191	Vitamin D with Calcium Reduces Mortality: Patient Level Pooled Analysis of 70,528 Patients from Eight Major Vitamin D Trials. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2670-2681.	3.6	186
192	Bias in recruitment to cluster randomized trials: a review of recent publications. Journal of Evaluation in Clinical Practice, 2012, 18, 878-886.	1.8	46
193	Short-term opioids for breathlessness in stable chronic heart failure: a randomized controlled trial. European Journal of Heart Failure, 2011, 13, 1006-1012.	7.1	82
194	Use of weekly, low dose, high frequency ultrasound for hard to heal venous leg ulcers: the VenUS III randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d1092-d1092.	2.3	43
195	A controlled trial of envelope colour for increasing response rates in older women. Aging Clinical and Experimental Research, 2011, 23, 236-240.	2.9	4
196	A randomized trial of electronic reminders showed a reduction in the time to respond to postal questionnaires. Journal of Clinical Epidemiology, 2011, 64, 208-212.	5.0	33
197	Electronic reminders did not improve postal questionnaire response rates or response times: a randomized controlled trial. Journal of Clinical Epidemiology, 2011, 64, 1001-1004.	5.0	28
198	Systematic review of stepped wedge cluster randomized trials shows that design is particularly used to evaluate interventions during routine implementation. Journal of Clinical Epidemiology, 2011, 64, 936-948.	5.0	340

#	Article	IF	CITATIONS
199	Retrospective cohort study highlighted outcome reporting bias in UK publicly funded trials. Journal of Clinical Epidemiology, 2011, 64, 1317-1324.	5.0	8
200	Yoga for Chronic Low Back Pain. Annals of Internal Medicine, 2011, 155, 569.	3.9	193
201	Environmental Assessment and Modification to Prevent Falls in Older People. Journal of the American Geriatrics Society, 2011, 59, 26-33.	2.6	104
202	A systematic metaâ€analytic review of evidence for the effectiveness of the â€~Fast ForWord' language intervention program. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 224-235.	5.2	132
203	Reducing criminal recidivism: evaluation of Citizenship, an evidence-based probation supervision process. Journal of Experimental Criminology, 2011, 7, 73-102.	2.9	18
204	Randomised controlled trial of food elimination diet based on IgG antibodies for the prevention of migraine like headaches. Nutrition Journal, 2011, 10, 85.	3.4	58
205	A randomised evaluation of CollAborative care and active surveillance for Screen-Positive EldeRs with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.	1.6	27
206	A pilot factorial randomised cohort trial of manual therapy or acupuncture for low back pain. Trials, 2011, 12, .	1.6	0
207	Economic evaluation of a randomized controlled trial of ultrasound therapy for hard-to-heal venous leg ulcers. British Journal of Surgery, 2011, 98, 1099-1106.	0.3	18
208	Cryotherapy versus salicylic acid for the treatment of plantar warts (verrucae): a randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d3271-d3271.	2.3	68
209	Database recruitment: a solution to poor recruitment in randomized trials?. Family Practice, 2011, 28, 329-333.	1.9	14
210	VenUS III: a randomised controlled trial of therapeutic ultrasound in the management of venous leg ulcers. Health Technology Assessment, 2011, 15, 1-192.	2.8	27
211	A randomised controlled trial of patient led training in medical education: protocol. BMC Medical Education, 2010, 10, 90.	2.4	10
212	Population screening for osteoporosis risk: a randomised control trial of medication use and fracture risk. Osteoporosis International, 2010, 21, 561-568.	3.1	48
213	Cost-effectiveness analysis of general anaesthesia <i>versus</i> local anaesthesia for carotid surgery (GALA Trial). British Journal of Surgery, 2010, 97, 1218-1225.	0.3	56
214	Acupuncture for irritable bowel syndrome: A protocol for a pragmatic randomised controlled trial. BMC Gastroenterology, 2010, 10, 63.	2.0	21
215	Conceptual, Design, and Statistical Complications Associated with Participant Preference. Annals of the American Academy of Political and Social Science, 2010, 628, 176-188.	1.6	14
216	Parable of Two Agencies, One of Which Randomizes. Annals of the American Academy of Political and Social Science, 2010, 628, 11-29.	1.6	15

#	Article	IF	CITATIONS
217	Reporting Methodological Items in Randomized Experiments in Political Science. Annals of the American Academy of Political and Social Science, 2010, 628, 112-131.	1.6	14
218	The effect of hypnotherapy on exam anxiety and exam performance: a pilot randomised controlled trial. Effective Education, 2010, 2, 143-154.	0.3	8
219	Patient level pooled analysis of 68 500 patients from seven major vitamin D fracture trials in US and Europe. BMJ: British Medical Journal, 2010, 340, b5463-b5463.	2.3	342
220	Rethinking pragmatic randomised controlled trials: introducing the "cohort multiple randomised controlled trial" design. BMJ: British Medical Journal, 2010, 340, c1066-c1066.	2.3	391
221	A pragmatic multi-centred randomised controlled trial of yoga for chronic low back pain: Trial protocol. Complementary Therapies in Clinical Practice, 2010, 16, 76-80.	1.7	16
222	A randomised controlled trial of yoga for the treatment of chronic low back pain: Results of a pilot study. Complementary Therapies in Clinical Practice, 2010, 16, 187-193.	1.7	50
223	Assessing the impact of attrition in randomized controlled trials. Journal of Clinical Epidemiology, 2010, 63, 1264-1270.	5.0	101
224	Public health and bovine tuberculosis: what's all the fuss about?. Trends in Microbiology, 2010, 18, 67-72.	7.7	54
225	Shoulder acute pain in primary health care: is retraining GPs effective? The SAPPHIRE randomized trial: a cost–effectiveness analysis. Rheumatology, 2009, 48, 558-563.	1.9	21
226	Cost-Effectiveness Analysis and Health Policy. Nestle Nutrition Workshop Series Clinical & Performance Programme, 2009, 12, 95-104.	0.4	1
227	A systematic review and metaâ \in analysis of randomised controlled trials evaluating the effect of hypnosis on exam anxiety. Effective Education, 2009, 1, 27-41.	0.3	10
228	Cost effectiveness analysis of larval therapy for leg ulcers. BMJ: British Medical Journal, 2009, 338, b825-b825.	2.3	64
229	Protocol for the ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial: a pragmatic multi-centre randomised controlled trial of surgical versus non-surgical treatment for proximal fracture of the humerus in adults. BMC Musculoskeletal Disorders, 2009, 10, 140.	1.9	44
230	How to perform a critical analysis of a randomised controlled trial. Best Practice and Research in Clinical Rheumatology, 2009, 23, 291-303.	3.3	13
231	The health-related quality of life and cost implications of falls in elderly women. Osteoporosis International, 2009, 20, 869-878.	3.1	87
232	Benefits of stemming bovine TB need to be demonstrated. Nature, 2009, 457, 657-657.	27.8	13
233	Larval therapy for leg ulcers (VenUS II): randomised controlled trial. BMJ: British Medical Journal, 2009, 338, b773-b773.	2.3	193
234	Potential for technical errors and subverted allocation can be reduced if certain guidelines are followed: Examples from a web-based survey. Journal of Clinical Epidemiology, 2009, 62, 261-269.	5.0	12

#	Article	IF	CITATIONS
235	Publicity does not increase recruitment to falls prevention trials: the results of two quasi-randomized trials. Journal of Clinical Epidemiology, 2009, 62, 1332-1335.	5.0	14
236	Dietary protein and bone health: a systematic review and meta-analysis. American Journal of Clinical Nutrition, 2009, 90, 1674-1692.	4.7	268
237	Bias in identifying and recruiting participants in cluster randomised trials: what can be done?. BMJ: British Medical Journal, 2009, 339, b4006-b4006.	2.3	115
238	VenUS II: a randomised controlled trial of larval therapy in the management of leg ulcers. Health Technology Assessment, 2009, 13, 1-182, iii-iv.	2.8	64
239	Study authors respond to points in editorial. BMJ: British Medical Journal, 2009, 338, b2098-b2098.	2.3	0
240	Fracture incidence and changes in quality of life in women with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). Osteoporosis International, 2008, 19, 493-501.	3.1	46
241	GALA: an international multicentre randomised trial comparing general anaesthesia versus local anaesthesia for carotid surgery. Trials, 2008, 9, 28.	1.6	36
242	Does risk to humans justify high cost of fighting bovine TB?. Nature, 2008, 455, 1029-1029.	27.8	19
243	Clinical effectiveness of a brief educational intervention in Type 1 diabetes: results from the BITES (Brief Intervention in Type 1 diabetes, Education for Selfâ€efficacy) trial. Diabetic Medicine, 2008, 25, 1447-1453.	2.3	47
244	Cluster randomized trials produced similar results to individually randomized trials in a meta-analysis of enhanced care for depression. Journal of Clinical Epidemiology, 2008, 61, 160-168.e2.	5.0	24
245	Individual allocation had an advantage over cluster randomization in statistical efficiency in some circumstances. Journal of Clinical Epidemiology, 2008, 61, 1004-1008.	5.0	11
246	General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. Lancet, The, 2008, 372, 2132-2142.	13.7	514
247	Listen to the data when results are not significant. BMJ: British Medical Journal, 2008, 336, 23-25.	2.3	41
248	Shoulder acute pain in primary healthcare: is retraining effective for GP principals? SAPPHIREa randomized controlled trial. Rheumatology, 2008, 47, 1795-1802.	1.9	25
249	Randomised controlled trial of incentives to improve attendance at adult literacy classes. Oxford Review of Education, 2008, 34, 493-504.	2.0	16
250	Educating nursing home staff on fracture prevention: a cluster randomised trial. Age and Ageing, 2008, 37, 167-172.	1.6	47
251	Collaborative care for depression in UK primary care: a randomized controlled trial. Psychological Medicine, 2008, 38, 279-287.	4.5	135
252	Designing Randomised Trials in Health, Education and the Social Sciences. , 2008, , .		283

#	Article	IF	CITATIONS
253	Invited editorial Randomised controlled trials in children's services. Journal of Children's Services, 2008, 3, 2-8.	0.7	5
254	Selection bias in cluster trial. BMJ: British Medical Journal, 2008, 336, 573.3-573.	2.3	2
255	Patients' preferences within randomised trials: systematic review and patient level meta-analysis. BMJ: British Medical Journal, 2008, 337, a1864-a1864.	2.3	243
256	Placebo and Sham Trials. , 2008, , 71-75.		0
257	Sample Size and Analytical Issues. , 2008, , 127-146.		0
258	The need for Pragmatic Experimentation in Educational Research. Economics of Innovation and New Technology, 2007, 16, 323-330.	3.4	9
259	The use of minimization to form comparison groups in educational research. Educational Studies, 2007, 33, 333-337.	2.4	8
260	Randomized trial of two physiotherapy interventions for primary care back and neck pain patients: cost effectiveness analysis. Rheumatology, 2007, 46, 1495-1501.	1.9	41
261	Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. Spine, 2007, 32, 1578-1585.	2.0	169
262	The Quality of Trials in Operative Surgery. Annals of Surgery, 2007, 246, 1104-1109.	4.2	6
263	The impact of trial baseline imbalances should be considered in systematic reviews: a methodological case study. Journal of Clinical Epidemiology, 2007, 60, 1229-1233.	5.0	48
264	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. Journal of Clinical Epidemiology, 2007, 60, 1046-1051.	5.0	7
265	Brief Intervention in Type 1 diabetes – Education for Self-efficacy (BITES): Protocol for a randomised control trial to assess biophysical and psychological effectiveness. BMC Endocrine Disorders, 2007, 7, 6.	2.2	6
266	Simple sample size calculation. Journal of Evaluation in Clinical Practice, 2007, 13, 952-953.	1.8	9
267	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.	3.1	24
268	The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. Osteoporosis International, 2007, 18, 1033-1046.	3.1	1,017
269	ls an intervention using computer software effective in literacy learning? A randomised controlled trial. Educational Studies, 2006, 32, 133-143.	2.4	30
270	The use of unequal randomisation ratios in clinical trials: A review. Contemporary Clinical Trials, 2006, 27, 1-12.	1.8	269

#	Article	IF	CITATIONS
271	Review of randomised trials using the post-randomised consent (Zelen's) design. Contemporary Clinical Trials, 2006, 27, 305-319.	1.8	125
272	Pressure relieving support surfaces (PRESSURE) trial: cost effectiveness analysis. BMJ: British Medical Journal, 2006, 332, 1416.	2.3	65
273	Randomized trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: Cost-effectiveness analysis. International Journal of Technology Assessment in Health Care, 2006, 22, 67-75.	0.5	29
274	A systematic review of the effects of calcium supplementation on body weight. British Journal of Nutrition, 2006, 95, 1033-1038.	2.3	101
275	Cost-effectiveness analysis of open colposuspension versus laparoscopic colposuspension in the treatment of urodynamic stress incontinence. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 1014-1022.	2.3	36
276	Economic evaluations of interventions for the prevention and treatment of osteoporosis: a structured review of the literature. Osteoporosis International, 2006, 17, 29-40.	3.1	48
277	Increasing recruitment to randomised trials: a review of randomised controlled trials. BMC Medical Research Methodology, 2006, 6, 34.	3.1	270
278	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.	2.2	22
279	Reporting attrition in randomised controlled trials. BMJ: British Medical Journal, 2006, 332, 969-971.	2.3	318
280	Is restricted randomisation necessary?. BMJ: British Medical Journal, 2006, 332, 1506-1508.	2.3	58
281	Characterization of patients with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). QJM - Monthly Journal of the Association of Physicians, 2006, 99, 531-543.	0.5	29
282	Is there another way to take account of noncompliance in randomized controlled trials?. Cmaj, 2006, 175, 347-347.	2.0	92
283	Exploring the relationship between fear of falling and neuroticism: a cross-sectional study in community-dwelling women over 70. Age and Ageing, 2006, 35, 143-147.	1.6	63
284	Vitamin K and the Prevention of Fractures. Archives of Internal Medicine, 2006, 166, 1256.	3.8	317
285	Randomised, controlled trial of alternating pressure mattresses compared with alternating pressure overlays for the prevention of pressure ulcers: PRESSURE (pressure relieving support surfaces) trial. BMJ: British Medical Journal, 2006, 332, 1413.	2.3	118
286	Using dietetic assistants to improve the outcome of hip fracture. Age and Ageing, 2006, 35, 544-545.	1.6	0
287	Regression to the mean: treatment effect without the intervention. Journal of Evaluation in Clinical Practice, 2005, 11, 59-65.	1.8	102
288	Cluster randomized controlled trials. Journal of Evaluation in Clinical Practice, 2005, 11, 479-483.	1.8	110

#	Article	IF	CITATIONS
289	Methodological bias in cluster randomised trials. BMC Medical Research Methodology, 2005, 5, 10.	3.1	246
290	A randomised controlled trial to assess the effectiveness of offering study results as an incentive to increase response rates to postal questionnaires [ISRCTN26118436]. BMC Medical Research Methodology, 2005, 5, 34.	3.1	19
291	Screening Elderly Women for Risk of Future Fractures—Participation Rates and Impact on Incidence of Falls and Fractures. Calcified Tissue International, 2005, 76, 243-248.	3.1	27
292	Axial BMD, change in BMD and bone turnover do not predict breast cancer incidence in early postmenopausal women. Osteoporosis International, 2005, 16, 1627-1632.	3.1	20
293	Randomised controlled trial of calcium and supplementation with cholecalciferol (vitamin D) Tj ETQq1 1 0.78431 1003.	4 rgBT /Ov 2.3	verlock 10 Tf 449
294	Differential recruitment in a cluster randomized trial in primary care: the experience of the UK Back pain, Exercise, Active management and Manipulation (UK BEAM) feasibility study. Clinical Trials, 2005, 2, 119-124.	1.6	65
295	Patient Preference and Validity of Randomized Controlled Trials. JAMA - Journal of the American Medical Association, 2005, 294, 41.	7.4	4
296	Randomised trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: outcomes and patients' preference. BMJ: British Medical Journal, 2005, 330, 75.	2.3	120
297	Adequacy and reporting of allocation concealment: review of recent trials published in four general medical journals. BMJ: British Medical Journal, 2005, 330, 1057-1058.	2.3	162
298	Submission to multiple journals: a method of reducing time to publication?. BMJ: British Medical Journal, 2005, 330, 305-307.	2.3	37
299	A randomized trial comparing a group exercise programme for back pain patients with individual physiotherapy in a severely deprived area. Disability and Rehabilitation, 2005, 27, 929-937.	1.8	60
300	A comparison of randomised controlled trials in health and education. British Educational Research Journal, 2005, 31, 761-785.	2.5	35
301	Calcium and vitamin D in preventing fractures: Author's reply. BMJ: British Medical Journal, 2005, 331, 109.1.	2.3	3
302	Increasing response rates to postal questionnaires: a randomised trial of variations in design. Journal of Health Services Research and Policy, 2004, 9, 213-217.	1.7	23
303	Pharmaceutical treatment of symptomatic vertebral fractures in primary care. Annals of the Rheumatic Diseases, 2004, 63, 853-856.	0.9	4
304	Research governance: a barrier to ethical research?. QJM - Monthly Journal of the Association of Physicians, 2004, 97, 113-114.	0.5	20
305	Risk factors for fracture in a UK population: a prospective cohort study. QJM - Monthly Journal of the Association of Physicians, 2004, 97, 569-574.	0.5	61
306	The Need for Randomized Controlled Trials in Podiatric Medical Research. Journal of the American Podiatric Medical Association, 2004, 94, 221-228.	0.3	6

#	Article	IF	CITATIONS
307	The use of Zelen's design in randomised trials. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 2-2.	2.3	22
308	Randomized controlled trial of hip protectors among women living in the community. Osteoporosis International, 2004, 15, 701-6.	3.1	70
309	Randomized clinical trial of four-layer and short-stretch compression bandages for venous leg ulcers (VenUS I). British Journal of Surgery, 2004, 91, 1292-1299.	0.3	81
310	Economic analysis of VenUS I, a randomized trial of two bandages for treating venous leg ulcers. British Journal of Surgery, 2004, 91, 1300-1306.	0.3	32
311	Setting priorities for research. Health Policy, 2004, 69, 1-10.	3.0	70
312	Health care costs of women with symptomatic vertebral fractures. Bone, 2004, 35, 383-386.	2.9	32
313	A pragmatic cluster randomized controlled trial of an educational intervention for GPs in the assessment and management of depression. Psychological Medicine, 2004, 34, 63-72.	4.5	67
314	Ethics review in research. BMJ: British Medical Journal, 2004, 328, 710.2.	2.3	12
315	Regarding the systematic review of hip protectors undertaken by Waldegger et al Osteoporosis International, 2003, 14, 868-869.	3.1	2
316	Avoiding Bias in Randomised Controlled Trials in Educational Research. British Journal of Educational Studies, 2003, 51, 36-45.	1.3	29
317	The Design and Conduct of Randomised Controlled Trials in Education: Lessons from health care. Oxford Review of Education, 2003, 29, 67-80.	2.0	13
318	Randomised controlled trial of hip protectors for the prevention of second hip fractures. Age and Ageing, 2003, 32, 442-444.	1.6	54
319	Evidence for risk of bias in cluster randomised trials: review of recent trials published in three general medical journals. BMJ: British Medical Journal, 2003, 327, 785-789.	2.3	307
320	Effect of regression to the mean on decision making in health care. BMJ: British Medical Journal, 2003, 326, 1083-1084.	2.3	227
321	Effectiveness of hip protectors. BMJ: British Medical Journal, 2003, 326, 930-930.	2.3	7
322	Randomise foundation trusts. BMJ: British Medical Journal, 2003, 327, 291-a-291.	2.3	1
323	Purity, pragmatism and hip protector pads. Age and Ageing, 2002, 31, 319-321.	1.6	5
324	Economics Notes: Economic modelling before clinical trials. BMJ: British Medical Journal, 2002, 325, 98-98.	2.3	12

#	Article	IF	CITATIONS
325	Economics notes: Converting international cost effectiveness data to UK prices. BMJ: British Medical Journal, 2002, 325, 275-276.	2.3	19
326	Musculo-Skeletal Physician Care Among Orthopaedic Outpatients Unlikely to Require Surgery: The Omens Trial – An Opportunistic Evaluation Journal of Orthopaedic Medicine, 2002, 24, 6-12.	0.0	0
327	Resource use data by patient report or hospital records: Do they agree?. BMC Health Services Research, 2002, 2, 2.	2.2	26
328	Cost-Effectiveness of Hormone Replacement Therapy for Fracture Prevention in Young Postmenopausal Women: An Economic Analysis Based on a Prospective Cohort Study. Osteoporosis International, 2002, 13, 637-643.	3.1	13
329	Increasing response rates to postal questionnaires. BMJ: British Medical Journal, 2002, 325, 444-444.	2.3	16
330	Purity, pragmatism and hip protector pads. Age and Ageing, 2002, 31, 319; author reply 320-1.	1.6	2
331	Increasing response rates to postal questionnaires. Effect of incentives on response rates must be considered. BMJ, The, 2002, 325, 444.	6.0	5
332	The Need for Randomised Controlled Trials in Educational Research. British Journal of Educational Studies, 2001, 49, 316-328.	1.3	102
333	Hormone Replacement Therapy and Prevention of Nonvertebral Fractures. JAMA - Journal of the American Medical Association, 2001, 285, 2891.	7.4	436
334	A systematic review of oral treatments for fungal infections of the skin of the feet. Journal of Dermatological Treatment, 2001, 12, 69-74.	2.2	15
335	Extracts from "Clinical Evidence": Athlete's foot and fungally infected toenails. BMJ: British Medical Journal, 2001, 322, 288-289.	2.3	12
336	Contamination in trials: is cluster randomisation the answer?. BMJ: British Medical Journal, 2001, 322, 355-357.	2.3	387
337	Economics notes: Use of unequal randomisation to aid the economic efficiency of clinical trials. BMJ: British Medical Journal, 2000, 321, 759-759.	2.3	24
338	Economics notes: Cost effectiveness calculations and sample size. BMJ: British Medical Journal, 2000, 321, 697-697.	2.3	11
339	Who Answers †Willingness to Pay' Questions?. Journal of Health Services Research and Policy, 2000, 5, 7-11.	1.7	13
340	Cost-effectiveness of intensive v. standard case management for severe psychotic illness. British Journal of Psychiatry, 2000, 176, 537-543.	2.8	74
341	Does Length of Questionnaire Matter? A Randomised Trial of Response Rates to a Mailed Questionnaire. Journal of Health Services Research and Policy, 2000, 5, 219-221.	1.7	78
342	The effect of a direct payment or a lottery on questionnaire response rates: a randomised controlled trial. Journal of Epidemiology and Community Health, 2000, 54, 71-72.	3.7	32

#	Article	IF	CITATIONS
343	Comparison of the European and USA Practice Guidelines for Osteoporosis. Trends in Endocrinology and Metabolism, 2000, 11, 28-32.	7.1	42
344	Economic Note: Cost of illness studies. BMJ: British Medical Journal, 2000, 320, 1335-1335.	2.3	244
345	Priority setting in health care: should we ask the tax payer?. BMJ: British Medical Journal, 2000, 320, 1679-1679.	2.3	7
346	The Economics and Management of Osteoporosis in Postmenopausal Women. The Journal of the British Menopause Society, 1999, 5, 67-71.	1.3	3
347	The Cost Effectiveness of HRT. The Journal of the British Menopause Society, 1999, 5, 11-11.	1.3	Ο
348	Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences. BMJ: British Medical Journal, 1999, 319, 279-283.	2.3	319
349	Economics notes: Definitions of efficiency. BMJ: British Medical Journal, 1999, 318, 1136-1136.	2.3	183
350	Systematic review of topical treatments for fungal infections of the skin and nails of the feet. BMJ: British Medical Journal, 1999, 319, 79-82.	2.3	76
351	Cost-effectiveness analysis of a home-based social work intervention for children and adolescents who have deliberately poisoned themselves. British Journal of Psychiatry, 1999, 174, 56-62.	2.8	77
352	Health-Related Quality of Life of Colles' Fracture Patients. Osteoporosis International, 1999, 9, 196-199.	3.1	62
353	Costs of breast cancer treatment in the United Kingdom. Breast, 1999, 8, 205-207.	2.2	5
354	The Vein Graft Surveillance Trial: Rationale, Design and Methods. European Journal of Vascular and Endovascular Surgery, 1999, 18, 469-474.	1.5	20
355	The Pharmacoeconomics of Hormone Replacement Therapy. Pharmacoeconomics, 1999, 16, 9-16.	3.3	8
356	The development and validation of the Edinburgh Knee Function Scale: a simple tool for outcome measurement in non-surgical patients. Knee, 1999, 6, 115-123.	1.6	12
357	Economics Notes: Measuring outcomes in economic evaluations. BMJ: British Medical Journal, 1999, 318, 1413-1413.	2.3	35
358	Understanding controlled trials: Randomisation methods: concealment. BMJ: British Medical Journal, 1999, 319, 375-376.	2.3	89
359	Economics notes: Discounting. BMJ: British Medical Journal, 1999, 319, 914-915.	2.3	74
360	Advice given to patients with fractures. BMJ: British Medical Journal, 1999, 318, 1698-1698.	2.3	8

#	Article	IF	CITATIONS
361	Economic issues in nutrition research. Nutrition, 1998, 14, 248-250.	2.4	1
362	Direct Disclosure of Bone Density Results to Patients: Effect on Knowledge of Osteoporosis Risk and Anxiety Level. Osteoporosis International, 1998, 8, 584-590.	3.1	19
363	A UK Consensus Group on management of glucocorticoidâ€induced osteoporosis: an update. Journal of Internal Medicine, 1998, 244, 271-292.	6.0	287
364	Osteoporosis as a Candidate for Disease Management. Disease Management and Health Outcomes, 1998, 3, 207-214.	0.4	5
365	Understanding controlled trials: Randomisation methods in controlled trials. BMJ: British Medical Journal, 1998, 317, 1301-1310.	2.3	98
366	Understanding controlled trials: What is a patient preference trial?. BMJ: British Medical Journal, 1998, 316, 360-360.	2.3	257
367	Understanding controlled trials: What is Zelen's design?. BMJ: British Medical Journal, 1998, 316, 606-606.	2.3	97
368	Meta-analysis of cigarette smoking, bone mineral density, and risk of hip fracture. BMJ: British Medical Journal, 1998, 316, 1017-1017.	2.3	8
369	Clinical and economic arguments favour extension to upper age limit for breast screening. BMJ: British Medical Journal, 1998, 316, 1829-1829.	2.3	1
370	Validity of open-ended and payment scale approaches to eliciting willingness to pay. Applied Economics, 1997, 29, 79-84.	2.2	123
371	Randomized Trial of Osteoporosis Screening. Archives of Internal Medicine, 1997, 157, 2121.	3.8	30
372	The Economics of Osteoporosis and Its Prevention. Pharmacoeconomics, 1997, 11, 126-138.	3.3	31
373	The economics of osteoporosis prevention. Trends in Endocrinology and Metabolism, 1997, 8, 236-239.	7.1	12
374	The effect of fundholding on prescribing and referral costs: a review of the evidence. Health Policy, 1997, 40, 103-114.	3.0	45
375	Mothers and daughters menopausal ages: is there a link?. European Journal of Obstetrics, Cynecology and Reproductive Biology, 1997, 74, 63-66.	1.1	164
376	Alcohol consumption and age of maternal menopause are associated with menopause onset. Maturitas, 1997, 26, 21-25.	2.4	80
377	Unequal Randomisation Can Improve the Economic Efficiency of Clinical Trials. Journal of Health Services Research and Policy, 1997, 2, 81-85.	1.7	33
378	Guidelines for diagnosis and management of osteoporosis. Osteoporosis International, 1997, 7, 390-406.	3.1	713

#	Article	IF	CITATIONS
379	What is to be done about fundholding?. BMJ: British Medical Journal, 1997, 315, 170-171.	2.3	4
380	Alcohol consumption may influence onset of the menopause. BMJ: British Medical Journal, 1997, 315, 188-188.	2.3	5
381	Should we pay the patient? Review of financial incentives to enhance patient compliance. BMJ: British Medical Journal, 1997, 315, 703-707.	2.3	282
382	Economic evaluations before clinical trials. Lancet, The, 1996, 348, 687.	13.7	2
383	A cost comparison of hysterectomy and hysteroscopic surgery for the treatment of menorrhagia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1996, 70, 87-92.	1.1	35
384	Using Economics to Prioritize Research: A Case Study of Randomized Trials for the Prevention of Hip Fractures Due to Osteoporosis. Journal of Health Services Research and Policy, 1996, 1, 141-146.	1.7	29
385	Patient Preferences in Randomised Trials: Threat or Opportunity?. Journal of Health Services Research and Policy, 1996, 1, 194-197.	1.7	122
386	The impact of maternal age on the cost effectiveness of Down's syndrome screening. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 581-583.	2.3	6
387	Marginal costs and benefits. BMJ: British Medical Journal, 1996, 312, 35-36.	2.3	37
388	Methods used in economic evaluations of prenatal screening are disputed. BMJ: British Medical Journal, 1996, 313, 303-303.	2.3	1
389	Measuring sexual functioning in premenopausal women. BJOG: an International Journal of Obstetrics and Gynaecology, 1995, 102, 311-316.	2.3	56
390	LIFE-STYLE, ENVIRONMENTAL AND MEDICAL FACTORS INFLUENCING PEAK BONE MASS IN WOMEN. Rheumatology, 1995, 34, 620-624.	1.9	36
391	Cost Analysis of Fracture of the Neck of Femur. Age and Ageing, 1995, 24, 185-189.	1.6	51
392	Hormone replacement therapy: compliance and cost after screening for osteoporosis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1995, 59, 57-60.	1.1	37
393	Prescribing practice may have been inefficient. BMJ: British Medical Journal, 1995, 311, 128-128.	2.3	2
394	Population screening for low bone mineral density: Do non-attenders have a lower risk of osteoporosis?. Osteoporosis International, 1994, 4, 149-153.	3.1	17
395	Private versus social opportunity cost of time: Valuing time in the demand for health care. Health Economics (United Kingdom), 1994, 3, 149-155.	1.7	47
396	Evaluation of costs. Lancet, The, 1994, 344, 755-756.	13.7	1

#	Article	IF	CITATIONS
397	Factors associated with onset of menopause in women aged 45–49. Maturitas, 1994, 19, 83-92.	2.4	169
398	An economic view of high compliance as a screening objective. BMJ: British Medical Journal, 1994, 308, 117-19.	2.3	43
399	Overestimation of cost savings: in prevention of osteoporosis. BMJ: British Medical Journal, 1994, 308, 138-138.	2.3	2
400	Compliance in screening programmes. BMJ: British Medical Journal, 1994, 308, 978-978.	2.3	5
401	Risk factors for breast cancer. BMJ: British Medical Journal, 1994, 309, 1662-1662.	2.3	7
402	Osteoporosis prevention through screening: will it be cost effective?. Bailliere's Clinical Rheumatology, 1993, 7, 603-622.	1.0	11
403	Falling and Perimenopausal Women. Age and Ageing, 1993, 22, 59-64.	1.6	24
404	Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	2.8	23
405	Exploring engagement with authors of randomised controlled trials to develop recommendations to improve allocation concealment implementation and reporting. F1000Research, 0, 10, 83.	1.6	0
406	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.	1.6	2
407	Comparison of the EQ-5D-5L and the EQ-5D-3L using individual patient data from the REFORM trial. F1000Research, 0, 10, 974.	1.6	1
408	An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.	1.6	3
409	Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.	1.6	6
410	Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.	1.6	5
411	An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.	1.6	8
412	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623.	1.6	4
413	A Discrete-Choice Experiment to capture public preferences on the benefits of home-visiting programme for teenage mothers. F1000Research, 0, 9, 677.	1.6	0
414	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 0, 10, 326.	1.6	4

#	Article	IF	CITATIONS
415	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	3