
Qingming Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3196550/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Eco-friendly and acid-resistant magnetic porous carbon derived from ZIF-67 and corn stalk waste for effective removal of imidacloprid and thiamethoxam from water. Chemical Engineering Journal, 2022, 430, 132999.	12.7	69
2	Ecotoxicity of herbicide carfentrazone-ethyl towards earthworm Eisenia fetida in soil. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2022, 253, 109250.	2.6	8
3	Effects of corn stalk biochar and pyrolysis temperature on wheat seedlings growth and soil properties stressed by herbicide sulfentrazone. Environmental Technology and Innovation, 2022, 25, 102208.	6.1	6
4	Rhizobacterial, Fusarium Complex, and Fungicide Seed Treatments Regulate Shoot and Root Traits of Soybean Plants. Journal of Soil Science and Plant Nutrition, 2021, 21, 3502-3513.	3.4	2
5	Biochar and earthworms synergistically improve soil structure, microbial abundance, activities and pyraclostrobin degradation. Applied Soil Ecology, 2021, 168, 104154.	4.3	13
6	First Report of Shoot Dieback on Apple Caused by Diaporthe nobilis in China. Plant Disease, 2020, 104, 991.	1.4	2
7	The fungicide "fluopyram―promotes pepper growth by increasing the abundance of P-solubilizing and N-fixing bacteria. Ecotoxicology and Environmental Safety, 2020, 188, 109947.	6.0	16
8	Continuous Cropping Alters Multiple Biotic and Abiotic Indicators of Soil Health. Soil Systems, 2020, 4, 59.	2.6	63
9	Cover crop diversity improves multiple soil properties via altering root architectural traits. Rhizosphere, 2020, 16, 100248.	3.0	49
10	Root microbiome changes with root branching order and root chemistry in peach rhizosphere soil. Rhizosphere, 2020, 16, 100249.	3.0	55
11	Bacterial compatibility and immobilization with biochar improved tebuconazole degradation, soil microbiome composition and functioning. Journal of Hazardous Materials, 2020, 398, 122941.	12.4	71
12	Biochemical response, histopathological change and DNA damage in earthworm (Eisenia fetida) exposed to sulfentrazone herbicide. Ecological Indicators, 2020, 115, 106465.	6.3	41
13	Effects of biochar on the earthworm (Eisenia foetida) in soil contaminated with and/or without pesticide mesotrione. Science of the Total Environment, 2019, 671, 52-58.	8.0	76
14	Biotransformation of chlorothalonil by strain Stenotrophomonas acidaminiphila BJ1 isolated from farmland soil. Royal Society Open Science, 2019, 6, 190562.	2.4	7
15	Soil-applied biochar increases microbial diversity and wheat plant performance under herbicide fomesafen stress. Ecotoxicology and Environmental Safety, 2019, 171, 75-83.	6.0	78
16	Impact of root system architecture on rhizosphere and root microbiome. Rhizosphere, 2018, 6, 47-51.	3.0	213
17	First Report of Diaporthe eres Causing Twig Canker on Zizyphus jujuba (Jujube) in China. Plant Disease, 2018, 102, 1458-1458.	1.4	5
18	Individual and combined effects of herbicide tribenuron-methyl and fungicide tebuconazole on soil earthworm Eisenia fetida. Scientific Reports, 2018, 8, 2967.	3.3	44

QINGMING ZHANG

#	Article	IF	CITATIONS
19	Oxidative stress and DNA damage in common carp (Cyprinus carpio) exposed to the herbicide mesotrione. Chemosphere, 2018, 193, 1080-1086.	8.2	41
20	First Report of Shoot Canker on Chestnut Caused by <i>Diaporthe nobilis</i> in Shandong Province of China. Plant Disease, 2018, 102, 2376.	1.4	4
21	Exogenous salicylic acid alleviates the toxicity of chlorpyrifos in wheat plants (Triticum aestivum). Ecotoxicology and Environmental Safety, 2017, 137, 218-224.	6.0	40
22	Toxicological effects of dimethomorph on soil enzymatic activity and soil earthworm (Eisenia fetida). Chemosphere, 2017, 169, 316-323.	8.2	44
23	Probiotic strain Stenotrophomonas acidaminiphila BJ1 degrades and reduces chlorothalonil toxicity to soil enzymes, microbial communities and plant roots. AMB Express, 2017, 7, 227.	3.0	50
24	Degradation and adsorption of tebuconazole and tribenuron-methyl in wheat soil, alone and in combination. Chilean Journal of Agricultural Research, 2017, 77, 281-286.	1.1	10
25	Salicylic acid confers enhanced resistance to Glomerella leaf spot in apple. Plant Physiology and Biochemistry, 2016, 106, 64-72.	5.8	62
26	Comparative toxicity of nonylphenol, nonylphenol-4-ethoxylate and nonylphenol-10-ethoxylate to wheat seedlings (Triticum aestivum L.). Ecotoxicology and Environmental Safety, 2016, 131, 7-13.	6.0	23
27	Individual and combined effects of tebuconazole and carbendazim on soil microbial activity. European Journal of Soil Biology, 2016, 72, 6-13.	3.2	78
28	Streptomyces rochei A-1 induces resistance and defense-related responses against Botryosphaeria dothidea in apple fruit during storage. Postharvest Biology and Technology, 2016, 115, 30-37.	6.0	70
29	Electrochemical biosensors for polynucleotide kinase activity assay and inhibition screening based on phosphorylation reaction triggered λ exonuclease and exonuclease I cleavage. Sensors and Actuators B: Chemical, 2016, 225, 151-157.	7.8	23
30	An electrochemical biosensor for the activity assay of polynucleotide kinase and inhibitor screening. Analytical Methods, 2015, 7, 9984-9991.	2.7	8
31	Toxicological effects of soil contaminated with spirotetramat to the earthworm Eisenia fetida. Chemosphere, 2015, 139, 138-145.	8.2	67
32	Effects of imidacloprid on soil microbial communities in different saline soils. Environmental Science and Pollution Research, 2015, 22, 19667-19675.	5.3	15
33	Induction of Resistance Mediated by an Attenuated Strain of <i>Valsa mali</i> var. <i>mali</i> Using Pathogen-Apple Callus Interaction System. Scientific World Journal, The, 2014, 2014, 1-10.	2.1	10
34	Toxins Produced by Valsa mali var. mali and Their Relationship with Pathogenicity. Toxins, 2014, 6, 1139-1154.	3.4	41
35	Effect of fomesafen on glutathione S-transferase and cellulase activity and DNA damage in the earthworm (Eisenia fetida). Toxicological and Environmental Chemistry, 2014, 96, 1384-1393.	1.2	4
36	Impacts of nitrogen and phosphorus on atrazine-contaminated soil remediation and detoxification by Arthrobacter sp. strain HB-5. Environmental Earth Sciences, 2014, 71, 1465-1471.	2.7	21

QINGMING ZHANG

#	Article	IF	CITATIONS
37	Effects of fomesafen on soil enzyme activity, microbial population, and bacterial community composition. Environmental Monitoring and Assessment, 2014, 186, 2801-2812.	2.7	88
38	Ecotoxicological effects on the earthworm Eisenia fetida following exposure to soil contaminated with imidacloprid. Environmental Science and Pollution Research, 2014, 21, 12345-12353.	5.3	75
39	Oxidative stress and lipid peroxidation in the earthworm Eisenia fetida induced by low doses of fomesafen. Environmental Science and Pollution Research, 2013, 20, 201-208.	5.3	122
40	DNA damage and oxidative stress induced by endosulfan exposure in zebrafish (Danio rerio). Ecotoxicology, 2012, 21, 1533-1540.	2.4	146
41	Enhancement of atrazine degradation by crude and immobilized enzymes in two agricultural soils. Environmental Earth Sciences, 2011, 64, 861-867.	2.7	11
42	Electrochemical behavior of catechol, resorcinol and hydroquinone at graphene–chitosan composite film modified glassy carbon electrode and their simultaneous determination in water samples. Electrochimica Acta, 2011, 56, 2748-2753.	5.2	367