

# Shoichiro Mukai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3199136/publications.pdf>

Version: 2024-02-01

27  
papers

301  
citations

840776  
11  
h-index

888059  
17  
g-index

29  
all docs

29  
docs citations

29  
times ranked

484  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pre-pembrolizumab neutrophil-to-lymphocyte ratio (NLR) predicts the efficacy of second-line pembrolizumab treatment in urothelial cancer regardless of the pre-chemo NLR. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 461-471.	4.2	22
2	Efficacy and safety of pembrolizumab for older patients with chemoresistant urothelial carcinoma assessed using propensity score matching. <i>Journal of Geriatric Oncology</i> , 2022, 13, 88-93.	1.0	7
3	Effectiveness of pembrolizumab in patients with urothelial carcinoma receiving proton pump inhibitors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 346.e1-346.e8.	1.6	15
4	Pleiotropic effects of probenecid on three-dimensional cultures of prostate cancer cells. <i>Life Sciences</i> , 2021, 278, 119554.	4.3	5
5	A case of von Hippel-Lindau disease with renal cell carcinoma treated by partial nephrectomy with pre- and post-surgical axitinib therapy. <i>Urology Case Reports</i> , 2021, 40, 101925.	0.3	0
6	polymorphisms and their association with prostate cancer risk in Japanese men. <i>Journal of Preventive Medicine and Hygiene</i> , 2021, 62, E489-E495.	0.9	0
7	Feasibility of laparoscopic adrenalectomy for metastatic adrenal tumors in selected patients: a retrospective multicenter study of Japanese populations. <i>International Journal of Clinical Oncology</i> , 2020, 25, 126-134.	2.2	9
8	Dysregulation of Type II Transmembrane Serine Proteases and Ligand-Dependent Activation of MET in Urological Cancers. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2663.	4.1	14
9	Effect of probenecid on 3D-cultured prostate cancer spheroids. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 3-P-347.	0.0	0
10	Expression of protease activating receptor-2 (PAR-2) is positively correlated with the recurrence of non-muscle invasive bladder cancer: an immunohistochemical analysis. <i>Research and Reports in Urology</i> , 2019, Volume 11, 97-104.	1.0	5
11	En bloc removal of a large leiomyosarcoma arising from the inferior vena cava using retroperitoneal laparoscopic dissection of posterior vessels followed by cavectomy in a thoracoabdominal approach. <i>Urology Case Reports</i> , 2019, 26, 100984.	0.3	2
12	The efficacy and toxicity of cabazitaxel for treatment of docetaxel-resistant prostate cancer correlating with the initial doses in Japanese patients. <i>BMC Cancer</i> , 2019, 19, 156.	2.6	13
13	Matriptase-Induced Phosphorylation of MET is Significantly Associated with Poor Prognosis in Invasive Bladder Cancer; an Immunohistochemical Analysis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3708.	4.1	14
14	Caveolin-1 and -2 regulate cell motility in castration-resistant prostate cancer. <i>Research and Reports in Urology</i> , 2018, Volume 10, 135-144.	1.0	15
15	Safe Resection of Renal Cell Carcinoma with Liver Invasion Using Liver Hanging Technique Supported by Preoperative Portal Vein Embolization. <i>Case Reports in Urology</i> , 2018, 2018, 1-7.	0.3	2
16	Dysregulated HAI-2 Plays an Important Role in Renal Cell Carcinoma Bone Metastasis through Ligand-Dependent MET Phosphorylation. <i>Cancers</i> , 2018, 10, 190.	3.7	5
17	Myopericytoma in urinary bladder: a case report. <i>Journal of Medical Case Reports</i> , 2017, 11, 46.	0.8	9
18	Surgical intervention for renal cell carcinoma with inferior vena cava extension combined with laparoscopic procedure. <i>Research and Reports in Urology</i> , 2017, Volume 9, 107-112.	1.0	0

#	ARTICLE	IF	CITATIONS
19	A novel case presenting with an unusual ureteral diverticular lesion similar to adenomyomatous hyperplasia of the gallbladder. <i>Pathology International</i> , 2016, 66, 169-173.	1.3	0
20	Ct Evaluation of Acupuncture Needles Inserted into Sacral Foramina. <i>Acupuncture in Medicine</i> , 2016, 34, 20-26.	1.0	4
21	Plasma macrophage-stimulating protein and hepatocyte growth factor levels are associated with prostate cancer progression. <i>Human Cell</i> , 2016, 29, 22-29.	2.7	16
22	Presurgical treatment with axitinib in renal cell carcinoma patients with venous extension. <i>International Cancer Conference Journal</i> , 2015, 4, 216-220.	0.5	2
23	Matriptase and MET are prominently expressed at the site of bone metastasis in renal cell carcinoma: immunohistochemical analysis. <i>Human Cell</i> , 2015, 28, 44-50.	2.7	35
24	Expression of human kallikrein 1-related peptidase 4 (KLK4) and MET phosphorylation in prostate cancer tissue: immunohistochemical analysis. <i>Human Cell</i> , 2015, 28, 133-142.	2.7	19
25	Significant Association of Caveolin-1 and Caveolin-2 with Prostate Cancer Progression. <i>Cancer Genomics and Proteomics</i> , 2015, 12, 391-6.	2.0	15
26	Urinary bladder pyogenic granuloma: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 149.	0.8	17
27	Activation of hepatocyte growth factor activator zymogen (pro-HGFA) by human kallikrein-1-related peptidases. <i>FEBS Journal</i> , 2008, 275, 1003-1017.	4.7	56