

Andrea Tubaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3200787/publications.pdf>

Version: 2024-02-01

147
papers

3,503
citations

236612

25
h-index

168136

53
g-index

155
all docs

155
docs citations

155
times ranked

4012
citing authors

#	ARTICLE	IF	CITATIONS
1	Initial Experience and Evaluation of a Nomogram for Outcome Prediction in Management of Medium-sized (1â€“2 cm) Kidney Stones. <i>European Urology Focus</i> , 2022, 8, 276-282.	1.6	8
2	Contemporary management of benign uretero-enteric strictures after cystectomy: a systematic review. <i>Minerva Urology and Nephrology</i> , 2022, 73, .	1.3	2
3	Re: Giorgio Ivan Russo, Carmen Scandura, Marina Di Mauro, et al. Clinical Efficacy of Serenoa repens Versus Placebo Versus Alpha-blockers for the Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Enlargement: A Systematic Review and Network Meta-analysis of Randomized Placebo-controlled Clinical Trials. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2020.01.002 . <i>European Urology Focus</i> , 2021, 7, 894-896.	1.6	2
4	How radical prostatectomy procedures have changed over the last 10Âyears in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , 2021, 39, 1445-1452.	1.2	0
5	Which Drug to Discontinue 3 Months After Combination Therapy of Tadalafil plus Tamsulosin for Men with Lower Urinary Tract Symptom and Erectile Dysfunction? Results of a Prospective Observational Trial. <i>European Urology Focus</i> , 2021, 7, 432-439.	1.6	5
6	Automated Bone Scan Index as an Imaging Biomarker to Predict Overall Survival in the Zometa European Study/SPCG11. <i>European Urology Oncology</i> , 2021, 4, 49-55.	2.6	9
7	Incidence of Nocturia in Men with Lower Urinary Tract Symptoms Associated with Benign Prostatic Enlargement and Outcomes After Medical Treatment: Results from the Evolution European Association of Urology Research Foundation Prospective Multinational Registry. <i>European Urology Focus</i> , 2021, 7, 178-185.	1.6	2
8	Laparoscopic simple prostatectomy: a large single-center prospective cohort study. <i>Minerva Urology and Nephrology</i> , 2021, 73, 107-113.	1.3	9
9	A European Registry Evaluating Symptomatic Effectiveness of Pharmacologically Treated Patients with Lower Urinary Tract Symptoms due to Benign Prostatic Enlargement: Lessons Learned. <i>Journal of Urology</i> , 2021, 205, 1145-1152.	0.2	0
10	Role of D-Mannose in the Prevention of Recurrent Uncomplicated Cystitis: State of the Art and Future Perspectives. <i>Antibiotics</i> , 2021, 10, 373.	1.5	18
11	Digital rectal examination and prostate biopsy at the time of COVID-19 outbreak: are there risks of contamination for the urologist?. <i>Minerva Urology and Nephrology</i> , 2021, 73, 268-269.	1.3	0
12	Urology practice during the COVID-19 vaccination campaign. <i>Urologia</i> , 2021, 88, 039156032110163.	0.3	0
13	Male Lower Urinary Tract Symptoms and Benign Prostatic Obstruction: What Do Patients Want?. <i>European Urology</i> , 2021, 79, 810-811.	0.9	0
14	Development of a nomogram predicting the probability of stone free rate in patients with ureteral stones eligible for semi-rigid primary laser uretero-lithotripsy. <i>World Journal of Urology</i> , 2021, 39, 4267-4274.	1.2	9
15	Re: Mini Percutaneous Nephrolithotomy Is a Noninferior Modality to Standard Percutaneous Nephrolithotomy for the Management of 20â€“40â€“mm Renal Calculi: A Multicenter Randomized Controlled Trial. <i>European Urology</i> , 2021, 80, 114-115.	0.9	1
16	Transperineal Interstitial Laser Ablation of the Prostate, A Novel Option for Minimally Invasive Treatment of Benign Prostatic Obstruction. <i>European Urology</i> , 2021, 80, 673-674.	0.9	6
17	Rotterdam mobile phone app including MRI data for the prediction of prostate cancer: A multicenter external validation. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2640-2645.	0.5	6
18	Health-related quality of life 24-month after prostate cancer diagnosis: an update from the Pros-IT CNR prospective observational study. <i>Minerva Urology and Nephrology</i> , 2021, , .	1.3	3

#	ARTICLE	IF	CITATIONS
19	Ultrasound prostate parameters as predictors of successful trial without catheter after acute urinary retention in patients ongoing medical treatment for benign prostatic hyperplasia: a prospective multicenter study. <i>Minerva Urology and Nephrology</i> , 2021, 73, 625-630.	1.3	1
20	Impairment of autophagy may represent the molecular mechanism behind the relationship between obesity and inflammation in patients with BPH and LUTS. <i>Minerva Urology and Nephrology</i> , 2021, 73, 631-637.	1.3	7
21	Post-Operative Acute Urinary Retention After Greenlight Laser. Analysis Of Risk Factors from A Multicentric Database. <i>Urology Journal</i> , 2021, , .	0.3	3
22	Partial versus radical nephrectomy in very elderly patients: a propensity score analysis of surgical, functional and oncologic outcomes (RESURGE project). <i>World Journal of Urology</i> , 2020, 38, 151-158.	1.2	23
23	GreenLight Photoselective Vaporization of the Prostate: One Laser for Different Prostate Sizes. <i>Journal of Endourology</i> , 2020, 34, 54-62.	1.1	15
24	Managing lines of therapy in castration-resistant prostate cancer: real-life snapshot from a multicenter cohort. <i>World Journal of Urology</i> , 2020, 38, 1757-1764.	1.2	6
25	External validation of Cormio nomogram for predicting all prostate cancers and clinically significant prostate cancers. <i>World Journal of Urology</i> , 2020, 38, 2555-2561.	1.2	5
26	Radical penectomy, a compromise for life: results from the PECAD study. <i>Translational Andrology and Urology</i> , 2020, 9, 1306-1313.	0.6	9
27	Obesity and Prostate Cancer: The Tip of a High Mountain Still to Be Conquered. <i>Journal of Clinical Medicine</i> , 2020, 9, 2070.	1.0	3
28	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , 2020, 7, 563006.	0.6	17
29	Impact of the COVID-19 pandemic on urological practice in emergency departments in Italy. <i>BJU International</i> , 2020, 126, 245-247.	1.3	36
30	Risk of Virus Contamination Through Surgical Smoke During Minimally Invasive Surgery: A Systematic Review of the Literature on a Neglected Issue Revived in the COVID-19 Pandemic Era. <i>European Urology Focus</i> , 2020, 6, 1058-1069.	1.6	28
31	Telehealth in Urology: A Systematic Review of the Literature. How Much Can Telemedicine Be Useful During and After the COVID-19 Pandemic?. <i>European Urology</i> , 2020, 78, 786-811.	0.9	150
32	The role of bladder wall thickness in the evaluation of detrusor underactivity: Development of a clinical nomogram. <i>Neurourology and Urodynamics</i> , 2020, 39, 1115-1123.	0.8	14
33	Overview of potential determinants of radical prostatectomy versus radiation therapy in management of clinically localized prostate cancer: results from an Italian, prospective, observational study (the Tj ETQq1 1 0.784314 rgBJ /Overlock 2020, 72, 595-604.	3.9	10
34	Operative profile, safety and functional outcomes after GreenLight laser prostate surgery: results from a 12 months follow-up multicenter Italian cohort analyses. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 622-628.	3.9	12
35	The urothelium, the urinary microbioma and men LUTS: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 712-722.	3.9	9
36	Urology practice during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 369-375.	3.9	195

#	ARTICLE	IF	CITATIONS
37	Clinical pathways for urology patients during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 376-383.	3.9	80
38	The role of metabolic syndrome in high grade prostate cancer: development of a clinical nomogram. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 729-736.	3.9	4
39	Complications and quality of life of ileal conduit, orthotopic neobladder and ureterocutaneostomy: systematic review of reports using the Clavien-Dindo Classification. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 408-419.	3.9	15
40	Night shift workers refer higher urinary symptoms with an impairment quality of life: a single cohort study. <i>Minerva Urology and Nephrology</i> , 2020, , .	1.3	6
41	Evaluation of a 3-item screening tool to identify men with benign prostatic enlargement/obstruction in a primary care cohort. <i>Minerva Urology and Nephrology</i> , 2020, , .	1.3	0
42	The waiting time for prostate cancer treatment in Italy: analysis from the Pros-IT CNR study. <i>Minerva Urology and Nephrology</i> , 2020, , .	1.3	1
43	Medical treatment for benign prostatic hyperplasia: Where do we stand?. <i>Urologia</i> , 2019, 86, 115-121.	0.3	4
44	The EORTC quality of life questionnaire predicts early and long-term incontinence in patients treated with robotic assisted radical prostatectomy: Analysis of a large single center cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 1006-1013.	0.8	8
45	Tadalafil 5 mg Alone or in Combination with Tamsulosin 0.4 mg for the Management of Men with Lower Urinary Tract Symptoms and Erectile Dysfunction: Results of a Prospective Observational Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 1126.	1.0	12
46	Treatment paths for localised prostate cancer in Italy: The results of a multidisciplinary, observational, prospective study (Pros-IT CNR). <i>PLoS ONE</i> , 2019, 14, e0224151.	1.1	8
47	Multicenter Analysis of Postoperative Complications in Octogenarians After Radical Cystectomy and Ureterocutaneostomy: The Role of the Frailty Index. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 402-407.	0.9	33
48	Outcomes of Partial and Radical Nephrectomy in Octogenarians – A Multicenter International Study (Resurge). <i>Urology</i> , 2019, 129, 139-145.	0.5	9
49	Impact of Surgical Approach on Patient-Reported Outcomes after Radical Prostatectomy: A Propensity Score-Weighted Analysis from a Multicenter, Prospective, Observational Study (The Pros-IT CNR) Tj ETQq1 1 0.784314 rgBT /O		
50	Retroperitoneoscopy in urology: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 9-16.	3.9	10
51	Complex renal masses: partial or no partial nephrectomy?. <i>Annals of Translational Medicine</i> , 2019, 7, S312-S312.	0.7	3
52	<p>Urinary Urgency: A Symptom In Need Of A Cure</p>. <i>Research and Reports in Urology</i> , 2019, Volume 11, 327-331.	0.6	0
53	Is our current understanding and management of nocturia allowing improved care? International Consultation on Incontinence – Research Society 2018. <i>Neurourology and Urodynamics</i> , 2019, 38, S127-S133.	0.8	3
54	Re: Association Between the Amount of Vaginal Mesh Used with Mesh Erosions and Repeated Surgery After Repairing Pelvic Organ Prolapse and Stress Urinary Incontinence. <i>European Urology</i> , 2019, 75, 196-197.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Variations of Nighttime and Daytime Bladder Capacity in Patients with Nocturia: Implication for Diagnosis and Treatment. <i>Journal of Urology</i> , 2019, 201, 962-966.	0.2	13
56	The use of laser as a therapeutic modality as compared to TURP for the small prostate $\leq 40\text{ mL}$: a collaborative review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 569-575.	3.9	26
57	Possible role of 5-alpha reductase inhibitors in non-invasive bladder urothelial neoplasm: multicentre study. <i>Minerva Urology and Nephrology</i> , 2019, , .	1.3	3
58	Ejaculation disorders in prostate surgery. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 549-550.	3.9	8
59	External validation of Imamura nomogram as a tool to predict preoperatively laser semi-rigid ureterolithotripsy outcomes. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 531-536.	3.9	7
60	Smoking reduces PSA accuracy for detection of prostate cancer: results from an Italian cross-sectional study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 583-589.	3.9	5
61	Repeat prostate-specific antigen (PSA) test before prostate biopsy: a 20% decrease in PSA values is associated with a reduced risk of cancer and particularly of high-grade cancer. <i>BJU International</i> , 2018, 122, 83-88.	1.3	9
62	Re: A Randomized Study of Intraoperative Autologous Retropubic Urethral Sling on Urinary Control After Robotic Assisted Radical Prostatectomy. <i>European Urology</i> , 2018, 73, 980-981.	0.9	1
63	EAU Guidelines on Assessment and Nonsurgical Management of Urinary Incontinence. <i>European Urology</i> , 2018, 73, 596-609.	0.9	237
64	The new Epstein gleason score classification significantly reduces upgrading in prostate cancer patients. <i>European Journal of Surgical Oncology</i> , 2018, 44, 835-839.	0.5	27
65	Standard vs. anatomical 180-W GreenLight laser photoselective vaporization of the prostate: a propensity score analysis. <i>World Journal of Urology</i> , 2018, 36, 91-97.	1.2	9
66	Adolescence transitional care in neurogenic detrusor overactivity and the use of OnabotulinumtoxinA: A clinical algorithm from an Italian consensus statement. <i>Neurourology and Urodynamics</i> , 2018, 37, 904-915.	0.8	6
67	Metabolic syndrome and smoking are associated with an increased risk of nocturia in male patients with benign prostatic enlargement. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 287-292.	2.0	16
68	Intraprostatic injections for lower urinary tract symptoms/benign prostatic enlargement treatment. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018, 70, 570-578.	3.9	10
69	Young Academic Urologists' benign prostatic obstruction nomogram predicts clinical outcome in patients treated with transurethral resection of prostate: an Italian cohort study. <i>Minerva Urology and Nephrology</i> , 2018, 70, 211-217.	1.3	14
70	Expert Opinion on Three Clinical Cases with a Common Urgent Problem: Urge Urinary Incontinence. <i>Case Reports in Urology</i> , 2018, 2018, 1-6.	0.1	1
71	Comparison Between Thulium Laser VapoEnucleation and GreenLight Laser Photoselective Vaporization of the Prostate in Real-Life Setting: Propensity Score Analysis. <i>Urology</i> , 2018, 121, 147-152.	0.5	14
72	Erectile Dysfunction and Lower Urinary Tract Symptoms. <i>Current Urology Reports</i> , 2018, 19, 61.	1.0	11

#	ARTICLE	IF	CITATIONS
73	Bladder stone management: an update. <i>Minerva Urology and Nephrology</i> , 2018, 70, 53-65.	1.3	15
74	Castration-resistance prostate cancer: what is in the pipeline?. <i>Minerva Urology and Nephrology</i> , 2018, 70, 22-41.	1.3	17
75	An update on prostate biopsy in the era of magnetic resonance imaging. <i>Minerva Urology and Nephrology</i> , 2018, 70, 264-274.	1.3	19
76	Patient centred care for the medical treatment of lower urinary tract symptoms in patients with benign prostatic obstruction: a key point to improve patients' care – a systematic review. <i>BMC Urology</i> , 2018, 18, 62.	0.6	28
77	Clinical Implications for the Early Treatment of Benign Prostatic Enlargement (BPE): a Systematic Review. <i>Current Urology Reports</i> , 2018, 19, 70.	1.0	8
78	Innovations in imaging modalities for recurrent and metastatic prostate cancer: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018, 70, 347-360.	3.9	17
79	Does Urodynamics Impact the Outcomes of Third-line Therapy of Refractory OAB (or Refractory) Tj ETQq1 1 0.784314 rgBT /Overlock	0.2	0
80	Exercise to prevent lower urinary tract symptoms: myth and reality. <i>BJU International</i> , 2018, 122, 170-170.	1.3	1
81	Metabolic syndrome increases the risk of upgrading and upstaging in patients with prostate cancer on biopsy: a radical prostatectomy multicenter cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 438-445.	2.0	14
82	External validation of Chun, PCPT, ERSPC, Kawakami, and Karakiewicz nomograms in the prediction of prostate cancer: A single center cohort-study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 364.e1-364.e7.	0.8	13
83	Cigarette smoking is not associated with prostate cancer diagnosis and aggressiveness: a cross sectional Italian study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018, 70, 598-605.	3.9	13
84	Moderate-to-high cardiovascular risk is associated with increased lower urinary tract storage symptoms in patients with benign prostatic enlargement. <i>Minerva Urology and Nephrology</i> , 2018, 70, 340-346.	1.3	4
85	Dutasteride add-on therapy reduces detrusor mass in patients with benign prostatic enlargement not satisfied with alpha-adrenergic antagonist monotherapy: A single center prospective study. <i>Neurourology and Urodynamics</i> , 2017, 36, 2096-2100.	0.8	4
86	Metabolic Syndrome Does Not Increase the Risk of Ejaculatory Dysfunction in Patients With Lower Urinary Tract Symptoms and Benign Prostatic Enlargement: An Italian Single-center Cohort Study. <i>Urology</i> , 2017, 105, 85-90.	0.5	8
87	Can a patient reported outcome be adequate without assessing quality of life in lower urinary tract dysfunction?. <i>Neurourology and Urodynamics</i> , 2017, 36, 943-948.	0.8	0
88	Benign prostatic enlargement can be influenced by metabolic profile: results of a multicenter prospective study. <i>BMC Urology</i> , 2017, 17, 22.	0.6	32
89	Can Long-term LUTS/BPH Pharmacological Treatment Alter the Outcomes of Surgical Intervention?. <i>Current Urology Reports</i> , 2017, 18, 72.	1.0	9
90	Efficacy and safety of daily mirabegron 50 mg in male patients with overactive bladder: a critical analysis of five phase III studies. <i>Therapeutic Advances in Urology</i> , 2017, 9, 137-154.	0.9	43

#	ARTICLE	IF	CITATIONS
91	Detrusor overactivity increases bladder wall thickness in male patients: A urodynamic multicenter cohort study. <i>Neurourology and Urodynamics</i> , 2017, 36, 1616-1621.	0.8	8
92	Non-invasive ultrasound measurements in male patients with LUTS and benign prostatic obstruction: implication for diagnosis and treatment. <i>Minerva Urology and Nephrology</i> , 2017, 69, 220-233.	1.3	7
93	New treatment strategies for benign prostatic hyperplasia in the frail elderly population: a systematic review. <i>Minerva Urology and Nephrology</i> , 2017, 69, 119-132.	1.3	9
94	The influence of the medical treatment of LUTS on benign prostatic hyperplasia surgery: do we operate too late?. <i>Minerva Urology and Nephrology</i> , 2017, 69, 242-252.	1.3	12
95	Basic methods for the assessment of health-related quality of life in uro-oncological patients. <i>Minerva Urology and Nephrology</i> , 2017, 69, 409-420.	1.3	6
96	Green light vaporization of the prostate: is it an adult technique?. <i>Minerva Urology and Nephrology</i> , 2017, 69, 109-118.	1.3	12
97	Autophagy deactivation is associated with severe prostatic inflammation in patients with lower urinary tract symptoms and benign prostatic hyperplasia. <i>Oncotarget</i> , 2017, 8, 50904-50910.	0.8	13
98	Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016, 117, 867-873.	1.3	23
99	Lower urinary tract symptoms and metabolic disorders: ICI-RS 2014. <i>Neurourology and Urodynamics</i> , 2016, 35, 278-282.	0.8	19
100	Metabolic syndrome is associated with advanced prostate cancer in patients treated with radical retropubic prostatectomy: results from a multicentre prospective study. <i>BMC Cancer</i> , 2016, 16, 407.	1.1	24
101	Inflammatory mediators in the development and progression of benign prostatic hyperplasia. <i>Nature Reviews Urology</i> , 2016, 13, 613-626.	1.9	155
102	The Impact of Central Obesity on Storage Luts and Urinary Incontinence After Prostatic Surgery. <i>Current Urology Reports</i> , 2016, 17, 61.	1.0	18
103	Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOISng Treatment for Prostate canCEr (CHOICE) Study. <i>Urology</i> , 2016, 96, 165-170.	0.5	21
104	Physical activity as a risk factor for prostate cancer diagnosis: a prospective biopsy cohort analysis. <i>BJU International</i> , 2016, 117, E29-35.	1.3	33
105	Grey Zone: Urinary Incontinence. <i>European Urology Focus</i> , 2016, 2, 337-338.	1.6	2
106	Tamsulosin or Silodosin Adjuvant Treatment Is Ineffective in Improving Shockwave Lithotripsy Outcome: A Short-Term Follow-Up Randomized, Placebo-Controlled Study. <i>Journal of Endourology</i> , 2016, 30, 817-821.	1.1	14
107	The diagnosis of benign prostatic obstruction: Development of a clinical nomogram. <i>Neurourology and Urodynamics</i> , 2016, 35, 235-240.	0.8	19
108	A Multicenter Randomized Noninferiority Trial Comparing GreenLight-XPS Laser Vaporization of the Prostate and Transurethral Resection of the Prostate for the Treatment of Benign Prostatic Obstruction: Two-yr Outcomes of the GOLIATH Study. <i>European Urology</i> , 2016, 69, 94-102.	0.9	201

#	ARTICLE	IF	CITATIONS
109	Patient's adherence on pharmacological therapy for benign prostatic hyperplasia (BPH)-associated lower urinary tract symptoms (LUTS) is different: is combination therapy better than monotherapy?. <i>BMC Urology</i> , 2015, 15, 96.	0.6	63
110	A review of detrusor overactivity and the overactive bladder after radical prostate cancer treatment. <i>BJU International</i> , 2015, 116, 853-861.	1.3	35
111	Editorial Comment from Dr Presicce to Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015, 22, 992-992.	0.5	0
112	The Evolving Picture of Lower Urinary Tract Symptom Management. <i>European Urology</i> , 2015, 67, 271-272.	0.9	12
113	Innovations in medical and surgical treatment. <i>Nature Reviews Urology</i> , 2015, 12, 76-78.	1.9	5
114	Central obesity is predictive of persistent storage lower urinary tract symptoms (LUTS) after surgery for benign prostatic enlargement: results of a multicentre prospective study. <i>BJU International</i> , 2015, 116, 271-277.	1.3	37
115	Drug Adherence and Clinical Outcomes for Patients Under Pharmacological Therapy for Lower Urinary Tract Symptoms Related to Benign Prostatic Hyperplasia: Population-based Cohort Study. <i>European Urology</i> , 2015, 68, 418-425.	0.9	147
116	Re: Association Between Metabolic Syndrome and Severity of Lower Urinary Tract Symptoms: An Observational Study in a 4666 European Men Cohort. <i>European Urology</i> , 2015, 67, 973-974.	0.9	1
117	Re: Christian Gratzke, Alexander Bachmann, Aurelien Descazeaud, et al. EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms Including Benign Prostatic Obstruction. <i>Eur Urol</i> 2015;67:1099-109. <i>European Urology</i> , 2015, 68, e15.	0.9	3
118	Patients With Prostatic Inflammation Undergoing Transurethral Prostatic Resection Have a Larger Early Improvement of Storage Symptoms. <i>Urology</i> , 2015, 86, 359-367.	0.5	17
119	Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors?. <i>European Urology</i> , 2015, 67, 943-951.	0.9	45
120	The Diagnosis of Benign Prostatic Obstruction: Validation of the Young Academic Urologist Clinical Nomogram. <i>Urology</i> , 2015, 86, 1032-1036.	0.5	12
121	The Continuing Story of the Cost-Effectiveness of Photoselective Vaporization of the Prostate versus Transurethral Resection of the Prostate for the Treatment of Symptomatic Benign Prostatic Obstruction. <i>Value in Health</i> , 2015, 18, 376-386.	0.1	12
122	A European Multicenter Randomized Noninferiority Trial Comparing 180 W GreenLight XPS Laser Vaporization and Transurethral Resection of the Prostate for the Treatment of Benign Prostatic Obstruction: 12-Month Results of the GOLIATH Study. <i>Journal of Urology</i> , 2015, 193, 570-578.	0.2	117
123	The management of overactive bladder. <i>Current Opinion in Urology</i> , 2015, 25, 305-310.	0.9	28
124	Quality of Life and Sexual Health in the Aging of PCa Survivors. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-16.	0.6	13
125	180-W XPS GreenLight Laser Vaporisation Versus Transurethral Resection of the Prostate for the Treatment of Benign Prostatic Obstruction: 6-Month Safety and Efficacy Results of a European Multicentre Randomised Trial - The GOLIATH Study. <i>European Urology</i> , 2014, 65, 931-942.	0.9	189
126	Patients with metabolic syndrome and widespread high grade prostatic intraepithelial neoplasia are at a higher risk factor of prostate cancer on re-biopsy: A prospective single cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 28.e27-28.e31.	0.8	6

#	ARTICLE	IF	CITATIONS
127	Serum levels of 17- β -estradiol are not predictive of prostate cancer diagnosis and aggressiveness: Results from an Italian biopsy cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 35.e9-35.e13.	0.8	2
128	Do Young Patients with Renal Cell Carcinoma Feature a Distinct Outcome after Surgery? A Comparative Analysis of Patient Age Based on the Multinational CORONA Database. <i>Journal of Urology</i> , 2014, 191, 310-315.	0.2	20
129	Metabolic Syndrome and Lower Urinary Tract Symptoms in Patients With Benign Prostatic Enlargement: A Possible Link to Storage Symptoms. <i>Urology</i> , 2014, 84, 1181-1187.	0.5	50
130	Results of a comparative study analyzing octogenarians with renal cell carcinoma in a competing risk analysis with patients in the seventh decade of life ¹ Matthias May and Luca Cindolo have equally contributed to first authorship. ² Sabine Brookman-May and Petros Sountoulides have equally contributed to last authorship.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1252-1258.	0.8	8
131	Serum levels of chromogranin A are not predictive of high-grade, poorly differentiated prostate cancer: Results from an Italian biopsy cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 80-84.	0.8	11
132	Metabolic Syndrome, Obesity, and Radical Cystectomy Complications: A Clavien Classification System-Based Analysis. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 384-393.	0.9	18
133	Re: Comparative Efficacy and Safety of Medical Treatments for the Management of Overactive Bladder: A Systematic Literature Review and Mixed Treatment Comparison. <i>European Urology</i> , 2014, 65, 1220-1221.	0.9	0
134	The Role of Inflammation in the Progression of Benign Prostatic Hyperplasia. <i>Current Bladder Dysfunction Reports</i> , 2013, 8, 142-149.	0.2	13
135	Re: Safety and Feasibility of the Prostatic Urethral Lift: A Novel, Minimally Invasive Treatment for Lower Urinary Tract Symptoms (LUTS) Secondary to Benign Prostatic Hyperplasia (BPH). <i>European Urology</i> , 2011, 60, 1120-1121.	0.9	5
136	Ultrasound imaging of the pelvic floor: Where are we going?. <i>Neurourology and Urodynamics</i> , 2011, 30, 729-734.	0.8	14
137	Bladder weight and detrusor thickness as parameters of progression of benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2010, 20, 37-42.	0.9	18
138	Reduction of Prostate-specific Antigen After Tamsulosin Treatment in Patients With Elevated Prostate-specific Antigen and Lower Urinary Tract Symptoms Associated With Low Incidence of Prostate Cancer at Biopsy. <i>Urology</i> , 2010, 76, 436-441.	0.5	9
139	The Electromagnetic Detection of Prostatic Cancer: Evaluation of Diagnostic Accuracy. <i>Urology</i> , 2008, 72, 340-344.	0.5	17
140	Transurethral needle ablation of the prostate. <i>Current Opinion in Urology</i> , 2007, 17, 7-11.	0.9	3
141	Clinical Efficacy, Safety, and Tolerability of Once-Daily Fesoterodine in Subjects with Overactive Bladder. <i>European Urology</i> , 2007, 52, 1204-1212.	0.9	222
142	Overactive bladder: epidemiology and social impact. <i>Current Opinion in Obstetrics and Gynecology</i> , 2005, 17, 507-511.	0.9	34
143	The effect of bladder outlet obstruction treatment on ultrasound-determined bladder wall thickness. <i>Reviews in Urology</i> , 2005, 7 Suppl 6, S35-42.	0.9	7
144	The Relation of Lower Urinary Tract Symptoms with Life-Style Factors and Objective Measures of Benign Prostatic Enlargement and Obstruction: An Italian Survey. <i>European Urology</i> , 2004, 45, 767-772.	0.9	32

#	ARTICLE	IF	CITATIONS
145	Defining overactive bladder: Epidemiology and burden of disease. <i>Urology</i> , 2004, 64, 2-6.	0.5	156
146	Early Treatment of Benign Prostatic Hyperplasia. <i>Drugs and Aging</i> , 2003, 20, 185-195.	1.3	12
147	Investigation of benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2003, 13, 17-22.	0.9	7