Luisa Braccilaudiero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3200987/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Pro Nerve Growth Factor and Its Receptor p75NTR Activate Inflammatory Responses in Synovial Fibroblasts: A Novel Targetable Mechanism in Arthritis. Frontiers in Immunology, 2022, 13, 818630.	4.8	6
2	Prevalence of Antibodies to SARS-CoV-2 in Italian Adults and Associated Risk Factors. Journal of Clinical Medicine, 2020, 9, 2780.	2.4	71
3	Effects of intranasally-delivered pro-nerve growth factors on the septo-hippocampal system in healthy and diabetic rats. Neuropharmacology, 2020, 176, 108223.	4.1	1
4	Different responses of PC12â€ ⁻ cells to different pro-nerve growth factor protein variants. Neurochemistry International, 2019, 129, 104498.	3.8	9
5	AB0185â€INTERFERON-Γ AMPLIFIES IMMUNE RESPONSE MEDIATED BY TYPE I INTERFERONS IN PAEDIATRIC SYSTEMIC LUPUS ERYTHEMATOSUS AND CORRELATES WITH DISEASE ACTIVITY. , 2019, , .		0
6	THU0507â€TYPE I INTERFERON SCORE AND INTERFERON INDUCED MEDIATORS CXCL10 AND NEOPTERIN ARE CORRELATED WITH DISEASE ACTIVITY IN JUVENILE DERMATOMYOSITIS. , 2019, , .		0
7	Muscle Expression of Type I and Type <scp>II</scp> Interferons Is Increased in Juvenile Dermatomyositis and Related to Clinical and Histologic Features. Arthritis and Rheumatology, 2019, 71, 1011-1021.	5.6	55
8	ProNGF-p75NTR axis plays a proinflammatory role in inflamed joints: a novel pathogenic mechanism in chronic arthritis. RMD Open, 2017, 3, e000441.	3.8	19
9	NGF and Its Receptors in the Regulation of Inflammatory Response. International Journal of Molecular Sciences, 2017, 18, 1028.	4.1	192
10	OP0134 Increased Muscle Interferon-γ Expression Levels in Juvenile Dermatomyositis. Annals of the Rheumatic Diseases, 2015, 74, 119.1-119.	0.9	0
11	NGF in Early Embryogenesis, Differentiation, and Pathology in the Nervous and Immune Systems. Current Topics in Behavioral Neurosciences, 2015, 29, 125-152.	1.7	26
12	The mature/pro nerve growth factor ratio is decreased in the brain of diabetic rats: Analysis by ELISA methods. Brain Research, 2015, 1624, 455-468.	2.2	38
13	Nerve Growth Factor Downregulates Inflammatory Response in Human Monocytes through TrkA. Journal of Immunology, 2014, 192, 3345-3354.	0.8	91
14	Deregulation of the IL-1Î ² axis in chronic recurrent multifocal osteomyelitis. Pediatric Rheumatology, 2014, 12, 30.	2.1	71
15	Megalencephalic leukoencephalopathy with subcortical cysts protein-1 modulates endosomal pH and protein trafficking in astrocytes: Relevance to MLC disease pathogenesis. Neurobiology of Disease, 2014, 66, 1-18.	4.4	20
16	NGF and Immune Regulation. , 2014, , 1849-1876.		1
17	Monocytes and macrophages as biomarkers for the diagnosis of megalencephalic leukoencephalopathy with subcortical cysts. Molecular and Cellular Neurosciences, 2013, 56, 307-321.	2.2	19
18	OR6-005 – Cystine crystals activate inflammasomes. Pediatric Rheumatology, 2013, 11, .	2.1	0

2

#	Article	IF	CITATIONS
19	Amplification of the response to Tollâ€like receptor ligands by prolonged exposure to interleukinâ€6 in mice: Implication for the pathogenesis of macrophage activation syndrome. Arthritis and Rheumatism, 2012, 64, 1680-1688.	6.7	100
20	Low levels of the nerve growth factor receptor TrkA in JIA: a possible defect in a novel anti-inflammatory mechanism. Pediatric Rheumatology, 2011, 9, .	2.1	0
21	Low levels of the nerve growth factor receptor TrkA in JIA: a possible defect in a novel anti-inflammatory mechanism. Pediatric Rheumatology, 2011, 9, .	2.1	Ο
22	Chronic exposure to Interleukin-6 amplifies the response to Toll-like receptor ligands: implication on the pathogenesis of macrophage activation syndrome. Pediatric Rheumatology, 2011, 9, .	2.1	2
23	Deregulation of IL-1β axis in peripheral blood mononuclear cells from patients with Chronic Recurrent Multifocal Osteomyelitis. Pediatric Rheumatology, 2011, 9, .	2.1	1
24	Interleukin-1β and Interleukin-6 in Arthritis Animal Models: Roles in the Early Phase of Transition from Acute to Chronic Inflammation and Relevance for Human Rheumatoid Arthritis. Molecular Medicine, 2010, 16, 552-557.	4.4	100
25	Endogenous NGF regulates CGRP expression in human monocytes, and affects HLA-DR and CD86 expression and IL-10 production. Blood, 2005, 106, 3507-3514.	1.4	82
26	Global gene expression analysis in time series following N-acetyl L-cysteine induced epithelial differentiation of human normal and cancer cells in vitro. BMC Cancer, 2005, 5, 75.	2.6	39
27	Differentiation of normal and cancer cells induced by sulfhydryl reduction: biochemical and molecular mechanisms. Cell Death and Differentiation, 2005, 12, 1285-1296.	11.2	51
28	Gene Expression Analysis of Human Epidermal Keratinocytes after N-Acetyl <i>L</i> -Cysteine Treatment Demonstrates Cell Cycle Arrest and Increased Differentiation. Pathobiology, 2005, 72, 203-212.	3.8	20
29	CD34-positive cells in human umbilical cord blood express nerve growth factor and its specific receptor TrkA. Journal of Neuroimmunology, 2003, 136, 130-139.	2.3	55
30	Altered Plasma Nerve Growth Factor-Like Immunoreactivity and Nerve Growth Factor-Receptor Expression in Human Old Age. Gerontology, 2003, 49, 185-190.	2.8	9
31	Nerve Growth Factor: Neurotrophin or Cytokine?. International Archives of Allergy and Immunology, 2003, 131, 80-84.	2.1	104
32	NGF modulates CGRP synthesis in human B-lymphocytes: a possible anti-inflammatory action of NGF?. Journal of Neuroimmunology, 2002, 123, 58-65.	2.3	72
33	Nerve growth factor and asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 13-15.	5.7	41
34	Nerve Growth Factor in Neurological and Non-Neurological Diseases: Basic Findings and Emerging Pharmacological Prospectives. Current Pharmaceutical Design, 2001, 7, 113-123.	1.9	56
35	Human monocyte/macrophages activate by exposure to LPS overexpress NGF and NGF receptors. Journal of Neuroimmunology, 2001, 113, 193-201.	2.3	117
36	Altered levels of neuropeptides characterize the brain of lupus prone mice. Neuroscience Letters, 1999, 275, 57-60.	2.1	30

#	Article	IF	CITATIONS
37	Development of systemic lupus erythematosus in mice is associated with alteration of neuropeptide concentrations in inflamed kidneys and immunoregulatory organs. Neuroscience Letters, 1998, 248, 97-100.	2.1	26
38	Human CD4+ T cell clones produce and release nerve growth factor and express high-affinity nerve growth factor receptors. Journal of Allergy and Clinical Immunology, 1997, 100, 408-414.	2.9	206
39	The expanding role of nerve growth factor: from neurotrophic activity to immunologic diseases. Allergy: European Journal of Allergy and Clinical Immunology, 1997, 52, 883-994.	5.7	204
40	Title is missing!. Thymus, 1997, 24, 221-231.	0.5	27
41	Modification of lymphoid and brain nerve growth factor levels in systemic lupus erythematosus mice. Neuroscience Letters, 1996, 204, 13-16.	2.1	18
42	Nerve Growth Factor Is an Autocrine Survival Factor for Memory B Lymphocytes. Cell, 1996, 85, 345-356.	28.9	394
43	Nerve growth factor stimulates production of neuropeptide Y in human lymphocytes. NeuroReport, 1996, 7, 485-488.	1.2	37
44	Seizure-induced serum NGF levels increase after ECT in psychiatric patients. Behavioural Pharmacology, 1995, 6, 93.	1.7	9
45	Monosodium glutamate increases NGF and NPY concentrations in rat hypothalamus and pituitary. NeuroReport, 1995, 6, 2450-2452.	1.2	9
46	Nerve Growth Factor Is Increased in Psoriatic Skin. Journal of Investigative Dermatology, 1995, 105, 854-855.	0.7	79
47	Expression and Function of Nerve Growth Factor and Nerve Growth Factor Receptor on Cultured Keratinocytes. Journal of Investigative Dermatology, 1994, 103, 13-18.	0.7	165
48	Emotional stress induced by parachute jumping enhances blood nerve growth factor levels and the distribution of nerve growth factor receptors in lymphocytes Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 10440-10444.	7.1	241
49	NGF Retards apoptosis in chick embryo bursal cell in vitro. Differentiation, 1993, 53, 61-66.	1.9	23
50	The effect of chronic ethanol intake on brain NGF level and on NGF-target tissues of adult mice. Drug and Alcohol Dependence, 1993, 31, 159-167.	3.2	40
51	The Synovium of Transgenic Arthritic Mice Expressing Human Tumor Necrosis Factor Contains a High Level of Nerve Growth Factor. Growth Factors, 1993, 9, 149-155.	1.7	52
52	Increased levels of NGF in sera of systemic lupus erythematosus patients. NeuroReport, 1993, 4, 563-565.	1.2	95
53	NGF is released into plasma during human pregnancy: an oxytocin-mediated response?. NeuroReport, 1993, 4, 1063-1065.	1.2	54
54	Multiple sclerosis patients express increased levels of β-nerve growth factor in cerebrospinal fluid. Neuroscience Letters, 1992, 147, 9-12.	2.1	209

#	Article	IF	CITATIONS
55	In vivo and in vitro effect of ngf on bursa of fabricius cells during chick embryo development. International Journal of Neuroscience, 1991, 59, 189-198.	1.6	12