

Bice Chini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3202753/publications.pdf>

Version: 2024-02-01

83
papers

6,266
citations

61945

43
h-index

74108

75
g-index

85
all docs

85
docs citations

85
times ranked

6388
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Region-Specific KCC2 Rescue by rhIGF-1 and Oxytocin in a Mouse Model of Rett Syndrome. <i>Cerebral Cortex</i> , 2022, 32, 2885-2894. | 1.6 | 4 |
| 2 | Towards bio-compatible magnetic nanoparticles: Immune-related effects, in-vitro internalization, and in-vivo bio-distribution of zwitterionic ferrite nanoparticles with unexpected renal clearance. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 678-700. | 5.0 | 27 |
| 3 | The ligand-bound state of a G protein-coupled receptor stabilizes the interaction of functional cholesterol molecules. <i>Journal of Lipid Research</i> , 2021, 62, 100059. | 2.0 | 17 |
| 4 | Oxytocin administration in neonates shapes hippocampal circuitry and restores social behavior in a mouse model of autism. <i>Molecular Psychiatry</i> , 2021, 26, 7582-7595. | 4.1 | 45 |
| 5 | THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2021, 178, S27-S156. | 2.7 | 337 |
| 6 | Social approach and social vigilance are differentially regulated by oxytocin receptors in the nucleus accumbens. <i>Neuropsychopharmacology</i> , 2020, 45, 1423-1430. | 2.8 | 56 |
| 7 | Quest for pharmacological regulators of KCC2. , 2020, , 709-727. | | 2 |
| 8 | Impaired approach to novelty and striatal alterations in the oxytocin receptor deficient mouse model of autism. <i>Hormones and Behavior</i> , 2019, 114, 104543. | 1.0 | 12 |
| 9 | Oxytocin Signaling in the Central Amygdala Modulates Emotion Discrimination in Mice. <i>Current Biology</i> , 2019, 29, 1938-1953.e6. | 1.8 | 125 |
| 10 | Expanding neuropeptide signalling by multiplying receptor functional states and sub-cellular locations. <i>Cell and Tissue Research</i> , 2019, 375, 49-56. | 1.5 | 4 |
| 11 | Oxytocin Receptors in the Anteromedial Bed Nucleus of the Stria Terminalis Promote Stress-Induced Social Avoidance in Female California Mice. <i>Biological Psychiatry</i> , 2018, 83, 203-213. | 0.7 | 118 |
| 12 | Intranasal Oxytocin and Vasopressin Modulate Divergent Brainwide Functional Substrates. <i>Neuropsychopharmacology</i> , 2017, 42, 1420-1434. | 2.8 | 35 |
| 13 | The Action Radius of Oxytocin Release in the Mammalian CNS: From Single Vesicles to Behavior. <i>Trends in Pharmacological Sciences</i> , 2017, 38, 982-991. | 4.0 | 101 |
| 14 | Molecular Basis of Oxytocin Receptor Signalling in the Brain: What We Know and What We Need to Know. <i>Current Topics in Behavioral Neurosciences</i> , 2017, 35, 3-29. | 0.8 | 94 |
| 15 | Lifespan oxytocin signaling: Maturation, flexibility, and stability in newborn, adolescent, and aged brain. <i>Developmental Neurobiology</i> , 2017, 77, 158-168. | 1.5 | 47 |
| 16 | Oxytocin in the Developing Brain. , 2016, , 253-266. | | 1 |
| 17 | Analysis of G Protein and β^2 -Arrestin Activation in Chemokine Receptors Signaling. <i>Methods in Enzymology</i> , 2016, 570, 421-440. | 0.4 | 4 |
| 18 | A New Population of Parvocellular Oxytocin Neurons Controlling Magnocellular Neuron Activity and Inflammatory Pain Processing. <i>Neuron</i> , 2016, 89, 1291-1304. | 3.8 | 314 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Timing of the Excitatory-to-Inhibitory GABA Switch Is Regulated by the Oxytocin Receptor via KCC2. <i>Cell Reports</i> , 2016, 15, 96-103. | 2.9 | 141 |
| 20 | Design and Characterization of Superpotent Bivalent Ligands Targeting Oxytocin Receptor Dimers via a Channel-Like Structure. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 7152-7166. | 2.9 | 49 |
| 21 | Assembling the Puzzle: Pathways of Oxytocin Signaling in the Brain. <i>Biological Psychiatry</i> , 2016, 79, 155-164. | 0.7 | 236 |
| 22 | Zwitterion-Coated Iron Oxide Nanoparticles: Surface Chemistry and Intracellular Uptake by Hepatocarcinoma (HepG2) Cells. <i>Langmuir</i> , 2015, 31, 7381-7390. | 1.6 | 41 |
| 23 | Multi-spot, label-free immunoassay on reflectionless glass. <i>Biosensors and Bioelectronics</i> , 2015, 74, 539-545. | 5.3 | 23 |
| 24 | Portable, Multispot, Label-Free Immunoassay on a Phantom Perfluorinated Plastic. <i>Lecture Notes in Electrical Engineering</i> , 2015, , 13-17. | 0.3 | 0 |
| 25 | Region Specific Up-Regulation of Oxytocin Receptors in the Opioid Oprm1 ^{ΔE149} /ΔE149 Mouse Model of Autism. <i>Frontiers in Pediatrics</i> , 2014, 2, 91. | 0.9 | 50 |
| 26 | Specific roles of Gi protein family members revealed by dissecting SST5 coupling in human pituitary cells. <i>Journal of Cell Science</i> , 2014, 127, 2377-2377. | 1.2 | 0 |
| 27 | A fast and simple label-free immunoassay based on a smartphone. <i>Biosensors and Bioelectronics</i> , 2014, 58, 395-402. | 5.3 | 86 |
| 28 | Chronic and Acute Intranasal Oxytocin Produce Divergent Social Effects in Mice. <i>Neuropsychopharmacology</i> , 2014, 39, 1102-1114. | 2.8 | 176 |
| 29 | Learning About Oxytocin: Pharmacologic and Behavioral Issues. <i>Biological Psychiatry</i> , 2014, 76, 360-366. | 0.7 | 65 |
| 30 | Ontogenesis of oxytocin pathways in the mammalian brain: late maturation and psychosocial disorders. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 164. | 0.9 | 81 |
| 31 | Specific roles of Gi protein family members revealed by dissecting SST5 coupling in human pituitary cells. <i>Journal of Cell Science</i> , 2013, 126, 638-644. | 1.2 | 24 |
| 32 | Analysis of GPCR Dimerization Using Acceptor Photobleaching Resonance Energy Transfer Techniques. <i>Methods in Enzymology</i> , 2013, 521, 311-327. | 0.4 | 9 |
| 33 | Mice Heterozygous for the Oxytocin Receptor Gene (<i>Oxtr</i> ^{+/-}) Show Impaired Social Behaviour but not Increased Aggression or Cognitive Inflexibility: Evidence of a Selective Haploinsufficiency Gene Effect. <i>Journal of Neuroendocrinology</i> , 2013, 25, 107-118. | 1.2 | 92 |
| 34 | G-Protein-Coupled Receptors: from Structural Insights to Functional Mechanisms. <i>Biochemical Society Transactions</i> , 2013, 41, 135-136. | 1.6 | 19 |
| 35 | Deciphering the specific role of Gi/o isoforms: functional selective oxytocin ligands and somatostatin SST5 receptor mutants. <i>Biochemical Society Transactions</i> , 2013, 41, 166-171. | 1.6 | 5 |
| 36 | Multispot, label-free biodetection at a phantom plastic-water interface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9350-9355. | 3.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Selective and Potent Agonists and Antagonists for Investigating the Role of Mouse Oxytocin Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 346, 318-327. | 1.3 | 84 |
| 38 | Full and Partial Agonists of Thromboxane Prostanoid Receptor Unveil Fine Tuning of Receptor Superactive Conformation and G Protein Activation. <i>PLoS ONE</i> , 2013, 8, e60475. | 1.1 | 12 |
| 39 | Functional Selective Oxytocin-derived Agonists Discriminate between Individual G Protein Family Subtypes. <i>Journal of Biological Chemistry</i> , 2012, 287, 3617-3629. | 1.6 | 147 |
| 40 | Oxytocin and Vasopressin Agonists and Antagonists as Research Tools and Potential Therapeutics. <i>Journal of Neuroendocrinology</i> , 2012, 24, 609-628. | 1.2 | 356 |
| 41 | Neurohypophyseal hormones manipulation modulate social and anxiety-related behavior in zebrafish. <i>Psychopharmacology</i> , 2012, 220, 319-330. | 1.5 | 85 |
| 42 | Pharmacologic Rescue of Impaired Cognitive Flexibility, Social Deficits, Increased Aggression, and Seizure Susceptibility in Oxytocin Receptor Null Mice: A Neurobehavioral Model of Autism. <i>Biological Psychiatry</i> , 2011, 69, 875-882. | 0.7 | 315 |
| 43 | Dual modulation of inward rectifier potassium currents in olfactory neuronal cells by promiscuous G protein coupling of the oxytocin receptor. <i>Journal of Neurochemistry</i> , 2010, 114, 1424-1435. | 2.1 | 66 |
| 44 | Oxytocin-induced cell growth proliferation in human myometrial cells and leiomyomas. <i>Fertility and Sterility</i> , 2010, 94, 1869-1874. | 0.5 | 22 |
| 45 | G-protein-coupled receptors, cholesterol and palmitoylation: facts about fats. <i>Journal of Molecular Endocrinology</i> , 2009, 42, 371-379. | 1.1 | 130 |
| 46 | Intracellular trafficking of the human oxytocin receptor: evidence of receptor recycling via a Rab4/Rab5 short cycle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E532-E542. | 1.8 | 89 |
| 47 | Heterotrimeric G proteins demonstrate differential sensitivity to β^2 -arrestin dependent desensitization. <i>Cellular Signalling</i> , 2009, 21, 1135-1142. | 1.7 | 10 |
| 48 | Computational modeling and simulation of complex systems in bio-electronics. <i>Journal of Computational Electronics</i> , 2008, 7, 10-13. | 1.3 | 20 |
| 49 | Oxytocin stimulates migration and invasion in human endothelial cells. <i>British Journal of Pharmacology</i> , 2008, 153, 728-736. | 2.7 | 64 |
| 50 | Peptide and non-peptide agonists and antagonists for the vasopressin and oxytocin V1a, V1b, V2 and OT receptors: research tools and potential therapeutic agents. <i>Progress in Brain Research</i> , 2008, 170, 473-512. | 0.9 | 248 |
| 51 | Affinity and efficacy of selective agonists and antagonists for vasopressin and oxytocin receptors: an easy guide to receptor pharmacology. <i>Progress in Brain Research</i> , 2008, 170, 513-517. | 0.9 | 57 |
| 52 | Computational Models in Nano-Bioelectronics: Simulation of Ionic Transport in Voltage Operated Channels. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 3686-3694. | 0.9 | 20 |
| 53 | Electrochemical Modeling and Characterization of Voltage Operated Channels in Nano-Bio-Electronics. <i>Sensor Letters</i> , 2008, 6, 49-56. | 0.4 | 13 |
| 54 | Computational models for the numerical simulation of voltage operated channels in nano-bioelectronics. <i>Proceedings in Applied Mathematics and Mechanics</i> , 2007, 7, 1030803-1030804. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of cholesterol manipulation on the signaling of the human oxytocin receptor. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 291, R861-R869. | 0.9 | 31 |
| 56 | Oxytocin Receptor Signaling in Myoepithelial and Cancer Cells. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2005, 10, 221-229. | 1.0 | 71 |
| 57 | The Oxytocin Receptor Antagonist Atosiban Inhibits Cell Growth via a "Biased Agonist" Mechanism. <i>Journal of Biological Chemistry</i> , 2005, 280, 16311-16318. | 1.6 | 104 |
| 58 | G-protein coupled receptors in lipid rafts and caveolae: how, when and why do they go there?. <i>Journal of Molecular Endocrinology</i> , 2004, 32, 325-338. | 1.1 | 323 |
| 59 | Oxytocin and Oxytocin Receptors in Cancer Cells and Proliferation. <i>Journal of Neuroendocrinology</i> , 2004, 16, 362-364. | 1.2 | 75 |
| 60 | Improved radiotracing of oxytocin receptor-expressing tumours using the new [111In]-DOTA-Lys8-deamino-vasotocin analogue. <i>British Journal of Cancer</i> , 2003, 89, 930-936. | 2.9 | 41 |
| 61 | Oxytocin receptor elicits different EGFR/MAPK activation patterns depending on its localization in caveolin-1 enriched domains. <i>Oncogene</i> , 2003, 22, 6054-6060. | 2.6 | 122 |
| 62 | Localization of the human oxytocin receptor in caveolin-1 enriched domains turns the receptor-mediated inhibition of cell growth into a proliferative response. <i>Oncogene</i> , 2002, 21, 1658-1667. | 2.6 | 92 |
| 63 | Activation of Functional Oxytocin Receptors Stimulates Cell Proliferation in Human Trophoblast and Choriocarcinoma Cell Lines*. <i>Endocrinology</i> , 2001, 142, 1130-1136. | 1.4 | 52 |
| 64 | Thioacylation is required for targeting G-protein subunit Go1± to detergent-insoluble caveolin-containing membrane domains. <i>Biochemical Journal</i> , 2001, 355, 323. | 1.7 | 9 |
| 65 | Activation of Functional Oxytocin Receptors Stimulates Cell Proliferation in Human Trophoblast and Choriocarcinoma Cell Lines. <i>Endocrinology</i> , 2001, 142, 1130-1136. | 1.4 | 18 |
| 66 | Molecular basis of ligand binding and receptor activation in the oxytocin and vasopressin receptor family. <i>Experimental Physiology</i> , 2000, 85, 59s-66s. | 0.9 | 30 |
| 67 | Nephrogenic Diabetes Insipidus. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1033-1043. | 3.0 | 37 |
| 68 | Activation Mechanism of Human Oxytocin Receptor: A Combined Study of Experimental and Computer-Simulated Mutagenesis. <i>Molecular Pharmacology</i> , 1999, 56, 214-225. | 1.0 | 88 |
| 69 | Identification of a Constitutively Active Mutant of the Human Oxytocin Receptor. <i>Advances in Experimental Medicine and Biology</i> , 1998, 449, 367-369. | 0.8 | 3 |
| 70 | Identification of a Single Residue Responsible for Agonist Selectivity in the Oxytocin-Vasopressin Receptors. <i>Annals of the New York Academy of Sciences</i> , 1997, 812, 218-221. | 1.8 | 4 |
| 71 | Oxytocin inhibits the proliferation of MDA-MB231 human breast-cancer cells via cyclic adenosine monophosphate and protein kinase A. , 1997, 72, 340-344. | | 77 |
| 72 | Two aromatic residues regulate the response of the human oxytocin receptor to the partial agonist arginine vasopressin. <i>FEBS Letters</i> , 1996, 397, 201-206. | 1.3 | 98 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Three-dimensional structure of G protein-coupled receptors: from speculations to facts. <i>Pharmacochimistry Library</i> , 1996, 24, 205-214. | 0.1 | 0 |
| 74 | Towards understanding the role of the first extracellular loop for the binding of peptide hormones to G-protein coupled receptors. <i>Pharmaceutica Acta Helvetiae</i> , 1995, 70, 255-262. | 1.2 | 16 |
| 75 | The Binding Site of Neuropeptide Vasopressin V1a Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 25771-25777. | 1.6 | 239 |
| 76 | Distribution of Nicotinic Receptors in the Human Hippocampus and Thalamus. <i>European Journal of Neuroscience</i> , 1994, 6, 1596-1604. | 1.2 | 130 |
| 77 | Molecular Cloning and Chromosomal Localization of the Human $\alpha 7$ -Nicotinic Receptor Subunit Gene (CHRNA7). <i>Genomics</i> , 1994, 19, 379-381. | 1.3 | 93 |
| 78 | Developmentally Regulated Expression of CGRP in the Mouse Olfactory Pathway. <i>European Journal of Neuroscience</i> , 1993, 5, 648-656. | 1.2 | 7 |
| 79 | Neuronal-type alpha-bungarotoxin receptors and the alpha 5-nicotinic receptor subunit gene are expressed in neuronal and nonneuronal human cell lines.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 1572-1576. | 3.3 | 99 |
| 80 | Chromosomal localization and physical linkage of the genes encoding the human $\alpha 3$, $\alpha 5$, and $\alpha 4$ neuronal nicotinic receptor subunits. <i>Genomics</i> , 1992, 12, 849-850. | 1.3 | 47 |
| 81 | Neuronal-type nicotinic receptors in human neuroblastoma and small-cell lung carcinoma cell lines. <i>FEBS Letters</i> , 1992, 312, 66-70. | 1.3 | 58 |
| 82 | Developmentally regulated expression of calcitonin gene-related peptide at mammalian neuromuscular junction. <i>Journal of Molecular Neuroscience</i> , 1990, 2, 175-184. | 1.1 | 41 |
| 83 | Molecular cloning of human neuronal nicotinic receptor $\alpha 3$ -subunit. <i>Neuroscience Letters</i> , 1990, 111, 351-356. | 1.0 | 45 |