

# Stavroula Kanoni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3205492/publications.pdf>

Version: 2024-02-01

116  
papers

43,293  
citations

14124

69  
h-index

18944

123  
g-index

130  
all docs

130  
docs citations

130  
times ranked

51102  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	9.4	215
2	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2952-e2961.	1.8	13
3	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, 24.	5.8	87
4	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	1.4	32
5	A zebrafish forward genetic screen identifies an indispensable threonine residue in the kinase domain of PRKD2. <i>Biology Open</i> , 2021, 10, .	0.6	2
6	Interleukin-6 Receptor Antagonists in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 384, 1491-1502.	13.9	1,419
7	Effect of Mastiha supplementation on NAFLD: The MAST4HEALTH Randomised, Controlled Trial. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2001178.	1.5	19
8	Nutrigenetic Interactions Might Modulate the Antioxidant and Anti-Inflammatory Status in Mastiha-Supplemented Patients With NAFLD. <i>Frontiers in Immunology</i> , 2021, 12, 683028.	2.2	12
9	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	13.7	353
10	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , 2020, 25, 2392-2409.	4.1	83
11	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020, 52, 1314-1332.	9.4	91
12	Genetic Predisposition to Coronary Artery Disease in Type 2 Diabetes Mellitus. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002769.	1.6	5
13	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. <i>Molecular Psychiatry</i> , 2019, 24, 1920-1932.	4.1	44
14	Genetic Risk Score for Coronary Disease Identifies Predispositions to Cardiovascular and Noncardiovascular Diseases. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2932-2942.	1.2	58
15	First genotype-phenotype study reveals HLA-DQ1 insertion heterogeneity in high-resolution manometry achalasia subtypes. <i>United European Gastroenterology Journal</i> , 2019, 7, 45-51.	1.6	5
16	Association of the PHACTR1/EDN1 Genetic Locus With Spontaneous Coronary Artery Dissection. <i>Journal of the American College of Cardiology</i> , 2019, 73, 58-66.	1.2	147
17	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. <i>Nature Genetics</i> , 2019, 51, 245-257.	9.4	536
18	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , 2019, 85, 946-955.	0.7	69

#	ARTICLE	IF	CITATIONS
19	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. <i>Nature Genetics</i> , 2018, 50, 1112-1121.	9.4	1,835
20	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
21	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017, 22, 192-201.	4.1	63
22	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
23	Meta-analysis identifies novel risk loci and yields systematic insights into the biology of male-pattern baldness. <i>Nature Communications</i> , 2017, 8, 14694.	5.8	58
24	Systematic Evaluation of Pleiotropy Identifies 6 Further Loci Associated With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017, 69, 823-836.	1.2	214
25	Loss of Cardioprotective Effects at the <i>ADAMTS7</i> Locus as a Result of Gene-Smoking Interactions. <i>Circulation</i> , 2017, 135, 2336-2353.	1.6	51
26	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	5.8	169
27	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017, 49, 1758-1766.	9.4	470
28	Association analyses based on false discovery rate implicate new loci for coronary artery disease. <i>Nature Genetics</i> , 2017, 49, 1385-1391.	9.4	571
29	Genome-wide association meta-analysis of fish and EPA+DHA consumption in 17 US and European cohorts. <i>PLoS ONE</i> , 2017, 12, e0186456.	1.1	18
30	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383.	3.9	341
31	Evaluating the glucose raising effect of established loci via a genetic risk score. <i>PLoS ONE</i> , 2017, 12, e0186669.	1.1	6
32	Coding Variation in <i>ANGPTL4</i> , <i>LPL</i> and <i>SVEP1</i> and the Risk of Coronary Disease. <i>New England Journal of Medicine</i> , 2016, 374, 1134-1144.	13.9	427
33	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	13.7	1,204
34	Analysis with the exome array identifies multiple new independent variants in lipid loci. <i>Human Molecular Genetics</i> , 2016, 25, 4094-4106.	1.4	19
35	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
36	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362

#	ARTICLE	IF	CITATIONS
37	No Association of Coronary Artery Disease with X-Chromosomal Variants in Comprehensive International Meta-Analysis. <i>Scientific Reports</i> , 2016, 6, 35278.	1.6	25
38	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284
39	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	3.3	110
40	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , 2016, 351, 1166-1171.	6.0	438
41	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	5.8	245
42	Lifestyle may modify the glucose-raising effect of genetic loci. A study in the Greek population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 201-206.	1.1	2
43	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
44	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25%000 subjects. <i>Molecular Psychiatry</i> , 2015, 20, 735-743.	4.1	59
45	Gene × dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. <i>Human Molecular Genetics</i> , 2015, 24, 4728-4738.	1.4	84
46	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
47	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
48	Biological interpretation of genome-wide association studies using predicted gene functions. <i>Nature Communications</i> , 2015, 6, 5890.	5.8	706
49	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462.	13.7	173
50	Gene-Environment Interactions of Circadian-Related Genes for Cardiometabolic Traits. <i>Diabetes Care</i> , 2015, 38, 1456-1466.	4.3	52
51	Genetically Determined Height and Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2015, 372, 1608-1618.	13.9	220
52	A comprehensive 1000 Genomes-based genome-wide association meta-analysis of coronary artery disease. <i>Nature Genetics</i> , 2015, 47, 1121-1130.	9.4	2,054
53	Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1266-1278.	2.2	69
54	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425.	9.4	365

#	ARTICLE	IF	CITATIONS
55	Habitual sleep duration is associated with BMI and macronutrient intake and may be modified by CLOCK genetic variants. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 135-143.	2.2	93
56	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
57	Cigarette smoking reduces DNA methylation levels at multiple genomic loci but the effect is partially reversible upon cessation. <i>Epigenetics</i> , 2014, 9, 1382-1396.	1.3	285
58	Novel Approach Identifies SNPs in SLC2A10 and KCNK9 with Evidence for Parent-of-Origin Effect on Body Mass Index. <i>PLoS Genetics</i> , 2014, 10, e1004508.	1.5	80
59	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
60	Influence of +1245 A/G MT1A polymorphism on advanced glycation end-products (AGEs) in elderly: effect of zinc supplementation. <i>Genes and Nutrition</i> , 2014, 9, 426.	1.2	16
61	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
62	Association among 1267 A/G HSP70-2, 308 G/A TNF- $\alpha$ polymorphisms and pro-inflammatory plasma mediators in old ZincAge population. <i>Biogerontology</i> , 2014, 15, 65-79.	2.0	15
63	Quality control and conduct of genome-wide association meta-analyses. <i>Nature Protocols</i> , 2014, 9, 1192-1212.	5.5	398
64	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	9.4	959
65	Loss-of-Function Mutations in <i>APOC3</i> , Triglycerides, and Coronary Disease. <i>New England Journal of Medicine</i> , 2014, 371, 22-31.	13.9	936
66	The shared allelic architecture of adiponectin levels and coronary artery disease. <i>Atherosclerosis</i> , 2013, 229, 145-148.	0.4	30
67	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. <i>American Journal of Human Genetics</i> , 2013, 93, 236-248.	2.6	60
68	No genetic support for a contribution of prostaglandins to the aetiology of androgenetic alopecia. <i>British Journal of Dermatology</i> , 2013, 169, 222-224.	1.4	8
69	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641
70	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 1345-1352.	9.4	754
71	Androgenetic Alopecia: Identification of Four Genetic Risk Loci and Evidence for the Contribution of WNT Signaling to Its Etiology. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1489-1496.	0.3	83
72	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013, 45, 25-33.	9.4	1,439

#	ARTICLE	IF	CITATIONS
73	Meta-Analysis Investigating Associations Between Healthy Diet and Fasting Glucose and Insulin Levels and Modification by Loci Associated With Glucose Homeostasis in Data From 15 Cohorts. <i>American Journal of Epidemiology</i> , 2013, 177, 103-115.	1.6	74
74	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
75	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471.	6.0	750
76	Genome-wide meta-analysis of observational studies shows common genetic variants associated with macronutrient intake. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1395-1402.	2.2	210
77	Maps of open chromatin highlight cell type-specific restricted patterns of regulatory sequence variation at hematological trait loci. <i>Genome Research</i> , 2013, 23, 1130-1141.	2.4	34
78	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. <i>PLoS Genetics</i> , 2013, 9, e1003500.	1.5	371
79	Higher Magnesium Intake Is Associated with Lower Fasting Glucose and Insulin, with No Evidence of Interaction with Select Genetic Loci, in a Meta-Analysis of 15 CHARGE Consortium Studies. <i>Journal of Nutrition</i> , 2013, 143, 345-353.	1.3	47
80	The Molecular Genetic Architecture of Self-Employment. <i>PLoS ONE</i> , 2013, 8, e60542.	1.1	41
81	Genetic Variants from Lipid-Related Pathways and Risk for Incident Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e60454.	1.1	8
82	Genome-Wide Association for Abdominal Subcutaneous and Visceral Adipose Reveals a Novel Locus for Visceral Fat in Women. <i>PLoS Genetics</i> , 2012, 8, e1002695.	1.5	245
83	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. <i>PLoS Genetics</i> , 2012, 8, e1002607.	1.5	419
84	Six Novel Susceptibility Loci for Early-Onset Androgenetic Alopecia and Their Unexpected Association with Common Diseases. <i>PLoS Genetics</i> , 2012, 8, e1002746.	1.5	92
85	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012, 44, 991-1005.	9.4	746
86	A GWAS sequence variant for platelet volume marks an alternative DNM3 promoter in megakaryocytes near a MEIS1 binding site. <i>Blood</i> , 2012, 120, 4859-4868.	0.6	44
87	Seventy-five genetic loci influencing the human red blood cell. <i>Nature</i> , 2012, 492, 369-375.	13.7	320
88	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012, 44, 981-990.	9.4	1,748
89	Mineral Intake. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 108, 201-236.	0.9	17
90	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. <i>PLoS ONE</i> , 2012, 7, e29202.	1.1	197

#	ARTICLE	IF	CITATIONS
91	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669.	9.4	762
92	Does a short breastfeeding period protect from <i>FTO</i> -induced adiposity in children?. <i>Pediatric Obesity</i> , 2011, 6, e326-e335.	3.2	20
93	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011, 43, 1131-1138.	9.4	501
94	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011, 480, 201-208.	13.7	401
95	The <i>Lin28/let-7</i> Axis Regulates Glucose Metabolism. <i>Cell</i> , 2011, 147, 81-94.	13.5	812
96	Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. <i>Diabetes</i> , 2011, 60, 2624-2634.	0.3	335
97	Genome-Wide Association Analysis Identifies Variants Associated with Nonalcoholic Fatty Liver Disease That Have Distinct Effects on Metabolic Traits. <i>PLoS Genetics</i> , 2011, 7, e1001324.	1.5	796
98	An age-dependent diet-modified effect of the <i>PPAR<math>\beta</math></i> Pro12Ala polymorphism in children. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 467-473.	1.5	20
99	Obesity-susceptibility loci have a limited influence on birth weight: a meta-analysis of up to 28,219 individuals. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 851-860.	2.2	58
100	Association of Genetic Loci With Glucose Levels in Childhood and Adolescence. <i>Diabetes</i> , 2011, 60, 1805-1812.	0.3	103
101	Total Zinc Intake May Modify the Glucose-Raising Effect of a Zinc Transporter ( <i>SLC30A8</i> ) Variant: A 14-Cohort Meta-analysis. <i>Diabetes</i> , 2011, 60, 2407-2416.	0.3	91
102	Physical Activity Attenuates the Influence of <i>FTO</i> Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. <i>PLoS Medicine</i> , 2011, 8, e1001116.	3.9	446
103	Endothelial nitric oxide synthase gene polymorphisms -786T >C and 894G >T in coronary artery bypass graft surgery patients. <i>Human Genomics</i> , 2010, 4, 375.	1.4	28
104	Assessment of gene-nutrient interactions on inflammatory status of the elderly with the use of a zinc diet score - ZINCAGE study. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 526-531.	1.9	28
105	Association of <i>MT1A</i> haplotype with cardiovascular disease and antioxidant enzyme defense in elderly Greek population: comparison with an Italian cohort. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 1008-1014.	1.9	21
106	Variants in <i>ADCY5</i> and near <i>CCNL1</i> are associated with fetal growth and birth weight. <i>Nature Genetics</i> , 2010, 42, 430-435.	9.4	223
107	Interactions of Dietary Whole-Grain Intake With Fasting Glucose- and Insulin-Related Genetic Loci in Individuals of European Descent: A meta-analysis of 14 cohort studies. <i>Diabetes Care</i> , 2010, 33, 2684-2691.	4.3	127
108	Renin-angiotensin-aldosterone system gene polymorphisms in coronary artery bypass graft surgery patients. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010, 11, 136-145.	1.0	16

#	ARTICLE	IF	CITATIONS
109	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	9.4	1,982
110	Effect of zinc supplementation on plasma IL-6 and MCP-1 production and NK cell function in healthy elderly: Interactive influence of +647 MT1a and $\hat{\sim}$ 174 IL-6 polymorphic alleles. <i>Experimental Gerontology</i> , 2008, 43, 462-471.	1.2	71
111	In vitro and in vivo effects of zinc on cytokine signalling in human T cells. <i>Experimental Gerontology</i> , 2008, 43, 472-482.	1.2	39
112	Zinc deficiency and IL-6 $\hat{\sim}$ 174G/C polymorphism in old people from different European countries: Effect of zinc supplementation. ZINCAGE study. <i>Experimental Gerontology</i> , 2008, 43, 433-444.	1.2	63
113	Mediterranean diet and plasma concentration of inflammatory markers in old and very old subjects in the ZINCAGE population study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 990-6.	1.4	35
114	Age-dependent dichotomous effect of superoxide dismutase Ala16Val polymorphism on oxidized LDL levels. <i>Experimental and Molecular Medicine</i> , 2008, 40, 27.	3.2	2
115	Design and descriptive characteristics of the GHRAS: the Greek Health Randomized Aging Study. <i>Medical Science Monitor</i> , 2008, 14, CR204-12.	0.5	6
116	Health status, blood and anthropometrical indices from Greek old and nonagenarian subjects. <i>Biogerontology</i> , 2006, 7, 329-337.	2.0	6