## **Stewart Mercer**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3210949/publications.pdf

Version: 2024-02-01

238 papers

18,392 citations

20817 60 h-index 127 g-index

244 all docs

244 docs citations

times ranked

244

20893 citing authors

#	Article	IF	CITATIONS
1	Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. Lancet, The, 2012, 380, 37-43.	13.7	4,855
2	Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: a modelling study. The Lancet Global Health, 2020, 8, e1003-e1017.	6.3	760
3	The consultation and relational empathy (CARE) measure: development and preliminary validation and reliability of an empathy-based consultation process measure. Family Practice, 2004, 21, 699-705.	1.9	601
4	Defining and measuring multimorbidity: a systematic review of systematic reviews. European Journal of Public Health, 2019, 29, 182-189.	0.3	448
5	Adapting clinical guidelines to take account of multimorbidity. BMJ, The, 2012, 345, e6341-e6341.	6.0	400
6	The Inverse Care Law: Clinical Primary Care Encounters in Deprived and Affluent Areas of Scotland. Annals of Family Medicine, 2007, 5, 503-510.	1.9	298
7	Analyzing the "nature―and "specific effectiveness―of clinical empathy: A theoretical overview and contribution towards a theory-based research agenda. Patient Education and Counseling, 2009, 74, 339-346.	2.2	283
8	Impact of COVID-19 on loneliness, mental health, and health service utilisation: a prospective cohort study of older adults with multimorbidity in primary care. British Journal of General Practice, 2020, 70, e817-e824.	1.4	277
9	Multiple physical and mental health comorbidity in adults with intellectual disabilities: population-based cross-sectional analysis. BMC Family Practice, 2015, 16, 110.	2.9	254
10	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. Lancet, The, 2018, 392, 41-50.	13.7	254
11	Drug-disease and drug-drug interactions: systematic examination of recommendations in 12 UK national clinical guidelines. BMJ, The, 2015, 350, h949-h949.	6.0	247
12	Determinants and patient-reported long-term outcomes of physician empathy in oncology: A structural equation modelling approach. Patient Education and Counseling, 2007, 69, 63-75.	2.2	217
13	Relevance and practical use of the Consultation and Relational Empathy (CARE) Measure in general practice. Family Practice, 2005, 22, 328-334.	1.9	216
14	Empathy and quality of care. British Journal of General Practice, 2002, 52 Suppl, S9-12.	1.4	214
15	The effect of physical multimorbidity, mental health conditions and socioeconomic deprivation on unplanned admissions to hospital: a retrospective cohort study. Cmaj, 2013, 185, E221-E228.	2.0	212
16	An exploratory mixed methods study of the acceptability and effectiveness of mindfulness -based cognitive therapy for patients with active depression and anxiety in primary care. BMC Psychiatry, 2006, 6, 14.	2.6	204
17	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. BMC Medicine, 2014, 12, 188.	5.5	203
18	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. BMJ Open, 2013, 3, e002808.	1.9	184

#	Article	IF	CITATIONS
19	Multimorbidity in primary care: developing the research agenda. Family Practice, 2009, 26, 79-80.	1.9	179
20	Physical multimorbidity, health service use, and catastrophic health expenditure by socioeconomic groups in China: an analysis of population-based panel data. The Lancet Global Health, 2020, 8, e840-e849.	6.3	177
21	Challenges of managing people with multimorbidity in today's healthcare systems. BMC Family Practice, 2015, 16, 129.	2.9	176
22	Is polypharmacy always hazardous? A retrospective cohort analysis using linked electronic health records from primary and secondary care. British Journal of Clinical Pharmacology, 2014, 77, 1073-1082.	2.4	159
23	Multimorbidity in primary care: a systematic review of prospective cohort studies. British Journal of General Practice, 2012, 62, e297-e307.	1.4	156
24	The influence of socioeconomic deprivation on multimorbidity at different ages: a cross-sectional study. British Journal of General Practice, 2014, 64, e440-e447.	1.4	154
25	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. BMC Medicine, 2014, 12, 181.	5 <b>.</b> 5	153
26	Mindfulness based interventions in multiple sclerosis - a systematic review. BMC Neurology, 2014, 14, 15.	1.8	148
27	General practitioner empathy, patient enablement, and patient-reported outcomes in primary care in an area of high socio-economic deprivation in Scotland—A pilot prospective study using structural equation modeling. Patient Education and Counseling, 2008, 73, 240-245.	2.2	140
28	An †endless struggle†: a qualitative study of general practitioners†and practice nurses†experience managing multimorbidity in socio-economically deprived areas of Scotland. Chronic Illness, 2011, 7, 45-59.	s of 1.5	138
29	Does mindfulness improve outcomes in patients with chronic pain? Systematic review and meta-analysis. British Journal of General Practice, 2015, 65, e387-e400.	1.4	135
30	Stroke, multimorbidity and polypharmacy in a nationally representative sample of 1,424,378 patients in Scotland: implications for treatment burden. BMC Medicine, 2014, 12, 151.	5 <b>.</b> 5	124
31	Managing patients with mental and physical multimorbidity. BMJ, The, 2012, 345, e5559-e5559.	6.0	121
32	The Association Between Perceived Stress and Mortality Among People With Multimorbidity: A Prospective Population-Based Cohort Study. American Journal of Epidemiology, 2016, 184, 199-210.	3 <b>.</b> 4	119
33	Practitioner empathy, patient enablement and health outcomes: A prospective study of acupuncture patients. Patient Education and Counseling, 2006, 63, 239-245.	2.2	116
34	Effect of facemasks on empathy and relational continuity: a randomised controlled trial in primary care. BMC Family Practice, 2013, 14, 200.	2.9	116
35	Examining variation in the measurement of multimorbidity in research: a systematic review of 566 studies. Lancet Public Health, The, 2021, 6, e587-e597.	10.0	116
36	Patient enablement requires physician empathy: a cross-sectional study of general practice consultations in areas of high and low socioeconomic deprivation in Scotland. BMC Family Practice, 2012, 13, 6.	2.9	115

3

#	Article	IF	Citations
37	The contribution of risk factors to socioeconomic inequalities in multimorbidity across the lifecourse: a longitudinal analysis of the Twenty-07 cohort. BMC Medicine, 2017, 15, 152.	5.5	112
38	The Effects of Mindfulness-Based Stress Reduction Program on the Mental Health of Family Caregivers: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2014, 83, 45-53.	8.8	108
39	A Pilot Prospective Study on the Consultation and Relational Empathy, Patient Enablement, and Health Changes over 12 Months in Patients Going to the Glasgow Homoeopathic Hospital. Journal of Alternative and Complementary Medicine, 2005, 11, 591-600.	2.1	107
40	General Practitioners' Empathy and Health Outcomes: A Prospective Observational Study of Consultations in Areas of High and Low Deprivation. Annals of Family Medicine, 2016, 14, 117-124.	1.9	107
41	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. BMC Medicine, 2013, 11, 263.	5.5	104
42	Comorbidity and polypharmacy in people with dementia: insights from a large, population-based cross-sectional analysis of primary care data. Age and Ageing, 2017, 46, 33-39.	1.6	104
43	Depression and Multimorbidity. Journal of Clinical Psychiatry, 2014, 75, 1202-1208.	2.2	103
44	Multimorbidity and the inverse care law in primary care. BMJ, The, 2012, 344, e4152-e4152.	6.0	96
45	The CARE Plus study – a whole-system intervention to improve quality of life of primary care patients with multimorbidity in areas of high socioeconomic deprivation: exploratory cluster randomised controlled trial and cost-utility analysis. BMC Medicine, 2016, 14, 88.	5.5	92
46	A Systematic Review of the Benefits of Mindfulness-Based Interventions following Transient Ischemic Attack and Stroke. International Journal of Stroke, 2013, 8, 465-474.	5.9	91
47	More time for complex consultations in a high-deprivation practice is associated with increased patient enablement. British Journal of General Practice, 2007, 57, 960-966.	1.4	87
48	Improving medication management in multimorbidity: development of the MultimorbiditY COllaborative Medication Review And DEcision Making (MY COMRADE) intervention using the Behaviour Change Wheel. Implementation Science, 2015, 10, 132.	6.9	86
49	Comparing the Effectiveness of Mindfulness-based Stress Reduction and Multidisciplinary Intervention Programs for Chronic Pain. Clinical Journal of Pain, 2011, 27, 724-734.	1.9	85
50	Health services research in the public healthcare system in Hong Kong: An analysis of over 1 million antihypertensive prescriptions between 2004–2007 as an example of the potential and pitfalls of using routinely collected electronic patient data. BMC Health Services Research, 2008, 8, 138.	2.2	80
51	Co-morbidity and polypharmacy in Parkinson's disease: insights from a large Scottish primary care database. BMC Neurology, 2017, 17, 126.	1.8	80
52	Providing feedback: Exploring a model (emotion, content, outcomes) for facilitating multisource feedback. Medical Teacher, 2011, 33, 744-749.	1.8	76
53	Empathy, Enablement, and Outcome: An Exploratory Study on Acupuncture Patients' Perceptions. Journal of Alternative and Complementary Medicine, 2003, 9, 869-876.	2.1	75
54	General practice funding underpins the persistence of the inverse care law: cross-sectional study in Scotland. British Journal of General Practice, 2015, 65, e799-e805.	1.4	75

#	Article	IF	Citations
55	Quality in general practice consultations; a qualitative study of the views of patients living in an area of high socio-economic deprivation in Scotland. BMC Family Practice, 2007, 8, 22.	2.9	73
56	Double trouble: the impact of multimorbidity and deprivation on preference-weighted health related quality of life a cross sectional analysis of the Scottish Health Survey. International Journal for Equity in Health, 2013, 12, 67.	3 <b>.</b> 5	72
57	Mindfulness-based stress reduction for people with multiple sclerosis – a feasibility randomised controlled trial. BMC Neurology, 2017, 17, 94.	1.8	72
58	The Role of Empathy in Therapy and the Physician-Patient Relationship. Research in Complementary Medicine, 2012, 19, 252-257.	2.2	70
59	The importance of empathy in the enablement of patients attending the Glasgow Homoeopathic Hospital. British Journal of General Practice, 2002, 52, 901-5.	1.4	68
60	The reliability of workplace-based assessment in postgraduate medical education and training: a national evaluation in general practice in the United Kingdom. Advances in Health Sciences Education, 2009, 14, 219-232.	3.3	66
61	Mindfulness-based cognitive therapy <i>v.</i> group psychoeducation for people with generalised anxiety disorder: Randomised controlled trial. British Journal of Psychiatry, 2016, 209, 68-75.	2.8	65
62	CQI-2-a new measure of holistic interpersonal care in primary care consultations. British Journal of General Practice, 2006, 56, 262-8.	1.4	63
63	The influence of multi-morbidity and self-reported socio-economic standing on the prevalence of depression in an elderly Hong Kong population. BMC Public Health, 2008, 8, 119.	2.9	62
64	Measuring empathic, person-centred communication in primary care nurses: validity and reliability of the Consultation and Relational Empathy (CARE) Measure. BMC Family Practice, 2015, 16, 149.	2.9	59
65	Outcome related to impact on daily living: preliminary validation of the ORIDL instrument. BMC Health Services Research, 2007, $7$ , $139$ .	2.2	57
66	The development of urban community health centres for strengthening primary care in China: a systematic literature review. British Medical Bulletin, 2015, 116, ldv043.	6.9	56
67	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. Annals of Family Medicine, 2015, 13, 164-167.	1.9	56
68	Health benefits of primary care social work for adults with complex health and social needs: a systematic review. Health and Social Care in the Community, 2018, 26, 1-13.	1.6	55
69	A pilot study on the validity and reliability of the Patient Enablement Instrument (PEI) in a Chinese population. Family Practice, 2010, 27, 395-403.	1.9	54
70	Reliability and validity of the Chinese version of the CARE Measure in a primary care setting in Hong Kong. Family Practice, 2009, 26, 398-406.	1.9	53
71	Multimorbidity and mental health: can psychiatry rise to the challenge?. British Journal of Psychiatry, 2013, 202, 391-393.	2.8	51
72	Socioeconomic Determinants of Multimorbidity: A Population-Based Household Survey of Hong Kong Chinese. PLoS ONE, 2015, 10, e0140040.	2.5	51

#	Article	IF	CITATIONS
73	Physical and mental health comorbidities of epilepsy: Population-based cross-sectional analysis of 1.5 million people in Scotland. Seizure: the Journal of the British Epilepsy Association, 2017, 45, 125-131.	2.0	51
74	Scoping review of systematic reviews of complementary medicine for musculoskeletal and mental health conditions. BMJ Open, 2018, 8, e020222.	1.9	51
75	Effectiveness of Community-Links Practitioners in Areas of High Socioeconomic Deprivation. Annals of Family Medicine, 2019, 17, 518-525.	1.9	50
76	The impact of socioeconomic status and multimorbidity on mortality: a population-based cohort study. Clinical Epidemiology, 2017, Volume 9, 279-289.	3.0	49
77	Delivering a primary care-based social prescribing initiative: a qualitative study of the benefits and challenges. British Journal of General Practice, 2018, 68, e487-e494.	1.4	49
78	Multimorbidity and Socioeconomic Deprivation in Primary Care Consultations. Annals of Family Medicine, 2018, 16, 127-131.	1.9	48
79	How to Design and Evaluate Interventions to Improve Outcomes for Patients with Multimorbidity. Journal of Comorbidity, 2013, 3, 10-17.	3.9	46
80	Optimising mindfulness-based stress reduction for people with multiple sclerosis. Chronic Illness, 2018, 14, 154-166.	1.5	46
81	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. BMC Psychiatry, 2014, 14, 261.	2.6	45
82	Randomised controlled trial of a brief intervention targeting predominantly non-verbal communication in general practice consultations. British Journal of General Practice, 2015, 65, e351-e356.	1.4	45
83	Comorbidity in chronic kidney disease: a large cross-sectional study of prevalence in Scottish primary care. British Journal of General Practice, 2021, 71, e243-e249.	1.4	45
84	A qualitative study of patient's views on the consultation at the Glasgow Homoeopathic Hospital, an NHS integrative complementary and orthodox medical care unit. Patient Education and Counseling, 2004, 53, 13-18.	2.2	44
85	How Does Sex Influence Multimorbidity? Secondary Analysis of a Large Nationally Representative Dataset. International Journal of Environmental Research and Public Health, 2016, 13, 391.	2.6	43
86	Mindfulness-based interventions for mental well-being among people with multiple sclerosis: a systematic review and meta-analysis of randomised controlled trials. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 1051-1058.	1.9	42
87	Multimorbidity combinations, costs of hospital care and potentially preventable emergency admissions in England: A cohort study. PLoS Medicine, 2021, 18, e1003514.	8.4	42
88	The †Everyday Work†of Living with Multimorbidity in Socioeconomically Deprived Areas of Scotland. Journal of Comorbidity, 2014, 4, 1-10.	3.9	41
89	Patient centredness and the outcome of primary care consultations with patients with depression in areas of high and low socioeconomic deprivation. British Journal of General Practice, 2012, 62, e576-e581.	1.4	40
90	Examining the practice of generalist expertise: a qualitative study identifying constraints and solutions. JRSM Short Reports, 2013, 4, 204253331351015.	0.6	40

#	Article	IF	Citations
91	Empathy is important for enablement. BMJ: British Medical Journal, 2001, 322, 865-865.	2.3	39
92	Variation in the estimated prevalence of multimorbidity: systematic review and meta-analysis of 193 international studies. BMJ Open, 2022, 12, e057017.	1.9	39
93	Public and private healthcare services utilization by non-institutional elderly in Hong Kong: Is the inverse care law operating?. Health Policy, 2009, 91, 229-238.	3.0	36
94	Distilling the essence of general practice: a learning journey in progress. British Journal of General Practice, 2009, 59, e167-e176.	1.4	36
95	Physical and mental health comorbidity is common in people with multiple sclerosis: nationally representative cross-sectional population database analysis. BMC Neurology, 2014, 14, 128.	1.8	36
96	Holism in primary care: the views of Scotland's general practitioners. Primary Health Care Research and Development, 2005, 6, 320-328.	1.2	35
97	Chronic obstructive pulmonary disease and comorbidities: a large cross-sectional study in primary care. British Journal of General Practice, 2017, 67, e321-e328.	1.4	35
98	The Glasgow †Deep End†M Links Worker Study Protocol: A Quasi-Experimental Evaluation of a Social Prescribing Intervention for Patients with Complex Needs in Areas of High Socioeconomic Deprivation. Journal of Comorbidity, 2017, 7, 1-10.	3.9	34
99	Time to care: tackling health inequalities through primary care. Family Practice, 2011, 28, 1-3.	1.9	33
100	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. Annals of Family Medicine, 2017, 15, 570-577.	1.9	33
101	Impact of the 2004 GMS contract on practice nurses:. British Journal of General Practice, 2008, 58, 711-719.	1.4	32
102	Towards standard setting for patient-reported outcomes in the NHS homeopathic hospitals. Homeopathy, 2008, 97, 114-121.	1.0	31
103	Verbal and non-verbal behaviour and patient perception of communication in primary care: an observational study. British Journal of General Practice, 2015, 65, e357-e365.	1.4	31
104	Managing multimorbidity in primary care in patients with chronic respiratory conditions. Npj Primary Care Respiratory Medicine, 2016, 26, 16043.	2.6	30
105	Research on Patients with Multiple Health Conditions: Different Constructs, Different Views, One Voice. Journal of Comorbidity, 2011, 1, 1-3.	3.9	29
106	The Chinese-version of the CARE Measure reliably differentiates between doctors in primary care: a cross-sectional study in Hong Kong. BMC Family Practice, 2011, 12, 43.	2.9	29
107	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). BMJ Open, 2016, 6, e011261.	1.9	29
108	Comorbidity and polypharmacy in chronic heart failure: a large cross-sectional study in primary care. British Journal of General Practice, 2017, 67, e314-e320.	1.4	29

#	Article	IF	CITATIONS
109	â€~Mind the gaps': the accessibility and implementation of an effective depression relapse prevention programme in UK NHS services: learning from mindfulness-based cognitive therapy through a mixed-methods study. BMJ Open, 2019, 9, e026244.	1.9	28
110	Practitioner empathy, patient enablement and health outcomes of patients attending the Glasgow Homoeopathic Hospital: a retrospective and prospective comparison. Wiener Medizinische Wochenschrift, 2005, 155, 498-501.	1.1	27
111	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. BMJ Open, 2016, 6, e011260.	1.9	27
112	Multimorbidity in middle age predicts more subsequent hospital admissions than in older age: A nine-year retrospective cohort study of 121,188 discharged in-patients. European Journal of Internal Medicine, 2019, 61, 103-111.	2.2	27
113	Incidence of ischaemic heart disease and stroke among people with psychiatric disorders: retrospective cohort study. British Journal of Psychiatry, 2020, 217, 442-449.	2.8	27
114	Psychosocial distress of Tibetans in exile: integrating western interventions with traditional beliefs and practice. Social Science and Medicine, 2005, 60, 179-189.	3.8	26
115	A qualitative study of the views of patients with long-term conditions on family doctors in Hong Kong. BMC Family Practice, 2010, $11$ , $46$ .	2.9	26
116	Chronic Migraine, Comorbidity, and Socioeconomic Deprivation: Cross-Sectional Analysis of a Large Nationally Representative Primary Care Database. Journal of Comorbidity, 2017, 7, 89-95.	3.9	26
117	Beyond multimorbidity: What can we learn from complexity science?. Journal of Evaluation in Clinical Practice, 2021, 27, 1187-1193.	1.8	26
118	Does Self-Determination Theory help explain the impact of social prescribing? A qualitative analysis of patients' experiences of the Glasgow â€~Deep-End' Community Links Worker Intervention. Chronic Illness, 2021, 17, 173-188.	1.5	25
119	The development and optimisation of a primary care-based whole system complex intervention (CARE) Tj ETQq1 Illness, 2016, 12, 165-181.	l 0.78431 1.5	_
120	Improving together: a new quality framework for GP clusters in Scotland. British Journal of General Practice, 2017, 67, 294-295.	1.4	24
121	The inverse care law and the potential of primary care in deprived areas. Lancet, The, 2021, 397, 775-776.	13.7	24
122	Implementing social prescribing in primary care in areas of high socioeconomic deprivation: process evaluation of the †Deep End' community Links Worker Programme. British Journal of General Practice, 2021, 71, e912-e920.	1.4	24
123	Supporting Goal-Oriented Primary Health Care for Seniors with Complex Care Needs Using Mobile Technology: Evaluation and Implementation of the Health System Performance Research Network, Bridgepoint Electronic Patient Reported Outcome Tool. JMIR Research Protocols, 2016, 5, e126.	1.0	23
124	Chronic psychosocial stress: does it modulate immunity to the influenza vaccine in Hong Kong Chinese elderly caregivers?. Age, 2013, 35, 1479-1493.	3.0	22
125	Prevention of anxiety and depression in Chinese: A randomized clinical trial testing the effectiveness of a stepped care program in primary care. Journal of Affective Disorders, 2014, 169, 212-220.	4.1	22
126	Standard cardiovascular disease risk algorithms underestimate the risk of cardiovascular disease in schizophrenia: Evidence from a national primary care database. Schizophrenia Research, 2014, 159, 176-181.	2.0	22

#	Article	IF	CITATIONS
127	Reliability and validity of the Croatian version of Consultation and Relational Empathy (CARE) Measure in primary care setting. Croatian Medical Journal, 2015, 56, 50-56.	0.7	22
128	Complementary medicine use, views, and experiences: a national survey in England. BJGP Open, 2018, 2, bjgpopen18X101614.	1.8	22
129	Involving deprived communities in improving the quality of primary care services: does participatory action research work?. BMC Health Services Research, 2007, 7, 88.	2.2	21
130	Mental Health of Migrant Children. International Journal of Mental Health, 2009, 38, 44-52.	1.3	21
131	A qualitative study of patients' views on quality of primary care consultations in Hong Kong and comparison with the UK CARE Measure. BMC Family Practice, 2009, 10, 10.	2.9	21
132	Mindfulness-based interventions in epilepsy: a systematic review. BMC Neurology, 2017, 17, 52.	1.8	21
133	Improving the Health of People with Multimorbidity: The Need for Prospective Cohort Studies. Journal of Comorbidity, 2011, 1, 4-7.	3.9	20
134	Acceptability of mindfulness from the perspective of stroke survivors and caregivers: a qualitative study. Pilot and Feasibility Studies, 2018, 4, 57.	1.2	20
135	Effects of Mindfulness-based interventions on physical symptoms in people with multiple sclerosis – a systematic review and meta-analysis. Multiple Sclerosis and Related Disorders, 2020, 38, 101493.	2.0	20
136	Cultural and Spiritual Constructions of Mental Distress and Associated Coping Mechanisms of Tibetans in Exile: Implications for Western Interventions. Journal of Refugee Studies, 2006, 19, 187-202.	1.7	19
137	A randomized, controlled clinical trial: the effect of mindfulness-based cognitive therapy on generalized anxiety disorder among Chinese community patients: protocol for a randomized trial. BMC Psychiatry, 2011, 11, 187.	2.6	19
138	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. Family Practice, 2017, 34, 119-124.	1.9	19
139	Mindfulness-Based Interventions for Young Offenders: a Scoping Review. Mindfulness, 2018, 9, 1330-1343.	2.8	19
140	Measuring the effects of listening for leisure on outcome after stroke (MELLO): A pilot randomized controlled trial of mindful music listening. International Journal of Stroke, 2020, 15, 149-158.	5.9	19
141	Using clinical audit to improve the quality of obstetric care at the Tibetan Delek Hospital in North India: a longitudinal study. Reproductive Health, 2006, 3, 4.	3.1	17
142	Accessibility and implementation in UK services of an effective depression relapse prevention programme – mindfulness-based cognitive therapy (MBCT): ASPIRE study protocol. Implementation Science, 2014, 9, 62.	6.9	17
143	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. Scientific Reports, 2016, 6, 29758.	3.3	17
144	Impact of educational attainment on the association between social class at birth and multimorbidity in middle age in the Aberdeen Children of the 1950s cohort study. BMJ Open, 2019, 9, e024048.	1.9	17

#	Article	IF	Citations
145	General Practitioners at the Deep End: The experience and views of general practitioners working in the most severely deprived areas of Scotland. Occasional Paper (royal College of General) Tj ETQq1 1 0.784314	rgB¶.øOve	rloak 10 Tf 50
146	Postgraduate education for Chinese medicine practitioners: a Hong Kong perspective. BMC Medical Education, 2009, 9, 10.	2.4	16
147	Improving Outcomes through Transformational Health and Social Care Integration – The Scottish Experience. Healthcare Quarterly, 2016, 19, 73-79.	0.7	16
148	Accessibility and implementation in the UK NHS services of an effective depression relapse prevention programme: learning from mindfulness-based cognitive therapy through a mixed-methods study. Health Services and Delivery Research, 2017, 5, 1-190.	1.4	16
149	How useful are clinical guidelines for the management of obesity in general practice?. British Journal of General Practice, 2009, 59, 863-868.	1.4	15
150	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. British Journal of General Practice, 2014, 64, e649-e656.	1.4	15
151	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. BMJ Open, 2018, 8, e019845.	1.9	15
152	â€Trying to put a square peg into a round hole': a qualitative study of healthcare professionals' views of integrating complementary medicine into primary care for musculoskeletal and mental health comorbidity. BMC Complementary and Alternative Medicine, 2018, 18, 290.	3.7	15
153	Participants' experiences of music, mindful music, and audiobook listening interventions for people recovering from stroke. Annals of the New York Academy of Sciences, 2018, 1423, 349-359.	3.8	15
154	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. Health Services and Delivery Research, 2019, 7, 1-238.	1.4	15
155	Measuring the Impact of Rehabilitation Services on the Quality of Life of Disabled People in Cambodia. Disasters, 2002, 26, 175-191.	2.2	14
156	Using normalisation process theory to understand barriers and facilitators to implementing mindfulness-based stress reduction for people with multiple sclerosis. Chronic Illness, 2019, 15, 306-318.	1.5	14
157	Collaborative improvement in Scottish GP clusters after the Quality and Outcomes Framework: a qualitative study. British Journal of General Practice, 2021, 71, e719-e727.	1.4	14
158	Insightful practice: a reliable measure for medical revalidation. BMJ Quality and Safety, 2012, 21, 649-656.	3.7	13
159	Mindfulness-based interventions for people with multiple sclerosis. Multiple Sclerosis Journal, 2015, 21, 1093-1094.	3.0	13
160	eHealth Advances in Support of People with Complex Care Needs: Case Examples from Canada, Scotland and the US. Healthcare Quarterly, 2016, 19, 29-37.	0.7	13
161	Patients with more comorbidities have better detection of chronic conditions, but poorer management and control: findings from six middle-income countries. BMC Public Health, 2020, 20, 9.	2.9	13
162	Linkage of national health and social care data: a cross-sectional study of multimorbidity and social care use in people aged over 65Âyears in Scotland. Age and Ageing, 2021, 50, 176-182.	1.6	13

#	Article	IF	CITATIONS
163	The Association of Types of Training and Practice Settings with Doctors' Empathy and Patient Enablement among Patients with Chronic Illness in Hong Kong. PLoS ONE, 2015, 10, e0144492.	2.5	13
164	Association of Oral Health with Multimorbidity among Older Adults: Findings from the Longitudinal Ageing Study in India, Wave-1, 2017–2019. International Journal of Environmental Research and Public Health, 2021, 18, 12853.	2.6	13
165	Disability and human rights. Lancet, The, 2007, 370, 548-549.	13.7	12
166	The impact of general practitioner morale on patient satisfaction with care: a cross-sectional study. BMC Family Practice, 2007, 8, 57.	2.9	12
167	Enhancing empathy in healthcare: mixed-method evaluation of a pilot project implementing the CARE Approach in primary and community care settings in Scotland. Journal of Compassionate Health Care, $2014, 1, .$	1.2	12
168	Cohort profile: The prospective study on Chinese elderly with multimorbidity in primary care in Hong Kong. BMJ Open, 2020, 10, e027279.	1.9	12
169	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. Health Expectations, 2022, 25, 203-213.	2.6	12
170	Progress of GP clusters 2 years after their introduction in Scotland: findings from the Scottish School of Primary Care national GP survey. BJGP Open, 2020, 4, bjgpopen20X101112.	1.8	12
171	Developing middle-ground research to support primary care transformation. British Journal of General Practice, 2017, 67, 498-499.	1.4	11
172	The association between mental-physical multimorbidity and disability, work productivity, and social participation in China: a panel data analysis. BMC Public Health, 2021, 21, 376.	2.9	11
173	Cognitive behavioural therapy: why primary care should have it all. British Journal of General Practice, 2013, 63, 103-104.	1.4	10
174	Do multimorbidity and deprivation influence patients' emotional expressions and doctors' responses in primary care consultations? – An exploratory study using multilevel analysis. Patient Education and Counseling, 2015, 98, 1063-1070.	2.2	10
175	Assessing the Consultation and Relational Empathy (CARE) Measure in sexual health nurses' consultations. BMC Nursing, 2017, 16, 71.	2.5	10
176	Measuring empathy in pediatrics: validation of the Visual CARE measure. BMC Pediatrics, 2018, 18, 57.	1.7	10
177	Association between antipsychotic use and acute ischemic heart disease in women but not in men: a retrospective cohort study of over one million primary care patients. BMC Medicine, 2020, 18, 289.	5.5	10
178	Mindfulness-based interventions for people with multiple sclerosis: a systematic review and meta-aggregation of qualitative research studies. Disability and Rehabilitation, 2022, 44, 6179-6193.	1.8	10
179	Smoking cessation interventions for patients with coronary heart disease and comorbidities: an observational cross-sectional study in primary care. British Journal of General Practice, 2017, 67, e118-e129.	1.4	9
180	Assessing the Implementation and Effectiveness of the Electronic Patient-Reported Outcome Tool for Older Adults With Complex Care Needs: Mixed Methods Study. Journal of Medical Internet Research, 2021, 23, e29071.	4.3	9

#	Article	IF	CITATIONS
181	Association of severe mental illness with stroke outcomes and process-of-care quality indicators: nationwide cohort study. British Journal of Psychiatry, 2022, 221, 394-401.	2.8	9
182	Prevalence of secondary care multimorbidity in mid-life and its association with premature mortality in a large longitudinal cohort study. BMJ Open, 2020, 10, e033622.	1.9	9
183	Follow-up care delivery in community-based hypertension and type 2 diabetes management: a multi-centre, survey study among rural primary care physicians in China. BMC Family Practice, 2021, 22, 224.	2.9	9
184	Connecting, Assessing, Responding and Empowering (CARE): a universal approach to person-centred, empathic healthcare encounters. Education for Primary Care, 2012, 23, 454-7.	0.6	9
185	Association of Antihypertensive Monotherapy With Serum Sodium and Potassium Levels in Chinese Patients. American Journal of Hypertension, 2009, 22, 243-249.	2.0	8
186	Risk of intracranial haemorrhage linked to co-treatment with antidepressants and NSAIDs. BMJ, The, 2015, 351, h3745.	6.0	8
187	A preliminary evaluation of the Visual CARE Measure for use by Allied Health Professionals with children and their parents. Journal of Child Health Care, 2016, 20, 55-67.	1.4	8
188	Complementary medicine and the NHS: Experiences of integration with UK primary care. European Journal of Integrative Medicine, 2018, 24, 8-16.	1.7	8
189	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. BMJ Open, 2020, 10, e030110.	1.9	8
190	Incentivised chronic disease management and the inverse equity hypothesis: findings from a longitudinal analysis of Scottish primary care practice-level data. BMC Medicine, 2017, 15, 77.	5.5	7
191	Adaptation of a Mindfulness-Based Intervention for Incarcerated Young Men: a Feasibility Study. Mindfulness, 2019, 10, 1568-1578.	2.8	7
192	Working lives of GPs in Scotland and England: cross-sectional analysis of national surveys. BMJ Open, 2020, 10, e042236.	1.9	7
193	The Patient Centred Assessment Method for improving nurse-led biopsychosocial assessment of patients with long-term conditions: a feasibility RCT. Health Services and Delivery Research, 2018, 6, 1-120.	1.4	7
194	Exploring the relationship between the usability of a goal-oriented mobile health application and non-usage attrition in patients with multimorbidity: A blended data analysis approach. Digital Health, 2021, 7, 205520762110455.	1.8	7
195	An evaluation of the impact of a large group psycho-education programme (Stress Control) on patient outcome: does empathy make a difference?. The Cognitive Behaviour Therapist, 2010, 3, 1-17.	1.0	6
196	Incidence of Type 2 Diabetes in People With a History of Hospitalization for Major Mental Illness in Scotland, 2001–2015: A Retrospective Cohort Study. Diabetes Care, 2019, 42, 1879-1885.	8.6	6
197	Effect of physician attire on patient perceptions of empathy in Japan: a quasi-randomized controlled trial in primary care. BMC Family Practice, 2021, 22, 59.	2.9	6
198	Excessive polypharmacy and potentially inappropriate prescribing in 147 care-homes: cross-sectional study. BJGP Open, 2021, , BJGPO.2021.0167.	1.8	6

#	Article	IF	Citations
199	Potentially inappropriate primary care prescribing in people with chronic kidney disease: a cross-sectional analysis of a large population cohort. British Journal of General Practice, 2021, 71, e483-e490.	1.4	6
200	Epidemiology of multimorbidity – Authors' reply. Lancet, The, 2012, 380, 1383-1384.	13.7	5
201	Comorbidity in asthma is important and requires a generalist approach. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2014, 23, 4-5.	2.3	5
202	General practitioners' patient-centredness and responses to patients' emotional cues and concerns: relationships with perceived empathy in areas of high and low socioeconomic deprivation. Journal of Compassionate Health Care, 2015, 2, .	1.2	5
203	"l'm empowered to look after myself―— Mindfulness as a way to manage chronic pain: An interpretative phenomenological analysis of participant experiences in Scotland. Social Science and Medicine, 2021, 281, 114073.	3.8	5
204	Embracing Empathy., 0,,.		5
205	Further observations on enablement. British Journal of General Practice, 2008, 58, 499-500.	1.4	4
206	Psychological therapies in primary care: a progress report. British Journal of General Practice, 2014, 64, 556-557.	1.4	4
207	Can mindfulness groups treat common mental health problems? Problematic design and short follow-up fails to answer the question. Evidence-Based Mental Health, 2015, 18, 124-124.	4.5	4
208	Accounting for multimorbidity in pay for performance: a modelling study using UK Quality and Outcomes Framework data. British Journal of General Practice, 2016, 66, e561-e567.	1.4	4
209	How many patients are required to provide a high level of reliability in the Japanese version of the CARE Measure? A secondary analysis. BMC Family Practice, 2018, 19, 138.	2.9	4
210	Do GPs use motivational interviewing skills in routine consultations with patients living with mental-physical multimorbidity? An observational study of primary care in Scotland. Chronic Illness, 2021, 17, 29-40.	1.5	4
211	Multimorbidity., 2011, , 173-221.		4
212	Antihypertensive drug class and impaired fasting glucose: a risk association study among Chinese patients with uncomplicated hypertension. BMC Clinical Pharmacology, 2008, 8, 6.	2.5	3
213	Enhancing Research Quality and Reporting: Why the Journal of Comorbidity is Now Publishing Study Protocols. Journal of Comorbidity, 2014, 4, 55-57.	3.9	3
214	Exploring the utility of self-determination theory in complex interventions in multimorbidity: A qualitative analysis of patient experiences of the CARE Plus intervention. Chronic Illness, 2021, 17, 433-450.	1.5	3
215	Development of the Italian version of the Consultation and Relational Empathy (CARE) measure: translation, internal reliability, and construct validity in patients undergoing rehabilitation after total hip and knee arthroplasty. Disability and Rehabilitation, 2022, , 1-6.	1.8	3
216	Survey to identify research priorities for primary care in Scotland during and following the COVID-19 pandemic. BMJ Open, 2022, 12, e056817.	1.9	3

#	Article	IF	CITATIONS
217	Conceptualization, use, and outcomes associated with empathy and compassion in physical medicine and rehabilitation: a scoping review. International Journal of Rehabilitation Research, 2022, 45, 291-301.	1.3	3
218	Doctors and medical students with disabilities. Medical Education, 2000, 34, 962-962.	2.1	2
219	Innovations and developments. Education for Primary Care, 2012, 23, 451-457.	0.6	2
220	Unscheduled care pathways in patients with myocardial infarction in Scotland. Heart, 2022, , heartjnl-2021-320614.	2.9	2
221	Validity and reliability of a Korean version of the Consultation and Relational Empathy (CARE) measure. BMC Medical Education, 2022, 22, .	2.4	2
222	Questionnaire severity measures for depression. British Journal of General Practice, 2011, 61, 324.3-325.	1.4	1
223	A pilot study to explore the feasibility, validity and reliability of a visual version of the CARE Measure. International Journal of Therapy and Rehabilitation, 2013, 20, 460-465.	0.3	1
224	Response to: Assessing the harms of polypharmacy requires careful interpretation and consistent definitions. British Journal of Clinical Pharmacology, 2014, 78, 672-673.	2.4	1
225	The Journal of Comorbidity Affiliates with the Scottish School of Primary Care. Journal of Comorbidity, 2017, 7, 112-113.	3.9	1
226	Divided we fall: the commodification of primary medical care. BMJ: British Medical Journal, 2018, 360, k787.	2.3	1
227	â€`Learning together': sharing international experience on new models of primary care. Scandinavian Journal of Primary Health Care, 2018, 36, 3-4.	1.5	1
228	Mental Health and Long-Term Physical Conditions. , 0, , 175-184.		1
229	Transforming primary care in Scotland: a critical policy analysis. British Journal of General Practice, 2022, 72, 292-294.	1.4	1
230	Physical health indicators in SMI. British Journal of General Practice, 2015, 65, 12.3-12.	1.4	0
231	Authors' reply to Lewis and Bray. BMJ, The, 2015, 351, h4446.	6.0	0
232	The Journal of Comorbidity Affiliates with the North American Primary Care Research Group. Journal of Comorbidity, 2017, 7, 114-116.	3.9	0
233	A new kind of research. InnovAiT, 2018, 11, 495-499.	0.0	0
234	Multimorbidity and patient-centred care in the 3D trial – Authors' reply. Lancet, The, 2019, 393, 129.	13.7	O

#	Article	IF	CITATIONS
235	Multimorbidity and GP burnout. British Journal of General Practice, 2020, 70, 108.1-108.	1.4	O
236	Integration of health and social care: necessary but challenging for all. British Journal of General Practice, 2021, 71, 442-443.	1.4	0
237	Outside Back Cover: Volume 25 Issue 1. Health Expectations, 2022, 25, .	2.6	0
238	OUP accepted manuscript. Family Practice, 2022, , .	1.9	0