

Stewart Mercer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3210949/publications.pdf>

Version: 2024-02-01

238
papers

18,392
citations

20817

60
h-index

14759

127
g-index

244
all docs

244
docs citations

244
times ranked

20893
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of severe mental illness with stroke outcomes and process-of-care quality indicators: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 394-401.	2.8	9
2	Mindfulness-based interventions for people with multiple sclerosis: a systematic review and meta-aggregation of qualitative research studies. <i>Disability and Rehabilitation</i> , 2022, 44, 6179-6193.	1.8	10
3	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. <i>Health Expectations</i> , 2022, 25, 203-213.	2.6	12
4	Development of the Italian version of the Consultation and Relational Empathy (CARE) measure: translation, internal reliability, and construct validity in patients undergoing rehabilitation after total hip and knee arthroplasty. <i>Disability and Rehabilitation</i> , 2022, , 1-6.	1.8	3
5	Outside Back Cover: Volume 25 Issue 1. <i>Health Expectations</i> , 2022, 25, .	2.6	0
6	Unscheduled care pathways in patients with myocardial infarction in Scotland. <i>Heart</i> , 2022, , heartjnl-2021-320614.	2.9	2
7	OUP accepted manuscript. <i>Family Practice</i> , 2022, , .	1.9	0
8	Variation in the estimated prevalence of multimorbidity: systematic review and meta-analysis of 193 international studies. <i>BMJ Open</i> , 2022, 12, e057017.	1.9	39
9	Survey to identify research priorities for primary care in Scotland during and following the COVID-19 pandemic. <i>BMJ Open</i> , 2022, 12, e056817.	1.9	3
10	Transforming primary care in Scotland: a critical policy analysis. <i>British Journal of General Practice</i> , 2022, 72, 292-294.	1.4	1
11	Validity and reliability of a Korean version of the Consultation and Relational Empathy (CARE) measure. <i>BMC Medical Education</i> , 2022, 22, .	2.4	2
12	Conceptualization, use, and outcomes associated with empathy and compassion in physical medicine and rehabilitation: a scoping review. <i>International Journal of Rehabilitation Research</i> , 2022, 45, 291-301.	1.3	3
13	Exploring the utility of self-determination theory in complex interventions in multimorbidity: A qualitative analysis of patient experiences of the CARE Plus intervention. <i>Chronic Illness</i> , 2021, 17, 433-450.	1.5	3
14	Does Self-Determination Theory help explain the impact of social prescribing? A qualitative analysis of patients' experiences of the Glasgow "Deep-End" Community Links Worker Intervention. <i>Chronic Illness</i> , 2021, 17, 173-188.	1.5	25
15	Do GPs use motivational interviewing skills in routine consultations with patients living with mental-physical multimorbidity? An observational study of primary care in Scotland. <i>Chronic Illness</i> , 2021, 17, 29-40.	1.5	4
16	Linkage of national health and social care data: a cross-sectional study of multimorbidity and social care use in people aged over 65 years in Scotland. <i>Age and Ageing</i> , 2021, 50, 176-182.	1.6	13
17	Multimorbidity combinations, costs of hospital care and potentially preventable emergency admissions in England: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003514.	8.4	42
18	The association between mental-physical multimorbidity and disability, work productivity, and social participation in China: a panel data analysis. <i>BMC Public Health</i> , 2021, 21, 376.	2.9	11

#	ARTICLE	IF	CITATIONS
19	Beyond multimorbidity: What can we learn from complexity science?. Journal of Evaluation in Clinical Practice, 2021, 27, 1187-1193.	1.8	26
20	The inverse care law and the potential of primary care in deprived areas. Lancet, The, 2021, 397, 775-776.	13.7	24
21	Effect of physician attire on patient perceptions of empathy in Japan: a quasi-randomized controlled trial in primary care. BMC Family Practice, 2021, 22, 59.	2.9	6
22	Assessing the Implementation and Effectiveness of the Electronic Patient-Reported Outcome Tool for Older Adults With Complex Care Needs: Mixed Methods Study. Journal of Medical Internet Research, 2021, 23, e29071.	4.3	9
23	Collaborative improvement in Scottish GP clusters after the Quality and Outcomes Framework: a qualitative study. British Journal of General Practice, 2021, 71, e719-e727.	1.4	14
24	Implementing social prescribing in primary care in areas of high socioeconomic deprivation: process evaluation of the "Deep End"™ community Links Worker Programme. British Journal of General Practice, 2021, 71, e912-e920.	1.4	24
25	"I'm empowered to look after myself" Mindfulness as a way to manage chronic pain: An interpretative phenomenological analysis of participant experiences in Scotland. Social Science and Medicine, 2021, 281, 114073.	3.8	5
26	Examining variation in the measurement of multimorbidity in research: a systematic review of 566 studies. Lancet Public Health, The, 2021, 6, e587-e597.	10.0	116
27	Comorbidity in chronic kidney disease: a large cross-sectional study of prevalence in Scottish primary care. British Journal of General Practice, 2021, 71, e243-e249.	1.4	45
28	Exploring the relationship between the usability of a goal-oriented mobile health application and non-usage attrition in patients with multimorbidity: A blended data analysis approach. Digital Health, 2021, 7, 205520762110455.	1.8	7
29	Integration of health and social care: necessary but challenging for all. British Journal of General Practice, 2021, 71, 442-443.	1.4	0
30	Excessive polypharmacy and potentially inappropriate prescribing in 147 care-homes: cross-sectional study. BJGP Open, 2021, , BJGPO.2021.0167.	1.8	6
31	Potentially inappropriate primary care prescribing in people with chronic kidney disease: a cross-sectional analysis of a large population cohort. British Journal of General Practice, 2021, 71, e483-e490.	1.4	6
32	Follow-up care delivery in community-based hypertension and type 2 diabetes management: a multi-centre, survey study among rural primary care physicians in China. BMC Family Practice, 2021, 22, 224.	2.9	9
33	Association of Oral Health with Multimorbidity among Older Adults: Findings from the Longitudinal Ageing Study in India, Wave-1, 2017-2019. International Journal of Environmental Research and Public Health, 2021, 18, 12853.	2.6	13
34	Measuring the effects of listening for leisure on outcome after stroke (MELLO): A pilot randomized controlled trial of mindful music listening. International Journal of Stroke, 2020, 15, 149-158.	5.9	19
35	Incidence of ischaemic heart disease and stroke among people with psychiatric disorders: retrospective cohort study. British Journal of Psychiatry, 2020, 217, 442-449.	2.8	27
36	Effects of Mindfulness-based interventions on physical symptoms in people with multiple sclerosis " a systematic review and meta-analysis. Multiple Sclerosis and Related Disorders, 2020, 38, 101493.	2.0	20

#	ARTICLE	IF	CITATIONS
37	Physical multimorbidity, health service use, and catastrophic health expenditure by socioeconomic groups in China: an analysis of population-based panel data. <i>The Lancet Global Health</i> , 2020, 8, e840-e849.	6.3	177
38	Association between antipsychotic use and acute ischemic heart disease in women but not in men: a retrospective cohort study of over one million primary care patients. <i>BMC Medicine</i> , 2020, 18, 289.	5.5	10
39	Cohort profile: The prospective study on Chinese elderly with multimorbidity in primary care in Hong Kong. <i>BMJ Open</i> , 2020, 10, e027279.	1.9	12
40	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e030110.	1.9	8
41	Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: a modelling study. <i>The Lancet Global Health</i> , 2020, 8, e1003-e1017.	6.3	760
42	Patients with more comorbidities have better detection of chronic conditions, but poorer management and control: findings from six middle-income countries. <i>BMC Public Health</i> , 2020, 20, 9.	2.9	13
43	Multimorbidity and GP burnout. <i>British Journal of General Practice</i> , 2020, 70, 108.1-108.	1.4	0
44	Prevalence of secondary care multimorbidity in mid-life and its association with premature mortality in a large longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e033622.	1.9	9
45	Working lives of GPs in Scotland and England: cross-sectional analysis of national surveys. <i>BMJ Open</i> , 2020, 10, e042236.	1.9	7
46	Impact of COVID-19 on loneliness, mental health, and health service utilisation: a prospective cohort study of older adults with multimorbidity in primary care. <i>British Journal of General Practice</i> , 2020, 70, e817-e824.	1.4	277
47	Progress of GP clusters 2 years after their introduction in Scotland: findings from the Scottish School of Primary Care national GP survey. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101112.	1.8	12
48	Defining and measuring multimorbidity: a systematic review of systematic reviews. <i>European Journal of Public Health</i> , 2019, 29, 182-189.	0.3	448
49	Multimorbidity and patient-centred care in the 3D trial – Authors' reply. <i>Lancet</i> , 2019, 393, 129.	13.7	0
50	Mindfulness-based interventions for mental well-being among people with multiple sclerosis: a systematic review and meta-analysis of randomised controlled trials. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 1051-1058.	1.9	42
51	Impact of educational attainment on the association between social class at birth and multimorbidity in middle age in the Aberdeen Children of the 1950s cohort study. <i>BMJ Open</i> , 2019, 9, e024048.	1.9	17
52	Adaptation of a Mindfulness-Based Intervention for Incarcerated Young Men: a Feasibility Study. <i>Mindfulness</i> , 2019, 10, 1568-1578.	2.8	7
53	Incidence of Type 2 Diabetes in People With a History of Hospitalization for Major Mental Illness in Scotland, 2001–2015: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2019, 42, 1879-1885.	8.6	6
54	Effectiveness of Community-Links Practitioners in Areas of High Socioeconomic Deprivation. <i>Annals of Family Medicine</i> , 2019, 17, 518-525.	1.9	50

#	ARTICLE	IF	CITATIONS
55	Multimorbidity in middle age predicts more subsequent hospital admissions than in older age: A nine-year retrospective cohort study of 121,188 discharged in-patients. <i>European Journal of Internal Medicine</i> , 2019, 61, 103-111.	2.2	27
56	Using normalisation process theory to understand barriers and facilitators to implementing mindfulness-based stress reduction for people with multiple sclerosis. <i>Chronic Illness</i> , 2019, 15, 306-318.	1.5	14
57	“Mind the gaps”™: the accessibility and implementation of an effective depression relapse prevention programme in UK NHS services: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>BMJ Open</i> , 2019, 9, e026244.	1.9	28
58	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <i>Health Services and Delivery Research</i> , 2019, 7, 1-238.	1.4	15
59	Measuring empathy in pediatrics: validation of the Visual CARE measure. <i>BMC Pediatrics</i> , 2018, 18, 57.	1.7	10
60	Divided we fall: the commodification of primary medical care. <i>BMJ: British Medical Journal</i> , 2018, 360, k787.	2.3	1
61	Multimorbidity and Socioeconomic Deprivation in Primary Care Consultations. <i>Annals of Family Medicine</i> , 2018, 16, 127-131.	1.9	48
62	“Learning together”™: sharing international experience on new models of primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 3-4.	1.5	1
63	Mindfulness-Based Interventions for Young Offenders: a Scoping Review. <i>Mindfulness</i> , 2018, 9, 1330-1343.	2.8	19
64	Health benefits of primary care social work for adults with complex health and social needs: a systematic review. <i>Health and Social Care in the Community</i> , 2018, 26, 1-13.	1.6	55
65	Optimising mindfulness-based stress reduction for people with multiple sclerosis. <i>Chronic Illness</i> , 2018, 14, 154-166.	1.5	46
66	A new kind of research. <i>InnovAiT</i> , 2018, 11, 495-499.	0.0	0
67	Complementary medicine use, views, and experiences: a national survey in England. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101614.	1.8	22
68	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. <i>BMJ Open</i> , 2018, 8, e019845.	1.9	15
69	“Trying to put a square peg into a round hole”™: a qualitative study of healthcare professionals’™ views of integrating complementary medicine into primary care for musculoskeletal and mental health comorbidity. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 290.	3.7	15
70	Scoping review of systematic reviews of complementary medicine for musculoskeletal and mental health conditions. <i>BMJ Open</i> , 2018, 8, e020222.	1.9	51
71	Complementary medicine and the NHS: Experiences of integration with UK primary care. <i>European Journal of Integrative Medicine</i> , 2018, 24, 8-16.	1.7	8
72	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. <i>Lancet, The</i> , 2018, 392, 41-50.	13.7	254

#	ARTICLE	IF	CITATIONS
73	Delivering a primary care-based social prescribing initiative: a qualitative study of the benefits and challenges. <i>British Journal of General Practice</i> , 2018, 68, e487-e494.	1.4	49
74	Acceptability of mindfulness from the perspective of stroke survivors and caregivers: a qualitative study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 57.	1.2	20
75	Participantsâ€™ experiences of music, mindful music, and audiobook listening interventions for people recovering from stroke. <i>Annals of the New York Academy of Sciences</i> , 2018, 1423, 349-359.	3.8	15
76	How many patients are required to provide a high level of reliability in the Japanese version of the CARE Measure? A secondary analysis. <i>BMC Family Practice</i> , 2018, 19, 138.	2.9	4
77	The Patient Centred Assessment Method for improving nurse-led biopsychosocial assessment of patients with long-term conditions: a feasibility RCT. <i>Health Services and Delivery Research</i> , 2018, 6, 1-120.	1.4	7
78	Comorbidity and polypharmacy in people with dementia: insights from a large, population-based cross-sectional analysis of primary care data. <i>Age and Ageing</i> , 2017, 46, 33-39.	1.6	104
79	Comorbidity and polypharmacy in chronic heart failure: a large cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e314-e320.	1.4	29
80	Chronic obstructive pulmonary disease and comorbidities: a large cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e321-e328.	1.4	35
81	Physical and mental health comorbidities of epilepsy: Population-based cross-sectional analysis of 1.5 million people in Scotland. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 45, 125-131.	2.0	51
82	Mindfulness-based interventions in epilepsy: a systematic review. <i>BMC Neurology</i> , 2017, 17, 52.	1.8	21
83	Smoking cessation interventions for patients with coronary heart disease and comorbidities: an observational cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e118-e129.	1.4	9
84	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. <i>Family Practice</i> , 2017, 34, 119-124.	1.9	19
85	Developing middle-ground research to support primary care transformation. <i>British Journal of General Practice</i> , 2017, 67, 498-499.	1.4	11
86	Co-morbidity and polypharmacy in Parkinsonâ€™s disease: insights from a large Scottish primary care database. <i>BMC Neurology</i> , 2017, 17, 126.	1.8	80
87	Mindfulness-based stress reduction for people with multiple sclerosis â€“ a feasibility randomised controlled trial. <i>BMC Neurology</i> , 2017, 17, 94.	1.8	72
88	Incentivised chronic disease management and the inverse equity hypothesis: findings from a longitudinal analysis of Scottish primary care practice-level data. <i>BMC Medicine</i> , 2017, 15, 77.	5.5	7
89	Improving together: a new quality framework for GP clusters in Scotland. <i>British Journal of General Practice</i> , 2017, 67, 294-295.	1.4	24
90	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. <i>Annals of Family Medicine</i> , 2017, 15, 570-577.	1.9	33

#	ARTICLE	IF	CITATIONS
91	Chronic Migraine, Comorbidity, and Socioeconomic Deprivation: Cross-Sectional Analysis of a Large Nationally Representative Primary Care Database. <i>Journal of Comorbidity</i> , 2017, 7, 89-95.	3.9	26
92	Assessing the Consultation and Relational Empathy (CARE) Measure in sexual health nurses' consultations. <i>BMC Nursing</i> , 2017, 16, 71.	2.5	10
93	The contribution of risk factors to socioeconomic inequalities in multimorbidity across the lifecycle: a longitudinal analysis of the Twenty-07 cohort. <i>BMC Medicine</i> , 2017, 15, 152.	5.5	112
94	The Glasgow "Deep End" Links Worker Study Protocol: A Quasi-Experimental Evaluation of a Social Prescribing Intervention for Patients with Complex Needs in Areas of High Socioeconomic Deprivation. <i>Journal of Comorbidity</i> , 2017, 7, 1-10.	3.9	34
95	The Journal of Comorbidity Affiliates with the North American Primary Care Research Group. <i>Journal of Comorbidity</i> , 2017, 7, 114-116.	3.9	0
96	The impact of socioeconomic status and multimorbidity on mortality: a population-based cohort study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 279-289.	3.0	49
97	The Journal of Comorbidity Affiliates with the Scottish School of Primary Care. <i>Journal of Comorbidity</i> , 2017, 7, 112-113.	3.9	1
98	Accessibility and implementation in the UK NHS services of an effective depression relapse prevention programme: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>Health Services and Delivery Research</i> , 2017, 5, 1-190.	1.4	16
99	Improving Outcomes through Transformational Health and Social Care Integration " The Scottish Experience. <i>Healthcare Quarterly</i> , 2016, 19, 73-79.	0.7	16
100	eHealth Advances in Support of People with Complex Care Needs: Case Examples from Canada, Scotland and the US. <i>Healthcare Quarterly</i> , 2016, 19, 29-37.	0.7	13
101	How Does Sex Influence Multimorbidity? Secondary Analysis of a Large Nationally Representative Dataset. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 391.	2.6	43
102	Mindfulness-based cognitive therapy <i>v.</i> group psychoeducation for people with generalised anxiety disorder: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016, 209, 68-75.	2.8	65
103	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). <i>BMJ Open</i> , 2016, 6, e011261.	1.9	29
104	Accounting for multimorbidity in pay for performance: a modelling study using UK Quality and Outcomes Framework data. <i>British Journal of General Practice</i> , 2016, 66, e561-e567.	1.4	4
105	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. <i>Scientific Reports</i> , 2016, 6, 29758.	3.3	17
106	The CARE Plus study " a whole-system intervention to improve quality of life of primary care patients with multimorbidity in areas of high socioeconomic deprivation: exploratory cluster randomised controlled trial and cost-utility analysis. <i>BMC Medicine</i> , 2016, 14, 88.	5.5	92
107	The Association Between Perceived Stress and Mortality Among People With Multimorbidity: A Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2016, 184, 199-210.	3.4	119
108	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. <i>BMJ Open</i> , 2016, 6, e011260.	1.9	27

#	ARTICLE	IF	CITATIONS
109	Managing multimorbidity in primary care in patients with chronic respiratory conditions. <i>Npj Primary Care Respiratory Medicine</i> , 2016, 26, 16043.	2.6	30
110	The development and optimisation of a primary care-based whole system complex intervention (CARE) Tj ETQq0 0 0 rgBT /Overlock 10 T illness, 2016, 12, 165-181.	1.5	24
111	General Practitioners'™ Empathy and Health Outcomes: A Prospective Observational Study of Consultations in Areas of High and Low Deprivation. <i>Annals of Family Medicine</i> , 2016, 14, 117-124.	1.9	107
112	A preliminary evaluation of the Visual CARE Measure for use by Allied Health Professionals with children and their parents. <i>Journal of Child Health Care</i> , 2016, 20, 55-67.	1.4	8
113	Supporting Goal-Oriented Primary Health Care for Seniors with Complex Care Needs Using Mobile Technology: Evaluation and Implementation of the Health System Performance Research Network, Bridgepoint Electronic Patient Reported Outcome Tool. <i>JMIR Research Protocols</i> , 2016, 5, e126.	1.0	23
114	The development of urban community health centres for strengthening primary care in China: a systematic literature review. <i>British Medical Bulletin</i> , 2015, 116, ldv043.	6.9	56
115	Physical health indicators in SMI. <i>British Journal of General Practice</i> , 2015, 65, 12.3-12.	1.4	0
116	Can mindfulness groups treat common mental health problems? Problematic design and short follow-up fails to answer the question. <i>Evidence-Based Mental Health</i> , 2015, 18, 124-124.	4.5	4
117	General practice funding underpins the persistence of the inverse care law: cross-sectional study in Scotland. <i>British Journal of General Practice</i> , 2015, 65, e799-e805.	1.4	75
118	Measuring empathic, person-centred communication in primary care nurses: validity and reliability of the Consultation and Relational Empathy (CARE) Measure. <i>BMC Family Practice</i> , 2015, 16, 149.	2.9	59
119	Randomised controlled trial of a brief intervention targeting predominantly non-verbal communication in general practice consultations. <i>British Journal of General Practice</i> , 2015, 65, e351-e356.	1.4	45
120	Challenges of managing people with multimorbidity in today's™ healthcare systems. <i>BMC Family Practice</i> , 2015, 16, 129.	2.9	176
121	Improving medication management in multimorbidity: development of the Multimorbidity Collaborative Medication Review And DEcision Making (MY COMRADE) intervention using the Behaviour Change Wheel. <i>Implementation Science</i> , 2015, 10, 132.	6.9	86
122	Socioeconomic Determinants of Multimorbidity: A Population-Based Household Survey of Hong Kong Chinese. <i>PLoS ONE</i> , 2015, 10, e0140040.	2.5	51
123	Verbal and non-verbal behaviour and patient perception of communication in primary care: an observational study. <i>British Journal of General Practice</i> , 2015, 65, e357-e365.	1.4	31
124	Does mindfulness improve outcomes in patients with chronic pain? Systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2015, 65, e387-e400.	1.4	135
125	Authors'™ reply to Lewis and Bray. <i>BMJ, The</i> , 2015, 351, h4446.	6.0	0
126	Reliability and validity of the Croatian version of Consultation and Relational Empathy (CARE) Measure in primary care setting. <i>Croatian Medical Journal</i> , 2015, 56, 50-56.	0.7	22

#	ARTICLE	IF	CITATIONS
127	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. <i>Annals of Family Medicine</i> , 2015, 13, 164-167.	1.9	56
128	Do multimorbidity and deprivation influence patients' emotional expressions and doctors' responses in primary care consultations? An exploratory study using multilevel analysis. <i>Patient Education and Counseling</i> , 2015, 98, 1063-1070.	2.2	10
129	General practitioners' patient-centredness and responses to patients' emotional cues and concerns: relationships with perceived empathy in areas of high and low socioeconomic deprivation. <i>Journal of Compassionate Health Care</i> , 2015, 2, .	1.2	5
130	Drug-disease and drug-drug interactions: systematic examination of recommendations in 12 UK national clinical guidelines. <i>BMJ, The</i> , 2015, 350, h949-h949.	6.0	247
131	Risk of intracranial haemorrhage linked to co-treatment with antidepressants and NSAIDs. <i>BMJ, The</i> , 2015, 351, h3745.	6.0	8
132	Multiple physical and mental health comorbidity in adults with intellectual disabilities: population-based cross-sectional analysis. <i>BMC Family Practice</i> , 2015, 16, 110.	2.9	254
133	Mindfulness-based interventions for people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1093-1094.	3.0	13
134	The Association of Types of Training and Practice Settings with Doctors' Empathy and Patient Enablement among Patients with Chronic Illness in Hong Kong. <i>PLoS ONE</i> , 2015, 10, e0144492.	2.5	13
135	Enhancing Research Quality and Reporting: Why the Journal of Comorbidity is Now Publishing Study Protocols. <i>Journal of Comorbidity</i> , 2014, 4, 55-57.	3.9	3
136	The 'Everyday Work' of Living with Multimorbidity in Socioeconomically Deprived Areas of Scotland. <i>Journal of Comorbidity</i> , 2014, 4, 1-10.	3.9	41
137	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 261.	2.6	45
138	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. <i>BMC Medicine</i> , 2014, 12, 188.	5.5	203
139	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. <i>British Journal of General Practice</i> , 2014, 64, e649-e656.	1.4	15
140	The Effects of Mindfulness-Based Stress Reduction Program on the Mental Health of Family Caregivers: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 45-53.	8.8	108
141	Response to: Assessing the harms of polypharmacy requires careful interpretation and consistent definitions. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 672-673.	2.4	1
142	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	5.5	153
143	Enhancing empathy in healthcare: mixed-method evaluation of a pilot project implementing the CARE Approach in primary and community care settings in Scotland. <i>Journal of Compassionate Health Care</i> , 2014, 1, .	1.2	12
144	Stroke, multimorbidity and polypharmacy in a nationally representative sample of 1,424,378 patients in Scotland: implications for treatment burden. <i>BMC Medicine</i> , 2014, 12, 151.	5.5	124

#	ARTICLE	IF	CITATIONS
145	Mindfulness based interventions in multiple sclerosis - a systematic review. BMC Neurology, 2014, 14, 15.	1.8	148
146	Prevention of anxiety and depression in Chinese: A randomized clinical trial testing the effectiveness of a stepped care program in primary care. Journal of Affective Disorders, 2014, 169, 212-220.	4.1	22
147	Standard cardiovascular disease risk algorithms underestimate the risk of cardiovascular disease in schizophrenia: Evidence from a national primary care database. Schizophrenia Research, 2014, 159, 176-181.	2.0	22
148	Physical and mental health comorbidity is common in people with multiple sclerosis: nationally representative cross-sectional population database analysis. BMC Neurology, 2014, 14, 128.	1.8	36
149	Accessibility and implementation in UK services of an effective depression relapse prevention programme "mindfulness-based cognitive therapy (MBCT): ASPIRE study protocol. Implementation Science, 2014, 9, 62.	6.9	17
150	Is polypharmacy always hazardous? A retrospective cohort analysis using linked electronic health records from primary and secondary care. British Journal of Clinical Pharmacology, 2014, 77, 1073-1082.	2.4	159
151	The influence of socioeconomic deprivation on multimorbidity at different ages: a cross-sectional study. British Journal of General Practice, 2014, 64, e440-e447.	1.4	154
152	Comorbidity in asthma is important and requires a generalist approach. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2014, 23, 4-5.	2.3	5
153	Psychological therapies in primary care: a progress report. British Journal of General Practice, 2014, 64, 556-557.	1.4	4
154	Depression and Multimorbidity. Journal of Clinical Psychiatry, 2014, 75, 1202-1208.	2.2	103
155	A Systematic Review of the Benefits of Mindfulness-Based Interventions following Transient Ischemic Attack and Stroke. International Journal of Stroke, 2013, 8, 465-474.	5.9	91
156	Chronic psychosocial stress: does it modulate immunity to the influenza vaccine in Hong Kong Chinese elderly caregivers?. Age, 2013, 35, 1479-1493.	3.0	22
157	Double trouble: the impact of multimorbidity and deprivation on preference-weighted health related quality of life a cross sectional analysis of the Scottish Health Survey. International Journal for Equity in Health, 2013, 12, 67.	3.5	72
158	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. BMC Medicine, 2013, 11, 263.	5.5	104
159	Effect of facemasks on empathy and relational continuity: a randomised controlled trial in primary care. BMC Family Practice, 2013, 14, 200.	2.9	116
160	Multimorbidity and mental health: can psychiatry rise to the challenge?. British Journal of Psychiatry, 2013, 202, 391-393.	2.8	51
161	The effect of physical multimorbidity, mental health conditions and socioeconomic deprivation on unplanned admissions to hospital: a retrospective cohort study. Cmaj, 2013, 185, E221-E228.	2.0	212
162	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. BMJ Open, 2013, 3, e002808.	1.9	184

#	ARTICLE	IF	CITATIONS
163	A pilot study to explore the feasibility, validity and reliability of a visual version of the CARE Measure. International Journal of Therapy and Rehabilitation, 2013, 20, 460-465.	0.3	1
164	Examining the practice of generalist expertise: a qualitative study identifying constraints and solutions. JRSM Short Reports, 2013, 4, 204253331351015.	0.6	40
165	How to Design and Evaluate Interventions to Improve Outcomes for Patients with Multimorbidity. Journal of Comorbidity, 2013, 3, 10-17.	3.9	46
166	Cognitive behavioural therapy: why primary care should have it all. British Journal of General Practice, 2013, 63, 103-104.	1.4	10
167	The Role of Empathy in Therapy and the Physician-Patient Relationship. Research in Complementary Medicine, 2012, 19, 252-257.	2.2	70
168	Multimorbidity and the inverse care law in primary care. BMJ, The, 2012, 344, e4152-e4152.	6.0	96
169	Insightful practice: a reliable measure for medical revalidation. BMJ Quality and Safety, 2012, 21, 649-656.	3.7	13
170	Multimorbidity in primary care: a systematic review of prospective cohort studies. British Journal of General Practice, 2012, 62, e297-e307.	1.4	156
171	Innovations and developments. Education for Primary Care, 2012, 23, 451-457.	0.6	2
172	Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. Lancet, The, 2012, 380, 37-43.	13.7	4,855
173	Epidemiology of multimorbidity – Authors' reply. Lancet, The, 2012, 380, 1383-1384.	13.7	5
174	Adapting clinical guidelines to take account of multimorbidity. BMJ, The, 2012, 345, e6341-e6341.	6.0	400
175	Managing patients with mental and physical multimorbidity. BMJ, The, 2012, 345, e5559-e5559.	6.0	121
176	Patient centredness and the outcome of primary care consultations with patients with depression in areas of high and low socioeconomic deprivation. British Journal of General Practice, 2012, 62, e576-e581.	1.4	40
177	Patient enablement requires physician empathy: a cross-sectional study of general practice consultations in areas of high and low socioeconomic deprivation in Scotland. BMC Family Practice, 2012, 13, 6.	2.9	115
178	General Practitioners at the Deep End: The experience and views of general practitioners working in the most severely deprived areas of Scotland. Occasional Paper (royal College of General) Tj ETQq0 0 0 rgBT /Overlook 10 Tf 50 137 Td (
179	Connecting, Assessing, Responding and Empowering (CARE): a universal approach to person-centred, empathic healthcare encounters. Education for Primary Care, 2012, 23, 454-7.	0.6	9
180	Providing feedback: Exploring a model (emotion, content, outcomes) for facilitating multisource feedback. Medical Teacher, 2011, 33, 744-749.	1.8	76

#	ARTICLE	IF	CITATIONS
181	Research on Patients with Multiple Health Conditions: Different Constructs, Different Views, One Voice. <i>Journal of Comorbidity</i> , 2011, 1, 1-3.	3.9	29
182	Improving the Health of People with Multimorbidity: The Need for Prospective Cohort Studies. <i>Journal of Comorbidity</i> , 2011, 1, 4-7.	3.9	20
183	Comparing the Effectiveness of Mindfulness-based Stress Reduction and Multidisciplinary Intervention Programs for Chronic Pain. <i>Clinical Journal of Pain</i> , 2011, 27, 724-734.	1.9	85
184	Questionnaire severity measures for depression. <i>British Journal of General Practice</i> , 2011, 61, 324.3-325.	1.4	1
185	The Chinese-version of the CARE Measure reliably differentiates between doctors in primary care: a cross-sectional study in Hong Kong. <i>BMC Family Practice</i> , 2011, 12, 43.	2.9	29
186	A randomized, controlled clinical trial: the effect of mindfulness-based cognitive therapy on generalized anxiety disorder among Chinese community patients: protocol for a randomized trial. <i>BMC Psychiatry</i> , 2011, 11, 187.	2.6	19
187	An "endless struggle": a qualitative study of general practitioners and practice nurses experiences of managing multimorbidity in socio-economically deprived areas of Scotland. <i>Chronic Illness</i> , 2011, 7, 45-59.	1.5	138
188	Time to care: tackling health inequalities through primary care. <i>Family Practice</i> , 2011, 28, 1-3.	1.9	33
189	Multimorbidity. , 2011, , 173-221.		4
190	A qualitative study of the views of patients with long-term conditions on family doctors in Hong Kong. <i>BMC Family Practice</i> , 2010, 11, 46.	2.9	26
191	An evaluation of the impact of a large group psycho-education programme (Stress Control) on patient outcome: does empathy make a difference?. <i>The Cognitive Behaviour Therapist</i> , 2010, 3, 1-17.	1.0	6
192	A pilot study on the validity and reliability of the Patient Enablement Instrument (PEI) in a Chinese population. <i>Family Practice</i> , 2010, 27, 395-403.	1.9	54
193	Multimorbidity in primary care: developing the research agenda. <i>Family Practice</i> , 2009, 26, 79-80.	1.9	179
194	Association of Antihypertensive Monotherapy With Serum Sodium and Potassium Levels in Chinese Patients. <i>American Journal of Hypertension</i> , 2009, 22, 243-249.	2.0	8
195	Mental Health of Migrant Children. <i>International Journal of Mental Health</i> , 2009, 38, 44-52.	1.3	21
196	Reliability and validity of the Chinese version of the CARE Measure in a primary care setting in Hong Kong. <i>Family Practice</i> , 2009, 26, 398-406.	1.9	53
197	The reliability of workplace-based assessment in postgraduate medical education and training: a national evaluation in general practice in the United Kingdom. <i>Advances in Health Sciences Education</i> , 2009, 14, 219-232.	3.3	66
198	Analyzing the "nature" and "specific effectiveness" of clinical empathy: A theoretical overview and contribution towards a theory-based research agenda. <i>Patient Education and Counseling</i> , 2009, 74, 339-346.	2.2	283

#	ARTICLE	IF	CITATIONS
199	A qualitative study of patients' views on quality of primary care consultations in Hong Kong and comparison with the UK CARE Measure. <i>BMC Family Practice</i> , 2009, 10, 10.	2.9	21
200	Postgraduate education for Chinese medicine practitioners: a Hong Kong perspective. <i>BMC Medical Education</i> , 2009, 9, 10.	2.4	16
201	Public and private healthcare services utilization by non-institutional elderly in Hong Kong: Is the inverse care law operating?. <i>Health Policy</i> , 2009, 91, 229-238.	3.0	36
202	How useful are clinical guidelines for the management of obesity in general practice?. <i>British Journal of General Practice</i> , 2009, 59, 863-868.	1.4	15
203	Distilling the essence of general practice: a learning journey in progress. <i>British Journal of General Practice</i> , 2009, 59, e167-e176.	1.4	36
204	General practitioner empathy, patient enablement, and patient-reported outcomes in primary care in an area of high socio-economic deprivation in Scotland—A pilot prospective study using structural equation modeling. <i>Patient Education and Counseling</i> , 2008, 73, 240-245.	2.2	140
205	Antihypertensive drug class and impaired fasting glucose: a risk association study among Chinese patients with uncomplicated hypertension. <i>BMC Clinical Pharmacology</i> , 2008, 8, 6.	2.5	3
206	The influence of multi-morbidity and self-reported socio-economic standing on the prevalence of depression in an elderly Hong Kong population. <i>BMC Public Health</i> , 2008, 8, 119.	2.9	62
207	Health services research in the public healthcare system in Hong Kong: An analysis of over 1 million antihypertensive prescriptions between 2004—2007 as an example of the potential and pitfalls of using routinely collected electronic patient data. <i>BMC Health Services Research</i> , 2008, 8, 138.	2.2	80
208	Towards standard setting for patient-reported outcomes in the NHS homeopathic hospitals. <i>Homeopathy</i> , 2008, 97, 114-121.	1.0	31
209	Impact of the 2004 GMS contract on practice nurses:. <i>British Journal of General Practice</i> , 2008, 58, 711-719.	1.4	32
210	Further observations on enablement. <i>British Journal of General Practice</i> , 2008, 58, 499-500.	1.4	4
211	The Inverse Care Law: Clinical Primary Care Encounters in Deprived and Affluent Areas of Scotland. <i>Annals of Family Medicine</i> , 2007, 5, 503-510.	1.9	298
212	Disability and human rights. <i>Lancet, The</i> , 2007, 370, 548-549.	13.7	12
213	Determinants and patient-reported long-term outcomes of physician empathy in oncology: A structural equation modelling approach. <i>Patient Education and Counseling</i> , 2007, 69, 63-75.	2.2	217
214	Quality in general practice consultations; a qualitative study of the views of patients living in an area of high socio-economic deprivation in Scotland. <i>BMC Family Practice</i> , 2007, 8, 22.	2.9	73
215	The impact of general practitioner morale on patient satisfaction with care: a cross-sectional study. <i>BMC Family Practice</i> , 2007, 8, 57.	2.9	12
216	Outcome related to impact on daily living: preliminary validation of the ORIDL instrument. <i>BMC Health Services Research</i> , 2007, 7, 139.	2.2	57

#	ARTICLE	IF	CITATIONS
217	Involving deprived communities in improving the quality of primary care services: does participatory action research work?. <i>BMC Health Services Research</i> , 2007, 7, 88.	2.2	21
218	More time for complex consultations in a high-deprivation practice is associated with increased patient enablement. <i>British Journal of General Practice</i> , 2007, 57, 960-966.	1.4	87
219	Using clinical audit to improve the quality of obstetric care at the Tibetan Delek Hospital in North India: a longitudinal study. <i>Reproductive Health</i> , 2006, 3, 4.	3.1	17
220	Practitioner empathy, patient enablement and health outcomes: A prospective study of acupuncture patients. <i>Patient Education and Counseling</i> , 2006, 63, 239-245.	2.2	116
221	An exploratory mixed methods study of the acceptability and effectiveness of mindfulness -based cognitive therapy for patients with active depression and anxiety in primary care. <i>BMC Psychiatry</i> , 2006, 6, 14.	2.6	204
222	Cultural and Spiritual Constructions of Mental Distress and Associated Coping Mechanisms of Tibetans in Exile: Implications for Western Interventions. <i>Journal of Refugee Studies</i> , 2006, 19, 187-202.	1.7	19
223	CQI-2—a new measure of holistic interpersonal care in primary care consultations. <i>British Journal of General Practice</i> , 2006, 56, 262-8.	1.4	63
224	Psychosocial distress of Tibetans in exile: integrating western interventions with traditional beliefs and practice. <i>Social Science and Medicine</i> , 2005, 60, 179-189.	3.8	26
225	Practitioner empathy, patient enablement and health outcomes of patients attending the Glasgow Homoeopathic Hospital: a retrospective and prospective comparison. <i>Wiener Medizinische Wochenschrift</i> , 2005, 155, 498-501.	1.1	27
226	A Pilot Prospective Study on the Consultation and Relational Empathy, Patient Enablement, and Health Changes over 12 Months in Patients Going to the Glasgow Homoeopathic Hospital. <i>Journal of Alternative and Complementary Medicine</i> , 2005, 11, 591-600.	2.1	107
227	Relevance and practical use of the Consultation and Relational Empathy (CARE) Measure in general practice. <i>Family Practice</i> , 2005, 22, 328-334.	1.9	216
228	Holism in primary care: the views of Scotland's general practitioners. <i>Primary Health Care Research and Development</i> , 2005, 6, 320-328.	1.2	35
229	The consultation and relational empathy (CARE) measure: development and preliminary validation and reliability of an empathy-based consultation process measure. <i>Family Practice</i> , 2004, 21, 699-705.	1.9	601
230	A qualitative study of patient's views on the consultation at the Glasgow Homoeopathic Hospital, an NHS integrative complementary and orthodox medical care unit. <i>Patient Education and Counseling</i> , 2004, 53, 13-18.	2.2	44
231	Empathy, Enablement, and Outcome: An Exploratory Study on Acupuncture Patients' Perceptions. <i>Journal of Alternative and Complementary Medicine</i> , 2003, 9, 869-876.	2.1	75
232	Measuring the Impact of Rehabilitation Services on the Quality of Life of Disabled People in Cambodia. <i>Disasters</i> , 2002, 26, 175-191.	2.2	14
233	The importance of empathy in the enablement of patients attending the Glasgow Homoeopathic Hospital. <i>British Journal of General Practice</i> , 2002, 52, 901-5.	1.4	68
234	Empathy and quality of care. <i>British Journal of General Practice</i> , 2002, 52 Suppl, S9-12.	1.4	214

#	ARTICLE	IF	CITATIONS
235	Empathy is important for enablement. BMJ: British Medical Journal, 2001, 322, 865-865.	2.3	39
236	Doctors and medical students with disabilities. Medical Education, 2000, 34, 962-962.	2.1	2
237	Mental Health and Long-Term Physical Conditions. , 0, , 175-184.		1
238	Embracing Empathy. , 0, , .		5