

# Clinton A Brawner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3212062/publications.pdf>

Version: 2024-02-01

103  
papers

4,058  
citations

136950

32  
h-index

123424

61  
g-index

104  
all docs

104  
docs citations

104  
times ranked

5231  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Tracking Cardiac Rehabilitation Utilization in Medicare Beneficiaries. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 235-245.   | 2.1 | 40        |
| 2  | Comparison of Ratings of Perceived Exertion and Target Heart Rate–Based Exercise Prescription in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 352-358.           | 2.1 | 6         |
| 3  | Relation of a Maximal Exercise Test to Change in Exercise Tolerance During Cardiac Rehabilitation. American Journal of Cardiology, 2022, 175, 139-144.  | 1.6 | 1         |
| 4  | Inverse Relationship of Maximal Exercise Capacity to Hospitalization Secondary to Coronavirus Disease 2019. Mayo Clinic Proceedings, 2021, 96, 32-39.   | 3.0 | 130       |
| 5  | Fitness and prostate cancer screening, incidence, and mortality: Results from the Henry Ford Exercise Testing (FIT) Project. Cancer, 2021, 127, 1864-1870.  | 4.1 | 6         |
| 6  | Cardiorespiratory Fitness Attenuates the Impact of Risk Factors Associated With COVID-19 Hospitalization. Mayo Clinic Proceedings, 2021, 96, 822-823.   | 3.0 | 16        |
| 7  | Increasing the Availability of Automated External Defibrillators at Sporting Events: A Call to Action from the American College of Sports Medicine. Current Sports Medicine Reports, 2021, 20, 418-419.         | 1.2 | 0         |
| 8  | Fitness and Mortality Among Persons 70 Years and Older Across the Spectrum of Cardiovascular Disease Risk Factor Burden: The FIT Project. Mayo Clinic Proceedings, 2021, 96, 2376-2385.                         | 3.0 | 7         |
| 9  | Prognostic Value of Cardiorespiratory Fitness in Patients with Chronic Kidney Disease: The FIT (Henry) Tj ETQq1 1 0,784314 rgBT /Ove  | 1.5 | 2         |
| 10 | A Comparison of Exercise Intensity in Hybrid Versus Standard Phase Two Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2021, 41, 19-22.                                       | 2.1 | 18        |
| 11 | Rethinking Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2021, 41, 389-399.   | 2.1 | 8         |
| 12 | The relationship between cardiorespiratory fitness, cardiovascular risk factors and atherosclerosis. Atherosclerosis, 2020, 304, 44-52.   | 0.8 | 22        |
| 13 | Cardiorespiratory Fitness and Incident Stroke Types. Mayo Clinic Proceedings, 2020, 95, 1379-1389.  | 3.0 | 5         |
| 14 | Are International Standards for Exercise Capacity Ready for Prime Time?. Mayo Clinic Proceedings, 2020, 95, 218-220.  | 3.0 | 3         |
| 15 | Association of BMI, Fitness, and Mortality in Patients With Diabetes: Evaluating the Obesity Paradox in the Henry Ford Exercise Testing Project (FIT Project) Cohort. Diabetes Care, 2020, 43, 677-682.         | 8.6 | 12        |
| 16 | Tracking Cardiac Rehabilitation Participation and Completion Among Medicare Beneficiaries to Inform the Efforts of a National Initiative. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e005902.  | 2.2 | 199       |
| 17 | The association of fitness and body mass index (BMI) on all-cause mortality in cancer survivors: The Henry Ford Exercise Testing Project (The FIT Project).. Journal of Clinical Oncology, 2020, 38, 7060-7060. | 1.6 | 0         |
| 18 | Inverse association of pulse pressure augmentation during exercise with heart failure and death. Heart, 2019, 105, heartjnl-2018-313736.  | 2.9 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Interplay of the Global Atherosclerotic Cardiovascular Disease Risk Scoring and Cardiorespiratory Fitness for the Prediction of All-Cause Mortality and Myocardial Infarction: The Henry Ford Exercise Testing Project (The FIT Project). American Journal of Cardiology, 2019, 124, 511-517. | 1.6 | 4         |
| 20 | Cardiorespiratory fitness and incident lung and colorectal cancer in men and women: Results from the Henry Ford Exercise Testing (FIT) cohort. Cancer, 2019, 125, 2594-2601.  | 4.1 | 19        |
| 21 | Higher cardiorespiratory fitness predicts long-term survival in patients with heart failure and preserved ejection fraction: the Henry Ford Exercise Testing (FIT) Project. Archives of Medical Science, 2019, 15, 350-358.   | 0.9 | 14        |
| 22 | Sedentary Time and Cumulative Risk of Preserved and Reduced Ejection Fraction Heart Failure: From the Multi-Ethnic Study of Atherosclerosis. Journal of Cardiac Failure, 2019, 25, 418-424.   | 1.7 | 8         |
| 23 | Relation of Isolated Low High-Density Lipoprotein Cholesterol to Mortality and Cardiorespiratory Fitness (from the Henry Ford Exercise Testing Project [FIT Project]). American Journal of Cardiology, 2019, 123, 1429-1434.  | 1.6 | 3         |
| 24 | Cardiopulmonary Exercise Measures of Men and Women with HFrEF Differ in Their Relationship to Prognosis: The Henry Ford Hospital Cardiopulmonary Exercise Testing (FIT-CPX) Project. Journal of Cardiac Failure, 2018, 24, 227-233.   | 1.7 | 8         |
| 25 | Prognostic value of exercise capacity among patients with treated depression: The Henry Ford Exercise Testing (FIT) Project. Clinical Cardiology, 2018, 41, 532-538.  | 1.8 | 3         |
| 26 | Challenges with Percent Predicted Maximal $\dot{V}\text{E}^{\text{TM}}\text{O}_2$ in Patients with Heart Failure. Medicine and Science in Sports and Exercise, 2018, 50, 204-210.   | 0.4 | 5         |
| 27 | Exercise Oscillatory Ventilation. Medicine and Science in Sports and Exercise, 2018, 50, 369-374.   | 0.4 | 6         |
| 28 | Exercise in Patients with Chronic Heart Failure. , 2018, , 193-219.   |     | 0         |
| 29 | Exercise training workloads in cardiac rehabilitation are associated with clinical outcomes in patients with heart failure. American Heart Journal, 2018, 204, 76-82.   | 2.7 | 17        |
| 30 | Exercise Capacity and the Obesity Paradox in Heart Failure: The FIT (Henry Ford Exercise Testing) Project. Mayo Clinic Proceedings, 2018, 93, 701-708.  | 3.0 | 38        |
| 31 | Cardiorespiratory fitness and incident lung and colon cancer: FIT-Cancer Cohort.. Journal of Clinical Oncology, 2018, 36, 1502-1502.  | 1.6 | 0         |
| 32 | Change in Maximal Exercise Capacity Is Associated With Survival in Men and Women. Mayo Clinic Proceedings, 2017, 92, 383-390.   | 3.0 | 22        |
| 33 | Association Between Phase 3 Cardiac Rehabilitation and Clinical Events. Journal of Cardiopulmonary Rehabilitation and Prevention, 2017, 37, 111-118.  | 2.1 | 9         |
| 34 | Do We Need Another Walking Test? â—. JACC: Heart Failure, 2017, 5, 421-422.   | 4.1 | 2         |
| 35 | Relation of Exercise Capacity to Risk of Development of Diabetes in Patients on Statin Therapy (the) Tj ETQq1 1 0.784314 rgBT /Overloc  | 1.6 | 5         |
| 36 | Exercise Training Workloads Upon Exit From Cardiac Rehabilitation in Men and Women. Journal of Cardiopulmonary Rehabilitation and Prevention, 2017, 37, 257-261.  | 2.1 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Sex-Specific Maximum Predicted Heart Rate and Its Prognosis for Mortality and Myocardial Infarction. Medicine and Science in Sports and Exercise, 2017, 49, 1704-1710.  | 0.4 | 6         |
| 38 | Cardiorespiratory Fitness Change and Mortality Risk Among Black and White Patients: Henry Ford Exercise Testing (FIT) Project. American Journal of Medicine, 2017, 130, 1177-1183.  | 1.5 | 28        |
| 39 | Cardiorespiratory fitness and incident heart failure: The Henry Ford Exercise Testing (FIT) Project. American Heart Journal, 2017, 185, 35-42.  | 2.7 | 47        |
| 40 | Relation of Resting Heart Rate to Incident Atrial Fibrillation (from the Henry Ford Hospital Exercise) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50   | 1.6 | 14        |
| 41 | Prognostic value of exercise capacity among men undergoing pharmacologic treatment for erectile dysfunction: The FIT Project. Clinical Cardiology, 2017, 40, 1049-1054.   | 1.8 | 8         |
| 42 | Higher Fitness Is Strongly Protective in Patients with Family History of Heart Disease: The FIT Project. American Journal of Medicine, 2017, 130, 367-371.  | 1.5 | 8         |
| 43 | Use of Sex-Specific Clinical and Exercise Risk Scores to Identify Patients at Increased Risk for All-Cause Mortality. JAMA Cardiology, 2017, 2, 15.   | 6.1 | 8         |
| 44 | Using Machine Learning to Define the Association between Cardiorespiratory Fitness and All-Cause Mortality (from the Henry Ford Exercise Testing Project). American Journal of Cardiology, 2017, 120, 2078-2084.            | 1.6 | 22        |
| 45 | Comparison of machine learning techniques to predict all-cause mortality using fitness data: the Henry ford exercise testing (FIT) project. BMC Medical Informatics and Decision Making, 2017, 17, 174.                     | 3.0 | 59        |
| 46 | Prevalence of Physical Activity Is Lower among Individuals with Chronic Disease. Medicine and Science in Sports and Exercise, 2016, 48, 1062-1067.  | 0.4 | 69        |
| 47 | Heart Rate and $\dot{V}\text{E}^{\text{TM}}\text{O}_2$ Concordance in Continuous-Flow Left Ventricular Assist Devices. Medicine and Science in Sports and Exercise, 2016, 48, 363-367.                                      | 0.4 | 11        |
| 48 | Racial Differences in the Prognostic Value of Cardiorespiratory Fitness (Results from the Henry Ford) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 1.6 | 18        |
| 49 | Sex Differences in Cardiorespiratory Fitness and All-Cause Mortality. Mayo Clinic Proceedings, 2016, 91, 755-762.   | 3.0 | 72        |
| 50 | Fitness, Fatness, and Mortality: The FIT (Henry Ford Exercise Testing) Project. American Journal of Medicine, 2016, 129, 960-965.e1.  | 1.5 | 28        |
| 51 | Effect of Beta-Blocker Therapy, Maximal Heart Rate, and Exercise Capacity During Stress Testing on Long-Term Survival (from The Henry Ford Exercise Testing Project). American Journal of Cardiology, 2016, 118, 1751-1757. | 1.6 | 9         |
| 52 | Chronotropic Incompetence and Risk of Atrial Fibrillation. JACC: Clinical Electrophysiology, 2016, 2, 645-652.  | 3.2 | 13        |
| 53 | Age-dependent prognostic value of exercise capacity and derivation of fitness-associated biologic age. Heart, 2016, 102, 431-437.   | 2.9 | 35        |
| 54 | The Association of Resting Heart Rate and Incident Hypertension: The Henry Ford Hospital Exercise Testing (FIT) Project. American Journal of Hypertension, 2016, 29, 251-257.   | 2.0 | 43        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Prognostic value of cardiopulmonary exercise testing in heart failure with preserved ejection fraction. The Henry Ford Hospital CardioPulmonary EXercise Testing (FIT-CPX) project. American Heart Journal, 2016, 174, 167-172.              | 2.7 | 78        |
| 56 | Variables Measured During Cardiopulmonary Exercise Testing as Predictors of Mortality in Chronic Systolic Heart Failure. Journal of the American College of Cardiology, 2016, 67, 780-789.   | 2.8 | 157       |
| 57 | Exercise Parameters and Risk of Coronary Artery Disease and Mortality Among Patients Who Use Pulmonary Medications: The FIT Project. American Journal of Medicine, 2016, 129, 446.e1-446.e4.   | 1.5 | 2         |
| 58 | High Exercise Capacity Attenuates the Risk of Early Mortality After a First Myocardial Infarction. Mayo Clinic Proceedings, 2016, 91, 129-139.   | 3.0 | 19        |
| 59 | Relationship Between Exercise Workload During Cardiac Rehabilitation and Outcomes in Patients With Coronary Heart Disease. American Journal of Cardiology, 2016, 117, 1236-1241.   | 1.6 | 28        |
| 60 | Systolic Blood Pressure Response During Exercise Stress Testing: The Henry Ford Exercise Testing (FIT) Project. Journal of the American Heart Association, 2015, 4, .  | 3.7 | 20        |
| 61 | Cardiorespiratory Fitness and Risk of Incident Atrial Fibrillation. Circulation, 2015, 131, 1827-1834.   | 1.6 | 172       |
| 62 | Response to Letter Regarding Article, "Cardiorespiratory Fitness and Risk of Incident Atrial Fibrillation: Results From the Henry Ford Exercise Testing (FIT) Project" Circulation, 2015, 132, e395.   | 1.6 | 5         |
| 63 | Relation of Risk of Atrial Fibrillation With Systolic Blood Pressure Response During Exercise Stress Testing (from the Henry Ford Exercise Testing Project). American Journal of Cardiology, 2015, 116, 1858-1862.                           | 1.6 | 6         |
| 64 | No Evidence of an Upper Threshold for Mortality Benefit at High Levels of Cardiorespiratory Fitness. Journal of the American College of Cardiology, 2015, 65, 629-630.   | 2.8 | 47        |
| 65 | Effect of duration of data averaging interval on reported peak VO2 in patients with heart failure. International Journal of Cardiology, 2015, 182, 530-533.  | 1.7 | 5         |
| 66 | Maximal Exercise Testing Variables and 10-Year Survival: Fitness Risk Score Derivation From the FIT Project. Mayo Clinic Proceedings, 2015, 90, 346-355.   | 3.0 | 31        |
| 67 | Comprehensive Analysis of Cardiopulmonary Exercise Testing and Mortality in Patients With Systolic Heart Failure: The Henry Ford Hospital Cardiopulmonary Exercise Testing (FIT-CPX) Project. Journal of Cardiac Failure, 2015, 21, 710-718. | 1.7 | 15        |
| 68 | Predicting cardiovascular events â€¦ How FIT is our crystal ball?. Atherosclerosis, 2015, 241, 741-742.  | 0.8 | 0         |
| 69 | Impact of statin use on cardiorespiratory fitness in multi-racial men and women: The Henry Ford Exercise Testing (FIT) Project. International Journal of Cardiology, 2015, 197, 76-77.   | 1.7 | 14        |
| 70 | Cardiorespiratory fitness attenuates risk for major adverse cardiac events in hyperlipidemic men and women independent of statin therapy: The Henry Ford Exercise Testing Project. American Heart Journal, 2015, 170, 390-399.e6.            | 2.7 | 17        |
| 71 | Green Means Go â€¦ Physical Activity and the Prevention of Heart Failure â€¦. JACC: Heart Failure, 2015, 3, 688-690.   | 4.1 | 0         |
| 72 | Prognosis. Heart Failure Clinics, 2015, 11, 59-72.   | 2.1 | 17        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Cardiac Rehabilitation Improves Functional Capacity and Patient-Reported Health Status in Patients With Continuous-Flow Left Ventricular Assist Devices. JACC: Heart Failure, 2014, 2, 653-659.                       | 4.1 | 121       |
| 74 | Greater Improvement in Cardiorespiratory Fitness Using Higher-Intensity Interval Training in the Standard Cardiac Rehabilitation Setting. Journal of Cardiopulmonary Rehabilitation and Prevention, 2014, 34, 98-105. | 2.1 | 90        |
| 75 | Are There Negative Responders to Exercise Training among Heart Failure Patients?. Medicine and Science in Sports and Exercise, 2014, 46, 219-224.   | 0.4 | 16        |
| 76 | Physical Fitness and Hypertension in a Population at Risk for Cardiovascular Disease: The Henry Ford Exercise Testing (FIT) Project. Journal of the American Heart Association, 2014, 3, e001268.                     | 3.7 | 71        |
| 77 | Relation of Resting Heart Rate to Risk for All-Cause Mortality by Gender After considering Exercise Capacity (the Henry Ford Exercise Testing Project). American Journal of Cardiology, 2014, 114, 1701-1706.         | 1.6 | 53        |
| 78 | Rationale and Design of the Henry Ford Exercise Testing Project (The <sc>FIT</sc> Project). Clinical Cardiology, 2014, 37, 456-461.   | 1.8 | 89        |
| 79 | Predicting Maximal HR in Heart Failure Patients on $\beta$ -Blockade Therapy. Medicine and Science in Sports and Exercise, 2012, 44, 371-376.   | 0.4 | 36        |
| 80 | 6-Min Walk Test Provides Prognostic Utility Comparable to Cardiopulmonary Exercise Testing in Ambulatory Outpatients With Systolic Heart Failure. Journal of the American College of Cardiology, 2012, 60, 2653-2661. | 2.8 | 171       |
| 81 | Relation Between Volume of Exercise and Clinical Outcomes in Patients With Heart Failure. Journal of the American College of Cardiology, 2012, 60, 1899-1905.   | 2.8 | 162       |
| 82 | Role and benefits of exercise in the management of patients with heart failure. Heart Failure Reviews, 2010, 15, 523-530.   | 3.9 | 22        |
| 83 | Reproducibility of Peak Oxygen Uptake and Other Cardiopulmonary Exercise Parameters. Chest, 2010, 138, 950-955.   | 0.8 | 57        |
| 84 | The Ventilatory Anaerobic Threshold in Heart Failure: A Multicenter Evaluation of Reliability. Journal of Cardiac Failure, 2010, 16, 76-83.   | 1.7 | 50        |
| 85 | The relationship between body mass index and cardiopulmonary exercise testing in chronic systolic heart failure. American Heart Journal, 2009, 158, S31-S36.  | 2.7 | 23        |
| 86 | Peak aerobic capacity predicts prognosis in patients with coronary heart disease. American Heart Journal, 2008, 156, 292-300.   | 2.7 | 297       |
| 87 | Quality Assurance and Cardiopulmonary Exercise Testing in Clinical Trials. Journal of Cardiac Failure, 2008, 14, 283-289.   | 1.7 | 15        |
| 88 | Empirically Derived Psychometric Screening for Emotional Distress in Coronary Artery Disease Patients. Journal of Cardiovascular Nursing, 2007, 22, 320-325.  | 1.1 | 8         |
| 89 | Graded Exercise Testing. , 2007, , 111-119.   |     | 4         |
| 90 | Guiding Exercise Using the Talk Test Among Patients With Coronary Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2006, 26, 72-75.  | 0.5 | 47        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Aerobic Capacity in Patients Entering Cardiac Rehabilitation. <i>Circulation</i> , 2006, 113, 2706-2712.  | 1.6 | 164       |
| 92  | Comparative Impact of Morbid Obesity vs Heart Failure on Cardiorespiratory Fitness. <i>Chest</i> , 2005, 127, 2197-2203.  | 0.8 | 76        |
| 93  | Predicting maximum heart rate among patients with coronary heart disease receiving $\beta^2$ -adrenergic blockade therapy. <i>American Heart Journal</i> , 2004, 148, 910-914.                | 2.7 | 117       |
| 94  | Differential effects of exercise training in men and women with chronic heart failure. <i>American Heart Journal</i> , 2003, 145, 912-918.  | 2.7 | 28        |
| 95  | Leisure Time Physical Activity of Patients in Maintenance Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003, 23, 260-265.                        | 0.5 | 25        |
| 96  | The relationship of heart rate reserve to $\dot{V}O_2$ reserve in patients with heart disease. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 418-422.                        | 0.4 | 72        |
| 97  | Differences in skeletal muscle between men and women with chronic heart failure. <i>Journal of Applied Physiology</i> , 2001, 90, 280-286.  | 2.5 | 32        |
| 98  | Capillary density of skeletal muscle. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1956-1963.   | 2.8 | 186       |
| 99  | Effects of exercise training on chronotropic incompetence in patients with heart failure. <i>American Heart Journal</i> , 1999, 138, 233-240.   | 2.7 | 131       |
| 100 | Exercise training in heart failure. <i>Progress in Cardiovascular Diseases</i> , 1998, 41, 175-190.   | 3.1 | 36        |
| 101 | Caloric Expenditure During Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1998, 18, 290-294.   | 0.5 | 38        |
| 102 | Exercise Testing and Training of Patients With Heart Failure Due to Left Ventricular Systolic Dysfunction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1997, 17, 19-28. | 0.5 | 23        |
| 103 | Responses to Arm Exercise in Patients With Compensated Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1996, 16, 366-371.                                    | 0.5 | 15        |