
Maria Cristina Cintr c Gomes-Marconde

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3215852/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Aerobic training prevents cardiometabolic changes triggered by myocardial infarction in ovariectomized rats. Journal of Cellular Physiology, 2021, 236, 1105-1115.	4.1	2
2	Aloe vera and Honey Solution and Their Ethanolic Extraction Solution Could Act on Metastasis-Regulating Processes in Walker 256 Tumor Tissues InÂVivo?. Nutrition and Cancer, 2021, 73, 1244-1252.	2.0	0
3	Cancer during pregnancy. Maternal, placenta, and fetal damage. Nutrition, antioxidant defenses, and adult offspring tumor-bearing. , 2021, , 121-129.		Ο
4	Addendum: Cruz, B., et al. Leucine-Rich Diet Modulates the Metabolomic and Proteomic Profile of Skeletal Muscle during Cancer Cachexia. Cancers 2020, 12, 1880. Cancers, 2021, 13, 880.	3.7	0
5	Fish Oil Diet during Preâ€mating, Gestation, and Lactation in Adult Offspring Rats on Cancer Cachexia Prevention. Molecular Nutrition and Food Research, 2021, 65, e2000863.	3.3	1
6	Pregnancy and Cancer: Cellular Biology and Mechanisms Affecting the Placenta. Cancers, 2021, 13, 1667.	3.7	7
7	A Time-Course Comparison of Skeletal Muscle Metabolomic Alterations in Walker-256 Tumour-Bearing Rats at Different Stages of Life. Metabolites, 2021, 11, 404.	2.9	9
8	Leucine-Rich Diet Improved Muscle Function in Cachectic Walker 256 Tumour-Bearing Wistar Rats. Cells, 2021, 10, 3272.	4.1	7
9	Walker-256 Tumour-Induced Cachexia Altered Liver Metabolomic Profile and Function in Weanling and Adult Rats. Metabolites, 2021, 11, 831.	2.9	3
10	Leucine-Rich Diet Modulates the Metabolomic and Proteomic Profile of Skeletal Muscle during Cancer Cachexia. Cancers, 2020, 12, 1880.	3.7	17
11	Serum and Muscle 1H NMR-Based Metabolomics Profiles Reveal Metabolic Changes Influenced by a Maternal Leucine-Rich Diet in Tumor-Bearing Adult Offspring Rats. Nutrients, 2020, 12, 2106.	4.1	6
12	1H-NMR Based Serum Metabolomics Identifies Different Profile between Sarcopenia and Cancer Cachexia in Ageing Walker 256 Tumour-Bearing Rats. Metabolites, 2020, 10, 161.	2.9	5
13	Leucine-rich diet induces a shift in tumour metabolism from glycolytic towards oxidative phosphorylation, reducing glucose consumption and metastasis in Walker-256 tumour-bearing rats. Scientific Reports, 2019, 9, 15529.	3.3	21
14	Diabetogenic effect of pravastatin is associated with insulin resistance and myotoxicity in hypercholesterolemic mice. Journal of Translational Medicine, 2019, 17, 285.	4.4	5
15	Maternal Leucine-Rich Diet Minimises Muscle Mass Loss in Tumour-bearing Adult Rat Offspring by Improving the Balance of Muscle Protein Synthesis and Degradation. Biomolecules, 2019, 9, 229.	4.0	7
16	A leucine-rich diet modulates the mTOR cell signalling pathway in the gastrocnemius muscle under different Walker-256 tumour growth conditions. BMC Cancer, 2019, 19, 349.	2.6	17
17	The 17β-oestradiol treatment minimizes the adverse effects of protein restriction on bone parameters in ovariectomized Wistar rats. Bone and Joint Research, 2019, 8, 573-581.	3.6	6
18	Maternal nutritional supplementation with fish oil and/or leucine improves hepatic function and antioxidant defenses, and minimizes cachexia indexes in Walker-256 tumor-bearing rats offspring. Nutrition Research, 2018, 51, 29-39.	2.9	10

#	Article	IF	CITATIONS
19	Leucineâ€rich diet minimises liver glycogen mobilisation and modulates liver gluconeogenesis enzyme expression in tumourâ€bearing cachectic rats. JCSM Rapid Communications, 2018, 1, 1-9.	1.6	4
20	Leucine can modulate the expression of proteins related to protein degradation signalling under mTOR inhibition in C2C12 cells. Cellular and Molecular Biology, 2018, 64, 73-78.	0.9	1
21	Leucine can modulate the expression of proteins related to protein degradation signalling under mTOR inhibition in C2C12 cells. Cellular and Molecular Biology, 2018, 64, 73-78.	0.9	Ο
22	L-leucine dietary supplementation modulates muscle protein degradation and increases pro-inflammatory cytokines in tumour-bearing rats. Cytokine, 2017, 96, 253-260.	3.2	33
23	Long-term Leucine Supplementation Improves Metabolic But Not Molecular Responses in the Skeletal Muscle of Trained Rats Submitted to Exhaustive Exercise. Journal of the American College of Nutrition, 2017, 36, 81-87.	1.8	2
24	Metformin treatment modulates the tumour-induced wasting effects in muscle protein metabolism minimising the cachexia in tumour-bearing rats. BMC Cancer, 2016, 16, 418.	2.6	42
25	Leucine-rich diet alters the 1H-NMR based metabolomic profile without changing the Walker-256 tumour mass in rats. BMC Cancer, 2016, 16, 764.	2.6	28
26	Nutritional leucine supplementation attenuates cardiac failure in tumourâ€bearing cachectic animals. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 577-586.	7.3	34
27	Longâ€ŧerm leucine supplementation aggravates prolonged strenuous exerciseâ€induced cardiovascular changes in trained rats. Experimental Physiology, 2016, 101, 811-820.	2.0	1
28	Green Tea and Glycine Modulate the Activity of Metalloproteinases and Collagen in the Tendinitis of the Myotendinous Junction of the Achilles Tendon. Anatomical Record, 2016, 299, 918-928.	1.4	7
29	Antimelanoma effect of <i>Salmonella</i> Typhimurium integration host factor mutant in murine model. Future Oncology, 2016, 12, 2367-2378.	2.4	2
30	Dietary leucine supplementation minimises tumour-induced damage in placental tissues of pregnant, tumour-bearing rats. BMC Cancer, 2016, 16, 58.	2.6	13
31	ID: 47. Cytokine, 2015, 76, 73.	3.2	1
32	Activation of the Low Molecular Weight Protein Tyrosine Phosphatase in Keratinocytes Exposed to Hyperosmotic Stress. PLoS ONE, 2015, 10, e0119020.	2.5	9
33	Green tea and glycine aid in the recovery of tendinitis of the Achilles tendon of rats. Connective Tissue Research, 2015, 56, 50-58.	2.3	12
34	A Leucine-Rich Diet Modulates the Tumor-Induced Down-Regulation of the MAPK/ERK and PI3K/Akt/mTOR Signaling Pathways and Maintains the Expression of the Ubiquitin-Proteasome Pathway in the Placental Tissue of NMRI Mice1. Biology of Reproduction, 2015, 92, 49.	2.7	14
35	Oral Administration ofAloe vera(L.) Burm. f. (Xanthorrhoeaceae) and Honey Improves the Host Body Composition and Modulates Proteolysis Through Reduction of Tumor Progression and Oxidative Stress in Rats. Journal of Medicinal Food, 2015, 18, 1128-1135.	1.5	8
36	Combining Exercise with Clutamine Supplementation in Cancer-Cachexia Metabolism. , 2015, , 487-498.		0

#	Article	IF	CITATIONS
37	Glycine Improves Biochemical and Biomechanical Properties Following Inflammation of the <scp>A</scp> chilles Tendon. Anatomical Record, 2015, 298, 538-545.	1.4	34
38	Leucine-rich diet supplementation modulates foetal muscle protein metabolism impaired by Walker-256 tumour. Reproductive Biology and Endocrinology, 2014, 12, 2.	3.3	33
39	Hepatoprotective Effect of Arctium lappa Root Extract on Cadmium Toxicity in Adult Wistar Rats. Biological Trace Element Research, 2014, 160, 250-257.	3.5	25
40	Leucine modulates the effect of Walker factor, a proteolysis-inducing factor-like protein from Walker tumours, on gene expression and cellular activity in C2C12 myotubes. Cytokine, 2013, 64, 343-350.	3.2	13
41	Melatonin Reduces Oxidative Stress and Cardiovascular Changes Induced by Stanozolol in Rats Exposed to Swimming Exercise. Eurasian Journal of Medicine, 2013, 45, 155-162.	0.6	15
42	Leucine-Rich Diet Improves the Serum Amino Acid Profile and Body Composition of Fetuses from Tumor-Bearing Pregnant Mice1. Biology of Reproduction, 2013, 88, 121.	2.7	22
43	Light aerobic physical exercise in combination with leucine and/or glutamine-rich diet can improve the body composition and muscle protein metabolism in young tumor-bearing rats. Journal of Physiology and Biochemistry, 2012, 68, 493-501.	3.0	21
44	A leucine-rich diet and exercise affect the biomechanical characteristics of the digital flexor tendon in rats after nutritional recovery. Amino Acids, 2012, 42, 329-336.	2.7	20
45	Naringin inhibits tumor growth and reduces interleukin-6 and tumor necrosis factor α levels in rats with Walker 256 carcinosarcoma. Anticancer Research, 2012, 32, 129-33.	1.1	39
46	Inhibition of tumor growth by quercetin with increase of survival and prevention of cachexia in Walker 256 tumor-bearing rats. Biochemical and Biophysical Research Communications, 2011, 406, 638-642.	2.1	48
47	Increased oxidative stress in the placenta tissue and cell culture of tumour-bearing pregnant rats. Placenta, 2011, 32, 859-864.	1.5	13
48	Oral administration of <i>Aloe vera</i> and honey reduces walker tumour growth by decreasing cell proliferation and increasing apoptosis in tumour tissue. Phytotherapy Research, 2011, 25, 619-623.	5.8	68
49	Leucine affects the fibroblastic Vero cells stimulating the cell proliferation and modulating the proteolysis process. Amino Acids, 2010, 38, 145-153.	2.7	9
50	PS1-61 Leucine treatment modulated the effects of Walker tumour's proteolysis-inducing factor (WF) on Vero cells activity. Cytokine, 2010, 52, 30.	3.2	0
51	Physical Exercise and a Leucine-Rich Diet Modulate the Muscle Protein Metabolism in Walker Tumor-Bearing Rats. Nutrition and Cancer, 2010, 62, 1095-1104.	2.0	37
52	Dietary fatty acid quality affects AR and PPARÎ ³ levels and prostate growth. Prostate, 2009, 69, 548-558.	2.3	45
53	Metabolic and morphological alterations induced by proteolysis-inducing factor from Walker tumour-bearing rats in C2C12myotubes. BMC Cancer, 2008, 8, 24.	2.6	23
54	Reduction of Hypothalamic Protein Tyrosine Phosphatase Improves Insulin and Leptin Resistance in Diet-Induced Obese Rats. Endocrinology, 2008, 149, 3870-3880.	2.8	103

#	Article	IF	CITATIONS
55	A Central Role for Neuronal AMP-Activated Protein Kinase (AMPK) and Mammalian Target of Rapamycin (mTOR) in High-Protein Diet–Induced Weight Loss. Diabetes, 2008, 57, 594-605.	0.6	182
56	Leucine-rich diet alters the eukaryotic translation initiation factors expression in skeletal muscle of tumour-bearing rats. BMC Cancer, 2007, 7, 42.	2.6	29
57	Effects of swimming training at the intensity equivalent to aerobic/anaerobic metabolic transition in alloxan diabetic rats. Journal of Diabetes and Its Complications, 2007, 21, 258-264.	2.3	17
58	Cancer during pregnancy alters the activity of rat placenta and enhances the expression of cleaved PARP, cytochrome-c and caspase 3. BMC Cancer, 2006, 6, 168.	2.6	16
59	Cadmium chloride-induced oxidative stress in skeletal muscle cells in vitro. Free Radical Biology and Medicine, 2005, 39, 1378-1384.	2.9	37
60	Proteasome activity is altered in skeletal muscle tissue of tumour-bearing rats a leucine-rich diet. Endocrine-Related Cancer, 2004, 11, 887-895.	3.1	46
61	Effects of a leucine-rich diet on body composition during nutritional recovery in rats. Nutrition, 2004, 20, 213-217.	2.4	39
62	Placental Glycogen Metabolism Changes During Walker Tumour Growth. Placenta, 2004, 25, 456-462.	1.5	15
63	A leucine-supplemented diet improved protein content of skeletal muscle in young tumor-bearing rats. Brazilian Journal of Medical and Biological Research, 2003, 36, 1589-1594.	1.5	46
64	Development of an in-vitro model system to investigate the mechanism of muscle protein catabolism induced by proteolysis-inducing factor. British Journal of Cancer, 2002, 86, 1628-1633.	6.4	34
65	Induction of protein catabolism and the ubiquitin-proteasome pathway by mild oxidative stress. Cancer Letters, 2002, 180, 69-74.	7.2	218
66	Effects of leucine supplemented diet on intestinal absorption in tumor bearing pregnant rats. BMC Cancer, 2002, 2, 7.	2.6	16
67	Leucine and Its Importance for Cell Signalling Pathways in Cancer Cachexia-Induced Muscle Wasting. , 0, , .		2
68	Study of tumour global DNA methylation and mtor pathway genes promoters methylation in maternally leucine-supplemented tumour-bearing adult rats. , 0, , .		0