

David Goldman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3221082/publications.pdf>

Version: 2024-02-01

548
papers

56,693
citations

1461

110
h-index

1875

215
g-index

561
all docs

561
docs citations

561
times ranked

39797
citing authors

#	ARTICLE	IF	CITATIONS
1	Additive Effects of Stress and Alcohol Exposure on Accelerated Epigenetic Aging in Alcohol Use Disorder. <i>Biological Psychiatry</i> , 2023, 93, 331-341.	0.7	10
2	Quantifying the Impact of COVID-19 on Telemedicine Utilization: Retrospective Observational Study. <i>Interactive Journal of Medical Research</i> , 2022, 11, e29880.	0.6	16
3	A nonhuman primate model of human non-suicidal self-injury: serotonin-transporter genotype-mediated typologies. <i>Neuropsychopharmacology</i> , 2022, 47, 1256-1262.	2.8	3
4	A genetic risk score and diabetes predict development of alcohol-related cirrhosis in drinkers. <i>Journal of Hepatology</i> , 2022, 76, 275-282.	1.8	33
5	Strong and weak cross-inheritance of substance use disorders in a nationally representative sample. <i>Molecular Psychiatry</i> , 2022, 27, 1742-1753.	4.1	4
6	Elevated transferrin saturation in individuals with alcohol use disorder: Association with HFE polymorphism and alcohol withdrawal severity. <i>Addiction Biology</i> , 2022, 27, e13144.	1.4	2
7	Mismatches in resident and stranger serotonin transporter genotypes lead to escalated aggression, and the target for aggression is mediated by sex differences in male and female rhesus monkeys (<i>Macaca mulatta</i>). <i>Hormones and Behavior</i> , 2022, 140, 105104.	1.0	2
8	Epigenome-wide association study and multi-tissue replication of individuals with alcohol use disorder: evidence for abnormal glucocorticoid signaling pathway gene regulation. <i>Molecular Psychiatry</i> , 2021, 26, 2224-2237.	4.1	32
9	Genetic Liability for Internalizing Versus Externalizing Behavior Manifests in the Developing and Adult Hippocampus: Insight From a Meta-analysis of Transcriptional Profiling Studies in a Selectively Bred Rat Model. <i>Biological Psychiatry</i> , 2021, 89, 339-355.	0.7	14
10	Genome-wide admixture mapping of DSM alcohol dependence, criterion count, and the self-rating of the effects of ethanol in African American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 151-161.	1.1	11
11	Genome-wide Association Study and Meta-analysis on Alcohol-associated Liver Cirrhosis Identifies Genetic Risk Factors. <i>Hepatology</i> , 2021, 73, 1920-1931.	3.6	54
12	<i>TSPO</i> polymorphism in individuals with alcohol use disorder: Association with cholesterol levels and withdrawal severity. <i>Addiction Biology</i> , 2021, 26, e12838.	1.4	9
13	The ancient divide between molecule and self. , 2021, , 105-128.		0
14	Viruses and other half-life. , 2021, , 129-136.		0
15	Network Meta-analysis on the Mechanisms Underlying Alcohol Augmentation of COVID-19 Pathologies. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 675-688.	1.4	31
16	Parental genetic contributions to neonatal temperament in a nonhuman primate (<i>Macaca mulatta</i>) model. <i>Developmental Psychobiology</i> , 2021, 63, 997-1005.	0.9	1
17	Subgenual cingulate resting regional cerebral blood flow in premenstrual dysphoric disorder: differential regulation by ovarian steroids and preliminary evidence for an association with expression of ESC/E(Z) complex genes. <i>Translational Psychiatry</i> , 2021, 11, 206.	2.4	4
18	Bile acid-activated macrophages promote biliary epithelial cell proliferation through integrin $\alpha 6$ upregulation following liver injury. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	46

#	ARTICLE	IF	CITATIONS
19	Altered estradiol-dependent cellular Ca ²⁺ homeostasis and endoplasmic reticulum stress response in Premenstrual Dysphoric Disorder. <i>Molecular Psychiatry</i> , 2021, 26, 6963-6974.	4.1	11
20	Genetic contributions to alcohol use disorder treatment outcomes: a genome-wide pharmacogenomics study. <i>Neuropsychopharmacology</i> , 2021, 46, 2132-2139.	2.8	19
21	Common Factors Underlying Diverse Responses in Alcohol Use Disorder. <i>Psychiatric Research and Clinical Practice</i> , 2021, 3, 76-87.	1.3	4
22	Epigenetic intersection of BDNF Val66Met genotype with premenstrual dysphoric disorder transcriptome in a cross-species model of estradiol add-back. <i>Molecular Psychiatry</i> , 2020, 25, 572-583.	4.1	13
23	Host-parasite interaction associated with major mental illness. <i>Molecular Psychiatry</i> , 2020, 25, 194-205.	4.1	26
24	Relations between catechol-O-methyltransferase Val158Met genotype and inhibitory control development in childhood. <i>Developmental Psychobiology</i> , 2020, 62, 181-190.	0.9	4
25	Genome-wide association studies of the self-rating of effects of ethanol (SRE). <i>Addiction Biology</i> , 2020, 25, e12800.	1.4	20
26	Epigenetic aging is accelerated in alcohol use disorder and regulated by genetic variation in APOL2. <i>Neuropsychopharmacology</i> , 2020, 45, 327-336.	2.8	62
27	Predicting Suicide. <i>American Journal of Psychiatry</i> , 2020, 177, 881-883.	4.0	3
28	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.	3.7	200
29	In vitro model of perimenopausal depression implicates steroid metabolic and proinflammatory genes. <i>Molecular Psychiatry</i> , 2020, 26, 3266-3276.	4.1	7
30	Longitudinal gut microbiome changes in alcohol use disorder are influenced by abstinence and drinking quantity. <i>Gut Microbes</i> , 2020, 11, 1608-1631.	4.3	36
31	Addictions Neuroimaging Assessment (ANIA): Towards an integrative framework for alcohol use disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 113, 492-506.	2.9	46
32	Ventral midbrain astrocytes display unique physiological features and sensitivity to dopamine D2 receptor signaling. <i>Neuropsychopharmacology</i> , 2019, 44, 344-355.	2.8	62
33	Predicting Depression. <i>American Journal of Psychiatry</i> , 2019, 176, 598-599.	4.0	3
34	Exploratory locomotion, a predictor of addiction vulnerability, is oligogenic in rats selected for this phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13107-13115.	3.3	33
35	Assessment of the Association of D2 Dopamine Receptor Gene and Reported Allele Frequencies With Alcohol Use Disorders. <i>JAMA Network Open</i> , 2019, 2, e1914940.	2.8	24
36	Early-Life Adversity and Blunted Stress Reactivity as Predictors of Alcohol and Drug use in Persons With COMT (rs4680) Val158Met Genotypes. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1519-1527.	1.4	26

#	ARTICLE	IF	CITATIONS
37	Working memory reflects vulnerability to early life adversity as a risk factor for substance use disorder in the FKBP5 cortisol cochaperone polymorphism, rs9296158. PLoS ONE, 2019, 14, e0218212.	1.1	7
38	Ting-Kai Li, M.D. Neuropsychopharmacology, 2019, 44, 1176-1176.	2.8	0
39	Cognitive Control as a 5-HT1A-Based Domain That Is Disrupted in Major Depressive Disorder. Frontiers in Psychology, 2019, 10, 691.	1.1	15
40	OPRM1 rs1799971, COMT rs4680, and FAAH rs324420 genes interact with placebo procedures to induce hypoalgesia. Pain, 2019, 160, 1824-1834.	2.0	30
41	Neurofunctional Domains Derived From Deep Behavioral Phenotyping in Alcohol Use Disorder. American Journal of Psychiatry, 2019, 176, 744-753.	4.0	91
42	Neuropeptide Y and representation of salience in human nucleus accumbens. Neuropsychopharmacology, 2019, 44, 495-502.	2.8	10
43	Addiction Biomarkers: Dimensional Approaches to Understanding Addiction. Trends in Molecular Medicine, 2018, 24, 121-128.	3.5	70
44	Effects on gene expression and behavior of untagged short tandem repeats: the case of arginine vasopressin receptor 1a (AVPR1a) and externalizing behaviors. Translational Psychiatry, 2018, 8, 72.	2.4	11
45	Severity of alcohol dependence is associated with the fatty acid amide hydrolase Pro129Thr missense variant. Addiction Biology, 2018, 23, 474-484.	1.4	45
46	Dimensional Traits of Schizotypy Associated With Glycine Receptor <i>GLRA1</i> Polymorphism: An Exploratory Candidate-Gene Association Study. Journal of Personality Disorders, 2018, 32, 421-432.	0.8	7
47	Low Inherent Sensitivity to the Intoxicating Effects of Ethanol in Rhesus Monkeys with Low CSF Concentrations of the Serotonin Metabolite 5-Hydroxyindoleacetic Acid. Alcoholism: Clinical and Experimental Research, 2018, 42, 424-431.	1.4	4
48	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. Nature Neuroscience, 2018, 21, 1656-1669.	7.1	490
49	Risk Locus Identification Ties Alcohol Withdrawal Symptoms to <i>SORCS2</i> . Alcoholism: Clinical and Experimental Research, 2018, 42, 2337-2348.	1.4	14
50	Methylation of the dopamine transporter gene in blood is associated with striatal dopamine transporter availability in ADHD: A preliminary study. European Journal of Neuroscience, 2018, 48, 1884-1895.	1.2	35
51	Choline ameliorates adult learning deficits and reverses epigenetic modification of chromatin remodeling factors related to adolescent nicotine exposure. Neurobiology of Learning and Memory, 2018, 155, 239-248.	1.0	16
52	Genetic studies of alcohol dependence in the context of the addiction cycle. Neuropharmacology, 2017, 122, 3-21.	2.0	129
53	Imaging Genetics and Genomics in Psychiatry: A Critical Review of Progress and Potential. Biological Psychiatry, 2017, 82, 165-175.	0.7	144
54	Addictions Neuroclinical Assessment: A reverse translational approach. Neuropharmacology, 2017, 122, 254-264.	2.0	43

#	ARTICLE	IF	CITATIONS
55	Extracellular dopamine, acetylcholine, and activation of dopamine D1 and D2 receptors after selective breeding for cocaine self-administration in rats. <i>Psychopharmacology</i> , 2017, 234, 2475-2487.	1.5	7
56	Joint Impact of Early Life Adversity and COMT Val158Met (rs4680) Genotypes on the Adult Cortisol Response to Psychological Stress. <i>Psychosomatic Medicine</i> , 2017, 79, 631-637.	1.3	35
57	563. Vasopressin (AVP) Gene Modulates Risk of Alcohol Dependence via Effects on Stress and Anxiety. <i>Biological Psychiatry</i> , 2017, 81, S227-S228.	0.7	0
58	Neuromodulation interventions for addictive disorders: challenges, promise, and roadmap for future research. <i>Brain</i> , 2017, 140, aww284.	3.7	55
59	Brain-derived neurotrophic factor Val66Met genotype modulates amygdala habituation. <i>Psychiatry Research - Neuroimaging</i> , 2017, 263, 85-92.	0.9	22
60	Does MAOA increase susceptibility to prenatal stress in young children?. <i>Neurotoxicology and Teratology</i> , 2017, 61, 82-91.	1.2	7
61	Polygenic Risk Scores in Psychiatry. <i>Biological Psychiatry</i> , 2017, 82, 698-699.	0.7	14
62	Early rearing history influences oxytocin receptor epigenetic regulation in rhesus macaques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11769-11774.	3.3	49
63	505. Lymphoblastoid Cell Lines from Women with Premenstrual Dysphoric Disorder Differ in Genetic, mRNA, and Protein Expression Profiles Compared with Asymptomatic Controls. <i>Biological Psychiatry</i> , 2017, 81, S205.	0.7	1
64	Orexin/hypocretin receptor 2 (HCRTR2) in alcohol dependence diagnosis and severity: Role of HCRTR2 rs2653349 polymorphism. <i>Alcohol</i> , 2017, 60, 233.	0.8	0
65	Local Cues Establish and Maintain Region-Specific Phenotypes of Basal Ganglia Microglia. <i>Neuron</i> , 2017, 95, 341-356.e6.	3.8	325
66	Reply to: Neuroclinical Assessment of Addiction Needs to Incorporate Decision-Making Measures and Ecological Validity. <i>Biological Psychiatry</i> , 2017, 81, e55.	0.7	4
67	The influence of <i>FKBP5</i> genotype on expression of <i>FKBP5</i> and other glucocorticoid-regulated genes, dependent on trauma exposure. <i>Genes, Brain and Behavior</i> , 2017, 16, 223-232.	1.1	25
68	Heightened amygdala responsiveness in s-carriers of 5-HTTLPR genetic polymorphism reflects enhanced cortical rather than subcortical inputs: An MEG study. <i>Human Brain Mapping</i> , 2017, 38, 4313-4321.	1.9	1
69	The abundance of cis-acting loci leading to differential allele expression in F1 mice and their relationship to loci harboring genes affecting complex traits. <i>BMC Genomics</i> , 2016, 17, 620.	1.2	13
70	Predictors for self-directed aggression in Italian prisoners include externalizing behaviors, childhood trauma and the serotonin transporter gene polymorphism 5-HTTLPR. <i>Genes, Brain and Behavior</i> , 2016, 15, 465-473.	1.1	17
71	Early-Life Adversity Interacts with FKBP5 Genotypes: Altered Working Memory and Cardiac Stress Reactivity in the Oklahoma Family Health Patterns Project. <i>Neuropsychopharmacology</i> , 2016, 41, 1724-1732.	2.8	29
72	<i>GABBR1</i> and <i>SLC6A1</i> , Two Genes Involved in Modulation of GABA Synaptic Transmission, Influence Risk for Alcoholism: Results from Three Ethnically Diverse Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 93-101.	1.4	20

#	ARTICLE	IF	CITATIONS
73	Association of Superoxide Dismutase 2 (SOD2) Genotype with Gray Matter Volume Shrinkage in Chronic Alcohol Users: Replication and Further Evaluation of an Addiction Gene Panel. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw033.	1.0	8
74	Making Sense of Epigenetics. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw058.	1.0	60
75	An epigenetic mechanism mediates developmental nicotine effects on neuronal structure and behavior. <i>Nature Neuroscience</i> , 2016, 19, 905-914.	7.1	78
76	A Prospective Cohort Study of Influences on Externalizing Behaviors Across Childhood: Results From a Nurse Home Visiting Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 376-382.	0.3	10
77	A Clinical Service to Support the Return of Secondary Genomic Findings in Human Research. <i>American Journal of Human Genetics</i> , 2016, 98, 435-441.	2.6	29
78	Addictions Neuroclinical Assessment: A Neuroscience-Based Framework for Addictive Disorders. <i>Biological Psychiatry</i> , 2016, 80, 179-189.	0.7	263
79	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016, 46, 151-169.	1.4	98
80	A Spontaneous Missense Mutation in Branched Chain Keto Acid Dehydrogenase Kinase in the Rat Affects Both the Central and Peripheral Nervous Systems. <i>PLoS ONE</i> , 2016, 11, e0160447.	1.1	16
81	A genome-wide association study of suicidal behavior. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 557-563.	1.1	80
82	Effect of Functionally Significant Deiodinase Single Nucleotide Polymorphisms on Drinking Behavior in Alcohol Dependence: An Exploratory Investigation. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1665-1670.	1.4	5
83	A Genome-Wide Copy Number Variant Study of Suicidal Behavior. <i>PLoS ONE</i> , 2015, 10, e0128369.	1.1	16
84	Impulsive alcohol-related risk-behavior and emotional dysregulation among individuals with a serotonin 2B receptor stop codon. <i>Translational Psychiatry</i> , 2015, 5, e681-e681.	2.4	28
85	Cannabinoid receptor 1 promotes hepatocellular carcinoma initiation and progression through multiple mechanisms. <i>Hepatology</i> , 2015, 61, 1615-1626.	3.6	83
86	The glucagon-like peptide-1 receptor as a potential treatment target in alcohol use disorder: evidence from human genetic association studies and a mouse model of alcohol dependence. <i>Translational Psychiatry</i> , 2015, 5, e583-e583.	2.4	79
87	DNA Methylation in the Medial Prefrontal Cortex Regulates Alcohol-Induced Behavior and Plasticity. <i>Journal of Neuroscience</i> , 2015, 35, 6153-6164.	1.7	101
88	Cortisol Stress Response in Men and Women Modulated Differentially by the Mu-Opioid Receptor Gene Polymorphism OPRM1 A118G. <i>Neuropsychopharmacology</i> , 2015, 40, 2546-2554.	2.8	45
89	America's Cannabis Experiment. <i>JAMA Psychiatry</i> , 2015, 72, 969.	6.0	9
90	The contribution of rare and common variants in 30 genes to risk nicotine dependence. <i>Molecular Psychiatry</i> , 2015, 20, 1467-1478.	4.1	64

#	ARTICLE	IF	CITATIONS
91	Effects of the Mu Opioid Receptor Polymorphism (OPRM1 A118G) on Pain Regulation, Placebo Effects and Associated Personality Trait Measures. <i>Neuropsychopharmacology</i> , 2015, 40, 957-965.	2.8	125
92	Genetic background of extreme violent behavior. <i>Molecular Psychiatry</i> , 2015, 20, 786-792.	4.1	169
93	Preservation of General Intelligence following Traumatic Brain Injury: Contributions of the Met66 Brain-Derived Neurotrophic Factor. <i>PLoS ONE</i> , 2014, 9, e88733.	1.1	61
94	Functional genetic variants in the vesicular monoamine transporter 1 modulate emotion processing. <i>Molecular Psychiatry</i> , 2014, 19, 129-139.	4.1	32
95	A GCH1 haplotype confers sex-specific susceptibility to pain crises and altered endothelial function in adults with sickle cell anemia. <i>American Journal of Hematology</i> , 2014, 89, 187-193.	2.0	38
96	Differential Impact of Serotonin Transporter Activity on Temperament and Behavior in Persons with a Family History of Alcoholism in the Oklahoma Family Health Patterns Project. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1575-1581.	1.4	19
97	Roles of COMT, NPY and GCH1 in acute and chronic pain/stress response. <i>Molecular Pain</i> , 2014, 10, O5.	1.0	1
98	The serotonin transporter gene is a substrate for age and stress dependent epigenetic regulation in rhesus macaque brain: Potential roles in genetic selection and Gene – Environment interactions – CORRIGENDUM. <i>Development and Psychopathology</i> , 2014, 26, 1181-1181.	1.4	1
99	Making sense of deep sequencing. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1717-1725.	1.0	32
100	FAAH selectively influences placebo effects. <i>Molecular Psychiatry</i> , 2014, 19, 385-391.	4.1	77
101	MAOA – Environment Interactions: Results May Vary. <i>Biological Psychiatry</i> , 2014, 75, 2-3.	0.7	13
102	Evidence of MAOA genotype involvement in spatial ability in males. <i>Behavioural Brain Research</i> , 2014, 267, 106-110.	1.2	7
103	The interactive effect of MAOA – LPR genotype and childhood physical neglect on aggressive behaviors in Italian male prisoners. <i>Genes, Brain and Behavior</i> , 2014, 13, 543-549.	1.1	33
104	DRD4 and striatal modulation of the link between childhood behavioral inhibition and adolescent anxiety. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 445-453.	1.5	38
105	The missing heritability of behavior: The search continues. <i>Psychophysiology</i> , 2014, 51, 1327-1328.	1.2	7
106	Expression of glutamatergic genes in healthy humans across 16 brain regions; altered expression in the hippocampus after chronic exposure to alcohol or cocaine. <i>Genes, Brain and Behavior</i> , 2014, 13, 758-768.	1.1	58
107	Gene Expression in the Addicted Brain. <i>International Review of Neurobiology</i> , 2014, 116, 251-273.	0.9	46
108	Annotated features of domestic cat – Felis catus genome. <i>GigaScience</i> , 2014, 3, 13.	3.3	30

#	ARTICLE	IF	CITATIONS
109	Valence-Specific Effects of <i>BDNF</i> Val ⁶⁶ Met Polymorphism on Dopaminergic Stress and Reward Processing in Humans. <i>Journal of Neuroscience</i> , 2014, 34, 5874-5881.	1.7	54
110	FKBP5 Moderates Alcohol Withdrawal Severity: Human Genetic Association and Functional Validation in Knockout Mice. <i>Neuropsychopharmacology</i> , 2014, 39, 2029-2038.	2.8	54
111	Loss aversion and 5HTT gene variants in adolescent anxiety. <i>Developmental Cognitive Neuroscience</i> , 2014, 8, 77-85.	1.9	28
112	Aggression, <i>DRD1</i> polymorphism, and lesion location in penetrating traumatic brain injury. <i>CNS Spectrums</i> , 2014, 19, 382-390.	0.7	15
113	Genomics of Impulsivity: Integrating Genes and Neuroscience. <i>Nebraska Symposium on Motivation</i> , 2014, 61, 129-139.	0.9	1
114	Addictive Disorders. , 2013, , 1-29.		0
115	Effects of citalopram and escitalopram on fMRI response to affective stimuli in healthy volunteers selected by serotonin transporter genotype. <i>Psychiatry Research - Neuroimaging</i> , 2013, 213, 217-224.	0.9	7
116	The MAOA gene predicts happiness in women. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 122-125.	2.5	42
117	Independent effects of 5â€² and 3â€² functional variants in the serotonin transporter gene on suicidal behavior in the context of childhood trauma. <i>Journal of Psychiatric Research</i> , 2013, 47, 900-907.	1.5	17
118	Prefrontal white matter impairment in substance users depends upon the catechol-o-methyl transferase (COMT) val158met polymorphism. <i>NeuroImage</i> , 2013, 69, 62-69.	2.1	23
119	DRD2 polymorphisms modulate reward and emotion processing, dopamine neurotransmission and openness to experience. <i>Cortex</i> , 2013, 49, 877-890.	1.1	106
120	DRD2/ANKK1 Taq1A polymorphism (rs1800497) has opposing effects on D2/3 receptor binding in healthy controls and patients with major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2095-2101.	1.0	51
121	Genome-wide profiling of multiple histone methylations in olfactory cells: further implications for cellular susceptibility to oxidative stress in schizophrenia. <i>Molecular Psychiatry</i> , 2013, 18, 740-742.	4.1	82
122	Genetics of impulsive behaviour. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120380.	1.8	93
123	Gray Matter Volume in Adolescent Anxiety: An Impact of the Brain-Derived Neurotrophic Factor Val66Met Polymorphism?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 184-195.	0.3	96
124	Associations between prefrontal $\hat{3}$ -aminobutyric acid concentration and the tryptophan hydroxylase isoform 2 gene, a panic disorder risk allele in women. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1707-1717.	1.0	12
125	Loss of metabotropic glutamate receptor 2 escalates alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16963-16968.	3.3	105
126	A large-scale candidate gene analysis of mood disorders. <i>Psychiatric Genetics</i> , 2013, 23, 47-55.	0.6	17

#	ARTICLE	IF	CITATIONS
127	A preliminary study suggests that nicotine and prefrontal dopamine affect cortico-striatal areas in smokers with performance feedback. <i>Genes, Brain and Behavior</i> , 2013, 12, 554-563.	1.1	7
128	A variant on the kappa opioid receptor gene (OPRK1) is associated with stress response and related drug craving, limbic brain activation and cocaine relapse risk. <i>Translational Psychiatry</i> , 2013, 3, e292-e292.	2.4	49
129	Genome-wide association study implicates NDST3 in schizophrenia and bipolar disorder. <i>Nature Communications</i> , 2013, 4, 2739.	5.8	101
130	Age-modulated association between prefrontal NAA and the BDNF gene. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1185-1193.	1.0	5
131	Attention to Threats and Combat-Related Posttraumatic Stress Symptoms. <i>JAMA Psychiatry</i> , 2013, 70, 401.	6.0	99
132	The Functional DRD3 Ser9Gly Polymorphism (rs6280) Is Pleiotropic, Affecting Reward as Well as Movement. <i>PLoS ONE</i> , 2013, 8, e54108.	1.1	60
133	A Factor Analysis of Global GABAergic Gene Expression in Human Brain Identifies Specificity in Response to Chronic Alcohol and Cocaine Exposure. <i>PLoS ONE</i> , 2013, 8, e64014.	1.1	26
134	Genetic Variation Within Serotonin Genes, Hormones, and Aggression. <i>Research and Perspectives in Endocrine Interactions</i> , 2013, , 81-102.	0.2	0
135	Serotonin transporter genotype differentially modulates neural responses to emotional words following tryptophan depletion in patients recovered from depression and healthy volunteers. <i>Journal of Psychopharmacology</i> , 2012, 26, 1434-1442.	2.0	15
136	The serotonin transporter gene is a substrate for age and stress dependent epigenetic regulation in rhesus macaque brain: Potential roles in genetic selection and Gene × Environment interactions. <i>Development and Psychopathology</i> , 2012, 24, 1391-1400.	1.4	27
137	Fatty-acid amide hydrolase polymorphisms and post-traumatic stress disorder after penetrating brain injury. <i>Translational Psychiatry</i> , 2012, 2, e75-e75.	2.4	29
138	Variation in the Corticotropin-Releasing Hormone Receptor 1 (CRHR1) Gene Influences fMRI Signal Responses during Emotional Stimulus Processing. <i>Journal of Neuroscience</i> , 2012, 32, 3253-3260.	1.7	55
139	Leptin Regulates Dopamine Responses to Sustained Stress in Humans. <i>Journal of Neuroscience</i> , 2012, 32, 15369-15376.	1.7	48
140	BDNF Polymorphism-Dependent OFC and DLPFC Plasticity Differentially Moderates Implicit and Explicit Bias. <i>Cerebral Cortex</i> , 2012, 22, 2602-2609.	1.6	19
141	The serotonin transporter gene linked polymorphic region is associated with the behavioral response to repeated stress exposure in infant rhesus macaques. <i>Development and Psychopathology</i> , 2012, 24, 157-165.	1.4	31
142	Interaction Between FKBP5 and Childhood Trauma and Risk of Aggressive Behavior. <i>Archives of General Psychiatry</i> , 2012, 69, 62.	13.8	126
143	The influence of oxytocin administration on responses to infant faces and potential moderation by OXTR genotype. <i>Psychopharmacology</i> , 2012, 224, 469-476.	1.5	77
144	The genetic basis of alcoholism: multiple phenotypes, many genes, complex networks. <i>Genome Biology</i> , 2012, 13, 239.	13.9	49

#	ARTICLE	IF	CITATIONS
145	The Genetic Basis of Addictive Disorders. <i>Psychiatric Clinics of North America</i> , 2012, 35, 495-519.	0.7	196
146	The rhesus macaque is three times as diverse but more closely equivalent in damaging coding variation as compared to the human. <i>BMC Genetics</i> , 2012, 13, 52.	2.7	33
147	Oxytocin Gene Polymorphisms Influence Human Dopaminergic Function in a Sex-Dependent Manner. <i>Biological Psychiatry</i> , 2012, 72, 198-206.	0.7	87
148	Striatal Dopamine Release and Genetic Variation of the Serotonin 2C Receptor in Humans. <i>Journal of Neuroscience</i> , 2012, 32, 9344-9350.	1.7	41
149	The Role of the Asn40Asp Polymorphism of the Mu Opioid Receptor Gene (<i>OPRM1</i>) on Alcoholism Etiology and Treatment: A Critical Review. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 385-394.	1.4	74
150	Genetic modulation of plasma NPY stress response is suppressed in substance abuse: Association with clinical outcomes. <i>Psychoneuroendocrinology</i> , 2012, 37, 554-564.	1.3	14
151	Two HPA axis genes, CRHBP and FKBP5, interact with childhood trauma to increase the risk for suicidal behavior. <i>Journal of Psychiatric Research</i> , 2012, 46, 72-79.	1.5	149
152	GABAergic Gene Expression in Postmortem Hippocampus from Alcoholics and Cocaine Addicts; Corresponding Findings in Alcohol-Naïve P and NP Rats. <i>PLoS ONE</i> , 2012, 7, e29369.	1.1	84
153	BDNF Polymorphism Predicts General Intelligence after Penetrating Traumatic Brain Injury. <i>PLoS ONE</i> , 2011, 6, e27389.	1.1	75
154	Genetics of emotion. <i>Trends in Cognitive Sciences</i> , 2011, 15, 401-8.	4.0	51
155	Psychopathy, PCL-R, and MAOA genotype as predictors of violent reconvictions. <i>Psychiatry Research</i> , 2011, 185, 382-386.	1.7	45
156	Functional Polymorphism of the Mu-Opioid Receptor Gene (<i>OPRM1</i>) Influences Reinforcement Learning in Humans. <i>PLoS ONE</i> , 2011, 6, e24203.	1.1	21
157	Serotonin Transporter Genotype (5-HTTLPR) Predicts Utilitarian Moral Judgments. <i>PLoS ONE</i> , 2011, 6, e25148.	1.1	30
158	Emotion Processing, Major Depression, and Functional Genetic Variation of Neuropeptide Y. <i>Archives of General Psychiatry</i> , 2011, 68, 158.	13.8	100
159	Haplotype-Based Study of the Association of Alcohol-Metabolizing Genes With Alcohol Dependence in Four Independent Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 304-316.	1.4	47
160	<i>OPRM1</i> gene variants modulate amphetamine-induced euphoria in humans. <i>Genes, Brain and Behavior</i> , 2011, 10, 199-209.	1.1	44
161	A <i>CHRNA5</i> allele related to nicotine addiction and schizophrenia. <i>Genes, Brain and Behavior</i> , 2011, 10, 530-535.	1.1	56
162	Functional genetic variants that increase synaptic serotonin and 5-HT ₃ receptor sensitivity predict alcohol and drug dependence. <i>Molecular Psychiatry</i> , 2011, 16, 1139-1146.	4.1	90

#	ARTICLE	IF	CITATIONS
163	Pharmacogenetic approaches to the treatment of alcohol addiction. <i>Nature Reviews Neuroscience</i> , 2011, 12, 670-684.	4.9	224
164	Central serotonin transporter levels are associated with stress hormone response and anxiety. <i>Psychopharmacology</i> , 2011, 213, 563-572.	1.5	59
165	Cognitive effects of genetic variation in monoamine neurotransmitter systems: A population-based study of <i>COMT</i> , <i>MAOA</i> , and <i>5HTTLPR</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 158-167.	1.1	41
166	Absence of association between specific common variants of the obesity-related <i>FTO</i> gene and psychological and behavioral eating disorder phenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 454-461.	1.1	31
167	Association of Candidate Genes with Phenotypic Traits Relevant to Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2011, 19, 487-493.	2.3	30
168	Prefrontal cortex lesions and MAO-A modulate aggression in penetrating traumatic brain injury. <i>Neurology</i> , 2011, 76, 1038-1045.	1.5	49
169	Hyperactivation of anandamide synthesis and regulation of cell-cycle progression via cannabinoid type 1 (CB ₁) receptors in the regenerating liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6323-6328.	3.3	90
170	Molecular Etiologies of Schizophrenia: Are We Almost There Yet?. <i>American Journal of Psychiatry</i> , 2011, 168, 879-881.	4.0	4
171	Taking Humor Seriously: Talking about Drinking in Native American Focus Groups. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , 2011, 30, 295-318.	0.6	3
172	The Role of the Met66 Brain-Derived Neurotrophic Factor Allele in the Recovery of Executive Functioning after Combat-Related Traumatic Brain Injury. <i>Journal of Neuroscience</i> , 2011, 31, 598-606.	1.7	123
173	Substance-specific and shared transcription and epigenetic changes in the human hippocampus chronically exposed to cocaine and alcohol. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6626-6631.	3.3	214
174	Sexual functioning in women with eating disorders. <i>International Journal of Eating Disorders</i> , 2010, 43, 123-129.	2.1	86
175	Genomics of Addiction. <i>Current Psychiatry Reviews</i> , 2010, 6, 122-134.	0.9	2
176	DRD2 promoter region variation predicts antipsychotic-induced weight gain in first episode schizophrenia. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 569-572.	0.7	68
177	Functional <i>NPY</i> Variation as a Factor in Stress Resilience and Alcohol Consumption in Rhesus Macaques. <i>Archives of General Psychiatry</i> , 2010, 67, 423.	13.8	62
178	Tryptophan-hydroxylase 2 haplotype association with borderline personality disorder and aggression in a sample of patients with personality disorders and healthy controls. <i>Journal of Psychiatric Research</i> , 2010, 44, 1075-1081.	1.5	61
179	Association study of 182 candidate genes in anorexia nervosa. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1070-1080.	1.1	57
180	MAOA Alters the Effects of Heavy Drinking and Childhood Physical Abuse on Risk for Severe Impulsive Acts of Violence Among Alcoholic Violent Offenders. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 853-860.	1.4	49

#	ARTICLE	IF	CITATIONS
181	Linkage of Large-Vessel Carotid Atherosclerotic Stroke to Inflammatory Genes via a Systematic Screen. <i>International Journal of Stroke</i> , 2010, 5, 145-151.	2.9	9
182	Early life stress, MAOA, and gene-environment interactions predict behavioral disinhibition in children. <i>Genes, Brain and Behavior</i> , 2010, 9, 65-74.	1.1	98
183	Breaking Barriers in the Genomics and Pharmacogenetics of Drug Addiction. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 88, 779-791.	2.3	81
184	A population-specific HTR2B stop codon predisposes to severe impulsivity. <i>Nature</i> , 2010, 468, 1061-1066.	13.7	272
185	A genetically modulated, intrinsic cingulate circuit supports human nicotine addiction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13509-13514.	3.3	154
186	Genome-wide association identifies candidate genes that influence the human electroencephalogram. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8695-8700.	3.3	69
187	More Aroused, Less Fatigued: Fatty Acid Amide Hydrolase Gene Polymorphisms Influence Acute Response to Amphetamine. <i>Neuropsychopharmacology</i> , 2010, 35, 613-622.	2.8	29
188	Association of SOD2, a Mitochondrial Antioxidant Enzyme, with Gray Matter Volume Shrinkage in Alcoholics. <i>Neuropsychopharmacology</i> , 2010, 35, 1120-1128.	2.8	20
189	Interaction of FKBP5, a Stress-Related Gene, with Childhood Trauma Increases the Risk for Attempting Suicide. <i>Neuropsychopharmacology</i> , 2010, 35, 1674-1683.	2.8	265
190	“Alcohol is Something That Been With Us Like a Common Cold” Community Perceptions of American Indian Drinking. <i>Substance Use and Misuse</i> , 2010, 45, 1909-1929.	0.7	19
191	Multiple chronic pain states are associated with a common amino acid “changing allele in KCNS1. <i>Brain</i> , 2010, 133, 2519-2527.	3.7	224
192	The Influence of GABRA2, Childhood Trauma, and Their Interaction on Alcohol, Heroin, and Cocaine Dependence. <i>Biological Psychiatry</i> , 2010, 67, 20-27.	0.7	134
193	Gene – Environment Interactions in Complex Behavior: First, Build a Telescope. <i>Biological Psychiatry</i> , 2010, 67, 295-296.	0.7	10
194	The Genetics of Alcoholism and Other Addictive Disorders. , 2010, , 715-741.		1
195	Variations in the serotonin-transporter gene are associated with attention bias patterns to positive and negative emotion faces. <i>Biological Psychology</i> , 2010, 83, 269-271.	1.1	150
196	Neural and behavioral responses to threatening emotion faces in children as a function of the short allele of the serotonin transporter gene. <i>Biological Psychology</i> , 2010, 85, 38-44.	1.1	55
197	Correlates of posttraumatic epilepsy 35 years following combat brain injury. <i>Neurology</i> , 2010, 75, 224-229.	1.5	145
198	BDNF gene polymorphism (Val66Met) predicts amygdala and anterior hippocampus responses to emotional faces in anxious and depressed adolescents. <i>NeuroImage</i> , 2010, 53, 952-961.	2.1	103

#	ARTICLE	IF	CITATIONS
199	Anxiety: Uncover Roles of Stress Related Genes by Imaging Genetics. , 2010, , 291-301.		0
200	The Pharmacogenomics of Addiction. , 2010, , 225-236.		0
201	Functional <i>CRH</i> variation increases stress-induced alcohol consumption in primates. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 14593-14598.	3.3	79
202	Association of Substance Use Disorders With Childhood Trauma but not African Genetic Heritage in an African American Cohort. American Journal of Psychiatry, 2009, 166, 1031-1040.	4.0	63
203	Effects of Catechol- <i>O</i> -Methyltransferase on Normal Variation in the Cognitive Function of Children. American Journal of Psychiatry, 2009, 166, 909-916.	4.0	61
204	GABRG1 and GABRA2 as Independent Predictors for Alcoholism in Two Populations. Neuropsychopharmacology, 2009, 34, 1245-1254.	2.8	82
205	Expansion of the human μ -opioid receptor gene architecture: novel functional variants. Human Molecular Genetics, 2009, 18, 1037-1051.	1.4	150
206	The Alcohol Flushing Response: An Unrecognized Risk Factor for Esophageal Cancer from Alcohol Consumption. PLoS Medicine, 2009, 6, e1000050.	3.9	374
207	Additional functional variation at the SLC6A4 gene. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 153-153.	1.1	22
208	Emotional symptoms in children: The effect of maternal depression, life events, and COMT genotype. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 209-218.	1.1	21
209	Effects of stressful life events, maternal depression and <i>5-HTTLPR</i> genotype on emotional symptoms in pre-adolescent children. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 670-682.	1.1	53
210	Serotonin polymorphisms and posttraumatic stress disorder in a trauma exposed African American population. Depression and Anxiety, 2009, 26, 993-997.	2.0	73
211	Genetical genomic determinants of alcohol consumption in rats and humans. BMC Biology, 2009, 7, 70.	1.7	148
212	COMT Val158Met and cognition: main effects and interaction with educational attainment. Genes, Brain and Behavior, 2009, 8, 36-42.	1.1	35
213	Genes and Addictions. Clinical Pharmacology and Therapeutics, 2009, 85, 359-361.	2.3	77
214	Zhou et al. reply. Nature, 2009, 458, E7-E7.	18.7	1
215	<i>DRD1</i> 5'UTR variation, sex and early infant stress influence ethanol consumption in rhesus macaques. Genes, Brain and Behavior, 2009, 8, 626-630.	1.1	12
216	<i>OPRM1</i> Asn40Asp Predicts Response to Naltrexone Treatment: A Haplotype-Based Approach. Alcoholism: Clinical and Experimental Research, 2009, 33, 383-393.	1.4	82

#	ARTICLE	IF	CITATIONS
217	Effects of MAOA genotype, Alcohol Consumption, and Aging on Violent Behavior. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 428-434.	1.4	51
218	Ethical Considerations for Administering Alcohol or Alcohol Cues to Treatment-Seeking Alcoholics in a Research Setting: Can the Benefits to Society Outweigh the Risks to the Individual?. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1508-1512.	1.4	94
219	HTR3B is associated with alcoholism with antisocial behavior and alpha EEG power—an intermediate phenotype for alcoholism and co-morbid behaviors. <i>Alcohol</i> , 2009, 43, 73-84.	0.8	57
220	Associations of glutamate decarboxylase genes with initial sensitivity and age-at-onset of alcohol dependence in the Irish Affected Sib Pair Study of Alcohol Dependence. <i>Drug and Alcohol Dependence</i> , 2009, 101, 80-87.	1.6	29
221	The Role of COMT Val158Met in Cognition. <i>Biological Psychiatry</i> , 2009, 65, e1-e2.	0.7	67
222	Amygdala Function and 5-HTT Gene Variants in Adolescent Anxiety and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2009, 65, 349-355.	0.7	105
223	Divergent Effects of Genetic Variation in Endocannabinoid Signaling on Human Threat- and Reward-Related Brain Function. <i>Biological Psychiatry</i> , 2009, 66, 9-16.	0.7	209
224	Questionable Efficacy for Naltrexone in Patients With ASP40—Reply. <i>Archives of General Psychiatry</i> , 2009, 66, 796.	13.8	0
225	Alleles of alcohol and acetaldehyde metabolism genes modulate susceptibility to oesophageal cancer from alcohol consumption. <i>Human Genomics</i> , 2009, 3, 103.	1.4	15
226	The role of 5-HTTLPR in choosing the lesser of two evils, the better of two goods: examining the impact of 5-HTTLPR genotype and tryptophan depletion in object choice. <i>Psychopharmacology</i> , 2008, 196, 29-38.	1.5	32
227	Neurophysiological and genetic distinctions between pure and comorbid anxiety disorders. <i>Depression and Anxiety</i> , 2008, 25, 383-392.	2.0	59
228	Genetic variation in human NPY expression affects stress response and emotion. <i>Nature</i> , 2008, 452, 997-1001.	13.7	387
229	Interaction between a functional MAOA locus and childhood sexual abuse predicts alcoholism and antisocial personality disorder in adult women. <i>Molecular Psychiatry</i> , 2008, 13, 334-347.	4.1	209
230	Association of ADH and ALDH Genes With Alcohol Dependence in the Irish Affected Sib Pair Study of Alcohol Dependence (IASPSAD) Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 785-795.	1.4	72
231	Naltrexone Alone and With Sertraline for the Treatment of Alcohol Dependence in Alaska Natives and Non-Natives Residing in Rural Settings: A Randomized Controlled Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1271-1283.	1.4	86
232	Genetic approaches to addiction: genes and alcohol. <i>Addiction</i> , 2008, 103, 1414-1428.	1.7	189
233	It Is Time to Take a Stand for Medical Research and Against Terrorism Targeting Medical Scientists. <i>Biological Psychiatry</i> , 2008, 63, 725-727.	0.7	65
234	DISC1 is associated with prefrontal cortical gray matter and positive symptoms in schizophrenia. <i>Biological Psychology</i> , 2008, 79, 103-110.	1.1	88

#	ARTICLE	IF	CITATIONS
235	Features associated with diet pill use in individuals with eating disorders. <i>Eating Behaviors</i> , 2008, 9, 73-81.	1.1	21
236	Serotonin transporter genotype and depressive phenotype determination by discriminant analysis of glucose metabolism under acute tryptophan depletion. <i>NeuroImage</i> , 2008, 43, 764-774.	2.1	16
237	Variation at the mu-opioid receptor gene (<i>OPRM1</i>) influences attachment behavior in infant primates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5277-5281.	3.3	171
238	Monoamine Oxidase A Genotype Predicts Human Serotonin 1A Receptor Availability In Vivo. <i>Journal of Neuroscience</i> , 2008, 28, 11354-11359.	1.7	48
239	CRH Haplotype as a Factor Influencing Cerebrospinal Fluid Levels of Corticotropin-Releasing Hormone, Hypothalamic-Pituitary-Adrenal Axis Activity, Temperament, and Alcohol Consumption in Rhesus Macaques. <i>Archives of General Psychiatry</i> , 2008, 65, 934.	13.8	63
240	Addictions Biology: Haplotype-Based Analysis for 130 Candidate Genes on a Single Array. <i>Alcohol and Alcoholism</i> , 2008, 43, 505-515.	0.9	222
241	An Evaluation of μ -Opioid Receptor (<i>OPRM1</i>) as a Predictor of Naltrexone Response in the Treatment of Alcohol Dependence. <i>Archives of General Psychiatry</i> , 2008, 65, 135.	13.8	428
242	Elucidating the relationship between <i>DISC1</i> , <i>NDEL1</i> and <i>NDE1</i> and the risk for schizophrenia: Evidence of epistasis and competitive binding. <i>Human Molecular Genetics</i> , 2008, 17, 2462-2473.	1.4	101
243	A Non-Additive Interaction of a Functional MAO-A VNTR and Testosterone Predicts Antisocial Behavior. <i>Neuropsychopharmacology</i> , 2008, 33, 425-430.	2.8	129
244	Common Genetic Origins for EEG, Alcoholism and Anxiety: The Role of CRH-BP. <i>PLoS ONE</i> , 2008, 3, e3620.	1.1	90
245	The <i>FEZ1</i> Gene Shows No Association to Schizophrenia in Caucasian or African American Populations. <i>Neuropsychopharmacology</i> , 2007, 32, 190-196.	2.8	20
246	The Impact of Tryptophan Depletion and 5-HTTLPR Genotype on Passive Avoidance and Response Reversal Instrumental Learning Tasks. <i>Neuropsychopharmacology</i> , 2007, 32, 206-215.	2.8	78
247	Interaction between Childhood Trauma and Serotonin Transporter Gene Variation in Suicide. <i>Neuropsychopharmacology</i> , 2007, 32, 2046-2052.	2.8	173
248	Gender-Specific Effects of the Catechol-O-Methyltransferase <i>Val</i> ^{108/158} <i>Met</i> Polymorphism on Cognitive Function in Children. <i>American Journal of Psychiatry</i> , 2007, 164, 142-149.	4.0	115
249	Association of a Functional Polymorphism in the μ -Opioid Receptor Gene With Alcohol Response and Consumption in Male Rhesus Macaques. <i>Archives of General Psychiatry</i> , 2007, 64, 369.	13.8	108
250	Association between the recombinant human serotonin transporter linked promoter region polymorphism and behavior in rhesus macaques during a separation paradigm. <i>Development and Psychopathology</i> , 2007, 19, 977-987.	1.4	82
251	Irritable assault and variation in the <i>COMT</i> gene. <i>Psychiatric Genetics</i> , 2007, 17, 344-346.	0.6	13
252	Brain Serotonin Transporter Binding in Depressed Patients With Bipolar Disorder Using Positron Emission Tomography. <i>Archives of General Psychiatry</i> , 2007, 64, 201.	13.8	122

#	ARTICLE	IF	CITATIONS
253	Responses to Drs. Kim and Dionne regarding comments on Diatchenko, et al. Catechol- O-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. Pain 2006;125:216-24. Pain, 2007, 129, 366-370.	2.0	19
254	Association of THR105Ile, a functional polymorphism of histamine N-methyltransferase (HNMT), with alcoholism in German Caucasians. Drug and Alcohol Dependence, 2007, 87, 69-75.	1.6	15
255	Do Motor Control Genes Contribute to Interindividual Variability in Decreased Movement in Patients with Pain?. Molecular Pain, 2007, 3, 1744-8069-3-20.	1.0	19
256	Influence of Psychological Factors on Risk of Temporomandibular Disorders. Journal of Dental Research, 2007, 86, 1120-1125.	2.5	185
257	Disrupted in Schizophrenia 1 Genotype and Positive Symptoms in Schizophrenia. Biological Psychiatry, 2007, 61, 1208-1210.	0.7	73
258	Deconstruction of Vulnerability to Complex Diseases: Enhanced Effect Sizes and Power of Intermediate Phenotypes. Scientific World Journal, The, 2007, 7, 124-130.	0.8	46
259	Genetics of noradrenergic neurobiology. , 2007, , 472-512.		0
260	Patterns of menstrual disturbance in eating disorders. International Journal of Eating Disorders, 2007, 40, 424-434.	2.1	154
261	Increased anxiety and other similarities in temperament of alcoholics with and without antisocial personality disorder across three diverse populations. Alcohol, 2007, 41, 3-12.	0.8	45
262	Schizophrenia and psychotic symptoms in families of two American Indian tribes. BMC Psychiatry, 2007, 7, 30.	1.1	5
263	Gene-gene effects on central processing of aversive stimuli. Molecular Psychiatry, 2007, 12, 307-317.	4.1	148
264	Linkage Disequilibrium and Association Analysis of γ -Synuclein and Alcohol and Drug Dependence in Two American Indian Populations. Alcoholism: Clinical and Experimental Research, 2007, 31, 070212174136004-???	1.4	23
265	Alcoholism is associated with GALR3 but not two other galanin receptor genes. Genes, Brain and Behavior, 2007, 6, 473-481.	1.1	54
266	Midbrain serotonin transporter binding potential measured with [11C]DASB is affected by serotonin transporter genotype. Journal of Neural Transmission, 2007, 114, 635-639.	1.4	128
267	Reduced availability of serotonin transporters in obsessive-compulsive disorder correlates with symptom severity - a [11C]DASB PET study. Journal of Neural Transmission, 2007, 114, 1603-1609.	1.4	67
268	A Clinical Genetic Method to Identify Mechanisms by Which Pain Causes Depression and Anxiety. Molecular Pain, 2006, 2, 1744-8069-2-14.	1.0	50
269	Using ancestry-informative markers to define populations and detect population stratification. Journal of Psychopharmacology, 2006, 20, 19-26.	2.0	115
270	Serotonin Transporter Promoter Gain-of-Function Genotypes Are Linked to Obsessive-Compulsive Disorder. American Journal of Human Genetics, 2006, 78, 815-826.	2.6	1,032

#	ARTICLE	IF	CITATIONS
271	Catechol-O-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. <i>Pain</i> , 2006, 125, 216-224.	2.0	320
272	Catechol-O-methyltransferase Val158Met genotype variation is associated with prefrontal-dependent task performance in schizotypal personality disorder patients and comparison groups. <i>Psychiatric Genetics</i> , 2006, 16, 117-124.	0.6	40
273	Non-human primate models of inheritance vulnerability to alcohol use disorders. <i>Addiction Biology</i> , 2006, 11, 374-385.	1.4	46
274	Genetic and Other Contributions to Alcohol Intake in Rhesus Macaques (<i>Macaca mulatta</i>). <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 389-398.	1.4	16
275	Sex Differences in the Influence of COMT Val158Met on Alcoholism and Smoking in Plains American Indians. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 399-406.	1.4	63
276	GTP cyclohydrolase and tetrahydrobiopterin regulate pain sensitivity and persistence. <i>Nature Medicine</i> , 2006, 12, 1269-1277.	15.2	504
277	Association of galanin haplotypes with alcoholism and anxiety in two ethnically distinct populations. <i>Molecular Psychiatry</i> , 2006, 11, 301-311.	4.1	74
278	A functional polymorphism in the MAOA gene promoter (MAOA-LPR) predicts central dopamine function and body mass index. <i>Molecular Psychiatry</i> , 2006, 11, 858-866.	4.1	62
279	Imaging Genomics Applied to Anxiety, Stress Response, and Resiliency. <i>Neuroinformatics</i> , 2006, 4, 51-64.	1.5	31
280	Impaired recognition of fear facial expressions in 5-HTTLPR S-polymorphism carriers following tryptophan depletion. <i>Psychopharmacology</i> , 2006, 189, 387-394.	1.5	47
281	Features associated with excessive exercise in women with eating disorders. <i>International Journal of Eating Disorders</i> , 2006, 39, 454-461.	2.1	266
282	Three major haplotypes of the β_2 adrenergic receptor define psychological profile, blood pressure, and the risk for development of a common musculoskeletal pain disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 449-462.	1.1	169
283	Dimensional anxiety mediates linkage of GABRA2 haplotypes with alcoholism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 599-607.	1.1	105
284	DRD2 Promoter Region Variation as a Predictor of Sustained Response to Antipsychotic Medication in First-Episode Schizophrenia Patients. <i>American Journal of Psychiatry</i> , 2006, 163, 529-531.	4.0	146
285	Association of a Triallelic Serotonin Transporter Gene Promoter Region (5-HTTLPR) Polymorphism With Stressful Life Events and Severity of Depression. <i>American Journal of Psychiatry</i> , 2006, 163, 1588-1593.	4.0	319
286	Effect of a Triallelic Functional Polymorphism of the Serotonin-Transporter-Linked Promoter Region on Expression of Serotonin Transporter in the Human Brain. <i>American Journal of Psychiatry</i> , 2006, 163, 48-51.	4.0	250
287	The Genetics of Addictions: Uncovering the Genes. <i>Focus (American Psychiatric Publishing)</i> , 2006, 4, 401-415.	0.4	11
288	Effects of a β_2 -Adrenoreceptor Gene Polymorphism on Neural Responses to Facial Expressions in Depression. <i>Neuropsychopharmacology</i> , 2006, 31, 1750-1756.	2.8	80

#	ARTICLE	IF	CITATIONS
289	The Met66 allele of the functional Val66Met polymorphism in the brain-derived neurotrophic factor gene confers protection against neurocognitive dysfunction in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 1330-1335.	0.5	47
290	Differential Effects of 5-HTTLPR Genotypes on the Behavioral and Neural Responses to Tryptophan Depletion in Patients With Major Depression and Controls. <i>Archives of General Psychiatry</i> , 2006, 63, 978.	13.8	140
291	Risk Factors for Physical Assault and Rape Among Six Native American Tribes. <i>Journal of Interpersonal Violence</i> , 2006, 21, 1566-1590.	1.3	80
292	Estimation of Haplotypes at DRD2 May Have Produced Misleading Resultsâ€”Reply. <i>Archives of General Psychiatry</i> , 2006, 63, 939.	13.8	0
293	Association of COMT Val158Met Genotype With Executive Functioning Following Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 465-471.	0.9	90
294	DISC1 and neurocognitive function in schizophrenia. <i>NeuroReport</i> , 2005, 16, 1399-1402.	0.6	105
295	COMBINE genetics study: the pharmacogenetics of alcoholism treatment response: genes and mechanisms.. <i>Journal of Studies on Alcohol Supplement</i> , 2005, , 56-64.	0.9	42
296	Sympathoneural and adrenomedullary functional effects of ??2C-adrenoreceptor gene polymorphism in healthy humans. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 143-149.	0.7	85
297	The genetics of addictions: uncovering the genes. <i>Nature Reviews Genetics</i> , 2005, 6, 521-532.	7.7	902
298	Haplotype structure of the beta adrenergic receptor genes in US Caucasians and African Americans. <i>European Journal of Human Genetics</i> , 2005, 13, 341-351.	1.4	40
299	Brain-derived neurotrophic factor Val66met polymorphism and volume of the hippocampal formation. <i>Molecular Psychiatry</i> , 2005, 10, 631-636.	4.1	337
300	An Expanded Evaluation of the Relationship of Four Alleles to the Level of Response to Alcohol and the Alcoholism Risk. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 8-16.	1.4	431
301	Thr105Ile, a Functional Polymorphism of Histamine N-Methyltransferase, Is Associated with Alcoholism in Two Independent Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 303-309.	1.4	31
302	A Novel Single Nucleotide Polymorphism of the Neuropeptide Y (NPY) Gene Associated With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 702-707.	1.4	62
303	Structural variants in the retinoid receptor genes in patients with schizophrenia and other psychiatric diseases. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 133B, 50-53.	1.1	16
304	Haplotype-based analysis of alpha 2A, 2B, and 2C adrenergic receptor genes captures information on common functional loci at each gene. <i>Journal of Human Genetics</i> , 2005, 50, 12-20.	1.1	42
305	Association of Multiple DRD2 Polymorphisms with Anorexia Nervosa. <i>Neuropsychopharmacology</i> , 2005, 30, 1703-1710.	2.8	127
306	Neuroimaging and Human Genetics. <i>International Review of Neurobiology</i> , 2005, 67, 325-383.	0.9	21

#	ARTICLE	IF	CITATIONS
307	Catechol-O-Methyltransferase val158met Genotype Affects Processing of Emotional Stimuli in the Amygdala and Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2005, 25, 836-842.	1.7	390
308	Haplotype-Based Linkage of Tryptophan Hydroxylase 2 to Suicide Attempt, Major Depression, and Cerebrospinal Fluid 5-Hydroxyindoleacetic Acid in 4 Populations. <i>Archives of General Psychiatry</i> , 2005, 62, 1109.	13.8	178
309	Genetic basis for individual variations in pain perception and the development of a chronic pain condition. <i>Human Molecular Genetics</i> , 2005, 14, 135-143.	1.4	1,134
310	Haplotype-Based Localization of an Alcohol Dependence Gene to the 5q34 β -Aminobutyric Acid Type A Gene Cluster. <i>Archives of General Psychiatry</i> , 2005, 62, 47.	13.8	71
311	Vitamin D receptor variants in 192 patients with schizophrenia and other psychiatric diseases. <i>Neuroscience Letters</i> , 2005, 380, 37-41.	1.0	39
312	Response to Zhang et al., (2005) Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. <i>Neuron</i> 45, 11-16. <i>Neuron</i> , 2005, 48, 702-703.	3.8	26
313	Application of a Latent Class Analysis to Empirically Define Eating Disorder Phenotypes. <i>Archives of General Psychiatry</i> , 2004, 61, 192.	13.8	159
314	Interaction Between Serotonin Transporter Gene Variation and Rearing Condition in Alcohol Preference and Consumption in Female Primates. <i>Archives of General Psychiatry</i> , 2004, 61, 1146.	13.8	246
315	Validity of the SMAST in Two American Indian Tribal Populations. <i>Substance Use and Misuse</i> , 2004, 39, 601-624.	0.7	13
316	Sexual dichotomy of an interaction between early adversity and the serotonin transporter gene promoter variant in rhesus macaques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 12358-12363.	3.3	194
317	Association of Specific Haplotypes of D2 Dopamine Receptor Gene With Vulnerability to Heroin Dependence in 2 Distinct Populations. <i>Archives of General Psychiatry</i> , 2004, 61, 597.	13.8	119
318	Failure to detect DUP25 in lymphoblastoid cells derived from patients with panic disorder and control individuals representing European and American populations. <i>European Journal of Human Genetics</i> , 2004, 12, 505-508.	1.4	18
319	Haplotype structure of inflammatory cytokines genes (IL1B, IL6 and TNF/LTA) in US Caucasians and African Americans. <i>Genes and Immunity</i> , 2004, 5, 505-512.	2.2	32
320	Modification of human 5-HT _{2C} receptor function by Cys23Ser, an abundant, naturally occurring amino-acid substitution. <i>Molecular Psychiatry</i> , 2004, 9, 55-64.	4.1	91
321	Inter-relationships of intermediate phenotypes for serotonin function, impulsivity, and a 5-HT _{2A} candidate allele: His452Tyr. <i>Molecular Psychiatry</i> , 2004, 9, 871-878.	4.1	21
322	COMT haplotypes suggest P2 promoter region relevance for schizophrenia. <i>Molecular Psychiatry</i> , 2004, 9, 859-870.	4.1	68
323	Comparison of G-Protein Selectivity of Human 5-HT _{2C} and 5-HT _{1A} Receptors. <i>Annals of the New York Academy of Sciences</i> , 2004, 1025, 570-577.	1.8	7
324	Haplotype architecture of the norepinephrine transporter gene SLC6A2 in four populations. <i>Journal of Human Genetics</i> , 2004, 49, 232-245.	1.1	7

#	ARTICLE	IF	CITATIONS
325	Pharmacogenetic insights to monoaminergic dysfunction in alcohol dependence. <i>Psychopharmacology</i> , 2004, 174, 561-70.	1.5	51
326	Differential expression of human COMT alleles in brain and lymphoblasts detected by RT-coupled 5' nuclease assay. <i>Psychopharmacology</i> , 2004, 177, 178-184.	1.5	55
327	The evolution and population genetics of the ALDH2 locus: random genetic drift, selection, and low levels of recombination. <i>Annals of Human Genetics</i> , 2004, 68, 93-109.	0.3	166
328	MECP2 structural and 3'-UTR variants in schizophrenia, autism and other psychiatric diseases: A possible association with autism. <i>American Journal of Medical Genetics Part A</i> , 2004, 128B, 50-53.	2.4	125
329	Rearing condition and rh5-HTTLPR interact to influence limbic-hypothalamic-pituitary-adrenal axis response to stress in infant macaques. <i>Biological Psychiatry</i> , 2004, 55, 733-738.	0.7	395
330	Genetic influence on variability in human acute experimental pain sensitivity associated with gender, ethnicity and psychological temperament. <i>Pain</i> , 2004, 109, 488-496.	2.0	355
331	Alcoholism: genes and mechanisms. <i>Pharmacogenomics</i> , 2004, 5, 1037-1048.	0.6	112
332	Disrupted in Schizophrenia 1 (DISC1): Association with Schizophrenia, Schizoaffective Disorder, and Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2004, 75, 862-872.	2.6	397
333	Candidate Gene Studies of Human Pain Mechanisms. <i>Anesthesiology</i> , 2004, 100, 1562-1572.	1.3	96
334	Mutation scanning of the androgen receptor gene in patients with psychiatric disorders reveals highly conserved variants in alcoholic and phobia patients. <i>Psychiatric Genetics</i> , 2004, 14, 57-60.	0.6	6
335	Investigation of DUSP8 and CALCA in alcohol dependence. <i>Addiction Biology</i> , 2003, 8, 305-312.	1.4	5
336	Genomics and Variation of Ionotropic Glutamate Receptors. <i>Annals of the New York Academy of Sciences</i> , 2003, 1003, 22-35.	1.8	34
337	Allelic variation at alcohol metabolism genes (ADH1B , ADH1C , ALDH2) and alcohol dependence in an American Indian population. <i>Human Genetics</i> , 2003, 113, 325-336.	1.8	92
338	EEG phenotype in alcoholism: increased coherence in the depressive subtype. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 51-60.	2.2	62
339	The utility of the non-human primate model for studying gene by environment interactions in behavioral research. <i>Genes, Brain and Behavior</i> , 2003, 2, 336-340.	1.1	242
340	NPY leu7pro and Alcohol Dependence in Finnish and Swedish Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 19-24.	1.4	61
341	Candidate genes for anorexia nervosa in the 1p33-36 linkage region: serotonin 1D and delta opioid receptor loci exhibit significant association to anorexia nervosa. <i>Molecular Psychiatry</i> , 2003, 8, 397-406.	4.1	132
342	Serotonin transporter missense mutation associated with a complex neuropsychiatric phenotype. <i>Molecular Psychiatry</i> , 2003, 8, 933-936.	4.1	249

#	ARTICLE	IF	CITATIONS
343	Serotonin Transporter Gene Variation is Associated with Alcohol Sensitivity in Rhesus Macaques Exposed to Early-Life Stress. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 812-817.	1.4	158
344	Association of the G1947A COMT (Val108/158Met) gene polymorphism with prefrontal P300 during information processing. <i>Biological Psychiatry</i> , 2003, 54, 40-48.	0.7	160
345	The BDNF val66met Polymorphism Affects Activity-Dependent Secretion of BDNF and Human Memory and Hippocampal Function. <i>Cell</i> , 2003, 112, 257-269.	13.5	3,472
346	Genetics of human prefrontal function. <i>Brain Research Reviews</i> , 2003, 43, 134-163.	9.1	124
347	Overexpression of an epitope-tagged serotonin transporter in serotonin neurons of the dorsal raphe nucleus using a defective HSV-1 vector. <i>Behavioural Brain Research</i> , 2003, 138, 133-143.	1.2	2
348	Adverse childhood exposures and alcohol dependence among seven Native American tribes. <i>American Journal of Preventive Medicine</i> , 2003, 25, 238-244.	1.6	135
349	Executive Subprocesses in Working Memory. <i>Archives of General Psychiatry</i> , 2003, 60, 889.	13.8	562
350	COMT val158met Genotype Affects micro-Opioid Neurotransmitter Responses to a Pain Stressor. <i>Science</i> , 2003, 299, 1240-1243.	6.0	1,025
351	Genetic origins of anxiety in women: a role for a functional catechol-O-methyltransferase polymorphism. <i>Psychiatric Genetics</i> , 2003, 13, 33-41.	0.6	250
352	Neurocognitive impairment due to chronic alcohol consumption in an American Indian community.. <i>Journal of Studies on Alcohol and Drugs</i> , 2003, 64, 458-466.	2.4	19
353	Use of the MMPI-2 in American Indians: II. Empirical Correlates.. <i>Psychological Assessment</i> , 2003, 15, 360-369.	1.2	14
354	Use of the MMPI-2 in American Indians: I. Comparability of the MMPI-2 Between Two Tribes and With the MMPI-2 Normative Group.. <i>Psychological Assessment</i> , 2003, 15, 351-359.	1.2	18
355	NPY Leu7Pro and alcohol dependence in Finnish and Swedish populations. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 19-24.	1.4	21
356	Determination of Melting Temperature for Variant Detection Using dHPLC: A Comparison Between an Empirical Approach and DNA Melting Prediction Software. <i>Genetic Testing and Molecular Biomarkers</i> , 2002, 6, 169-176.	1.7	10
357	A Functional Polymorphism in the COMT Gene and Performance on a Test of Prefrontal Cognition. <i>American Journal of Psychiatry</i> , 2002, 159, 652-654.	4.0	544
358	Restoring the Addicted Brain. <i>New England Journal of Medicine</i> , 2002, 347, 843-845.	13.9	20
359	CatecholO-Methyltransferase, Serotonin Transporter, and Tryptophan Hydroxylase Gene Polymorphisms in Bipolar Disorder Patients With and Without Comorbid Panic Disorder. <i>American Journal of Psychiatry</i> , 2002, 159, 23-29.	4.0	150
360	The relationship between two intermediate phenotypes for alcoholism: low voltage alpha EEG and low P300 ERP amplitude.. <i>Journal of Studies on Alcohol and Drugs</i> , 2002, 63, 509-517.	2.4	25

#	ARTICLE	IF	CITATIONS
361	The Human Genome: Mutations. <i>American Journal of Psychiatry</i> , 2002, 159, 12-12.	4.0	15
362	DBH and the functional taxonomy of major depressive disorder. <i>Biological Psychiatry</i> , 2002, 51, 347-348.	0.7	2
363	Evidence for a Susceptibility Gene for Anorexia Nervosa on Chromosome 1. <i>American Journal of Human Genetics</i> , 2002, 70, 787-792.	2.6	199
364	A Global Perspective on Genetic Variation at the ADH Genes Reveals Unusual Patterns of Linkage Disequilibrium and Diversity. <i>American Journal of Human Genetics</i> , 2002, 71, 84-99.	2.6	261
365	Serotonin Transporter Genetic Variation and the Response of the Human Amygdala. <i>Science</i> , 2002, 297, 400-403.	6.0	2,227
366	Single-Nucleotide Polymorphism Allele Frequencies Determined by Quantitative Kinetic Assay of Pooled DNA. <i>Clinical Chemistry</i> , 2002, 48, 1605-1608.	1.5	11
367	Relationship of the delta-opioid receptor gene to heroin abuse in a large Chinese case/control sample. <i>American Journal of Medical Genetics Part A</i> , 2002, 110, 45-50.	2.4	46
368	Population variation in linkage disequilibrium across the COMT gene considering promoter region and coding region variation. <i>Human Genetics</i> , 2002, 111, 521-537.	1.8	70
369	A Proline-Threonine Substitution in Codon 351 of ADH1C Is Common in Native Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1759-1763.	1.4	33
370	Human alcoholism studies of genes identified through mouse quantitative trait locus analysis. <i>Addiction Biology</i> , 2002, 7, 365-371.	1.4	4
371	A Proline-Threonine Substitution in Codon 351 of ADH1C Is Common in Native Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1759-1763.	1.4	0
372	Single-nucleotide polymorphism allele frequencies determined by quantitative kinetic assay of pooled DNA. <i>Clinical Chemistry</i> , 2002, 48, 1605-8.	1.5	2
373	A proline-threonine substitution in codon 351 of ADH1C is common in Native Americans. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1759-63.	1.4	12
374	Lack of association between the Tât'C 267 serotonin 5-HT6 receptor gene (HTR6) polymorphism and prediction of response to clozapine in schizophrenia. <i>Schizophrenia Research</i> , 2001, 47, 49-58.	1.1	84
375	Sexually dimorphic relationship of a 5-HT2A promoter polymorphism with obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2001, 49, 385-388.	0.7	99
376	Does a reduced sensitivity to bitter taste increase the risk of becoming nicotine addicted?. <i>Addictive Behaviors</i> , 2001, 26, 399-404.	1.7	78
377	No association of CCK and CCKB receptor polymorphisms with alcohol dependence. <i>Psychiatry Research</i> , 2001, 102, 1-7.	1.7	13
378	DNA Melting Analysis for Detection of Single Nucleotide Polymorphisms. <i>Clinical Chemistry</i> , 2001, 47, 635-644.	1.5	92

#	ARTICLE	IF	CITATIONS
379	Deriving behavioural phenotypes in an international, multi-centre study of eating disorders. <i>Psychological Medicine</i> , 2001, 31, 635-645.	2.7	32
380	Systematic screening for mutations in the glycine receptor $\hat{1}\pm 2$ subunit gene (GLRA2) in patients with schizophrenia and other psychiatric diseases. <i>Psychiatric Genetics</i> , 2001, 11, 45-48.	0.6	7
381	Validity of the CAGE questionnaire in an American Indian population.. <i>Journal of Studies on Alcohol and Drugs</i> , 2001, 62, 294-300.	2.4	31
382	The genetics of alcoholism and alcohol abuse. <i>Current Psychiatry Reports</i> , 2001, 3, 144-151.	2.1	147
383	Serotonin transporter promoter polymorphism is associated with attenuated prolactin response to fenfluramine. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 363-368.	2.4	85
384	Scanning of estrogen receptor ? (ER?) and thyroid hormone receptor ? (TR?) genes in patients with psychiatric diseases: Four missense mutations identified in ER? gene. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 369-374.	2.4	31
385	An in-frame deletion in the $\hat{1}\pm 2C$ adrenergic receptor is common in Africanâ€™Americans. <i>Molecular Psychiatry</i> , 2001, 6, 168-172.	4.1	21
386	Association of a 5-HT5A receptor polymorphism, Pro15Ser, to schizophrenia. <i>Molecular Psychiatry</i> , 2001, 6, 217-219.	4.1	23
387	Serotonergic Dysfunction, Negative Mood States, and Response to Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 487-495.	1.4	169
388	Alcohol Use Disorders and Anxiety Disorders: Relation to the P300 Event-Related Potential. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 1293-1300.	1.4	44
389	Excess Tryptophan Hydroxylase 17 779C Allele in Surviving Cotwins of Monozygotic Twin Suicide Victims. <i>Neuropsychobiology</i> , 2001, 43, 233-236.	0.9	44
390	Effect of COMT Val108/158 Met genotype on frontal lobe function and risk for schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 6917-6922.	3.3	2,274
391	Serotonergic Dysfunction, Negative Mood States, and Response to Alcohol. , 2001, 25, 487.		109
392	Alcohol Use Disorders and Anxiety Disorders: Relation to the P300 Event-Related Potential. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 1293-1300.	1.4	3
393	Impulsiveness, serotonin genes and repetition of deliberate self-harm (DSH). <i>Psychological Medicine</i> , 2000, 30, 1327-1334.	2.7	72
394	Identification of a naturally occurring Pro385-Ser385 substitution in the GABAA receptor $\hat{1}\pm 6$ subunit gene in alcoholics and healthy volunteers. <i>Molecular Psychiatry</i> , 2000, 5, 316-319.	4.1	18
395	An Abundant Proneurotensin Polymorphism, 479A>G, and a Test of Its Association With Alcohol Dependence in a Finnish Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 762-765.	1.4	6
396	Genotype Influences In Vivo Dopamine Transporter Availability in Human Striatum. <i>Neuropsychopharmacology</i> , 2000, 22, 133-139.	2.8	499

#	ARTICLE	IF	CITATIONS
397	Neurochemical Individuality. Archives of General Psychiatry, 2000, 57, 1105.	13.8	93
398	A relationship between serotonin transporter genotype and in vivo protein expression and alcohol neurotoxicity. Biological Psychiatry, 2000, 47, 643-649.	0.7	452
399	A search for susceptibility loci for anorexia nervosa: methods and sample description. Biological Psychiatry, 2000, 47, 794-803.	0.7	113
400	Genotype effects on neurodegeneration and neuroadaptation in monoaminergic neurotransmitter systems. Neurochemistry International, 2000, 37, 425-432.	1.9	31
401	The Dopamine D4Receptor Gene and Novelty Seeking. American Journal of Psychiatry, 2000, 157, 1885-1885.	4.0	8
402	Cladistic association analysis of Y chromosome effects on alcohol dependence and related personality traits. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 4204-4209.	3.3	38
403	Effects of Worldwide Population Subdivision on ALDH2 Linkage Disequilibrium. Genome Research, 1999, 9, 844-852.	2.4	41
404	An Asian-Native American paternal lineage identified by RPS4Y resequencing and by microsatellite haplotyping. Annals of Human Genetics, 1999, 63, 63-80.	0.3	76
405	Association of Low-Voltage Alpha EEG With a Subtype of Alcohol Use Disorders. Alcoholism: Clinical and Experimental Research, 1999, 23, 1312-1319.	1.4	75
406	Association between seasonal affective disorder and the 5-HT2A promoter polymorphism, $\hat{\sim}$ 1438G/A. Molecular Psychiatry, 1999, 4, 89-92.	4.1	103
407	Identification of four variants in the tryptophan hydroxylase promoter and association to behavior. Molecular Psychiatry, 1999, 4, 360-368.	4.1	86
408	Nucleotide sequence diversity in non-coding regions of ALDH2 as revealed by restriction enzyme and SSCP analysis. Human Genetics, 1999, 104, 177-187.	1.8	38
409	The role of genetic factors in the etiology of seasonal affective disorder and seasonality. Journal of Affective Disorders, 1999, 53, 203-210.	2.0	61
410	Autosomal, mitochondrial, and Y chromosome DNA variation in Finland: Evidence for a male-specific bottleneck. , 1999, 108, 381-399.		82
411	No coding variant of the tryptophan hydroxylase gene detected in seasonal affective disorder, obsessive-compulsive disorder, anorexia nervosa, and alcoholism. Biological Psychiatry, 1999, 45, 615-619.	0.7	81
412	Selective genotyping for the role of 5-HT2A, 5-HT2C, and GABA $\hat{\pm}$ 6 receptors and the serotonin transporter in the level of response to alcohol: a pilot study. Biological Psychiatry, 1999, 45, 647-651.	0.7	254
413	HTR2C Cys23Ser polymorphism in relation to CSF monoamine metabolite concentrations and DSM-III-R psychiatric diagnoses. Biological Psychiatry, 1999, 46, 821-826.	0.7	52
414	Benefits and pitfalls encountered in psychiatric genetic association studies. Biological Psychiatry, 1999, 45, 544-550.	0.7	98

#	ARTICLE	IF	CITATIONS
415	GENETICS OF ALCOHOLISM AND SUBSTANCE ABUSE. Psychiatric Clinics of North America, 1999, 22, 289-299.	0.7	57
416	Relationship Between a GABA _A Pro385Ser Substitution and Benzodiazepine Sensitivity. American Journal of Psychiatry, 1999, 156, 1447-1449.	4.0	66
417	Relationship of Binge Drinking to Alcohol Dependence, Other Psychiatric Disorders, and Behavioral Problems in an American Indian Tribe. Alcoholism: Clinical and Experimental Research, 1998, 22, 518-523.	1.4	112
418	The dopamine D3 receptor (DRD3) Ser9Gly polymorphism and schizophrenia: a haplotype relative risk study and association with clozapine response. Molecular Psychiatry, 1998, 3, 72-75.	4.1	109
419	A functional serotonin transporter (5-HTT) polymorphism is associated with psychosis in neuroleptic-free schizophrenics. Molecular Psychiatry, 1998, 3, 328-332.	4.1	150
420	The Apolipoprotein E ϵ 4 Allele Is Associated with Blunting of Ketamine-Induced Psychosis in Schizophrenia A Preliminary Report. Neuropsychopharmacology, 1998, 19, 445-448.	2.8	17
421	Scanning of the dopamine D1 and D5 receptor genes by REF in neuropsychiatric patients reveals a novel missense change at a highly conserved amino acid. American Journal of Medical Genetics Part A, 1998, 81, 172-178.	2.4	40
422	Evidence for genetic linkage to alcohol dependence on chromosomes 4 and 11 from an autosome-wide scan in an american indian population. , 1998, 81, 216-221.		352
423	Variants in the α 2A AR adrenergic receptor gene in psychiatric patients. , 1998, 81, 405-410.		16
424	A global survey of haplotype frequencies and linkage disequilibrium at the DRD2 locus. Human Genetics, 1998, 103, 211-227.	1.8	197
425	A Functionally Deficient Drd2 Variant [Ser311Cys] Is Not Linked to Alcoholism and Substance Abuse. Alcohol, 1998, 16, 47-52.	0.8	39
426	Mutation screening of the 5-hydroxytryptamine ₇ receptor gene among Finnish alcoholics and controls. Psychiatry Research, 1998, 77, 139-145.	1.7	15
427	Identification of a naturally occurring Pro15 \rightarrow Ser15 substitution in the serotonin _{5A} receptor gene in alcoholics and healthy volunteers. Molecular Brain Research, 1998, 58, 217-220.	2.5	13
428	5-HT _{2A} promoter polymorphism α ¹ 1438G/A, anorexia nervosa, and obsessive-compulsive disorder. Lancet, The, 1998, 351, 1785-1786.	6.3	193
429	Dual Origins of Finns Revealed by Y Chromosome Haplotype Variation. American Journal of Human Genetics, 1998, 62, 1171-1179.	2.6	161
430	Dating the Origin of the CCR5- Δ 32 AIDS-Resistance Allele by the Coalescence of Haplotypes. American Journal of Human Genetics, 1998, 62, 1507-1515.	2.6	507
431	Mating Patterns and Gene Dynamics of a Population Isolate of Native Americans. Journal of Mammalogy, 1998, 79, 681.	0.6	10
432	A Tryptophan Hydroxylase Gene Marker for Suicidality and Alcoholism. Archives of General Psychiatry, 1998, 55, 593.	13.8	261

#	ARTICLE	IF	CITATIONS
433	Linkage of Antisocial Alcoholism to the Serotonin 5-HT1B Receptor Gene in 2 Populations. Archives of General Psychiatry, 1998, 55, 989.	13.8	282
434	General and Specific Inheritance of Substance Abuse and Alcoholism. Archives of General Psychiatry, 1998, 55, 964.	13.8	79
435	Role of the Serotonin Transporter Promoter Polymorphism in Anxiety-Related Traits. Archives of General Psychiatry, 1998, 55, 936.	13.8	219
436	Evolution of RPS4Y. Molecular Biology and Evolution, 1998, 15, 1412-1419.	3.5	12
437	Possible association of a polymorphism of the tryptophan hydroxylase gene with suicidal behavior in depressed patients. American Journal of Psychiatry, 1997, 154, 1451-1453.	4.0	164
438	Prevalence and Characteristics of Trauma and Posttraumatic Stress Disorder in a Southwestern American Indian Community. American Journal of Psychiatry, 1997, 154, 1582-1588.	4.0	131
439	Genotype determining low catechol-O-methyltransferase activity as a risk factor for obsessive-compulsive disorder. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 4572-4575.	3.3	287
440	Apolipoprotein E ϵ 4 and clinical phenotype in schizophrenia. Lancet, The, 1997, 350, 930-931.	6.3	31
441	Sequence, splice site and population frequency distribution analyses of the polymorphic human tryptophan hydroxylase intron 7. Molecular Brain Research, 1997, 45, 145-148.	2.5	156
442	μ 4 opioid receptor gene variants: lack of association with alcohol dependence. Molecular Psychiatry, 1997, 2, 490-494.	4.1	292
443	Agonist-Promoted Down-Regulation and Functional Desensitization in Two Naturally Occurring Variants of the Human Serotonin1A Receptor. Neuropsychopharmacology, 1997, 17, 18-26.	2.8	49
444	Prevalence, characteristics, and impact of childhood sexual abuse in a southwestern American Indian tribe. Child Abuse and Neglect, 1997, 21, 769-787.	1.3	92
445	Tryptophan hydroxylase and catechol-O-methyltransferase gene polymorphisms: relationships to monoamine metabolite concentrations in CSF of healthy volunteers. European Archives of Psychiatry and Clinical Neuroscience, 1997, 247, 297-302.	1.8	112
446	A Naturally Occurring Amino Acid Substitution of the Human Serotonin 5-HT _{2A} Receptor Influences Amplitude and Timing of Intracellular Calcium Mobilization. Journal of Neurochemistry, 1997, 68, 2186-2193.	2.1	101
447	Two naturally occurring amino acid substitutions of the 5-HT _{2A} receptor: Similar prevalence in patients with seasonal affective disorder and controls. Biological Psychiatry, 1996, 40, 1267-1272.	0.7	79
448	5HT _{2a} receptor T102C polymorphism and schizophrenia. Lancet, The, 1996, 347, 1830-1832.	6.3	42
449	An Anxiolytic Action of Oxytocin is Enhanced by Estrogen in the Mouse. Physiology and Behavior, 1996, 60, 1209-1215.	1.0	328
450	High Anxiety. Science, 1996, 274, 1483-0.	6.0	51

#	ARTICLE	IF	CITATIONS
451	DNA mismatch repair and DNA methylation in adult brain neurons. <i>Journal of Neuroscience</i> , 1996, 16, 939-945.	1.7	142
452	Interdisciplinary Perceptions of Genetics and Behavior. <i>Politics and the Life Sciences</i> , 1996, 15, 97-98.	0.5	2
453	Lack of association between polymorphisms in the 5-HT2A receptor gene and the antipsychotic response to clozapine. <i>American Journal of Psychiatry</i> , 1996, 153, 1092-1094.	4.0	129
454	Clozapine response and the 5HT2C Cys23Ser polymorphism. <i>NeuroReport</i> , 1996, 7, 2100-2102.	0.6	78
455	Identification of a Ser857-Asn857 substitution in DRK1 (KCNB1), population frequencies and lack of association to the low voltage alpha EEG trait. <i>Human Genetics</i> , 1996, 98, 134-137.	1.8	3
456	DRD2 Haplotypes Containing the TaqI A1 Allele: Implications for Alcoholism Research. <i>Alcoholism: Clinical and Experimental Research</i> , 1996, 20, 697-705.	1.4	63
457	Arylsulfatase A pseudodeficiency-associated mutations: Population studies and identification of a novel haplotype. , 1996, 67, 387-392.		19
458	Mass allele detection (MAD) of rare 5-HT1A structural variants with allele-specific amplification and electrochemiluminescent detection. , 1996, 7, 135-143.		13
459	Why mice drink. <i>Nature Genetics</i> , 1996, 13, 137-138.	9.4	12
460	The apportionment of dinucleotide repeat diversity in Native Americans and Europeans: a new approach to measuring gene identity reveals asymmetric patterns of divergence. <i>Molecular Biology and Evolution</i> , 1996, 13, 943-953.	3.5	50
461	Serotonin in Alcoholic Violent Offenders. <i>Novartis Foundation Symposium</i> , 1996, 194, 168-182.	1.2	16
462	The association between the dopamine D4 receptor (D4DR) 16 amino acid repeat polymorphism and novelty seeking. <i>Molecular Psychiatry</i> , 1996, 1, 388-91.	4.1	180
463	Identifying Alcoholism Vulnerability Alleles. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 824-831.	1.4	14
464	Mitochondrial Aldehyde Dehydrogenase Polymorphism in Asian and American Indian Populations: Detection of New ALDH2 Alleles. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 1105-1110.	1.4	44
465	Mapping of the serotonin 5-HT1D ² autoreceptor gene on chromosome 6 and direct analysis for sequence variants. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 157-161.	2.4	91
466	Mapping of the serotonin 5-HT1D [±] autoreceptor gene (HTR1D) on chromosome 1 using a silent polymorphism in the coding region. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 162-164.	2.4	23
467	Polymorphism and genetic mapping of the human oxytocin receptor gene on chromosome 3. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 183-187.	2.4	41
468	Relationship of genetically transmitted alpha EEG traits to anxiety disorders and alcoholism. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 400-408.	2.4	51

#	ARTICLE	IF	CITATIONS
469	Bromocriptine in the treatment of alcoholics. <i>Nature Medicine</i> , 1995, 1, 720-720.	15.2	2
470	More on DNA typing dispute. <i>Nature</i> , 1995, 373, 99-99.	13.7	2
471	SSCP primer design based on single-strand DNA structure predicted by a DNA folding program. <i>Nucleic Acids Research</i> , 1995, 23, 2287-2291.	6.5	34
472	Antisense oligonucleotide inhibition of tryptophan hydroxylase activity in mouse brain. <i>Regulatory Peptides</i> , 1995, 59, 163-170.	1.9	14
473	2 Naturally Occurring Amino Acid Substitutions in the Human 5-HT1A Receptor: Glycine 22 to Serine 22 and Isoleucine 28 to Valine 28. <i>Biochemical and Biophysical Research Communications</i> , 1995, 210, 530-536.	1.0	50
474	Identification, Expression, and Pharmacology of a Cys23-Ser23 Substitution in the Human 5-HT2C Receptor Gene (HTR2C). <i>Genomics</i> , 1995, 27, 274-279.	1.3	213
475	Dopamine transporter, alcoholism and other diseases. <i>Nature Medicine</i> , 1995, 1, 624-625.	15.2	5
476	Detection of aldehyde dehydrogenase deficiency in Chachi Indians, Ecuador. <i>Alcohol</i> , 1995, 12, 159-161.	0.8	7
477	Apparent monomorphism of ALDH2 in seven American Indian populations. <i>Alcohol</i> , 1995, 12, 163-167.	0.8	15
478	Phylogenetic reconstruction of South American felids defined by protein electrophoresis. <i>Journal of Molecular Evolution</i> , 1994, 39, 296-305.	0.8	43
479	Serotonin, violent behavior and alcohol. , 1994, 71, 155-163.		41
480	Genomic imprinting: Implications for behavioral genetics. <i>Behavior Genetics</i> , 1993, 23, 137-143.	1.4	14
481	Identification of Tryptophan 2,3-Dioxygenase RNA in Rodent Brain. <i>Journal of Neurochemistry</i> , 1993, 60, 1159-1162.	2.1	75
482	DRD2 Dopamine Receptor Genotype, Linkage Disequilibrium, and Alcoholism in American Indians and Other Populations. <i>Alcoholism: Clinical and Experimental Research</i> , 1993, 17, 199-204.	1.4	105
483	Regional analysis of 5-HT1A receptors in two species of <i>Peromyscus</i> . <i>Pharmacology Biochemistry and Behavior</i> , 1993, 45, 143-145.	1.3	2
484	Diurnal rhythms of 5-HT1A and 5-HT2 receptor binding in euthermic and torpor prone deermice, <i>Peromyscus maniculatus</i> . <i>Pharmacology Biochemistry and Behavior</i> , 1993, 45, 785-789.	1.3	3
485	Analysis of the 5-HT1C receptor and the serotonin uptake site in Fawn-Hooded rat brain. <i>European Journal of Pharmacology</i> , 1993, 239, 99-102.	1.7	25
486	[8] Two-dimensional protein electrophoresis in phylogenetic studies. <i>Methods in Enzymology</i> , 1993, 224, 113-121.	0.4	4

#	ARTICLE	IF	CITATIONS
487	Genetic Transmission. Recent Developments in Alcoholism: an Official Publication of the American Medical Society on Alcoholism, and the Research Society on Alcoholism, and the National Council on Alcoholism, 1993, , 231-248.	0.4	52
488	D2dopamine receptor genotype and cerebrospinal fluid homovanillic acid, 5-hydroxyindoleacetic acid and 3-methoxy-4-hydroxyphenylglycol in alcoholics in Finland and the United States. Acta Psychiatrica Scandinavica, 1992, 86, 351-357.	2.2	105
489	Molecular cloning of mouse alcohol dehydrogenase-B2cDNA: nucleotide sequences of the class III ADH genes evolve slowly even for silent substitutions. DNA Sequence, 1992, 3, 167-175.	0.7	21
490	Regional analysis of 5-HT1A and 5-HT2 receptors in the Fawn-Hooded rat. Neuropharmacology, 1992, 31, 1095-1099.	2.0	29
491	Expression of Size-Selected RNA Encoding Brain Serotonin Transporter in Xenopus laevis Oocytes. Journal of Neurochemistry, 1992, 58, 1165-1167.	2.1	3
492	Quantitative autoradiography of 3H-paroxetine binding sites in rat brain. Journal of Pharmacological and Toxicological Methods, 1992, 27, 209-216.	0.3	47
493	Genetic mapping of the human tryptophan hydroxylase gene on chromosome 11, using an intronic conformational polymorphism. American Journal of Human Genetics, 1992, 51, 1366-71.	2.6	52
494	Alcoholism and substance abuse among selected southern cheyenne Indians. Culture, Medicine and Psychiatry, 1992, 16, 531-542.	0.7	10
495	Linkage mapping of human polymorphic proteins identified by two-dimensional electrophoresis. Genomics, 1991, 11, 875-884.	1.3	6
496	3H-paroxetine binding in brains of alcoholics. Psychiatry Research, 1991, 38, 293-299.	1.7	27
497	Isolation and structural characterization of the murine tryptophan hydroxylase gene. Journal of Neuroscience Research, 1991, 28, 457-465.	1.3	43
498	Richard Lister. Journal of Psychopharmacology, 1991, 5, iv-iv.	2.0	0
499	The Dopamine D2 Receptor Gene and Alcoholism-Reply. JAMA - Journal of the American Medical Association, 1991, 265, 2668.	3.8	7
500	Identifying genes determining trait differences in behavior and drug response: a comment on 'Quantitative trait loci and psychopharmacology'. Journal of Psychopharmacology, 1991, 5, 11-17.	2.0	0
501	Genetic mapping of the beta 1 GABA receptor gene to human chromosome 4, using a tetranucleotide repeat polymorphism. American Journal of Human Genetics, 1991, 49, 621-6.	2.6	32
502	Characterization and chromosomal mapping of a cDNA encoding tryptophan hydroxylase from a mouse mastocytoma cell line. Genomics, 1990, 7, 88-96.	1.3	68
503	Noradrenergic control of the synthesis of two rat pineal proteins. Brain Research, 1990, 517, 25-34.	1.1	10
504	Genetic Epidemiology of Ethanol Metabolic Enzymes: A Role for Selection. World Review of Nutrition and Dietetics, 1990, 63, 143-160.	0.1	32

#	ARTICLE	IF	CITATIONS
505	Molecular genetic divergence of orang utan (<i>Pongo pygmaeus</i>) subspecies based on isozyme and two-dimensional gel electrophoresis. <i>Journal of Heredity</i> , 1990, 81, 375-87.	1.0	35
506	Molecular Genetic-Distance Estimates Among the Ursidae as Indicated by One- and Two-Dimensional Protein Electrophoresis. <i>Evolution; International Journal of Organic Evolution</i> , 1989, 43, 282.	1.1	34
507	Cloning and comparative mapping of a human class III (I \ddagger) alcohol dehydrogenase cDNA. <i>Biochemical and Biophysical Research Communications</i> , 1989, 164, 453-460.	1.0	36
508	Distribution and possible metabolic role of class III alcohol dehydrogenase in the human brain. <i>Brain Research</i> , 1989, 481, 131-141.	1.1	46
509	A Shortened Synthesis of 4-(3-Aminopropyl) Pyrazole, an Affinity Ligand for Alcohol Dehydrogenase Purification. <i>Preparative Biochemistry and Biotechnology</i> , 1989, 19, 129-139.	0.4	0
510	Purification and characterization of three forms of class III alcohol dehydrogenase. <i>Electrophoresis</i> , 1988, 9, 132-135.	1.3	11
511	Review of the Molecular Biology of the Human Alcohol Dehydrogenase Genes and Gene Products. <i>Advances in Alcohol & Substance Abuse</i> , 1988, 7, 171-182.	0.5	3
512	Molecular Markers for Linkage of Genetic Loci Contributing to Alcoholism. , 1988, 6, 333-349.		9
513	A molecular phylogeny of the hominoid primates as indicated by two-dimensional protein electrophoresis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3307-3311.	3.3	66
514	Mapping of a putative genetic locus determining ethanol intake in the mouse. <i>Brain Research</i> , 1987, 420, 220-226.	1.1	34
515	Protein polymorphisms detected by two-dimensional electrophoresis: An analysis of overall informativeness of a panel of linkage markers. <i>Journal of Psychiatric Research</i> , 1987, 21, 597-608.	1.5	4
516	Sex-differences in ethanol sensitivity and alcohol and aldehyde dehydrogenase activities in the Syrian hamster. <i>Alcohol and Drug Research</i> , 1987, 7, 301-7.	0.2	3
517	Genetic approaches to alcoholism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1986, 10, 237-242.	2.5	18
518	Use of chromosomally mapped and identified mouse brain proteins for behavioral genetic analysis of alcoholism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1986, 10, 177-189.	2.5	12
519	Fourteen genetically variant proteins of mouse brain: Discovery of two new variants and chromosomal mapping of four loci. <i>Biochemical Genetics</i> , 1986, 24, 183-194.	0.8	23
520	Genetic brain polypeptide variants in inbred mice and in mouse strains with high and low sensitivity to alcohol. <i>Brain Research</i> , 1985, 341, 130-138.	1.1	19
521	Twenty-seven protein polymorphisms by two-dimensional electrophoresis of serum, erythrocytes, and fibroblasts in two pedigrees. <i>American Journal of Human Genetics</i> , 1985, 37, 898-911.	2.6	34
522	Giant panda paternity. <i>Science</i> , 1984, 223, 1127-1128.	6.0	11

#	ARTICLE	IF	CITATIONS
523	Two-dimensional electrophoresis of cerebrospinal fluid proteins in multiple sclerosis and various neurological diseases. <i>Electrophoresis</i> , 1984, 5, 236-245.	1.3	34
524	Genetic Polypeptide Variation by Two-dimensional Electrophoresis. <i>Annals of the New York Academy of Sciences</i> , 1984, 428, 186-200.	1.8	2
525	[30] Gel protein stains: Silver stain. <i>Methods in Enzymology</i> , 1984, 104, 441-447.	0.4	340
526	Detection of Polypeptides in Two-Dimensional Gels Using Silver Staining. , 1984, , 93-109.		32
527	Two-Dimensional Gel Electrophoresis for Studies of Inborn Errors of Metabolism. , 1984, , 241-258.		3
528	MATERNAL TRANSMISSION IN HUNTINGTON'S DISEASE. <i>Lancet, The</i> , 1983, 321, 208-210.	6.3	70
529	Clinical research in neuropsychiatry. <i>General Hospital Psychiatry</i> , 1983, 5, 105-109.	1.2	1
530	Protein Variations Associated with in Vitro Aging of Human Fibroblasts and Quantitative Limits on the Error Catastrophe Hypothesis. <i>Journal of Gerontology</i> , 1983, 38, 645-652.	2.0	14
531	[17] Silver staining methods for polyacrylamide gel electrophoresis. <i>Methods in Enzymology</i> , 1983, 96, 230-239.	0.4	161
532	The Cheetah Is Depauperate in Genetic Variation. <i>Science</i> , 1983, 221, 459-462.	6.0	363
533	MOLECULAR PROBES FOR HUMAN GENETIC DISEASES BY TWO-DIMENSIONAL PROTEIN ELECTROPHORESIS AND SILVER STAINING. , 1983, , 327-342.		1
534	Mapping and quantitation of proteins from discrete nuclei and other areas of the rat brain by two-dimensional gel electrophoresis. <i>Journal of Neuroscience</i> , 1983, 3, 2597-2606.	1.7	60
535	Human lymphocyte polymorphisms detected by quantitative two-dimensional electrophoresis. <i>American Journal of Human Genetics</i> , 1983, 35, 827-37.	2.6	42
536	Changes in gene expression accompanying chemically-induced malignant transformation of human fibroblasts. <i>Carcinogenesis</i> , 1982, 3, 61-70.	1.3	53
537	Variations in expression of mutant \hat{I}^2 actin accompanying incremental increases in human fibroblast tumorigenicity. <i>Cell</i> , 1982, 28, 259-268.	13.5	100
538	Protein Variations Associated with Down's Syndrome, Chromosome 21, and Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 1982, 396, 55-67.	1.8	22
539	Simplified silver protein detection and image enhancement methods in polyacrylamide gels. <i>Electrophoresis</i> , 1982, 3, 17-23.	1.3	411
540	Silver staining of DNA in polyacrylamide gels: Linearity and effect of fragment size. <i>Electrophoresis</i> , 1982, 3, 24-26.	1.3	137

#	ARTICLE	IF	CITATIONS
541	Lymphocyte proteins in Huntington's disease: quantitative analysis by use of two-dimensional electrophoresis and computerized densitometry. <i>Clinical Chemistry</i> , 1982, 28, 1021-5.	1.5	12
542	Quantitative two-dimensional protein electrophoresis for studies of inborn errors of metabolism. <i>Clinical Chemistry</i> , 1982, 28, 1015-20.	1.5	8
543	Protein variations associated with Lesch-Nyhan syndrome.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981, 78, 6471-6475.	3.3	40
544	A rapid sensitive silver stain for polypeptides in polyacrylamide gels. <i>Analytical Biochemistry</i> , 1981, 110, 201-207.	1.1	377
545	Detection of radioactively labeled proteins is quenched by silver staining methods: Quenching is minimal for ¹⁴ C and partially reversible for ³ H with a photochemical stain. <i>Analytical Biochemistry</i> , 1981, 116, 248-255.	1.1	30
546	Ultrasensitive stain for proteins in polyacrylamide gels shows regional variation in cerebrospinal fluid proteins. <i>Science</i> , 1981, 211, 1437-1438.	6.0	3,075
547	Two-dimensional gel electrophoresis of cerebrospinal fluid proteins. <i>Clinical Chemistry</i> , 1980, 26, 1317-22.	1.5	30
548	Functional alleles, neuroimaging and intermediate phenotypes in the deconstruction of complex behavioral variation. , 0, , 365-382.		0