

# Wen-Hung Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3222506/publications.pdf>

Version: 2024-02-01

52  
papers

465  
citations

687363

13  
h-index

839539

18  
g-index

52  
all docs

52  
docs citations

52  
times ranked

706  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of kidney size on the outcome of diabetic patients receiving hemodialysis. PLoS ONE, 2022, 17, e0266231.	2.5	2
2	Blood Aluminum Levels in Patients with Hemodialysis and Peritoneal Dialysis. International Journal of Environmental Research and Public Health, 2022, 19, 3885.	2.6	4
3	Impact of kidney size on mortality in diabetic patients receiving peritoneal dialysis. Scientific Reports, 2021, 11, 8203.	3.3	4
4	Outcomes of elderly patients with organophosphate intoxication. Scientific Reports, 2021, 11, 11615.	3.3	10
5	Bone Marrow Hypocellularity in Patients with End-Stage Kidney Disease. Healthcare (Switzerland), 2021, 9, 1452.	2.0	2
6	Cytokine changes in fatal cases of paraquat poisoning. American Journal of Translational Research (discontinued), 2021, 13, 11571-11584.	0.0	0
7	Association of serum chromium levels with malnutrition in hemodialysis patients. BMC Nephrology, 2019, 20, 302.	1.8	5
8	Identifying risk groups of infectious spondylitis in patients with end-stage renal disease under hemodialysis: a propensity score-matched case-control study. BMC Nephrology, 2019, 20, 323.	1.8	3
9	Incidence Rate and Predictors of Globus Pallidus Necrosis after Charcoal Burning Suicide. International Journal of Environmental Research and Public Health, 2019, 16, 4426.	2.6	1
10	Mycotic Aneurysm Mimicking Atheroma in Aortic Arch. Internal Medicine, 2018, 57, 291-292.	0.7	0
11	Association Between Serum Aluminum Level and Uremic Pruritus in Hemodialysis Patients. Scientific Reports, 2018, 8, 17251.	3.3	21
12	Uremic Pruritus is Associated with Two-Year Cardiovascular Mortality in Long Term Hemodialysis Patients. Kidney and Blood Pressure Research, 2018, 43, 1000-1009.	2.0	21
13	Arsenic Exposure in Incident Hemodialysis Patients. American Journal of Kidney Diseases, 2018, 71, 291.	1.9	0
14	Association Between Environmental Particulate Matter and Carpal Tunnel Syndrome in Patients Undergoing Hemodialysis. Kidney and Blood Pressure Research, 2017, 42, 827-836.	2.0	12
15	Association of uremic pruritus in hemodialysis patients with the number of days of high mean 24-hour particulate matter with a diameter of $\leq 2.5 \mu\text{m}$ . Therapeutics and Clinical Risk Management, 2017, Volume 13, 255-262.	2.0	7
16	Blood lead level is a positive predictor of uremic pruritus in patients undergoing hemodialysis. Therapeutics and Clinical Risk Management, 2017, Volume 13, 717-723.	2.0	8
17	Positive correlation between environmental $\text{PM}_{2.5}$ and blood lead levels in patients undergoing maintenance hemodialysis. Therapeutics and Clinical Risk Management, 2017, Volume 13, 555-564.	2.0	1
18	Urinary cadmium levels predict mortality of patients with acute heart failure. Therapeutics and Clinical Risk Management, 2017, Volume 13, 379-386.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Predialysis hypotension is not a predictor for mortality in long-term hemodialysis patients: insight from a single-center observational study. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1285-1292.	2.0	4
20	Association of low serum aluminum level with mortality in hemodialysis patients. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1417-1424.	2.0	8
21	Role of anuria in the relationship between indoxyl sulfate and anemia in peritoneal dialysis patients. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1797-1803.	2.0	7
22	Association of Urinary Cadmium with Mortality in Patients at a Coronary Care Unit. <i>PLoS ONE</i> , 2016, 11, e0146173.	2.5	5
23	Nutritional Predictors of Mortality in Long Term Hemodialysis Patients. <i>Scientific Reports</i> , 2016, 6, 35639.	3.3	9
24	Environmental NO <sub>2</sub> and CO Exposure: Ignored Factors Associated with Uremic Pruritus in Patients Undergoing Hemodialysis. <i>Scientific Reports</i> , 2016, 6, 31168.	3.3	11
25	Negative Relationship between Erythropoietin Dose and Blood Lead Level in Patients Undergoing Maintenance Hemodialysis. <i>Scientific Reports</i> , 2016, 6, 34313.	3.3	5
26	Association of a high normalized protein catabolic rate and low serum albumin level with carpal tunnel syndrome in hemodialysis patients. <i>Medicine (United States)</i> , 2016, 95, e4050.	1.0	5
27	Effect of Blood Cadmium Level on Mortality in Patients Undergoing Maintenance Hemodialysis. <i>Medicine (United States)</i> , 2015, 94, e1755.	1.0	11
28	Oral Tori in Chronic Hemodialysis Patients. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	12
29	Bone Marrow Pathology Predicts Mortality in Chronic Hemodialysis Patients. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	7
30	Association between ambient carbon monoxide and secondary hyperparathyroidism in nondiabetic patients undergoing peritoneal dialysis. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 1401.	2.0	6
31	Environmental NO <sub>2</sub> Level is Associated with 2-Year Mortality in Patients Undergoing Peritoneal Dialysis. <i>Medicine (United States)</i> , 2015, 94, e368.	1.0	12
32	Association between environmental particulate matter and arterial stiffness in patients undergoing hemodialysis. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 115.	1.7	23
33	Localized bladder amyloidosis mimicking bladder carcinoma. <i>Kidney International</i> , 2014, 85, 1245.	5.2	0
34	High Body Mass Index Reduces Glomerular Filtration Rate Decline in Type II Diabetes Mellitus Patients With Stage 3 or 4 Chronic Kidney Disease. <i>Medicine (United States)</i> , 2014, 93, e41.	1.0	27
35	Environmental Carbon Monoxide Level Is Associated With the Level of High-Sensitivity C-Reactive Protein in Peritoneal Dialysis Patients. <i>Medicine (United States)</i> , 2014, 93, e181.	1.0	15
36	Impact of Environmental Particulate Matter and Peritoneal Dialysis-related Infection in Patients Undergoing Peritoneal Dialysis. <i>Medicine (United States)</i> , 2014, 93, e149.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Outcomes of patients with acetaminophen-associated toxic hepatitis at a far east poison center. SpringerPlus, 2013, 2, 674.	1.2	6
38	Environmental Lead Exposure Accelerates Progressive Diabetic Nephropathy in Type II Diabetic Patients. BioMed Research International, 2013, 2013, 1-9.	1.9	19
39	Education Level Is Associated with Mortality in Male Patients Undergoing Maintenance Hemodialysis. Blood Purification, 2013, 35, 316-326.	1.8	6
40	Impact of Hepatitis C Virus Infection on Bone Mineral Density in Renal Transplant Recipients. PLoS ONE, 2013, 8, e63263.	2.5	4
41	Impact of Living Environment on 2-Year Mortality in Elderly Maintenance Hemodialysis Patients. PLoS ONE, 2013, 8, e74358.	2.5	13
42	High Correlation Between Clearance of Renal Protein-Bound Uremic Toxins (Indoxyl Sulfate and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Apheresis and Dialysis, 2012, 16, 361-367.	0.9	14
43	Use of Alendronate Sodium (Fosamax) to Ameliorate Osteoporosis in Renal Transplant Patients: A Case-Control Study. PLoS ONE, 2012, 7, e48481.	2.5	10
44	Age at Transplant One of the Factors Affecting Bone Mineral Density in Kidney Recipients A Single-Center Retrospective Study. Renal Failure, 2011, 33, 776-780.	2.1	3
45	Blood lead levels association with 18-month all-cause mortality in patients with chronic peritoneal dialysis. Nephrology Dialysis Transplantation, 2010, 25, 1627-1633.	0.7	23
46	Central diabetes insipidus following digestion Solanum indicum L. concentrated solution. Clinical Toxicology, 2008, 46, 293-296.	1.9	7
47	Residual Renal Function One of the Factors Associated with Arterial Stiffness in Peritoneal Dialysis Patients. Blood Purification, 2008, 26, 133-137.	1.8	27
48	Colchicine Overdose-Induced Acute Renal Failure and Electrolyte Imbalance. Renal Failure, 2007, 29, 367-370.	2.1	15
49	Angiotensin II Receptor Antagonists Supplementation is Associated with Arterial Stiffness: Insight from a Retrospective Study in 116 Peritoneal Dialysis Patients. Renal Failure, 2007, 29, 843-848.	2.1	3
50	Atherosclerotic Risk Factors Among Ankle-Brachial Index and Toe-Brachial Index in Peritoneal Dialysis Patients. Renal Failure, 2007, 29, 835-841.	2.1	3
51	Bilateral renal aneurysms in a chronic hepatitis B patient. Nephrology Dialysis Transplantation, 2006, 22, 276-277.	0.7	2
52	Acute Renal Failure Following Ingestion of Manganese-Containing Fertilizer. Journal of Toxicology: Clinical Toxicology, 2004, 42, 305-307.	1.5	17