

Emad Yuzbashian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3232747/publications.pdf>

Version: 2024-02-01

57
papers

1,245
citations

430874

18
h-index

395702

33
g-index

58
all docs

58
docs citations

58
times ranked

2056
citing authors

#	ARTICLE	IF	CITATIONS
1	The protective effects of dietary intake of flavonoids and its subclasses on metabolic syndrome incidence. <i>International Journal of Food Sciences and Nutrition</i> , 2022, 73, 116-126.	2.8	2
2	The relation of omentin gene expression and glucose homeostasis of visceral and subcutaneous adipose tissues in non-diabetic adults. <i>Molecular Biology Reports</i> , 2022, 49, 163-169.	2.3	1
3	The association of dietary and plasma fatty acid composition with FTO gene expression in human visceral and subcutaneous adipose tissues. <i>European Journal of Nutrition</i> , 2021, 60, 2485-2494.	3.9	6
4	Does Dietary Intake Impact Omentin Gene Expression and Plasma Concentration? A Systematic Review. <i>Lifestyle Genomics</i> , 2021, 14, 49-61.	1.7	4
5	Daily vitamin D3 in overweight and obese children and adolescents: a randomized controlled trial. <i>European Journal of Nutrition</i> , 2021, 60, 2831-2840.	3.9	13
6	Associations of dairy intake with risk of incident metabolic syndrome in children and adolescents: Tehran Lipid and Glucose Study. <i>Acta Diabetologica</i> , 2021, 58, 447-457.	2.5	8
7	Dietary fat content and adipose triglyceride lipase and hormone-sensitive lipase gene expressions in adults's subcutaneous and visceral fat tissues. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 165, 102244.	2.2	3
8	Association of plasma fatty acids pattern with omentin gene expression in human adipose tissues: A cross-sectional study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 894-901.	2.6	4
9	Dietary intakes of total polyphenol and its subclasses in association with the incidence of chronic kidney diseases: a prospective population-based cohort study. <i>BMC Nephrology</i> , 2021, 22, 84.	1.8	6
10	Plasma Fatty Acid Composition Was Associated with Apelin Gene Expression in Human Adipose Tissues. <i>BioMed Research International</i> , 2021, 2021, 1-8.	1.9	2
11	Changes in dairy product consumption and subsequent type 2 diabetes among individuals with prediabetes: Tehran Lipid and Glucose Study. <i>Nutrition Journal</i> , 2021, 20, 88.	3.4	8
12	A Prospective Study of Dietary Meat Intake and Risk of Incident Chronic Kidney Disease. , 2020, 30, 111-118.		44
13	Secular trend in dietary patterns of Iranian adults from 2006 to 2017: Tehran lipid and glucose study. <i>Nutrition Journal</i> , 2020, 19, 110.	3.4	14
14	Dietary approaches to stop hypertension (DASH) score and obesity phenotypes in children and adolescents. <i>Nutrition Journal</i> , 2020, 19, 112.	3.4	26
15	A prospective study on total protein, plant protein and animal protein in relation to the risk of incident chronic kidney disease. <i>BMC Nephrology</i> , 2020, 21, 489.	1.8	30
16	<p>The Association of Dietary Polyphenol Intake with the Risk of Type 2 Diabetes: Tehran Lipid and Glucose Study</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 1643-1652.	2.4	9
17	Impact of Nutrition Support Team on Postoperative Nutritional Status and Outcome of Patients with Congenital Gastrointestinal Anomalies. <i>Middle East Journal of Digestive Diseases</i> , 2020, 12, 116-122.	0.4	1
18	Association of dietary pattern with carotid intima media thickness among children with overweight or obesity. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 77.	2.7	5

#	ARTICLE	IF	CITATIONS
19	Dietary glycemic index and dietary glycemic load is associated with apelin gene expression in visceral and subcutaneous adipose tissues of adults. <i>Nutrition and Metabolism</i> , 2019, 16, 68.	3.0	8
20	Association of nuts and unhealthy snacks with subclinical atherosclerosis among children and adolescents with overweight and obesity. <i>Nutrition and Metabolism</i> , 2019, 16, 23.	3.0	12
21	Dietary Inflammatory Index in Relation to Carotid Intima Media Thickness among Overweight or Obese Children and Adolescents. <i>Annals of Nutrition and Metabolism</i> , 2019, 75, 179-186.	1.9	3
22	The relation between circulating levels of vitamin D and parathyroid hormone in children and adolescents with overweight or obesity: Quest for a threshold. <i>PLoS ONE</i> , 2019, 14, e0225717.	2.5	13
23	Determinants of vitamin D receptor gene expression in visceral and subcutaneous adipose tissue in non-obese, obese, and morbidly obese subjects. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 187, 82-87.	2.5	17
24	The association of dietary carbohydrate with FTO gene expression in visceral and subcutaneous adipose tissue of adults without diabetes. <i>Nutrition</i> , 2019, 63-64, 92-97.	2.4	9
25	Association of circulating 25-hydroxyvitamin D and parathyroid hormone with carotid intima media thickness in children and adolescents with excess weight. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 188, 117-123.	2.5	4
26	Title is missing!. , 2019, 14, e0225717.		0
27	Title is missing!. , 2019, 14, e0225717.		0
28	Title is missing!. , 2019, 14, e0225717.		0
29	Title is missing!. , 2019, 14, e0225717.		0
30	Title is missing!. , 2019, 14, e0225717.		0
31	Title is missing!. , 2019, 14, e0225717.		0
32	Modified Healthy Eating Index and Incidence of Metabolic Syndrome in Children and Adolescents: Tehran Lipid and Glucose Study. <i>Journal of Pediatrics</i> , 2018, 197, 134-139.e2.	1.8	20
33	Dietary fibre intake in relation to the risk of incident chronic kidney disease. <i>British Journal of Nutrition</i> , 2018, 119, 479-485.	2.3	41
34	Adherence to low-sodium Dietary Approaches to Stop Hypertension-style diet may decrease the risk of incident chronic kidney disease among high-risk patients: a secondary prevention in prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1159-1168.	0.7	31
35	Association of Dietary Intakes of Total Polyphenol and Its Subclasses with the Risk of Metabolic Syndrome: Tehran Lipid and Glucose Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 274-281.	1.3	19
36	Is apelin gene expression and concentration affected by dietary intakes? A systematic review. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 680-688.	10.3	15

#	ARTICLE	IF	CITATIONS
37	Dietary total antioxidant capacity and incidence of chronic kidney disease in subjects with dysglycemia: Tehran Lipid and Glucose Study. <i>European Journal of Nutrition</i> , 2018, 57, 2377-2385.	3.9	11
38	Insulin metabolism markers are predictors of subclinical atherosclerosis among overweight and obese children and adolescents. <i>BMC Pediatrics</i> , 2018, 18, 368.	1.7	11
39	Dietary pattern and incidence of chronic kidney disease among adults: a population-based study. <i>Nutrition and Metabolism</i> , 2018, 15, 88.	3.0	60
40	Metabolic Syndrome: Twenty Years of the Tehran Lipid and Glucose Study Findings. <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84771.	1.0	16
41	Nutrition and Diabetes, Cardiovascular and Chronic Kidney Diseases: Findings from 20 Years of the Tehran Lipid and Glucose Study. <i>International Journal of Endocrinology and Metabolism</i> , 2018, 16, e84791.	1.0	18
42	A systematic review of diet quality indices in relation to obesity. <i>British Journal of Nutrition</i> , 2017, 117, 1055-1065.	2.3	171
43	The association between Dietary Approaches to Stop Hypertension and incidence of chronic kidney disease in adults: the Tehran Lipid and Glucose Study. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, ii224-ii230.	0.7	63
44	Habitual dietary intake of fatty acids are associated with leptin gene expression in subcutaneous and visceral adipose tissue of patients without diabetes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 126, 49-54.	2.2	26
45	Adherence to the Mediterranean diet is associated with reduced risk of incident chronic kidney diseases among Tehranian adults. <i>Hypertension Research</i> , 2017, 40, 96-102.	2.7	65
46	Micronutrient Intakes and Incidence of Chronic Kidney Disease in Adults: Tehran Lipid and Glucose Study. <i>Nutrients</i> , 2016, 8, 217.	4.1	50
47	Dietary Approaches to Stop Hypertension (DASH) Dietary Pattern Is Associated with Reduced Incidence of Metabolic Syndrome in Children and Adolescents. <i>Journal of Pediatrics</i> , 2016, 174, 178-184.e1.	1.8	94
48	Reply. <i>Journal of Pediatrics</i> , 2016, 178, 307-308.	1.8	0
49	Sugar-sweetened beverage consumption and risk of incident chronic kidney disease: Tehran lipid and glucose study. <i>Nephrology</i> , 2016, 21, 608-616.	1.6	29
50	Prediction of metabolic syndrome by a high intake of energy-dense nutrient-poor snacks in Iranian children and adolescents. <i>Pediatric Research</i> , 2016, 79, 697-704.	2.3	14
51	Dietary Acid-Base Load and Risk of Chronic Kidney Disease in Adults: Tehran Lipid and Glucose Study. <i>Iranian Journal of Kidney Diseases</i> , 2016, 10, 119-25.	0.1	15
52	Consumption of sugar sweetened beverage is associated with incidence of metabolic syndrome in Tehranian children and adolescents. <i>Nutrition and Metabolism</i> , 2015, 12, 25.	3.0	61
53	Associations of dietary macronutrients with glomerular filtration rate and kidney dysfunction: Tehran lipid and glucose study. <i>Journal of Nephrology</i> , 2015, 28, 173-180.	2.0	56
54	Fast Food Intake Increases the Incidence of Metabolic Syndrome in Children and Adolescents: Tehran Lipid and Glucose Study. <i>PLoS ONE</i> , 2015, 10, e0139641.	2.5	38

#	ARTICLE	IF	CITATIONS
55	Low carbohydrate diet score does not predict metabolic syndrome in children and adolescents: Tehran Lipid and Glucose Study. Archives of Iranian Medicine, 2014, 17, 417-22.	0.6	13
56	Dietary polyphenols and metabolic syndrome among Iranian adults. International Journal of Food Sciences and Nutrition, 2013, 64, 661-667.	2.8	53
57	Leemoo, a Dietary Assessment and Nutritional Planning Software, Using Fuzzy Logic. International Journal of Endocrinology and Metabolism, 2013, 11, e10169.	1.0	3