

Hideo A Baba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3233631/publications.pdf>

Version: 2024-02-01

81
papers

2,221
citations

257450

24
h-index

233421

45
g-index

82
all docs

82
docs citations

82
times ranked

3333
citing authors

#	ARTICLE	IF	CITATIONS
1	The advanced lung cancer inflammation index is a novel independent prognosticator in colorectal cancer patients after curative resection. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 83-91.	2.4	14
2	Antiviral Toll-like Receptor Signaling in Non-Parenchymal Liver Cells Is Restricted to TLR3. <i>Viruses</i> , 2022, 14, 218.	3.3	4
3	What are the factors predictive of postoperative complications in patients with colorectal cancer undergoing stenting as a bridge to surgery?. <i>Journal of Surgical Oncology</i> , 2022, , .	1.7	1
4	Index of estimated benefit from lymph node dissection for stage Iâ€“III transverse colon cancer: an analysis of the JSCCR database. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2011-2019.	1.9	1
5	Pexidartinib Long-Term Hepatic Safety Profile in Patients with Tenosynovial Giant Cell Tumors. <i>Oncologist</i> , 2021, 26, e863-e873.	3.7	28
6	Efficacy of delayed primary closure with intrawound continuous negative pressure and irrigation treatment after surgery for colorectal perforation. <i>Acute Medicine & Surgery</i> , 2021, 8, e633.	1.2	1
7	Hippo Pathway Counter-Regulates Innate Immunity in Hepatitis B Virus Infection. <i>Frontiers in Immunology</i> , 2021, 12, 684424.	4.8	13
8	Preoperative iron status is a prognosis factor for stage II and III colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 2037-2045.	2.2	7
9	Preoperative transferrin level is a novel prognostic marker for colorectal cancer. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 243-251.	2.4	9
10	Association of cell death mechanisms and fibrosis in visceral white adipose tissue with pathological alterations in the liver of morbidly obese patients with NAFLD. <i>Adipocyte</i> , 2021, 10, 558-573.	2.8	7
11	Hepatitis B Virus Particles Activate Tollâ€“Like Receptor 2 Signaling Initially Upon Infection of Primary Human Hepatocytes. <i>Hepatology</i> , 2020, 72, 829-844.	7.3	36
12	Alox12/15 Deficiency Exacerbates, While Lipoxin A4 Ameliorates Hepatic Inflammation in Murine Alcoholic Hepatitis. <i>Frontiers in Immunology</i> , 2020, 11, 1447.	4.8	8
13	Serum and tissue syndecan-1 levels in renal cell carcinoma. <i>Translational Andrology and Urology</i> , 2020, 9, 1167-1176.	1.4	1
14	Surgical treatment for gastrointestinal neuroendocrine tumors. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 652-659.	2.4	13
15	Postoperative complications are associated with poor survival outcome after curative resection for colorectal cancer: A propensityâ€“score analysis. <i>Journal of Surgical Oncology</i> , 2020, 122, 344-349.	1.7	33
16	C-type natriuretic peptide moderates titin-based cardiomyocyte stiffness. <i>JCI Insight</i> , 2020, 5, .	5.0	25
17	Cardiac Î±-Actin (<i>ACTC1</i>) Gene Mutation Causes Atrial-Septal Defects Associated With Late-Onset Dilated Cardiomyopathy. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002491.	3.6	23
18	Promyelocytic leukemia protein deficiency leads to spontaneous formation of liver tumors in hepatitis C virus transgenic mice. <i>Cancer Medicine</i> , 2019, 8, 3793-3802.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Non-invasive assessment of NAFLD as systemic diseaseâ€”A machine learning perspective. PLoS ONE, 2019, 14, e0214436.	2.5	56
20	Intranuclear inclusions in hepatocellular carcinoma contain autophagyâ€”associated proteins and correlate with prolonged survival. Journal of Pathology: Clinical Research, 2019, 5, 164-176.	3.0	10
21	New insights into intranuclear inclusions in thyroid carcinoma: Association with autophagy and with BRAFV600E mutation. PLoS ONE, 2019, 14, e0226199.	2.5	11
22	Circulating and tissue IMP3 levels are correlated with poor survival in renal cell carcinoma. International Journal of Cancer, 2019, 145, 531-539.	5.1	32
23	Title is missing!. , 2019, 14, e0226199.		0
24	Title is missing!. , 2019, 14, e0226199.		0
25	Title is missing!. , 2019, 14, e0226199.		0
26	Title is missing!. , 2019, 14, e0226199.		0
27	Corticosteroid Therapy Improves the Outcome of Autoimmune Hepatitis-Induced Acute Liver Failure. Digestion, 2018, 98, 104-111.	2.3	17
28	PLOD2 as a potential regulator of peritoneal dissemination in gastric cancer. International Journal of Cancer, 2018, 143, 1202-1211.	5.1	33
29	Endothelial C-Type Natriuretic Peptide Acts on Pericytes to Regulate Microcirculatory Flow and Blood Pressure. Circulation, 2018, 138, 494-508.	1.6	86
30	Methylene Blue Treatment of Grafts During Cold Ischemia Time Reduces the Risk of Hepatitis C Virus Transmission. Journal of Infectious Diseases, 2018, 218, 1711-1721.	4.0	10
31	Low transferrin and high ferritin concentrations are associated with worse outcome in acute liver failure. Liver International, 2017, 37, 1032-1041.	3.9	24
32	Hepatic expression of oncogenes Bmi1 and Dkk1 is upâ€”regulated in hepatitis B virus surface antigenâ€”transgenic mice and can be induced by treatment with HBV particles or lipopolysaccharides <i>in vitro</i>. International Journal of Cancer, 2017, 141, 354-363.	5.1	20
33	Liver steatosis in pre-transplant liver biopsies can be quantified rapidly and accurately by nuclear magnetic resonance analysis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 197-204.	2.8	5
34	Annexin A10 optimally differentiates between intrahepatic cholangiocarcinoma and hepatic metastases of pancreatic ductal adenocarcinoma: a comparative study of immunohistochemical markers and panels. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 537-543.	2.8	13
35	Acid sphingomyelinase deficiency in Western diet-fed mice protects against adipocyte hypertrophy and diet-induced liver steatosis. Molecular Metabolism, 2017, 6, 416-427.	6.5	9
36	Bathing in carbon dioxide-enriched water alters protein expression in keratinocytes of skin tissue in rats. International Journal of Biometeorology, 2017, 61, 739-746.	3.0	2

#	ARTICLE	IF	CITATIONS
37	Eukaryotic elongation factor 2 is a prognostic marker and its kinase a potential therapeutic target in HCC. <i>Oncotarget</i> , 2017, 8, 11950-11962.	1.8	29
38	Performance and Utility of Transient Elastography and Non-Invasive Markers of Liver Fibrosis in Patients with Autoimmune Hepatitis: A Single Centre Experience. <i>Hepatitis Monthly</i> , 2016, 16, e40737.	0.2	19
39	Prognostic Impact of Postoperative Complications in 502 Patients With Surgically Resected Esophageal Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2016, 264, 305-311.	4.2	157
40	Integrated Molecular Profiling of Human Gastric Cancer Identifies DDR2 as a Potential Regulator of Peritoneal Dissemination. <i>Scientific Reports</i> , 2016, 6, 22371.	3.3	58
41	Human Ex-Vivo Liver Model for Acetaminophen-induced Liver Damage. <i>Scientific Reports</i> , 2016, 6, 31916.	3.3	15
42	Quantitative proteome analysis reveals the correlation between endocytosis-associated proteins and hepatocellular carcinoma dedifferentiation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016, 1864, 1579-1585.	2.3	19
43	Novel immunohistochemical markers differentiate intrahepatic cholangiocarcinoma from benign bile duct lesions. <i>Journal of Clinical Pathology</i> , 2016, 69, 619-626.	2.0	15
44	Endothelial actions of atrial natriuretic peptide prevent pulmonary hypertension in mice. <i>Basic Research in Cardiology</i> , 2016, 111, 22.	5.9	13
45	A structured proteomic approach identifies 14-3-3Sigma as a novel and reliable protein biomarker in panel based differential diagnostics of liver tumors. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 641-650.	2.3	23
46	Hepatitis E Virus Infection as a Possible Cause of Acute Liver Failure in Europe. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1836-1842.e2.	4.4	83
47	Gene Expression Analysis of the 26S Proteasome Subunit PSMB4 Reveals Significant Upregulation, Different Expression and Association with Proliferation in Human Pulmonary Neuroendocrine Tumours. <i>Journal of Cancer</i> , 2014, 5, 646-654.	2.5	27
48	Adipocyte cell size, free fatty acids and apolipoproteins are associated with non-alcoholic liver injury progression in severely obese patients. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1542-1552.	3.4	88
49	Stress-dependent dilated cardiomyopathy in mice with cardiomyocyte-restricted inactivation of cyclic GMP-dependent protein kinase I. <i>European Heart Journal</i> , 2013, 34, 1233-1244.	2.2	92
50	Major histocompatibility complex class I-related chains A and B (MIC A/B): A novel role in nonalcoholic steatohepatitis. <i>Hepatology</i> , 2010, 51, 92-102.	7.3	100
51	Phosphorylation of p70S6 kinase predicts overall survival in patients with clear margin resected hepatocellular carcinoma. <i>Liver International</i> , 2009, 29, 399-405.	3.9	44
52	Survivin is upregulated during liver regeneration in rats and humans and is associated with hepatocyte proliferation. <i>Liver International</i> , 2009, 29, 585-592.	3.9	16
53	Pressure-independent cardiac hypertrophy in mice with cardiomyocyte-restricted inactivation of the atrial natriuretic peptide receptor guanylyl cyclase-A. <i>Journal of Clinical Investigation</i> , 2003, 111, 1399-1407.	8.2	302
54	Intracardiac Tuberculoma Causing "Idiopathic" Ventricular Tachycardia in a Patient Without Detectable Heart Disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 118-118.	1.7	5

#	ARTICLE	IF	CITATIONS
55	Role of Transforming Growth Factor- β 1 in Invasion and Metastasis in Gastric Carcinoma. Journal of Clinical Oncology, 1999, 17, 607-607.	1.6	145
56	Clinical implications of serum anti-p53 antibodies for patients with gastric carcinoma. Cancer, 1999, 85, 302-308.	4.1	40
57	Clinical implications of serum anti-p53 antibodies for patients with gastric carcinoma. Cancer, 1999, 85, 302-308.	4.1	1
58	The present and future view of chemosensitivity test in Japan.. Japanese Journal of Head and Neck Cancer, 1996, 22, 505-510.	0.1	0
59	Surgical treatment of patients with gastric carcinoma and duodenal invasion. Journal of Surgical Oncology, 1995, 59, 215-219.	1.7	20
60	Peritoneal dissemination after a curative gastrectomy in patients with undifferentiated adenocarcinoma of the stomach. Journal of Surgical Oncology, 1994, 10, 117-120.	1.4	14
61	Helix pomatia agglutinin binding activity and lymph node metastasis in patients with gastric cancer. Journal of Surgical Oncology, 1994, 10, 130-134.	1.4	15
62	Expression of P-glycoprotein influences resistance against anthracyclines in clinical gastric carcinomas. Journal of Surgical Oncology, 1994, 10, 135-139.	1.4	4
63	Clinical value of SDI test for predicting effect of postoperative chemotherapy for patients with gastric cancer. Journal of Surgical Oncology, 1994, 10, 140-144.	1.4	6
64	Continuous hyperthermic peritoneal perfusion with cisplatin in mice with peritoneal dissemination of B16 melanoma. Journal of Surgical Oncology, 1994, 10, 145-149.	1.4	1
65	Role of intraoperative assessment of lymph node metastasis and serosal invasion in patients with gastric cancer. Journal of Surgical Oncology, 1994, 55, 250-254.	1.7	19
66	Expression of glutathione s-transferasepi and sensitivity of human gastric cancer cells to cisplatin. Cancer, 1994, 74, 1230-1236.	4.1	53
67	Effect of gastrectomy on the pharmacokinetics of tegafur, uracil, and 5-fluorouracil after oral administration of a 1:4 tegafur and uracil combination. Cancer Chemotherapy and Pharmacology, 1994, 33, 445-449.	2.3	13
68	Expression of glutathione s-transferasepi and sensitivity of human gastric cancer cells to cisplatin. , 1994, 74, 1230.		1
69	Diagnostic factors in gastric cardia cancer invading the esophagus. Cancer, 1993, 71, 302-305.	4.1	6
70	Prognosis for patients with carcinoma in the middle third of the stomach. Journal of Surgical Oncology, 1993, 53, 204-207.	1.7	1
71	Laminin distribution patterns are closely related to liver metastasis in gastric cancer. Cancer, 1993, 71, 1201-1206.	4.1	16
72	Prognostic factors for noncurative gastric cancer: Univariate and multivariate analyses. Journal of Surgical Oncology, 1992, 51, 104-108.	1.7	26

#	ARTICLE	IF	CITATIONS
73	Noncurative resection for advanced gastric cancer. <i>Journal of Surgical Oncology</i> , 1992, 51, 221-225.	1.7	10
74	Clinicopathologic features and prognostic significance of duodenal invasion in patients with distal gastric carcinoma. <i>Cancer</i> , 1991, 68, 380-384.	4.1	38
75	Surgery for gastric carcinoma is feasible for patients over 80 years of age. <i>World Journal of Surgery</i> , 1991, 15, 642-647.	1.6	23
76	Prognostic significance of dna content with special reference to age in gastric cancer. <i>Cancer</i> , 1990, 63, 1768-1772.	4.1	20
77	Comparison of DNA content in gastric cancer cells between primary lesions and lymph node metastases. <i>Cancer</i> , 1990, 66, 1775-1780.	4.1	12
78	Hypercalcemia related to the poor prognosis of patients with squamous cell carcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , 1989, 42, 229-233.	1.7	6
79	Reactive changes in the esophageal epithelium and predictability of survival for patients with adenocarcinoma of the upper third of the stomach. <i>Cancer</i> , 1989, 63, 769-773.	4.1	2
80	Width of serosal invasion and prognosis in advanced human gastric cancer with special reference to the mode of tumor invasion. <i>Cancer</i> , 1989, 64, 2482-2486.	4.1	28
81	Endoscopic intratumoral injection of ok-432 and langerhans' cells in patients with gastric carcinoma. <i>Cancer</i> , 1988, 61, 1749-1753.	4.1	41