

Robert F Siliciano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3240183/publications.pdf>

Version: 2024-02-01

193
papers

34,852
citations

2795

94
h-index

3638

180
g-index

210
all docs

210
docs citations

210
times ranked

13312
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of a Reservoir for HIV-1 in Patients on Highly Active Antiretroviral Therapy. <i>Science</i> , 1997, 278, 1295-1300.	6.0	2,842
2	Latent infection of CD4+ T cells provides a mechanism for lifelong persistence of HIV-1, even in patients on effective combination therapy. <i>Nature Medicine</i> , 1999, 5, 512-517.	15.2	1,962
3	Quantification of latent tissue reservoirs and total body viral load in HIV-1 infection. <i>Nature</i> , 1997, 387, 183-188.	13.7	1,921
4	Long-term follow-up studies confirm the stability of the latent reservoir for HIV-1 in resting CD4+ T cells. <i>Nature Medicine</i> , 2003, 9, 727-728.	15.2	1,482
5	Replication-Competent Noninduced Proviruses in the Latent Reservoir Increase Barrier to HIV-1 Cure. <i>Cell</i> , 2013, 155, 540-551.	13.5	1,207
6	In vivo fate of HIV-1-infected T cells: Quantitative analysis of the transition to stable latency. <i>Nature Medicine</i> , 1995, 1, 1284-1290.	15.2	709
7	Stimulation of HIV-1-Specific Cytolytic T Lymphocytes Facilitates Elimination of Latent Viral Reservoir after Virus Reactivation. <i>Immunity</i> , 2012, 36, 491-501.	6.6	680
8	Defective proviruses rapidly accumulate during acute HIV-1 infection. <i>Nature Medicine</i> , 2016, 22, 1043-1049.	15.2	605
9	The Challenge of Viral Reservoirs in HIV-1 Infection. <i>Annual Review of Medicine</i> , 2002, 53, 557-593.	5.0	575
10	Comparative Analysis of Measures of Viral Reservoirs in HIV-1 Eradication Studies. <i>PLoS Pathogens</i> , 2013, 9, e1003174.	2.1	524
11	Reservoirs for HIV-1: Mechanisms for Viral Persistence in the Presence of Antiviral Immune Responses and Antiretroviral Therapy. <i>Annual Review of Immunology</i> , 2000, 18, 665-708.	9.5	485
12	A quantitative approach for measuring the reservoir of latent HIV-1 proviruses. <i>Nature</i> , 2019, 566, 120-125.	13.7	471
13	Broad CTL response is required to clear latent HIV-1 due to dominance of escape mutations. <i>Nature</i> , 2015, 517, 381-385.	13.7	469
14	A soluble CD4 protein selectively inhibits HIV replication and syncytium formation. <i>Nature</i> , 1988, 331, 78-81.	13.7	468
15	HIV Latency. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2011, 1, a007096-a007096.	2.9	447
16	New ex vivo approaches distinguish effective and ineffective single agents for reversing HIV-1 latency in vivo. <i>Nature Medicine</i> , 2014, 20, 425-429.	15.2	436
17	Redefining the Viral Reservoirs that Prevent HIV-1 Eradication. <i>Immunity</i> , 2012, 37, 377-388.	6.6	414
18	Analysis of host-virus interactions in AIDS with anti-gp120 T cell clones: Effect of HIV sequence variation and a mechanism for CD4+ cell depletion. <i>Cell</i> , 1988, 54, 561-575.	13.5	401

#	ARTICLE	IF	CITATIONS
19	HIV-1 Integration Landscape during Latent and Active Infection. <i>Cell</i> , 2015, 160, 420-432.	13.5	393
20	Residual Human Immunodeficiency Virus Type 1 Viremia in Some Patients on Antiretroviral Therapy Is Dominated by a Small Number of Invariant Clones Rarely Found in Circulating CD4 + T Cells. <i>Journal of Virology</i> , 2006, 80, 6441-6457.	1.5	377
21	An In-Depth Comparison of Latent HIV-1 Reactivation in Multiple Cell Model Systems and Resting CD4+ T Cells from Aviremic Patients. <i>PLoS Pathogens</i> , 2013, 9, e1003834.	2.1	360
22	Ex vivo analysis identifies effective HIV-1 latency-reversing drug combinations. <i>Journal of Clinical Investigation</i> , 2015, 125, 1901-1912.	3.9	340
23	Proliferation of latently infected CD4+ T cells carrying replication-competent HIV-1: Potential role in latent reservoir dynamics. <i>Journal of Experimental Medicine</i> , 2017, 214, 959-972.	4.2	327
24	Intermittent HIV-1 Viremia (Blips) and Drug Resistance in Patients Receiving HAART. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 817.	3.8	323
25	Resting CD4 + T Cells from Human Immunodeficiency Virus Type 1 (HIV-1)-Infected Individuals Carry Integrated HIV-1 Genomes within Actively Transcribed Host Genes. <i>Journal of Virology</i> , 2004, 78, 6122-6133.	1.5	306
26	Control of HIV despite the Discontinuation of Antiretroviral Therapy. <i>New England Journal of Medicine</i> , 1999, 340, 1683-1683.	13.9	305
27	Dose-response curve slope sets class-specific limits on inhibitory potential of anti-HIV drugs. <i>Nature Medicine</i> , 2008, 14, 762-766.	15.2	295
28	Defective HIV-1 Proviruses Are Expressed and Can Be Recognized by Cytotoxic T Lymphocytes, which Shape the Proviral Landscape. <i>Cell Host and Microbe</i> , 2017, 21, 494-506.e4.	5.1	289
29	Activation of cytolytic T lymphocyte and natural killer cell function through the T11 sheep erythrocyte binding protein. <i>Nature</i> , 1985, 317, 428-430.	13.7	288
30	Targeting the Latent Reservoir for HIV-1. <i>Immunity</i> , 2018, 48, 872-895.	6.6	282
31	The HBV Drug Entecavir Effects on HIV-1 Replication and Resistance. <i>New England Journal of Medicine</i> , 2007, 356, 2614-2621.	13.9	279
32	HIV reservoirs: what, where and how to target them. <i>Nature Reviews Microbiology</i> , 2016, 14, 55-60.	13.6	259
33	Isolation and Characterization of Replication-Competent Human Immunodeficiency Virus Type 1 from a Subset of Elite Suppressors. <i>Journal of Virology</i> , 2007, 81, 2508-2518.	1.5	257
34	Maintenance of viral suppression in HIV-1-infected HLA-B*57+ elite suppressors despite CTL escape mutations. <i>Journal of Experimental Medicine</i> , 2006, 203, 1357-1369.	4.2	250
35	Predicting the outcomes of treatment to eradicate the latent reservoir for HIV-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13475-13480.	3.3	249
36	Distinct viral reservoirs in individuals with spontaneous control of HIV-1. <i>Nature</i> , 2020, 585, 261-267.	13.7	245

#	ARTICLE	IF	CITATIONS
37	Challenges in Detecting HIV Persistence during Potentially Curative Interventions: A Study of the Berlin Patient. <i>PLoS Pathogens</i> , 2013, 9, e1003347.	2.1	244
38	Rapid Quantification of the Latent Reservoir for HIV-1 Using a Viral Outgrowth Assay. <i>PLoS Pathogens</i> , 2013, 9, e1003398.	2.1	228
39	Molecular Characterization of Preintegration Latency in Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Virology</i> , 2002, 76, 8518-8531.	1.5	227
40	Small-molecule screening using a human primary cell model of HIV latency identifies compounds that reverse latency without cellular activation. <i>Journal of Clinical Investigation</i> , 2009, 119, 3473-86.	3.9	224
41	Enhanced Culture Assay for Detection and Quantitation of Latently Infected, Resting CD4 ⁺ T-Cells Carrying Replication-Competent Virus in HIV-1-Infected Individuals. , 2005, 304, 003-016.		216
42	Viral Dynamics in HIV-1 Infection. <i>Cell</i> , 1998, 93, 665-671.	13.5	215
43	The multifactorial nature of HIV-1 latency. <i>Trends in Molecular Medicine</i> , 2004, 10, 525-531.	3.5	215
44	BET bromodomain-targeting compounds reactivate HIV from latency via a Tat-independent mechanism. <i>Cell Cycle</i> , 2013, 12, 452-462.	1.3	209
45	Screening for noise in gene expression identifies drug synergies. <i>Science</i> , 2014, 344, 1392-1396.	6.0	202
46	Kinetics of Human Immunodeficiency Virus Type 1 Decay following Entry into Resting CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2005, 79, 2199-2210.	1.5	190
47	Orientation-Dependent Regulation of Integrated HIV-1 Expression by Host Gene Transcriptional Readthrough. <i>Cell Host and Microbe</i> , 2008, 4, 134-146.	5.1	190
48	Experimental approaches to the study of HIV-1 latency. <i>Nature Reviews Microbiology</i> , 2007, 5, 95-106.	13.6	187
49	Genotypic Analysis of HIV-1 Drug Resistance at the Limit of Detection: Virus Production without Evolution in Treated Adults with Undetectable HIV Loads. <i>Journal of Infectious Diseases</i> , 2004, 189, 1452-1465.	1.9	186
50	HIV-1 persistence following extremely early initiation of antiretroviral therapy (ART) during acute HIV-1 infection: An observational study. <i>PLoS Medicine</i> , 2017, 14, e1002417.	3.9	186
51	Viral reservoirs, residual viremia, and the potential of highly active antiretroviral therapy to eradicate HIV infection. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 22-28.	1.5	183
52	The mTOR Complex Controls HIV Latency. <i>Cell Host and Microbe</i> , 2016, 20, 785-797.	5.1	179
53	Towards an HIV-1 cure: measuring the latent reservoir. <i>Trends in Microbiology</i> , 2015, 23, 192-203.	3.5	177
54	Nuclear Retention of Multiply Spliced HIV-1 RNA in Resting CD4 ⁺ T Cells. <i>PLoS Pathogens</i> , 2006, 2, e68.	2.1	174

#	ARTICLE	IF	CITATIONS
55	Disulfiram Reactivates Latent HIV-1 in a Bcl-2-Transduced Primary CD4 ⁺ T Cell Model without Inducing Global T Cell Activation. <i>Journal of Virology</i> , 2011, 85, 6060-6064.	1.5	174
56	Expanded cellular clones carrying replication-competent HIV-1 persist, wax, and wane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2575-E2584.	3.3	173
57	Intrinsic Stability of Episomal Circles Formed during Human Immunodeficiency Virus Type 1 Replication. <i>Journal of Virology</i> , 2002, 76, 4138-4144.	1.5	171
58	Stability of the Latent Reservoir for HIV-1 in Patients Receiving Valproic Acid. <i>Journal of Infectious Diseases</i> , 2007, 195, 833-836.	1.9	169
59	Novel Single-Cell-Level Phenotypic Assay for Residual Drug Susceptibility and Reduced Replication Capacity of Drug-Resistant Human Immunodeficiency Virus Type 1. <i>Journal of Virology</i> , 2004, 78, 1718-1729.	1.5	168
60	A Pilot Study Assessing the Safety and Latency-Reversing Activity of Disulfiram in HIV-1-Infected Adults on Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2014, 58, 883-890.	2.9	166
61	Targeting of HIV-1 Antigens for Rapid Intracellular Degradation Enhances Cytotoxic T Lymphocyte (CTL) Recognition and the Induction of De Novo CTL Responses In Vivo After Immunization. <i>Journal of Experimental Medicine</i> , 1997, 185, 909-920.	4.2	164
62	Analysis of Human Immunodeficiency Virus Type 1 Gene Expression in Latently Infected Resting CD4 ⁺ T Lymphocytes In Vivo. <i>Journal of Virology</i> , 2003, 77, 7383-7392.	1.5	163
63	Transcriptional Reprogramming during Effector-to-Memory Transition Renders CD4 ⁺ T Cells Permissive for Latent HIV-1 Infection. <i>Immunity</i> , 2017, 47, 766-775.e3.	6.6	160
64	Antiretroviral dynamics determines HIV evolution and predicts therapy outcome. <i>Nature Medicine</i> , 2012, 18, 1378-1385.	15.2	159
65	Latency in Human Immunodeficiency Virus Type 1 Infection: No Easy Answers. <i>Journal of Virology</i> , 2003, 77, 1659-1665.	1.5	158
66	Latent HIV reservoirs exhibit inherent resistance to elimination by CD8 ⁺ T cells. <i>Journal of Clinical Investigation</i> , 2018, 128, 876-889.	3.9	157
67	Neutralizing Antibodies Do Not Mediate Suppression of Human Immunodeficiency Virus Type 1 in Elite Suppressors or Selection of Plasma Virus Variants in Patients on Highly Active Antiretroviral Therapy. <i>Journal of Virology</i> , 2006, 80, 4758-4770.	1.5	156
68	Chronic CD4 ⁺ T-Cell Activation and Depletion in Human Immunodeficiency Virus Type 1 Infection: Type I Interferon-Mediated Disruption of T-Cell Dynamics. <i>Journal of Virology</i> , 2008, 82, 1870-1883.	1.5	155
69	CRF01_AG Hypermutation in Protease and Reverse Transcriptase Regions of Human Immunodeficiency Virus Type 1 Residing in Resting CD4 ⁺ T Cells In Vivo. <i>Journal of Virology</i> , 2005, 79, 1975-1980.	1.5	154
70	Outwitting Evolution: Fighting Drug-Resistant TB, Malaria, and HIV. <i>Cell</i> , 2012, 148, 1271-1283.	18.5	152
71	A stable latent reservoir for HIV-1 in resting CD4 ⁺ T lymphocytes in infected children. <i>Journal of Clinical Investigation</i> , 2000, 105, 995-1003.	3.9	151
72	The Human Immunodeficiency Virus Type 1 gag Gene Encodes an Internal Ribosome Entry Site. <i>Journal of Virology</i> , 2001, 75, 181-191.	1.5	145

#	ARTICLE	IF	CITATIONS
73	A quantitative basis for antiretroviral therapy for HIV-1 infection. <i>Nature Medicine</i> , 2012, 18, 446-451.	15.2	143
74	Differential decay of intact and defective proviral DNA in HIV-1-infected individuals on suppressive antiretroviral therapy. <i>JCI Insight</i> , 2020, 5, .	2.3	140
75	Characterization of Chemokine Receptor Utilization of Viruses in the Latent Reservoir for Human Immunodeficiency Virus Type 1. <i>Journal of Virology</i> , 2000, 74, 7824-7833.	1.5	139
76	A Simian Immunodeficiency Virus-Infected Macaque Model To Study Viral Reservoirs That Persist during Highly Active Antiretroviral Therapy. <i>Journal of Virology</i> , 2009, 83, 9247-9257.	1.5	138
77	Analysis of Human Immunodeficiency Virus Type 1 Transcriptional Elongation in Resting CD4 + T Cells In Vivo. <i>Journal of Virology</i> , 2004, 78, 9105-9114.	1.5	136
78	Targeting HIV latency: pharmacologic strategies toward eradication. <i>Drug Discovery Today</i> , 2013, 18, 541-551.	3.2	131
79	Preservation of FoxP3 ⁺ Regulatory T Cells in the Peripheral Blood of Human Immunodeficiency Virus Type 1-Infected Elite Suppressors Correlates with Low CD4 ⁺ T-Cell Activation. <i>Journal of Virology</i> , 2008, 82, 8307-8315.	1.5	125
80	Reactivation of simian immunodeficiency virus reservoirs in the brain of virally suppressed macaques. <i>Aids</i> , 2017, 31, 5-14.	1.0	123
81	Analysis of Human Immunodeficiency Virus Type 1 Viremia and Provirus in Resting CD4 ⁺ T Cells Reveals a Novel Source of Residual Viremia in Patients on Antiretroviral Therapy. <i>Journal of Virology</i> , 2009, 83, 8470-8481.	1.5	122
82	The Latent Reservoir for HIV-1: How Immunologic Memory and Clonal Expansion Contribute to HIV-1 Persistence. <i>Journal of Immunology</i> , 2016, 197, 407-417.	0.4	121
83	Multi-step inhibition explains HIV-1 protease inhibitor pharmacodynamics and resistance. <i>Journal of Clinical Investigation</i> , 2013, 123, 3848-3860.	3.9	120
84	Persistence of Wild-Type Virus and Lack of Temporal Structure in the Latent Reservoir for Human Immunodeficiency Virus Type 1 in Pediatric Patients with Extensive Antiretroviral Exposure. <i>Journal of Virology</i> , 2002, 76, 9481-9492.	1.5	119
85	Decay dynamics of HIV-1 depend on the inhibited stages of the viral life cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4832-4837.	3.3	119
86	Designing and Interpreting Limiting Dilution Assays: General Principles and Applications to the Latent Reservoir for Human Immunodeficiency Virus-1. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv123.	0.4	119
87	Resting CD4 + T Lymphocytes but Not Thymocytes Provide a Latent Viral Reservoir in a Simian Immunodeficiency Virus- <i>Macaca nemestrina</i> Model of Human Immunodeficiency Virus Type 1-Infected Patients on Highly Active Antiretroviral Therapy. <i>Journal of Virology</i> , 2003, 77, 4938-4949.	1.5	117
88	Control of HIV-1 in Elite Suppressors despite Ongoing Replication and Evolution in Plasma Virus. <i>Journal of Virology</i> , 2010, 84, 7018-7028.	1.5	116
89	A long-term latent reservoir for HIV-1: discovery and clinical implications. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 6-9.	1.3	112
90	Marked Intraindividual Variability in Antiretroviral Concentrations May Limit the Utility of Therapeutic Drug Monitoring. <i>Clinical Infectious Diseases</i> , 2006, 42, 1189-1196.	2.9	112

#	ARTICLE	IF	CITATIONS
91	HIV latency and integration site placement in five cell-based models. <i>Retrovirology</i> , 2013, 10, 90.	0.9	104
92	Antigen-driven clonal selection shapes the persistence of HIV-1-infected CD4+ T cells in vivo. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	103
93	HIV-1 viral load blips are of limited clinical significance. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 803-805.	1.3	102
94	Influence of Host Gene Transcription Level and Orientation on HIV-1 Latency in a Primary-Cell Model. <i>Journal of Virology</i> , 2011, 85, 5384-5393.	1.5	102
95	HIV-1 DNA Is Detected in Bone Marrow Populations Containing CD4+ T Cells but Is not Found in Purified CD34+ Hematopoietic Progenitor Cells in Most Patients on Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2012, 205, 1014-1018.	1.9	102
96	Nuclear landscape of HIV-1 infection and integration. <i>Nature Reviews Microbiology</i> , 2017, 15, 69-82.	13.6	101
97	Continued Production of Drug-Sensitive Human Immunodeficiency Virus Type 1 in Children on Combination Antiretroviral Therapy Who Have Undetectable Viral Loads. <i>Journal of Virology</i> , 2004, 78, 968-979.	1.5	98
98	Recommendations for measuring HIV reservoir size in cure-directed clinical trials. <i>Nature Medicine</i> , 2020, 26, 1339-1350.	15.2	96
99	Measuring the Frequency of Latent HIV-1 in Resting CD4+ T Cells Using a Limiting Dilution Coculture Assay. <i>Methods in Molecular Biology</i> , 2016, 1354, 239-253.	0.4	92
100	Transporter-independent processing of HIV-1 envelope protein for recognition by CD8+ T cells. <i>Nature</i> , 1993, 364, 158-161.	13.7	91
101	Transmission of Human Immunodeficiency Virus Type 1 from a Patient Who Developed AIDS to an Elite Suppressor. <i>Journal of Virology</i> , 2008, 82, 7395-7410.	1.5	90
102	Recent developments in the search for a cure for HIV-1 infection: Targeting the latent reservoir for HIV-1. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 12-19.	1.5	88
103	HIV-1 latent reservoir size and diversity are stable following brief treatment interruption. <i>Journal of Clinical Investigation</i> , 2018, 128, 3102-3115.	3.9	88
104	CD4+ and CD8+ T Cell Activation Are Associated with HIV DNA in Resting CD4+ T Cells. <i>PLoS ONE</i> , 2014, 9, e110731.	1.1	88
105	Developing strategies for HIV-1 eradication. <i>Trends in Immunology</i> , 2012, 33, 554-562.	2.9	87
106	Real-Time Predictions of Reservoir Size and Rebound Time during Antiretroviral Therapy Interruption Trials for HIV. <i>PLoS Pathogens</i> , 2016, 12, e1005535.	2.1	85
107	Role of Natural Killer Cells in a Cohort of Elite Suppressors: Low Frequency of the Protective KIR3DS1 Allele and Limited Inhibition of Human Immunodeficiency Virus Type 1 Replication In Vitro. <i>Journal of Virology</i> , 2009, 83, 5028-5034.	1.5	83
108	A Novel PCR Assay for Quantification of HIV-1 RNA. <i>Journal of Virology</i> , 2013, 87, 6521-6525.	1.5	78

#	ARTICLE	IF	CITATIONS
109	Progress Toward HIV Eradication: Case Reports, Current Efforts, and the Challenges Associated with Cure. <i>Annual Review of Medicine</i> , 2016, 67, 215-228.	5.0	75
110	Different human resting memory CD4 ⁺ T cell subsets show similar low inducibility of latent HIV-1 proviruses. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	73
111	Genotypic Resistance in HIV-1 Infected Patients with Persistently Detectable Low-Level Viremia while Receiving Highly Active Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2004, 39, 1030-1037.	2.9	72
112	From reactivation of latent HIV-1 to elimination of the latent reservoir: The presence of multiple barriers to viral eradication. <i>BioEssays</i> , 2013, 35, 544-552.	1.2	72
113	The Landscape of Persistent Viral Genomes in ART-Treated SIV, SHIV, and HIV-2 Infections. <i>Cell Host and Microbe</i> , 2019, 26, 73-85.e4.	5.1	71
114	Longitudinal study reveals HIV-1 infected CD4 ⁺ T cell dynamics during long-term antiretroviral therapy. <i>Journal of Clinical Investigation</i> , 2020, 130, 3543-3559.	3.9	69
115	Limits on Replenishment of the Resting CD4 ⁺ T Cell Reservoir for HIV in Patients on HAART. <i>PLoS Pathogens</i> , 2007, 3, e122.	2.1	67
116	Intact proviral DNA assay analysis of large cohorts of people with HIV provides a benchmark for the frequency and composition of persistent proviral DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 18692-18700.	3.3	67
117	No Evidence for Decay of the Latent Reservoir in HIV-1 Infected Patients Receiving Intensive Enfuvirtide-Containing Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2010, 201, 293-296.	1.9	64
118	A mechanistic theory to explain the efficacy of antiretroviral therapy. <i>Nature Reviews Microbiology</i> , 2014, 12, 772-780.	13.6	64
119	CMPK2 and BCL-G are associated with type 1 interferon-induced HIV restriction in humans. <i>Science Advances</i> , 2018, 4, eaat0843.	4.7	64
120	Rapamycin-mediated mTOR inhibition uncouples HIV-1 latency reversal from cytokine-associated toxicity. <i>Journal of Clinical Investigation</i> , 2017, 127, 651-656.	3.9	64
121	A Critical Subset Model Provides a Conceptual Basis for the High Antiviral Activity of Major HIV Drugs. <i>Science Translational Medicine</i> , 2011, 3, 91ra63.	5.8	62
122	Recent developments in the effort to cure HIV infection: going beyond N = 1. <i>Journal of Clinical Investigation</i> , 2016, 126, 409-414.	3.9	62
123	HIV-1 eradication strategies. <i>Current Opinion in HIV and AIDS</i> , 2013, 8, 1.	1.5	60
124	Re-evaluating evolution in the HIV reservoir. <i>Nature</i> , 2017, 551, E6-E9.	13.7	60
125	Measuring replication competent HIV-1: advances and challenges in defining the latent reservoir. <i>Retrovirology</i> , 2018, 15, 21.	0.9	58
126	Host factors dictate control of viral replication in two HIV-1 controller/chronic progressor transmission pairs. <i>Nature Communications</i> , 2012, 3, 716.	5.8	57

#	ARTICLE	IF	CITATIONS
127	Heightened resistance to host type 1 interferons characterizes HIV-1 at transmission and after antiretroviral therapy interruption. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	54
128	Mechanisms of HIV-1 escape from immune responses and antiretroviral drugs. <i>Current Opinion in Immunology</i> , 2004, 16, 470-476.	2.4	53
129	Evaluating Clonal Expansion of HIV-Infected Cells: Optimization of PCR Strategies to Predict Clonality. <i>PLoS Pathogens</i> , 2016, 12, e1005689.	2.1	52
130	Insight into treatment of HIV infection from viral dynamics models. <i>Immunological Reviews</i> , 2018, 285, 9-25.	2.8	51
131	The role of protective HCP5 and HLA-C associated polymorphisms in the control of HIV-1 replication in a subset of elite suppressors. <i>Aids</i> , 2008, 22, 541-544.	1.0	50
132	Isolation of a cellular factor that can reactivate latent HIV-1 without T cell activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6321-6326.	3.3	47
133	Prolonged control of replication-competent dual-tropic human immunodeficiency virus-1 following cessation of highly active antiretroviral therapy. <i>Retrovirology</i> , 2011, 8, 97.	0.9	47
134	HIV Integration Site Analysis of Cellular Models of HIV Latency with a Probe-Enriched Next-Generation Sequencing Assay. <i>Journal of Virology</i> , 2016, 90, 4511-4519.	1.5	47
135	Sequence Evaluation and Comparative Analysis of Novel Assays for Intact Proviral HIV-1 DNA. <i>Journal of Virology</i> , 2021, 95, .	1.5	47
136	HLA-B*57 Elite Suppressor and Chronic Progressor HIV-1 Isolates Replicate Vigorously and Cause CD4 ⁺ T Cell Depletion in Humanized BLT Mice. <i>Journal of Virology</i> , 2014, 88, 3340-3352.	1.5	46
137	A primary CD4 ⁺ T cell model of HIV-1 latency established after activation through the T cell receptor and subsequent return to quiescence. <i>Nature Protocols</i> , 2014, 9, 2755-2770.	5.5	46
138	Complex decay dynamics of HIV virions, intact and defective proviruses, and 2LTR circles following initiation of antiretroviral therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	46
139	Autologous IgG antibodies block outgrowth of a substantial but variable fraction of viruses in the latent reservoir for HIV-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 32066-32077.	3.3	44
140	The role of CD32 during HIV-1 infection. <i>Nature</i> , 2018, 561, E17-E19.	13.7	43
141	Recent trends in HIV-1 drug resistance. <i>Current Opinion in Virology</i> , 2013, 3, 487-494.	2.6	40
142	Evolution of the HIV-1 nef gene in HLA-B*57 Positive Elite Suppressors. <i>Retrovirology</i> , 2010, 7, 94.	0.9	39
143	Novel structurally related compounds reactivate latent HIV-1 in a bcl-2-transduced primary CD4 ⁺ T cell model without inducing global T cell activation. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 398-403.	1.3	39
144	Engaging innate immunity in HIV-1 cure strategies. <i>Nature Reviews Immunology</i> , 2022, 22, 499-512.	10.6	39

#	ARTICLE	IF	CITATIONS
145	Diverse fates of uracilated HIV-1 DNA during infection of myeloid lineage cells. <i>ELife</i> , 2016, 5, .	2.8	37
146	In Vivo Dynamics of the Latent Reservoir for HIV-1: New Insights and Implications for Cure. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2022, 17, 271-294.	9.6	37
147	A Possible Sterilizing Cure of HIV-1 Infection Without Stem Cell Transplantation. <i>Annals of Internal Medicine</i> , 2022, 175, 95-100.	2.0	36
148	Incentives for Viral Suppression in People Living with HIV: A Randomized Clinical Trial. <i>AIDS and Behavior</i> , 2019, 23, 2337-2346.	1.4	34
149	Impact of Anti-“PD-1 and Anti-“CTLA-4 on the Human Immunodeficiency Virus (HIV) Reservoir in People Living With HIV With Cancer on Antiretroviral Therapy: The AIDS Malignancy Consortium 095 Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e1973-e1981.	2.9	34
150	The latent reservoir for HIV-1 in resting CD4+ T cells: a barrier to cure. <i>Current Opinion in HIV and AIDS</i> , 2006, 1, 121-8.	1.5	32
151	Reservoir expansion by T-cell proliferation may be another barrier to curing HIV infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1692-1694.	3.3	31
152	Assays to Measure Latency, Reservoirs, and Reactivation. <i>Current Topics in Microbiology and Immunology</i> , 2017, 417, 23-41.	0.7	31
153	Constraints on the dominant mechanism for HIV viral dynamics in patients on raltegravir. <i>Antiviral Therapy</i> , 2009, 14, 263-271.	0.6	30
154	Low Inducibility of Latent Human Immunodeficiency Virus Type 1 Proviruses as a Major Barrier to Cure. <i>Journal of Infectious Diseases</i> , 2021, 223, S13-S21.	1.9	29
155	HSF1 inhibition attenuates HIV-1 latency reversal mediated by several candidate LRAs In Vitro and Ex Vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15763-15771.	3.3	28
156	The latent reservoir for HIV-1 in resting CD4+ T cells and other viral reservoirs during chronic infection: insights from treatment and treatment-interruption trials. <i>Current Opinion in HIV and AIDS</i> , 2006, 1, 62-68.	1.5	27
157	Endothelial Cell Stimulation Overcomes Restriction and Promotes Productive and Latent HIV-1 Infection of Resting CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2013, 87, 9768-9779.	1.5	26
158	Persistence of viral RNA in lymph nodes in ART-suppressed SIV/SHIV-infected Rhesus Macaques. <i>Nature Communications</i> , 2021, 12, 1474.	5.8	26
159	Short Communication: Dynamic Constraints on the Second Phase Compartment of HIV-Infected Cells. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 759-761.	0.5	23
160	Simian-Human Immunodeficiency Virus SHIV.C.CH505 Persistence in ART-Suppressed Infant Macaques Is Characterized by Elevated SHIV RNA in the Gut and a High Abundance of Intact SHIV DNA in Naive CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2020, 95, .	1.5	23
161	Finding a Cure for Human Immunodeficiency Virus-1 Infection. <i>Infectious Disease Clinics of North America</i> , 2014, 28, 633-650.	1.9	22
162	Potent Inhibitors Active against HIV Reverse Transcriptase with K101P, a Mutation Conferring Rilpivirine Resistance. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 1075-1079.	1.3	22

#	ARTICLE	IF	CITATIONS
163	HIV persistence: clonal expansion of cells in the latent reservoir. <i>Journal of Clinical Investigation</i> , 2017, 127, 2536-2538.	3.9	21
164	Reduced Frequency of Cells Latently Infected With Replication-Competent Human Immunodeficiency Virus-1 in Virally Suppressed Individuals Living in Rakai, Uganda. <i>Clinical Infectious Diseases</i> , 2017, 65, 1308-1315.	2.9	20
165	Not-so-innocent bystanders. <i>Nature</i> , 2014, 505, 492-493.	13.7	19
166	Early treatment may not be early enough. <i>Nature</i> , 2014, 512, 35-36.	13.7	19
167	Insufficient Evidence for Rare Activation of Latent HIV in the Absence of Reservoir-Reducing Interventions. <i>PLoS Pathogens</i> , 2016, 12, e1005679.	2.1	19
168	Scientific rationale for antiretroviral therapy in 2005: viral reservoirs and resistance evolution. <i>Topics in HIV Medicine: A Publication of the International AIDS Society, USA</i> , 2005, 13, 96-100.	2.9	18
169	Treatment Implications of the Latent Reservoir for HIV. <i>Advances in Pharmacology</i> , 2007, 55, 411-425.	1.2	15
170	Rekindled HIV infection. <i>Science</i> , 2014, 345, 1005-1006.	6.0	15
171	Nonsuppressible HIV-1 viremia: a reflection of how the reservoir persists. <i>Journal of Clinical Investigation</i> , 2020, 130, 5665-5667.	3.9	15
172	What do we need to do to cure HIV infection. <i>Topics in HIV Medicine: A Publication of the International AIDS Society, USA</i> , 2010, 18, 104-8.	2.9	15
173	Increasing Extracellular Protein Concentration Reduces Intracellular Antiretroviral Drug Concentration and Antiviral Effect. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1434-1442.	0.5	14
174	Similar Frequency and Inducibility of Intact Human Immunodeficiency Virus-1 Proviruses in Blood and Lymph Nodes. <i>Journal of Infectious Diseases</i> , 2020, 224, 258-268.	1.9	14
175	Cross-reactive microbial peptides can modulate HIV-specific CD8+ T cell responses. <i>PLoS ONE</i> , 2018, 13, e0192098.	1.1	14
176	Quantitative evaluation of the antiretroviral efficacy of dolutegravir. <i>JCI Insight</i> , 2016, 1, e90033.	2.3	13
177	Therapeutic efficacy of combined active and passive immunization in ART-suppressed, SHIV-infected rhesus macaques. <i>Nature Communications</i> , 2022, 13, .	5.8	12
178	Biomarkers of HIV replication. <i>Current Opinion in HIV and AIDS</i> , 2010, 5, 491-497.	1.5	11
179	Allogeneic bone marrow transplantation with post-transplant cyclophosphamide for patients with HIV and haematological malignancies: a feasibility study. <i>Lancet HIV</i> , 2020, 7, e602-e610.	2.1	11
180	TCR-mimic bispecific antibodies to target the HIV-1 reservoir. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2123406119.	3.3	10

#	ARTICLE	IF	CITATIONS
181	Reservoirs for HIV-1. <i>Current Infectious Disease Reports</i> , 1999, 1, 298-304.	1.3	8
182	Measuring reversal of HIV-1 latency ex vivo using cells from infected individuals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6860-6861.	3.3	8
183	Multiple genetic programs contribute to CD4 T cell memory differentiation and longevity by maintaining T cell quiescence. <i>Cellular Immunology</i> , 2020, 357, 104210.	1.4	8
184	Nonstructured Treatment Interruptions Are Associated With Higher Human Immunodeficiency Virus Reservoir Size Measured by Intact Proviral DNA Assay in People Who Inject Drugs. <i>Journal of Infectious Diseases</i> , 2021, 223, 1905-1913.	1.9	8
185	Immune alteration fends off AIDS. <i>Nature Medicine</i> , 2008, 14, 1016-1018.	15.2	5
186	Stoichiometric parameters of HIV-1 entry. <i>Virology</i> , 2015, 474, 1-9.	1.1	5
187	Shared Mechanisms Govern HIV Transcriptional Suppression in Circulating CD103 ⁺ and Gut CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2020, 95, .	1.5	4
188	Therapeutic efficacy of an Ad26/MVA vaccine with SIV gp140 protein and vesatolimod in ART-suppressed rhesus macaques. <i>Npj Vaccines</i> , 2022, 7, 53.	2.9	4
189	Measurement of antiviral activity in drugs for HIV-1. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 888-889.	4.6	2
190	Making Sense of HIV Innate Sensing. <i>Immunity</i> , 2013, 39, 998-1000.	6.6	2
191	HIV Prevention and Treatment Fields Join Forces. <i>EBioMedicine</i> , 2014, 1, 4-5.	2.7	2
192	Editorial: JQ1: giving HIV-1 expression a boost by blocking bromodomains?. <i>Journal of Leukocyte Biology</i> , 2012, 92, 1127-1129.	1.5	1
193	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 214.	1.5	0