

# Vicent CasadÃ³

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3240260/publications.pdf>

Version: 2024-02-01

139  
papers

10,518  
citations

23567

58  
h-index

34986

98  
g-index

140  
all docs

140  
docs citations

140  
times ranked

7876  
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterobivalent Ligand for the Adenosine A <sub>2A</sub> –Dopamine D <sub>2</sub> Receptor Heteromer. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 616-632.	6.4	13
2	Complexes of Ghrelin GHS-R1a, GHS-R1b, and Dopamine D <sub>1</sub> Receptors Localized in the Ventral Tegmental Area as Main Mediators of the Dopaminergic Effects of Ghrelin. <i>Journal of Neuroscience</i> , 2022, 42, 940-953.	3.6	10
3	Unmasking allosteric-binding sites: novel targets for GPCR drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2022, 17, 897-923.	5.0	7
4	Preferential G <sub>s</sub> protein coupling of the galanin Gal1 receptor in the $\mu$ -opioid-Gal1 receptor heterotetramer. <i>Pharmacological Research</i> , 2022, 182, 106322.	7.1	11
5	Orally Active Peptide Vector Allows Using Cannabis to Fight Pain While Avoiding Side Effects. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 6937-6948.	6.4	9
6	Heteromerization between $\pm$ 2A adrenoceptors and different polymorphic variants of the dopamine D <sub>4</sub> receptor determines pharmacological and functional differences. Implications for impulsive-control disorders. <i>Pharmacological Research</i> , 2021, 170, 105745.	7.1	6
7	Identification of BiP as a CB <sub>1</sub> Receptor-Interacting Protein That Fine-Tunes Cannabinoid Signaling in the Mouse Brain. <i>Journal of Neuroscience</i> , 2021, 41, 7924-7941.	3.6	14
8	Oligomerization of G protein-coupled receptors: Still doubted?. <i>Progress in Molecular Biology and Translational Science</i> , 2020, 169, 297-321.	1.7	20
9	Control of glutamate release by complexes of adenosine and cannabinoid receptors. <i>BMC Biology</i> , 2020, 18, 9.	3.8	51
10	Altered Signaling in CB <sub>1</sub> R-5-HT <sub>2A</sub> R Heteromers in Olfactory Neuroepithelium Cells of Schizophrenia Patients is Modulated by Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 1547-1557.	4.3	17
11	Modulation of dopamine D <sub>1</sub> receptors via histamine H <sub>3</sub> receptors is a novel therapeutic target for Huntington's disease. <i>eLife</i> , 2020, 9, .	6.0	20
12	Adenosine A <sub>1</sub> -Dopamine D <sub>1</sub> Receptor Heteromers Control the Excitability of the Spinal Motoneuron. <i>Molecular Neurobiology</i> , 2019, 56, 797-811.	4.0	36
13	Targeting the receptor-based interactome of the dopamine D <sub>1</sub> receptor: looking for heteromer-selective drugs. <i>Expert Opinion on Drug Discovery</i> , 2019, 14, 1297-1312.	5.0	7
14	Biased G Protein-Independent Signaling of Dopamine D <sub>1</sub> -D <sub>3</sub> Receptor Heteromers in the Nucleus Accumbens. <i>Molecular Neurobiology</i> , 2019, 56, 6756-6769.	4.0	33
15	The Endocannabinoid System as a Target in Cancer Diseases: Are We There Yet?. <i>Frontiers in Pharmacology</i> , 2019, 10, 339.	3.5	91
16	Therapeutic targeting of HER2–CB <sub>2</sub> R heteromers in HER2-positive breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 3863-3872.	7.1	40
17	The heterotetrameric structure of the adenosine A <sub>1</sub> -dopamine D <sub>1</sub> receptor complex: Pharmacological implication for restless legs syndrome. <i>Advances in Pharmacology</i> , 2019, 84, 37-78.	2.0	8
18	Rinterpreting anomalous competitive binding experiments within G protein-coupled receptor homodimers using a dimer receptor model. <i>Pharmacological Research</i> , 2019, 139, 337-347.	7.1	15

#	ARTICLE	IF	CITATIONS
19	Revisiting the Functional Role of Dopamine D4 Receptor Gene Polymorphisms: Heteromerization-Dependent Gain of Function of the D4.7 Receptor Variant. <i>Molecular Neurobiology</i> , 2019, 56, 4778-4785.	4.0	13
20	Opioid-galanin receptor heteromers mediate the dopaminergic effects of opioids. <i>Journal of Clinical Investigation</i> , 2019, 129, 2730-2744.	8.2	41
21	Cannabis Users Show Enhanced Expression of CB1-5HT2A Receptor Heteromers in Olfactory Neuroepithelium Cells. <i>Molecular Neurobiology</i> , 2018, 55, 6347-6361.	4.0	34
22	5-HT <sub>2A</sub> - and 5-HT <sub>2C</sub> -Adrenoceptors as Potential Targets for Dopamine and Dopamine Receptor Ligands. <i>Molecular Neurobiology</i> , 2018, 55, 8438-8454.	4.0	26
23	Singular Location and Signaling Profile of Adenosine A <sub>2A</sub> -Cannabinoid CB <sub>1</sub> Receptor Heteromers in the Dorsal Striatum. <i>Neuropsychopharmacology</i> , 2018, 43, 964-977.	5.4	52
24	Design of a True Bivalent Ligand with Picomolar Binding Affinity for a G Protein-Coupled Receptor Homodimer. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 9335-9346.	6.4	34
25	Molecular Evidence of Adenosine Deaminase Linking Adenosine A <sub>2A</sub> Receptor and CD26 Proteins. <i>Frontiers in Pharmacology</i> , 2018, 9, 106.	3.5	54
26	Essential Control of the Function of the Striatopallidal Neuron by Pre-coupled Complexes of Adenosine A <sub>2A</sub> -Dopamine D <sub>2</sub> Receptor Heterotetramers and Adenylyl Cyclase. <i>Frontiers in Pharmacology</i> , 2018, 9, 243.	3.5	73
27	Cross-communication between G <sub>i</sub> and G <sub>s</sub> in a G-protein-coupled receptor heterotetramer guided by a receptor C-terminal domain. <i>BMC Biology</i> , 2018, 16, 24.	3.8	70
28	Evidence for functional pre-coupled complexes of receptor heteromers and adenylyl cyclase. <i>Nature Communications</i> , 2018, 9, 1242.	12.8	103
29	Heteroreceptor Complexes Formed by Dopamine D <sub>1</sub> , Histamine H <sub>3</sub> , and N-Methyl-D-Aspartate Glutamate Receptors as Targets to Prevent Neuronal Death in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017, 54, 4537-4550.	4.0	44
30	Functional 5-HT <sub>4</sub> -Opioid-Galanin Receptor Heteromers in the Ventral Tegmental Area. <i>Journal of Neuroscience</i> , 2017, 37, 1176-1186.	3.6	34
31	Pivotal Role of Adenosine Neurotransmission in Restless Legs Syndrome. <i>Frontiers in Neuroscience</i> , 2017, 11, 722.	2.8	64
32	Caffeine, Adenosine A <sub>1</sub> Receptors, and Brain Cortex. <i>Molecular Aspects</i> , 2016, , 741-752.		0
33	A Significant Role of the Truncated Ghrelin Receptor GHS-R1b in Ghrelin-induced Signaling in Neurons. <i>Journal of Biological Chemistry</i> , 2016, 291, 13048-13062.	3.4	41
34	Targeting the dopamine D <sub>3</sub> receptor: an overview of drug design strategies. <i>Expert Opinion on Drug Discovery</i> , 2016, 11, 641-664.	5.0	49
35	Evidence for the heterotetrameric structure of the adenosine A <sub>2A</sub> -dopamine D <sub>2</sub> receptor complex. <i>Biochemical Society Transactions</i> , 2016, 44, 595-600.	3.4	31
36	Equilibrative nucleoside transporter ENT1 as a biomarker of Huntington disease. <i>Neurobiology of Disease</i> , 2016, 96, 47-53.	4.4	21

#	ARTICLE	IF	CITATIONS
37	Quaternary structure of a G-protein-coupled receptor heterotetramer in complex with Gi and Gs. <i>BMC Biology</i> , 2016, 14, 26.	3.8	97
38	Allosteric mechanisms within the adenosine A <sub>2A</sub> dopamine D <sub>2</sub> receptor heterotetramer. <i>Neuropharmacology</i> , 2016, 104, 154-160.	4.1	77
39	Hints on the Lateralization of Dopamine Binding to D <sub>1</sub> Receptors in Rat Striatum. <i>Molecular Neurobiology</i> , 2016, 53, 5436-5445.	4.0	7
40	A solid-phase combinatorial approach for indoloquinolizidine-peptides with high affinity at D <sub>1</sub> and D <sub>2</sub> dopamine receptors. <i>European Journal of Medicinal Chemistry</i> , 2015, 97, 173-180.	5.5	11
41	Allosteric interactions between agonists and antagonists within the adenosine A <sub>2A</sub> receptor-dopamine D <sub>2</sub> receptor heterotetramer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3609-18.	7.1	135
42	Caffeine increases striatal dopamine D <sub>2</sub> /D <sub>3</sub> receptor availability in the human brain. <i>Translational Psychiatry</i> , 2015, 5, e549-e549.	4.8	106
43	Orexin Corticotropin-Releasing Factor Receptor Heteromers in the Ventral Tegmental Area as Targets for Cocaine. <i>Journal of Neuroscience</i> , 2015, 35, 6639-6653.	3.6	66
44	Stronger Dopamine D <sub>1</sub> Receptor-Mediated Neurotransmission in Dyskinesia. <i>Molecular Neurobiology</i> , 2015, 52, 1408-1420.	4.0	49
45	Moonlighting Adenosine Deaminase: A Target Protein for Drug Development. <i>Medicinal Research Reviews</i> , 2015, 35, 85-125.	10.5	54
46	Allosteric Mechanisms in the Adenosine A <sub>2A</sub> -Dopamine D <sub>2</sub> Receptor Heteromer. <i>Current Topics in Neurotoxicity</i> , 2015, , 27-38.	0.4	0
47	Functional Selectivity of Allosteric Interactions within G Protein-Coupled Receptor Oligomers: The Dopamine D <sub>1</sub> -D <sub>3</sub> Receptor Heterotetramer. <i>Molecular Pharmacology</i> , 2014, 86, 417-429.	2.3	114
48	Cocaine Disrupts Histamine H <sub>3</sub> Receptor Modulation of Dopamine D <sub>1</sub> Receptor Signaling: H <sub>3</sub> -D <sub>1</sub> -H <sub>3</sub> Receptor Complexes as Key Targets for Reducing Cocaine's Effects. <i>Journal of Neuroscience</i> , 2014, 34, 3545-3558.	3.6	66
49	Intracellular Calcium Levels Determine Differential Modulation of Allosteric Interactions within G Protein-Coupled Receptor Heteromers. <i>Chemistry and Biology</i> , 2014, 21, 1546-1556.	6.0	51
50	G Protein-Coupled Receptor Heteromers as Key Players in the Molecular Architecture of the Central Nervous System. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 703-709.	3.9	23
51	l-DOPA-treatment in primates disrupts the expression of A <sub>2A</sub> adenosine CB <sub>1</sub> cannabinoid D <sub>2</sub> dopamine receptor heteromers in the caudate nucleus. <i>Neuropharmacology</i> , 2014, 79, 90-100.	4.1	83
52	G Protein-Coupled Receptor Oligomerization Revisited: Functional and Pharmacological Perspectives. <i>Pharmacological Reviews</i> , 2014, 66, 413-434.	16.0	497
53	l-DOPA disrupts adenosine A <sub>2A</sub> cannabinoid CB <sub>1</sub> dopamine D <sub>2</sub> receptor heteromer cross-talk in the striatum of hemiparkinsonian rats: Biochemical and behavioral studies. <i>Experimental Neurology</i> , 2014, 253, 180-191.	4.1	77
54	A <sub>1R</sub> A <sub>2AR</sub> heteromers coupled to G <sub>s</sub> and G <sub>i/o</sub> proteins modulate GABA transport into astrocytes. <i>Purinergic Signalling</i> , 2013, 9, 433-449.	2.2	123

#	ARTICLE	IF	CITATIONS
55	The catalytic site structural gate of adenosine deaminase allosterically modulates ligand binding to adenosine receptors. <i>FASEB Journal</i> , 2013, 27, 1048-1061.	0.5	35
56	Psychostimulant pharmacological profile of paraxanthine, the main metabolite of caffeine in humans. <i>Neuropharmacology</i> , 2013, 67, 476-484.	4.1	64
57	Homodimerization of adenosine A1 receptors in brain cortex explains the biphasic effects of caffeine. <i>Neuropharmacology</i> , 2013, 71, 56-69.	4.1	30
58	Detection of Receptor Heteromers Involving Dopamine Receptors by the Sequential BRET-FRET Technology. <i>Methods in Molecular Biology</i> , 2013, 964, 95-105.	0.9	10
59	Cocaine Inhibits Dopamine D2 Receptor Signaling via Sigma-1-D2 Receptor Heteromers. <i>PLoS ONE</i> , 2013, 8, e61245.	2.5	112
60	Circadian-Related Heteromerization of Adrenergic and Dopamine D4 Receptors Modulates Melatonin Synthesis and Release in the Pineal Gland. <i>PLoS Biology</i> , 2012, 10, e1001347.	5.6	132
61	Cannabinoid Receptors CB1 and CB2 Form Functional Heteromers in Brain. <i>Journal of Biological Chemistry</i> , 2012, 287, 20851-20865.	3.4	196
62	NCS-1 associates with adenosine A2A receptors and modulates receptor function. <i>Frontiers in Molecular Neuroscience</i> , 2012, 5, 53.	2.9	46
63	A new D2 dopamine receptor agonist allosterically modulates A2A adenosine receptor signalling by interacting with the A2A/D2 receptor heteromer. <i>Cellular Signalling</i> , 2012, 24, 951-960.	3.6	16
64	Biotin Ergopeptide Probes for Dopamine Receptors. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1080-1090.	6.4	13
65	Modulation of GABA Transport by Adenosine A1R-A2AR Heteromers, Which Are Coupled to Both Gs- and Gi/o-Proteins. <i>Journal of Neuroscience</i> , 2011, 31, 15629-15639.	3.6	16
66	Real-Time G-Protein-Coupled Receptor Imaging to Understand and Quantify Receptor Dynamics. <i>Scientific World Journal</i> , The, 2011, 11, 1995-2010.	2.1	2
67	A2A adenosine receptor ligand binding and signalling is allosterically modulated by adenosine deaminase. <i>Biochemical Journal</i> , 2011, 435, 701-709.	3.7	37
68	Adenosine A2A Receptors and A2A Receptor Heteromers as Key Players in Striatal Function. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 36.	1.7	44
69	Post-translational Membrane Insertion of Tail-anchored Transmembrane EF-hand Ca <sup>2+</sup> Sensor Calneurons Requires the TRC40/Asna1 Protein Chaperone. <i>Journal of Biological Chemistry</i> , 2011, 286, 36762-36776.	3.4	28
70	Abnormal calcium handling in atrial fibrillation is linked to up-regulation of adenosine A2A receptors. <i>European Heart Journal</i> , 2011, 32, 721-729.	2.2	67
71	Dopamine D1-histamine H3 Receptor Heteromers Provide a Selective Link to MAPK Signaling in GABAergic Neurons of the Direct Striatal Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 5846-5854.	3.4	109
72	Striatal Pre- and Postsynaptic Profile of Adenosine A2A Receptor Antagonists. <i>PLoS ONE</i> , 2011, 6, e16088.	2.5	115

#	ARTICLE	IF	CITATIONS
73	G <sub>i</sub> protein coupling to adenosine A <sub>1</sub> and A <sub>2A</sub> receptor heteromers in human brain caudate nucleus. <i>Journal of Neurochemistry</i> , 2010, 114, 972-980.	3.9	14
74	A Hybrid Indoloquinolizidine Peptide as Allosteric Modulator of Dopamine D1 Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 876-885.	2.5	13
75	Direct involvement of $\beta$ -1 receptors in the dopamine D <sub>1</sub> receptor-mediated effects of cocaine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18676-18681.	7.1	153
76	Interactions between Intracellular Domains as Key Determinants of the Quaternary Structure and Function of Receptor Heteromers. <i>Journal of Biological Chemistry</i> , 2010, 285, 27346-27359.	3.4	102
77	Platforms for the identification of GPCR targets, and of orthosteric and allosteric modulators. <i>Expert Opinion on Drug Discovery</i> , 2010, 5, 391-403.	5.0	6
78	G Protein-Coupled Receptor Heteromers as New Targets for Drug Development. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 91, 41-52.	1.7	46
79	Interactions between Calmodulin, Adenosine A <sub>2A</sub> , and Dopamine D <sub>2</sub> Receptors. <i>Journal of Biological Chemistry</i> , 2009, 284, 28058-28068.	3.4	65
80	GPCR homomers and heteromers: A better choice as targets for drug development than GPCR monomers?. , 2009, 124, 248-257.		84
81	Useful pharmacological parameters for G-protein-coupled receptor homodimers obtained from competition experiments. Agonist-antagonist binding modulation. <i>Biochemical Pharmacology</i> , 2009, 78, 1456-1463.	4.4	39
82	Indoloquinolizidine Peptide Hybrids as Multiple Agonists for D <sub>1</sub> and D <sub>2</sub> Dopamine Receptors. <i>ChemMedChem</i> , 2009, 4, 1514-1522.	3.2	16
83	Immunodensity and mRNA expression of A <sub>2A</sub> adenosine, D <sub>2</sub> dopamine, and CB <sub>1</sub> cannabinoid receptors in postmortem frontal cortex of subjects with schizophrenia: effect of antipsychotic treatment. <i>Psychopharmacology</i> , 2009, 206, 313-324.	3.1	108
84	Marked changes in signal transduction upon heteromerization of dopamine D <sub>1</sub> and histamine H <sub>3</sub> receptors. <i>British Journal of Pharmacology</i> , 2009, 157, 64-75.	5.4	138
85	Adenosine A <sub>2A</sub> Receptor-Antagonist/Dopamine D <sub>2</sub> Receptor-Agonist Bivalent Ligands as Pharmacological Tools to Detect A <sub>2A</sub> -D <sub>2</sub> Receptor Heteromers. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5590-5602.	6.4	129
86	G-protein-coupled receptor heteromers: function and ligand pharmacology. <i>British Journal of Pharmacology</i> , 2008, 153, S90-8.	5.4	60
87	Detection of heteromerization of more than two proteins by sequential BRET-FRET. <i>Nature Methods</i> , 2008, 5, 727-733.	19.0	269
88	Human adenosine deaminase as an allosteric modulator of human A <sub>1</sub> adenosine receptor: abolishment of negative cooperativity for [ <sup>3</sup> H](R)-pi binding to the caudate nucleus. <i>Journal of Neurochemistry</i> , 2008, 107, 161-170.	3.9	45
89	Novel pharmacological targets based on receptor heteromers. <i>Brain Research Reviews</i> , 2008, 58, 475-482.	9.0	32
90	Interactions between histamine H <sub>3</sub> and dopamine D <sub>2</sub> receptors and the implications for striatal function. <i>Neuropharmacology</i> , 2008, 55, 190-197.	4.1	157

#	ARTICLE	IF	CITATIONS
91	Identification of Dopamine D1&D3 Receptor Heteromers. <i>Journal of Biological Chemistry</i> , 2008, 283, 26016-26025.	3.4	216
92	Detection of Heteromers Formed by Cannabinoid CB <sub>1</sub> , Dopamine D <sub>2</sub> , and Adenosine A <sub>2A</sub> -G-Protein-Coupled Receptors by Combining Bimolecular Fluorescence Complementation and Bioluminescence Energy Transfer. <i>Scientific World Journal</i> , The, 2008, 8, 1088-1097.	2.1	105
93	Reply: Does the adenosine A <sub>2A</sub> receptor stimulate the ryanodine receptor?. <i>Cardiovascular Research</i> , 2007, 73, 249-250.	3.8	2
94	Novel Ergopeptides as Dual Ligands for Adenosine and Dopamine Receptors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3062-3069.	6.4	39
95	Striatal Adenosine A <sub>2A</sub> and Cannabinoid CB <sub>1</sub> Receptors Form Functional Heteromeric Complexes that Mediate the Motor Effects of Cannabinoids. <i>Neuropsychopharmacology</i> , 2007, 32, 2249-2259.	5.4	229
96	Basic Concepts in G-Protein-Coupled Receptor Homo- and Heterodimerization. <i>Scientific World Journal</i> , The, 2007, 7, 48-57.	2.1	83
97	Old and new ways to calculate the affinity of agonists and antagonists interacting with G-protein-coupled monomeric and dimeric receptors: The receptor&dimer cooperativity index. , 2007, 116, 343-354.		70
98	Receptor&receptor interactions involving adenosine A <sub>1</sub> or dopamine D <sub>1</sub> receptors and accessory proteins. <i>Journal of Neural Transmission</i> , 2007, 114, 93-104.	2.8	69
99	Allosteric Modulation of Dopamine D <sub>2</sub> Receptors by Homocysteine. <i>Journal of Proteome Research</i> , 2006, 5, 3077-3083.	3.7	53
100	Heterodimeric adenosine receptors: a device to regulate neurotransmitter release. <i>Cellular and Molecular Life Sciences</i> , 2006, 63, 2427-2431.	5.4	88
101	Adenosine A <sub>2A</sub> receptors are expressed in human atrial myocytes and modulate spontaneous sarcoplasmic reticulum calcium release. <i>Cardiovascular Research</i> , 2006, 72, 292-302.	3.8	62
102	The Two-State Dimer Receptor Model: A General Model for Receptor Dimers. <i>Molecular Pharmacology</i> , 2006, 69, 1905-1912.	2.3	76
103	Presynaptic Control of Striatal Glutamatergic Neurotransmission by Adenosine A <sub>1</sub> -A <sub>2A</sub> Receptor Heteromers. <i>Journal of Neuroscience</i> , 2006, 26, 2080-2087.	3.6	553
104	Partners for Adenosine A <sub>1</sub> Receptors. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 221-232.	2.3	25
105	Heptaspanning Membrane Receptors and Cytoskeletal/Scaffolding Proteins: Focus on Adenosine, Dopamine, and Metabotropic Glutamate Receptor Function. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 277-292.	2.3	25
106	Molecular mechanisms involved in the adenosine A <sub>1</sub> and A <sub>2A</sub> receptor-induced neuronal differentiation in neuroblastoma cells and striatal primary cultures. <i>Journal of Neurochemistry</i> , 2005, 92, 337-348.	3.9	56
107	Adenosine A <sub>2A</sub> receptor stimulation potentiates nitric oxide release by activated microglia. <i>Journal of Neurochemistry</i> , 2005, 95, 919-929.	3.9	140
108	Dimer-based model for heptaspanning membrane receptors. <i>Trends in Biochemical Sciences</i> , 2005, 30, 360-366.	7.5	60

#	ARTICLE	IF	CITATIONS
109	ATP-Sensitive K <sup>+</sup> Channels Regulate the Concentrative Adenosine Transporter CNT2 following Activation by A <sub>1</sub> Adenosine Receptors. <i>Molecular and Cellular Biology</i> , 2004, 24, 2710-2719.	2.3	51
110	Group I Metabotropic Glutamate Receptors Mediate a Dual Role of Glutamate in T Cell Activation. <i>Journal of Biological Chemistry</i> , 2004, 279, 33352-33358.	3.4	113
111	Up-regulation of the Kv3.4 potassium channel subunit in early stages of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2004, 91, 547-557.	3.9	78
112	Combining Mass Spectrometry and Pull-Down Techniques for the Study of Receptor Heteromerization. Direct Epitope-Epitope Electrostatic Interactions between Adenosine A <sub>2A</sub> and Dopamine D <sub>2</sub> Receptors. <i>Analytical Chemistry</i> , 2004, 76, 5354-5363.	6.5	195
113	Adenosine A <sub>2A</sub> -dopamine D <sub>2</sub> receptor-receptor heteromers. Targets for neuro-psychiatric disorders. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 265-271.	2.2	132
114	Regulation of heptaspanning-membrane-receptor function by dimerization and clustering. <i>Trends in Biochemical Sciences</i> , 2003, 28, 238-243.	7.5	74
115	Adenosine Receptors Accumulate in Neurodegenerative Structures in Alzheimer's Disease and Mediate Both Amyloid Precursor Protein Processing and Tau Phosphorylation and Translocation. <i>Brain Pathology</i> , 2003, 13, 440-451.	4.1	150
116	Coaggregation, Cointernalization, and Codesensitization of Adenosine A <sub>2A</sub> Receptors and Dopamine D <sub>2</sub> Receptors. <i>Journal of Biological Chemistry</i> , 2002, 277, 18091-18097.	3.4	450
117	Synergistic interaction between adenosine A <sub>2A</sub> and glutamate mGlu <sub>5</sub> receptors: Implications for striatal neuronal function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11940-11945.	7.1	345
118	Regulation of epithelial and lymphocyte cell adhesion by adenosine deaminase-CD26 interaction. <i>Biochemical Journal</i> , 2002, 361, 203.	3.7	34
119	Regulation of epithelial and lymphocyte cell adhesion by adenosine deaminase-CD26 interaction. <i>Biochemical Journal</i> , 2002, 361, 203-209.	3.7	57
120	Involvement of Caveolin in Ligand-Induced Recruitment and Internalization of Adenosine Receptor and Adenosine Deaminase in an Epithelial Cell Line. <i>Molecular Pharmacology</i> , 2001, 59, 1314-1323.	2.3	84
121	Adenosine/dopamine receptor-receptor interactions in the central nervous system. <i>Drug Development Research</i> , 2001, 52, 296-302.	2.9	11
122	Metabotropic Glutamate $1\hat{1}\pm$ and Adenosine A <sub>1</sub> Receptors Assemble into Functionally Interacting Complexes. <i>Journal of Biological Chemistry</i> , 2001, 276, 18345-18351.	3.4	170
123	Evidence for Adenosine/Dopamine Receptor Interactions Indications for Heteromerization. <i>Neuropsychopharmacology</i> , 2000, 23, S50-S59.	5.4	147
124	Dopamine D <sub>1</sub> and adenosine A <sub>1</sub> receptors form functionally interacting heteromeric complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8606-8611.	7.1	419
125	The Heat Shock Cognate Protein hsc73 Assembles with A <sub>1</sub> Adenosine Receptors To Form Functional Modules in the Cell Membrane. <i>Molecular and Cellular Biology</i> , 2000, 20, 5164-5174.	2.3	62
126	Ecto-adenosine deaminase: An ecto-enzyme and a costimulatory protein acting on a variety of cell surface receptors. , 1998, 45, 261-268.		12

#	ARTICLE	IF	CITATIONS
127	Cell surface adenosine deaminase: Much more than an ectoenzyme. <i>Progress in Neurobiology</i> , 1997, 52, 283-294.	5.7	224
128	The Cluster-Arranged Cooperative Model: A Model That Accounts for the Kinetics of Binding to A1 Adenosine Receptors. <i>Biochemistry</i> , 1996, 35, 3007-3015.	2.5	38
129	Adenosine Deaminase Interacts with A <sub>1</sub> Adenosine Receptors in Pig Brain Cortical Membranes. <i>Journal of Neurochemistry</i> , 1996, 66, 1675-1682.	3.9	58
130	Immunological identification of A1 adenosine receptors in brain cortex. <i>Journal of Neuroscience Research</i> , 1995, 42, 818-828.	2.9	121
131	A1 Adenosine receptors can occur manifesting two kinetic components of 8-cyclopentyl-1,3-[3H]dipropylxanthine ([3H]DPCPX) binding. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 349, 485-491.	3.0	2
132	Role of Histidine Residues in Agonist and Antagonist Binding Sites of A1 Adenosine Receptor. <i>Journal of Neurochemistry</i> , 1993, 60, 1525-1533.	3.9	10
133	The distribution of A1 adenosine receptor and 5'-nucleotidase in pig brain cortex subcellular fractions. <i>Neurochemical Research</i> , 1992, 17, 129-139.	3.3	10
134	The Adenosine Receptors Present on the Plasma Membrane of Chromaffin Cells Are of the A2b Subtype. <i>Journal of Neurochemistry</i> , 1992, 59, 425-431.	3.9	32
135	Modulation of adenosine agonist [3H]N6-(R)-phenylisopropyladenosine binding to pig brain cortical membranes by changes of membrane fluidity and of medium physicochemical characteristics. <i>European Journal of Pharmacology</i> , 1992, 225, 7-14.	2.6	15
136	Effect of phospholipases and proteases on the [3H]N6-(R)-phenylisopropyladenosine ([3H]R-PIA) binding to A1 adenosine receptors from pig cerebral cortex. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 278-288.	2.6	13
137	Distribution of A1-adenosine receptors, adenosine deaminase and 5'-nucleotidase in brain and other tissues of the pig. <i>Biochemical Society Transactions</i> , 1990, 18, 639-641.	3.4	2
138	Solubilization of A1 adenosine receptor from pig brain: Characterization and evidence of the role of the cell membrane on the coexistence of high- and low-affinity states. <i>Journal of Neuroscience Research</i> , 1990, 26, 461-473.	2.9	64
139	A method for binding parameters estimation of A1 adenosine receptor subtype: A practical approach. <i>Analytical Biochemistry</i> , 1990, 184, 117-123.	2.4	18