

# Anthony Wing-Hung Chan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3243478/publications.pdf>

Version: 2024-02-01

407  
papers

27,821  
citations

3334

91  
h-index

7745

150  
g-index

415  
all docs

415  
docs citations

415  
times ranked

25832  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Diagnosis of fibrosis and cirrhosis using liver stiffness measurement in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 51, 454-462.   | 7.3  | 1,052     |
| 2  | Disease progression of non-alcoholic fatty liver disease: a prospective study with paired liver biopsies at 3 years. <i>Gut</i> , 2010, 59, 969-974.  | 12.1 | 538       |
| 3  | Clinical Scoring System to Predict Hepatocellular Carcinoma in Chronic Hepatitis B Carriers. <i>Journal of Clinical Oncology</i> , 2010, 28, 1660-1665.   | 1.6  | 424       |
| 4  | Prevalence of non-alcoholic fatty liver disease and advanced fibrosis in Hong Kong Chinese: a population study using proton-magnetic resonance spectroscopy and transient elastography. <i>Gut</i> , 2012, 61, 409-415. | 12.1 | 423       |
| 5  | Entecavir treatment reduces hepatic events and deaths in chronic hepatitis B patients With liver cirrhosis. <i>Hepatology</i> , 2013, 58, 1537-1547.  | 7.3  | 408       |
| 6  | Risk of hepatocellular carcinoma in chronic hepatitis B: Assessment and modification with current antiviral therapy. <i>Journal of Hepatology</i> , 2015, 62, 956-967.  | 3.7  | 398       |
| 7  | Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. <i>Gut</i> , 2016, 65, 1359-1368.                 | 12.1 | 386       |
| 8  | Dietary cholesterol drives fatty liver-associated liver cancer by modulating gut microbiota and metabolites. <i>Gut</i> , 2021, 70, 761-774.  | 12.1 | 382       |
| 9  | Alanine aminotransferase-based algorithms of liver stiffness measurement by transient elastography (Fibroscan) for liver fibrosis in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2009, 16, 36-44.          | 2.0  | 363       |
| 10 | Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. <i>Journal of Hepatology</i> , 2018, 69, 1284-1293.                                      | 3.7  | 360       |
| 11 | Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017 Part 1: Definition, risk factors and assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 70-85.       | 2.8  | 358       |
| 12 | MET Amplification and Exon 14 Splice Site Mutation Define Unique Molecular Subgroups of Non-Small Cell Lung Carcinoma with Poor Prognosis. <i>Clinical Cancer Research</i> , 2016, 22, 3048-3056.                       | 7.0  | 352       |
| 13 | RNAi-based treatment of chronically infected patients and chimpanzees reveals that integrated hepatitis B virus DNA is a source of HBsAg. <i>Science Translational Medicine</i> , 2017, 9, .                            | 12.4 | 343       |
| 14 | Serum Hepatitis B Surface Antigen Quantitation Can Reflect Hepatitis B Virus in the Liver and Predict Treatment Response. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 1462-1468.                         | 4.4  | 320       |
| 15 | Peptostreptococcus anaerobius Induces Intracellular Cholesterol Biosynthesis in Colon Cells to Induce Proliferation and Causes Dysplasia in Mice. <i>Gastroenterology</i> , 2017, 152, 1419-1433.e5.                    | 1.3  | 308       |
| 16 | Liver Stiffness Measurement Using XL Probe in Patients With Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2012, 107, 1862-1871.   | 0.4  | 292       |
| 17 | Peptostreptococcus anaerobius promotes colorectal carcinogenesis and modulates tumour immunity. <i>Nature Microbiology</i> , 2019, 4, 2319-2330.  | 13.3 | 281       |
| 18 | Hepatitis B surface antigen quantification: Why and how to use it in 2011 - A core group report. <i>Journal of Hepatology</i> , 2011, 55, 1121-1131.  | 3.7  | 280       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | High Viral Load and Hepatitis B Virus Subgenotype Ce Are Associated With Increased Risk of Hepatocellular Carcinoma. <i>Journal of Clinical Oncology</i> , 2008, 26, 177-182.  | 1.6  | 278       |
| 20 | Quantitative Elastography of Liver Fibrosis and Spleen Stiffness in Chronic Hepatitis B Carriers: Comparison of Shear-Wave Elastography and Transient Elastography with Liver Biopsy Correlation. <i>Radiology</i> , 2013, 269, 910-918. | 7.3  | 267       |
| 21 | The role of quantitative hepatitis B surface antigen revisited. <i>Journal of Hepatology</i> , 2017, 66, 398-411.  | 3.7  | 267       |
| 22 | Molecular Characterization of the Fecal Microbiota in Patients with Nonalcoholic Steatohepatitis "A Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e62885.   | 2.5  | 266       |
| 23 | Histological severity and clinical outcomes of nonalcoholic fatty liver disease in nonobese patients. <i>Hepatology</i> , 2017, 65, 54-64.   | 7.3  | 260       |
| 24 | Community-based lifestyle modification programme for non-alcoholic fatty liver disease: A randomized controlled trial. <i>Journal of Hepatology</i> , 2013, 59, 536-542.   | 3.7  | 254       |
| 25 | Viral-Human Chimeric Transcript Predisposes Risk to Liver Cancer Development and Progression. <i>Cancer Cell</i> , 2014, 25, 335-349.  | 16.8 | 254       |
| 26 | Treatment of nonalcoholic steatohepatitis with probiotics. A proof-of-concept study. <i>Annals of Hepatology</i> , 2013, 12, 256-262.  | 1.5  | 252       |
| 27 | A Randomized, Controlled Trial of Combination Therapy for Chronic Hepatitis B: Comparing Pegylated Interferon- $\alpha$ 2b and Lamivudine with Lamivudine Alone. <i>Annals of Internal Medicine</i> , 2005, 142, 240.                    | 3.9  | 248       |
| 28 | Coronary artery disease and cardiovascular outcomes in patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2011, 60, 1721-1727.  | 12.1 | 248       |
| 29 | Prevalence and Severity of Nonalcoholic Fatty Liver Disease in Non-Obese Patients: A Population Study Using Proton-Magnetic Resonance Spectroscopy. <i>American Journal of Gastroenterology</i> , 2015, 110, 1306-1314.                  | 0.4  | 240       |
| 30 | Liver stiffness-based optimization of hepatocellular carcinoma risk score in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2014, 60, 339-345.  | 3.7  | 227       |
| 31 | Exome and genome sequencing of nasopharynx cancer identifies NF- $\kappa$ B pathway activating mutations. <i>Nature Communications</i> , 2017, 8, 14121.   | 12.8 | 227       |
| 32 | A longitudinal study on the natural history of serum hepatitis B surface antigen changes in chronic hepatitis B. <i>Hepatology</i> , 2010, 52, 1232-1241.  | 7.3  | 226       |
| 33 | Yes-Associated Protein 1 Exhibits Oncogenic Property in Gastric Cancer and Its Nuclear Accumulation Associates with Poor Prognosis. <i>Clinical Cancer Research</i> , 2011, 17, 2130-2139.   | 7.0  | 224       |
| 34 | MiR-222 Overexpression Confers Cell Migratory Advantages in Hepatocellular Carcinoma through Enhancing AKT Signaling. <i>Clinical Cancer Research</i> , 2010, 16, 867-875.   | 7.0  | 221       |
| 35 | High prevalence of colorectal neoplasm in patients with non-alcoholic steatohepatitis. <i>Gut</i> , 2011, 60, 829-836.   | 12.1 | 219       |
| 36 | Diagnosis of liver fibrosis and cirrhosis using liver stiffness measurement: Comparison between M and XL probe of FibroScan $\text{\textcircled{R}}$ . <i>Journal of Hepatology</i> , 2012, 56, 833-839.                                 | 3.7  | 218       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Prognostic Nutritional Index (PNI) Predicts Tumor Recurrence of Very Early/Early Stage Hepatocellular Carcinoma After Surgical Resection. <i>Annals of Surgical Oncology</i> , 2015, 22, 4138-4148.  | 1.5  | 206       |
| 38 | Identification of Chronic Hepatitis B Patients without Significant Liver Fibrosis by a Simple Noninvasive Predictive Model. <i>American Journal of Gastroenterology</i> , 2005, 100, 616-623.  | 0.4  | 200       |
| 39 | Hepatocellular Carcinoma and Hepatitis B Virus. <i>Seminars in Liver Disease</i> , 2006, 26, 153-161.  | 3.6  | 198       |
| 40 | Metabolic syndrome increases the risk of liver cirrhosis in chronic hepatitis B. <i>Gut</i> , 2009, 58, 111-117.   | 12.1 | 198       |
| 41 | Non-invasive diagnosis of non-alcoholic steatohepatitis by combined serum biomarkers. <i>Journal of Hepatology</i> , 2012, 56, 1363-1370.  | 3.7  | 198       |
| 42 | Beneficial effects of lifestyle intervention in non-obese patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018, 69, 1349-1356.   | 3.7  | 198       |
| 43 | High serum interleukin-6 level predicts future hepatocellular carcinoma development in patients with chronic hepatitis B. <i>International Journal of Cancer</i> , 2009, 124, 2766-2770.   | 5.1  | 197       |
| 44 | Hepatitis B virus infection and fatty liver in the general population. <i>Journal of Hepatology</i> , 2012, 56, 533-540.   | 3.7  | 196       |
| 45 | Fatty Pancreas, Insulin Resistance, and $\beta^2$ -Cell Function: A Population Study Using Fat-Water Magnetic Resonance Imaging. <i>American Journal of Gastroenterology</i> , 2014, 109, 589-597.   | 0.4  | 194       |
| 46 | Sirtuin 1 Is Upregulated in a Subset of Hepatocellular Carcinomas where It Is Essential for Telomere Maintenance and Tumor Cell Growth. <i>Cancer Research</i> , 2011, 71, 4138-4149.  | 0.9  | 189       |
| 47 | Metabolic and Adipokine Profile of Chinese Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1154-1161.   | 4.4  | 181       |
| 48 | SIRT2 overexpression in hepatocellular carcinoma mediates epithelial to mesenchymal transition by protein kinase B/glycogen synthase kinase-3 $\beta$ / $\beta$ -catenin signaling. <i>Hepatology</i> , 2013, 57, 2287-2298.   | 7.3  | 179       |
| 49 | Improved noninvasive prediction of liver fibrosis by liver stiffness measurement in patients with nonalcoholic fatty liver disease accounting for controlled attenuation parameter values. <i>Hepatology</i> , 2017, 65, 1145-1155.  | 7.3  | 177       |
| 50 | Modulation of LMP2A Expression by a Newly Identified Epstein-Barr Virus-Encoded MicroRNA miR-BART22. <i>Neoplasia</i> , 2009, 11, 1174-1177.   | 5.3  | 176       |
| 51 | HBsAg seroclearance further reduces hepatocellular carcinoma risk after complete viral suppression with nucleos(t)ide analogues. <i>Journal of Hepatology</i> , 2019, 70, 361-370.   | 3.7  | 173       |
| 52 | Epigenetic Therapy Using Belinostat for Patients With Unresectable Hepatocellular Carcinoma: A Multicenter Phase I/II Study With Biomarker and Pharmacokinetic Analysis of Tumors From Patients in the Mayo Phase II Consortium and the Cancer Therapeutics Research Group. <i>Journal of Clinical Oncology</i> , 2012, 30, 3361-3367. | 1.6  | 167       |
| 53 | Deep sequencing of small RNA transcriptome reveals novel non-coding RNAs in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2013, 58, 1165-1173.  | 3.7  | 160       |
| 54 | Tenofovir Is Associated With Lower Risk of Hepatocellular Carcinoma Than Entecavir in Patients With Chronic HBV Infection in China. <i>Gastroenterology</i> , 2020, 158, 215-225.e6.   | 1.3  | 156       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Pathogenesis and novel treatment options for non-alcoholic steatohepatitis. <i>The Lancet Gastroenterology and Hepatology</i> , 2016, 1, 56-67.   | 8.1  | 152       |
| 56 | Concurrent fatty liver increases risk of hepatocellular carcinoma among patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 667-676.                         | 2.8  | 152       |
| 57 | Controlled attenuation parameter for the diagnosis of steatosis in non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 848-855.                              | 2.8  | 151       |
| 58 | Long-term impact of liver function on curative therapy for hepatocellular carcinoma: application of the ALBI grade. <i>British Journal of Cancer</i> , 2016, 114, 744-750.  | 6.4  | 150       |
| 59 | Incidence of non-alcoholic fatty liver disease in Hong Kong: A population study with paired proton-magnetic resonance spectroscopy. <i>Journal of Hepatology</i> , 2015, 62, 182-189.                                 | 3.7  | 147       |
| 60 | Assessment of Fibrosis by Transient Elastography Compared With Liver Biopsy and Morphometry in Chronic Liver Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 1027-1035.                          | 4.4  | 143       |
| 61 | Management of hepatocellular carcinoma with portal vein tumor thrombosis: Review and update at 2016. <i>World Journal of Gastroenterology</i> , 2016, 22, 7289.   | 3.3  | 138       |
| 62 | Hepatoma-intrinsic CCRK inhibition diminishes myeloid-derived suppressor cell immunosuppression and enhances immune-checkpoint blockade efficacy. <i>Gut</i> , 2018, 67, 931-944.                                     | 12.1 | 138       |
| 63 | Interchangeability of PD-L1 immunohistochemistry assays: a meta-analysis of diagnostic accuracy. <i>Modern Pathology</i> , 2020, 33, 4-17.  | 5.5  | 135       |
| 64 | Serial combination of non-invasive tools improves the diagnostic accuracy of severe liver fibrosis in patients with NAFLD. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 617-627.                       | 3.7  | 134       |
| 65 | Viral genotype and hepatitis B virus DNA levels are correlated with histological liver damage in HBeAg-negative chronic hepatitis B virus infection. <i>American Journal of Gastroenterology</i> , 2002, 97, 406-412. | 0.4  | 131       |
| 66 | Hepatitis B Virus Genotype C Takes a More Aggressive Disease Course Than Hepatitis B Virus Genotype B in Hepatitis B e Antigen-Positive Patients. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1277-1279.      | 3.9  | 127       |
| 67 | PNPLA3 gene polymorphism and response to lifestyle modification in patients with nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 139-146.                 | 2.8  | 125       |
| 68 | miR-375 is involved in Hippo pathway by targeting YAP1/TEAD4-CTGF axis in gastric carcinogenesis. <i>Cell Death and Disease</i> , 2018, 9, 92.  | 6.3  | 125       |
| 69 | Genomic and Epigenomic Features of Primary and Recurrent Hepatocellular Carcinomas. <i>Gastroenterology</i> , 2019, 157, 1630-1645.e6.  | 1.3  | 123       |
| 70 | Liver injury is independently associated with adverse clinical outcomes in patients with COVID-19. <i>Gut</i> , 2021, 70, 733-742.  | 12.1 | 121       |
| 71 | Impact of the New Definition of Metabolic Associated Fatty Liver Disease on the Epidemiology of the Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2161-2171.e5.                                | 4.4  | 119       |
| 72 | Renal Outcome in Type 2 Diabetic Patients With or Without Coexisting Nondiabetic Nephropathies. <i>Diabetes Care</i> , 2002, 25, 900-905.   | 8.6  | 118       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | The Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017 Part 2: Management and special groups. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 86-98.  | 2.8  | 117       |
| 74 | Targeting monocyte-intrinsic enhancer reprogramming improves immunotherapy efficacy in hepatocellular carcinoma. <i>Gut</i> , 2020, 69, 365-379.   | 12.1 | 117       |
| 75 | Wnt/ $\beta$ -Catenin activates MiR-183/96/182 expression in hepatocellular carcinoma that promotes cell invasion. <i>Cancer Letters</i> , 2015, 362, 97-105.  | 7.2  | 114       |
| 76 | Coincidental metabolic syndrome increases the risk of liver fibrosis progression in patients with chronic hepatitis B – a prospective cohort study with paired transient elastography examinations. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 883-893. | 3.7  | 113       |
| 77 | Unified interpretation of liver stiffness measurement by M and XL probes in non-alcoholic fatty liver disease. <i>Gut</i> , 2019, 68, 2057-2064.   | 12.1 | 113       |
| 78 | Impact of age and gender on risk of hepatocellular carcinoma after hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , 2017, 67, 902-908.  | 3.7  | 112       |
| 79 | Development of a non-invasive algorithm with transient elastography (Fibroscan) and serum test formula for advanced liver fibrosis in chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 1095-1103.  | 3.7  | 110       |
| 80 | Viral Determinants of Hepatitis B Surface Antigen Seroclearance in Hepatitis B e Antigen-Negative Chronic Hepatitis B Patients. <i>Journal of Infectious Diseases</i> , 2011, 204, 408-414.  | 4.0  | 110       |
| 81 | Validity criteria for the diagnosis of fatty liver by M probe-based controlled attenuation parameter. <i>Journal of Hepatology</i> , 2017, 67, 577-584.  | 3.7  | 110       |
| 82 | Metabolic and histological features of non-alcoholic fatty liver disease patients with different serum alanine aminotransferase levels. <i>Alimentary Pharmacology and Therapeutics</i> , 2009, 29, 387-396.   | 3.7  | 108       |
| 83 | Increased liver stiffness measurement by transient elastography in severe acute exacerbation of chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, 1002-1007.  | 2.8  | 104       |
| 84 | Integration of albumin-bilirubin (ALBI) score into Barcelona Clinic Liver Cancer (BCLC) system for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1300-1306.  | 2.8  | 103       |
| 85 | Validation of the NAFLD Fibrosis Score in a Chinese Population With Low Prevalence of Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2008, 103, ???-???  | 0.4  | 101       |
| 86 | Long-term clinical outcomes after fatty liver screening in patients undergoing coronary angiogram: A prospective cohort study. <i>Hepatology</i> , 2016, 63, 754-763.  | 7.3  | 101       |
| 87 | Durability of peginterferon alfa-2b treatment at 5 years in patients with hepatitis B e antigen-positive chronic hepatitis B. <i>Hepatology</i> , 2010, 51, 1945-1953.   | 7.3  | 100       |
| 88 | Frequent hypermethylation of promoter region of <i>RASSF1A</i> in tumor tissues and voided urine of urinary bladder cancer patients. <i>International Journal of Cancer</i> , 2003, 104, 611-616.  | 5.1  | 97        |
| 89 | Liver Stiffness Measurement by Transient Elastography as a Predictor on Posthepatectomy Outcomes. <i>Annals of Surgery</i> , 2013, 257, 922-928.   | 4.2  | 96        |
| 90 | Phase I/II study of tamsirolimus for patients with unresectable Hepatocellular Carcinoma (HCC)- a correlative study to explore potential biomarkers for response. <i>BMC Cancer</i> , 2015, 15, 395.   | 2.6  | 96        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | <i>PNPLA3</i> gene polymorphism accounts for fatty liver in community subjects without metabolic syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 532-539.   | 3.7 | 95        |
| 92  | New simple prognostic score for primary biliary cirrhosis: Albumin-bilirubin score. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1391-1396.  | 2.8 | 95        |
| 93  | Prediction of Survival Among Patients Receiving Transarterial Chemoembolization for Hepatocellular Carcinoma: A Response-Based Approach. <i>Hepatology</i> , 2020, 72, 198-212.   | 7.3 | 92        |
| 94  | Prevalence of undiagnosed diabetes and postchallenge hyperglycaemia in Chinese patients with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 24, 1215-1222.  | 3.7 | 88        |
| 95  | Epigenetic regulation of hepatocellular carcinoma in non-alcoholic fatty liver disease. <i>Seminars in Cancer Biology</i> , 2013, 23, 471-482.  | 9.6 | 88        |
| 96  | MiR-145 modulates multiple components of the insulin-like growth factor pathway in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2012, 33, 1134-1141.   | 2.8 | 84        |
| 97  | Evaluation of Alanine Transaminase and Hepatitis B Virus DNA to Predict Liver Cirrhosis in Hepatitis B e Antigen-Negative Chronic Hepatitis B Using Transient Elastography. <i>American Journal of Gastroenterology</i> , 2008, 103, 3071-3081. | 0.4 | 83        |
| 98  | Albumin-to-Alkaline Phosphatase Ratio: A Novel Prognostic Index for Hepatocellular Carcinoma. <i>Disease Markers</i> , 2015, 2015, 1-10.  | 1.3 | 83        |
| 99  | Statin and the risk of hepatocellular carcinoma and death in a hospital-based hepatitis B-infected population: A propensity score landmark analysis. <i>Journal of Hepatology</i> , 2015, 63, 1190-1197.  | 3.7 | 83        |
| 100 | Transient elastography. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 1726-1731.  | 2.8 | 82        |
| 101 | On-Treatment Monitoring of Liver Fibrosis with Transient Elastography in Chronic Hepatitis B Patients. <i>Antiviral Therapy</i> , 2011, 16, 165-172.  | 1.0 | 82        |
| 102 | Management of patients with liver derangement during the COVID-19 pandemic: an Asia-Pacific position statement. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 776-787.   | 8.1 | 82        |
| 103 | Stathmin1 Plays Oncogenic Role and Is a Target of MicroRNA-223 in Gastric Cancer. <i>PLoS ONE</i> , 2012, 7, e33919.  | 2.5 | 82        |
| 104 | Factors associated with viral breakthrough in lamivudine monotherapy of hepatitis B virus recurrence after liver transplantation. <i>Journal of Medical Virology</i> , 2002, 68, 182-187.   | 5.0 | 81        |
| 105 | A Randomized, Open-Label Clinical Study of Combined Pegylated Interferon Alfa-2a (40KD) and Entecavir Treatment for Hepatitis B "e" Antigen-Positive Chronic Hepatitis B. <i>Clinical Infectious Diseases</i> , 2014, 59, 1714-1723.            | 5.8 | 79        |
| 106 | Normal on-treatment ALT during antiviral treatment is associated with a lower risk of hepatic events in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2018, 69, 793-802.  | 3.7 | 79        |
| 107 | Long-term follow-up of peginterferon and lamivudine combination treatment in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , 2005, 41, 1357-1364.   | 7.3 | 77        |
| 108 | Durability of hepatitis B surface antigen seroclearance in untreated and nucleos(t)ide analogue-treated patients. <i>Journal of Hepatology</i> , 2018, 68, 63-72.   | 3.7 | 77        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Diet-Quality Scores and Prevalence of Nonalcoholic Fatty Liver Disease: A Population Study Using Proton-Magnetic Resonance Spectroscopy. <i>PLoS ONE</i> , 2015, 10, e0139310.                     | 2.5  | 77        |
| 110 | Two-year Lamivudine treatment for Hepatitis B e Antigen-Negative Chronic Hepatitis B: A Double-Blind, Placebo-Controlled Trial. <i>Antiviral Therapy</i> , 2007, 12, 345-354.                      | 1.0  | 76        |
| 111 | Hepatitis B Virus Genotype C Is Associated With More Severe Liver Fibrosis Than Genotype B. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1361-1366.                                  | 4.4  | 75        |
| 112 | A novel interplay between oncogenic PFTK1 protein kinase and tumor suppressor TAGLN2 in the control of liver cancer cell motility. <i>Oncogene</i> , 2011, 30, 4464-4475.                          | 5.9  | 75        |
| 113 | Expression of stemness markers (<sc>CD</sc>133 and Ep<sc>CAM</sc>) in prognostication of hepatocellular carcinoma. <i>Histopathology</i> , 2014, 64, 935-950.                                      | 2.9  | 75        |
| 114 | Liver stiffness measurement predicts long-term survival and complications in non-alcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 581-589.                                    | 3.9  | 75        |
| 115 | Carboxyl-Terminal Truncated HBx Regulates a Distinct MicroRNA Transcription Program in Hepatocellular Carcinoma Development. <i>PLoS ONE</i> , 2011, 6, e22888.                                    | 2.5  | 73        |
| 116 | Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2018, 68, 147-156.                 | 3.7  | 72        |
| 117 | Neutrophils: driving progression and poor prognosis in hepatocellular carcinoma?. <i>British Journal of Cancer</i> , 2018, 118, 248-257.   | 6.4  | 71        |
| 118 | Clinical Factors Associated With Liver Stiffness in Hepatitis B e Antigen-Positive Chronic Hepatitis B Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 227-233.               | 4.4  | 70        |
| 119 | Prevalence of the TM6SF2 variant and non-alcoholic fatty liver disease in Chinese. <i>Journal of Hepatology</i> , 2014, 61, 708-709.   | 3.7  | 69        |
| 120 | Putative tumour-suppressor gene DAB2 is frequently down regulated by promoter hypermethylation in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2010, 10, 253.                                     | 2.6  | 68        |
| 121 | Chronic hepatitis B in Asia- new insights from the past decade. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 131-137.   | 2.8  | 68        |
| 122 | Detection of ALK Rearrangement by Immunohistochemistry in Lung Adenocarcinoma and the Identification of a Novel EML4-ALK Variant. <i>Journal of Thoracic Oncology</i> , 2013, 8, 883-891.          | 1.1  | 67        |
| 123 | Prognostic Value of Controlled Attenuation Parameter by Transient Elastography. <i>American Journal of Gastroenterology</i> , 2017, 112, 1812-1823.  | 0.4  | 67        |
| 124 | Lymphoepithelioma-like Hepatocellular Carcinoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 304-312.  | 3.7  | 66        |
| 125 | An inflammatory-CCRK circuitry drives mTORC1-dependent metabolic and immunosuppressive reprogramming in obesity-associated hepatocellular carcinoma. <i>Nature Communications</i> , 2018, 9, 5214. | 12.8 | 66        |
| 126 | Hypermethylation of the tumor suppressor gene RASSF1A and frequent concomitant loss of heterozygosity at 3p21 in cervical cancers. <i>International Journal of Cancer</i> , 2003, 105, 204-209.    | 5.1  | 65        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Association Between Anthropometric Parameters and Measurements of Liver Stiffness by Transient Elastography. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 295-302.e3.   | 4.4  | 64        |
| 128 | DNA of Erythroid Origin Is Present in Human Plasma and Informs the Types of Anemia. <i>Clinical Chemistry</i> , 2017, 63, 1614-1623.   | 3.2  | 63        |
| 129 | Interaction of Adipokines and Hepatitis B Virus on Histological Liver Injury in the Chinese. <i>American Journal of Gastroenterology</i> , 2010, 105, 132-138.   | 0.4  | 62        |
| 130 | Inhibition of NOTCH3 signalling significantly enhances sensitivity to cisplatin in EBV-associated nasopharyngeal carcinoma. <i>Journal of Pathology</i> , 2012, 226, 471-481.  | 4.5  | 62        |
| 131 | Assessment of non-alcoholic fatty liver disease using serum total cell death and apoptosis markers. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 36, 1057-1066.   | 3.7  | 61        |
| 132 | Non-invasive algorithm of enhanced liver fibrosis and liver stiffness measurement with transient elastography for advanced liver fibrosis in chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 197-208.                 | 3.7  | 61        |
| 133 | Characterization of rare transforming KRAS mutations in sporadic colorectal cancer. <i>Cancer Biology and Therapy</i> , 2014, 15, 768-776.   | 3.4  | 61        |
| 134 | Genetic polymorphisms of adiponectin and tumor necrosis factor- $\alpha$ and nonalcoholic fatty liver disease in Chinese people. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 914-921.                                    | 2.8  | 60        |
| 135 | Liver- and Colon-Specific DNA Methylation Markers in Plasma for Investigation of Colorectal Cancers with or without Liver Metastases. <i>Clinical Chemistry</i> , 2018, 64, 1239-1249.   | 3.2  | 60        |
| 136 | Long-Read RNA Sequencing Identifies Alternative Splice Variants in Hepatocellular Carcinoma and Tumor-Specific Isoforms. <i>Hepatology</i> , 2019, 70, 1011-1025.  | 7.3  | 60        |
| 137 | Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Hepatology</i> , 2020, 72, 1230-1241.  | 7.3  | 59        |
| 138 | A selective HDAC8 inhibitor potentiates antitumor immunity and efficacy of immune checkpoint blockade in hepatocellular carcinoma. <i>Science Translational Medicine</i> , 2021, 13, .   | 12.4 | 59        |
| 139 | Yin Yang 1 contributes to gastric carcinogenesis and its nuclear expression correlates with shorter survival in patients with early stage gastric adenocarcinoma. <i>Journal of Translational Medicine</i> , 2014, 12, 80.                             | 4.4  | 58        |
| 140 | Significant positive association of endotoxemia with histological severity in 237 patients with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 175-182.  | 3.7  | 58        |
| 141 | RASAL2 promotes tumor progression through LATS2/YAP1 axis of hippo signaling pathway in colorectal cancer. <i>Molecular Cancer</i> , 2018, 17, 102.  | 19.2 | 58        |
| 142 | Impact of Obesity and Alanine Aminotransferase Levels on the Diagnostic Accuracy for Advanced Liver Fibrosis of Noninvasive Tools in Patients With Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2019, 114, 916-928. | 0.4  | 57        |
| 143 | Tenofovir disoproxil fumarate reduces hepatocellular carcinoma, decompensation and death in chronic hepatitis B patients with cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 1037-1048.  | 3.7  | 54        |
| 144 | Risk of hepatitis B surface antigen seroreversion after corticosteroid treatment in patients with previous hepatitis B virus exposure. <i>Journal of Hepatology</i> , 2020, 72, 57-66.   | 3.7  | 54        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Adverse Effects of Vitamin D Deficiency on Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 783-790.e1.   | 4.4 | 52        |
| 146 | EBV virus-associated lymphoepithelioma-like cholangiocarcinoma: a rare variant of intrahepatic cholangiocarcinoma with favourable outcome. <i>Histopathology</i> , 2014, 65, 674-683.   | 2.9 | 51        |
| 147 | Liver Injury Is Common Among Chronic Abusers of Ketamine. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1759-1762.e1.   | 4.4 | 51        |
| 148 | Profiling of Oncogenic Driver Events in Lung Adenocarcinoma Revealed MET Mutation as Independent Prognostic Factor. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1292-1300.  | 1.1 | 51        |
| 149 | Personalized therapy for hepatocellular carcinoma: Where are we now?. <i>Cancer Treatment Reviews</i> , 2016, 45, 77-86.  | 7.7 | 51        |
| 150 | Repeated Measurements of Hepatitis B Surface Antigen Identify Carriers of Inactive HBV During Long-term Follow-up. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1481-1489.e5.  | 4.4 | 51        |
| 151 | Hepatitis B virus genotype has no impact on hepatitis B e antigen seroconversion after lamivudine treatment. <i>World Journal of Gastroenterology</i> , 2003, 9, 2695.  | 3.3 | 50        |
| 152 | Association of baseline vitamin D levels with clinical parameters and treatment outcomes in chronic hepatitis B. <i>Journal of Hepatology</i> , 2015, 63, 1086-1092.  | 3.7 | 49        |
| 153 | Reassessing the accuracy of PAGE-B-related scores to predict hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2020, 72, 847-854.   | 3.7 | 49        |
| 154 | Quantitative assessment of fibrosis in liver biopsies from patients with chronic hepatitis B. <i>Liver International</i> , 2004, 24, 611-618.   | 3.9 | 48        |
| 155 | Effects of Diabetes and Glycemic Control on Risk of Hepatocellular Carcinoma After Seroclearance of Hepatitis B Surface Antigen. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 765-773.e2.                                      | 4.4 | 48        |
| 156 | Strong Immunohistochemical Expression of Vascular Endothelial Growth Factor Predicts Overall Survival in Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2007, 14, 3558-3565.                                     | 1.5 | 47        |
| 157 | Applicability of albumin-bilirubin-based Japan integrated staging score in hepatitis B-associated hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1766-1772.                              | 2.8 | 47        |
| 158 | Incorporating albumin-bilirubin grade into the cancer of the liver Italian program system for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 221-228.                                    | 2.8 | 47        |
| 159 | Surrogate End Points and Long-Term Outcome in Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1113-1120.  | 4.4 | 46        |
| 160 | Yin Yang 1-mediated epigenetic silencing of tumour-suppressive microRNAs activates nuclear factor- $\kappa$ B in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2016, 238, 651-664.  | 4.5 | 46        |
| 161 | Glucuronidation by UGT1A1 Is the Dominant Pathway of the Metabolic Disposition of Belinostat in Liver Cancer Patients. <i>PLoS ONE</i> , 2013, 8, e54522.   | 2.5 | 46        |
| 162 | Application of the combined FibroMeter vibration-controlled transient elastography algorithm in Chinese patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1363-1369. | 2.8 | 44        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | EBV-encoded miRNAs target ATM-mediated response in nasopharyngeal carcinoma. <i>Journal of Pathology</i> , 2018, 244, 394-407.  | 4.5  | 44        |
| 164 | Effect of age and disease on taste perception. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 28-34.   | 1.2  | 43        |
| 165 | Clinical utility of plasma Epstein-Barr virus DNA and ERCC1 single nucleotide polymorphism in nasopharyngeal carcinoma. <i>Cancer</i> , 2015, 121, 2720-2729.   | 4.1  | 43        |
| 166 | A subset of breast cancer predisposes to brain metastasis. <i>Medical Molecular Morphology</i> , 2011, 44, 15-20.   | 1.0  | 42        |
| 167 | Assessment of programmed cell death ligand-1 expression by 4 diagnostic assays and its clinicopathological correlation in a large cohort of surgical resected non-small cell lung carcinoma. <i>Modern Pathology</i> , 2018, 31, 1381-1390. | 5.5  | 41        |
| 168 | No Resistance to Tenofovir Alafenamide Detected through 96 Weeks of Treatment in Patients with Chronic Hepatitis B Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .  | 3.2  | 41        |
| 169 | Current and Past Infections of HBV Do Not Increase Mortality in Patients With COVID-19. <i>Hepatology</i> , 2021, 74, 1750-1765.  | 7.3  | 41        |
| 170 | Angiotensin-converting enzyme inhibitors prevent liver-related events in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2022, 76, 469-482.   | 7.3  | 41        |
| 171 | Predictors of Treatment Response in Chronic Hepatitis B. <i>Drugs</i> , 2009, 69, 2167-2177.  | 10.9 | 40        |
| 172 | The ATP-binding cassette transporter ABCF1 is a hepatic oncofetal protein that promotes chemoresistance, EMT and cancer stemness in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 457, 98-109.                                    | 7.2  | 40        |
| 173 | Positive Hepatitis B Core Antibody Is Associated With Cirrhosis and Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2020, 115, 867-875.   | 0.4  | 40        |
| 174 | Artificial intelligence in prediction of nonalcoholic fatty liver disease and fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 543-550.  | 2.8  | 40        |
| 175 | Real-world risk score for hepatocellular carcinoma (RWS-HCC): a clinically practical risk predictor for HCC in chronic hepatitis B. <i>Gut</i> , 2016, 65, 887-888.   | 12.1 | 39        |
| 176 | Liver stiffness measurement predicts high-grade post-hepatectomy liver failure: A prospective cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 506-514.  | 2.8  | 39        |
| 177 | Chronic Hepatitis B Increases Liver-Related Mortality of Patients With Acute Hepatitis E: A Territorywide Cohort Study From 2000 to 2016. <i>Clinical Infectious Diseases</i> , 2018, 67, 1278-1284.  | 5.8  | 39        |
| 178 | Systematic evaluation of circulating inflammatory markers for hepatocellular carcinoma. <i>Liver International</i> , 2017, 37, 280-289.   | 3.9  | 38        |
| 179 | Modelling the economic and clinical burden of nonalcoholic steatohepatitis in East Asia: Data from Hong Kong. <i>Hepatology Research</i> , 2020, 50, 1024-1031.   | 3.4  | 38        |
| 180 | Hepatitis Flare During Immunotherapy in Patients With Current or Past Hepatitis B Virus Infection. <i>American Journal of Gastroenterology</i> , 2021, 116, 1274-1283.  | 0.4  | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Microwave ablation provides better survival than liver resection for hepatocellular carcinoma in patients with borderline liver function: application of ALBI score to patient selection. <i>Hpb</i> , 2018, 20, 546-554.                             | 0.3 | 36        |
| 182 | Liver fibrosis progression is uncommon in patients with inactive chronic hepatitis B: A prospective cohort study with paired transient elastography examination. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1842-1848. | 2.8 | 35        |
| 183 | Endoscopic ultrasound-guided tissue acquisition with or without macroscopic on-site evaluation: randomized controlled trial. <i>Endoscopy</i> , 2020, 52, 856-863.  | 1.8 | 35        |
| 184 | Characterization of early IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 2000, 36, 703-708.  | 1.9 | 34        |
| 185 | GEFâ€H1 overexpression in hepatocellular carcinoma promotes cell motility via activation of RhoA signalling. <i>Journal of Pathology</i> , 2012, 228, 575-585.  | 4.5 | 34        |
| 186 | Non-alcoholic fatty liver disease: Spectral patterns observed from an in vivo phosphorus magnetic resonance spectroscopy study. <i>Journal of Hepatology</i> , 2014, 60, 809-815.   | 3.7 | 34        |
| 187 | A review of the natural history of chronic hepatitis B in the era of transient elastography. <i>Antiviral Therapy</i> , 2009, 14, 489-499.  | 1.0 | 34        |
| 188 | Outcome of lamivudine resistant hepatitis B virus mutant post-liver transplantation on lamivudine monophylaxis. <i>Clinical Transplantation</i> , 2004, 18, 295-300.  | 1.6 | 33        |
| 189 | Transgenic cyclooxygenase-2 expression and high salt enhanced susceptibility to chemical-induced gastric cancer development in mice. <i>Carcinogenesis</i> , 2008, 29, 1648-1654.   | 2.8 | 33        |
| 190 | Low Risk of Variceal Bleeding in Patients With Cirrhosis After Variceal Screening Stratified by Liver/Spleen Stiffness. <i>Hepatology</i> , 2019, 70, 971-981.  | 7.3 | 33        |
| 191 | Association of genetic variations with NAFLD in lean individuals. <i>Liver International</i> , 2022, 42, 149-160.   | 3.9 | 33        |
| 192 | Long-Term follow-up of Lamivudine Treatment in Patients with Severe Acute Exacerbation of Hepatitis B e Antigen (HBeAg)-Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2008, 13, 571-579.   | 1.0 | 33        |
| 193 | Aberrant cholesterol metabolic signaling impairs antitumor immunosurveillance through natural killer T cell dysfunction in obese liver. , 2022, 19, 834-847.  |     | 33        |
| 194 | The anti-diabetic drug exenatide, a glucagon-like peptide-1 receptor agonist, counteracts hepatocarcinogenesis through cAMPâ€PKAâ€EGFRâ€STAT3 axis. <i>Oncogene</i> , 2017, 36, 4135-4149.  | 5.9 | 32        |
| 195 | A prospective study on second-generation colon capsule endoscopy to detect mucosal lesions and disease activity in ulcerative colitis (with video). <i>Gastrointestinal Endoscopy</i> , 2017, 86, 1139-1146.e6.                                       | 1.0 | 32        |
| 196 | Risk Factors for Active Liver Disease in Hbeag-Negative Chronic Hepatitis B Virusâ€Infected Patients. <i>American Journal of Gastroenterology</i> , 2000, 95, 3547-3551.  | 0.4 | 31        |
| 197 | The effect of caffeine and alcohol consumption on liver fibrosis - a study of 1045 Asian hepatitis B patients using transient elastography. <i>Liver International</i> , 2011, 31, 1047-1053.   | 3.9 | 31        |
| 198 | Measuring spleen stiffness to predict varices in chronic hepatitis B cirrhotic patients with or without receiving non-selective beta-blockers. <i>Journal of Digestive Diseases</i> , 2016, 17, 538-546.  | 1.5 | 31        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | Treatment of advanced hepatocellular carcinoma: immunotherapy from checkpoint blockade to potential of cellular treatment. <i>Translational Gastroenterology and Hepatology</i> , 2018, 3, 89-89.            | 3.0  | 30        |
| 200 | A Retrospective Study on Clinical Features and Prognostic Factors of Biopsy-Proven Primary Biliary Cirrhosis in Chinese Patients. <i>American Journal of Gastroenterology</i> , 2005, 100, 2205-2211.        | 0.4  | 29        |
| 201 | The CCCTC-binding factor (CTCF)-forkhead box protein M1 axis regulates tumour growth and metastasis in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2017, 243, 418-430.                           | 4.5  | 29        |
| 202 | A hospital clinic-based survey on traditional Chinese medicine usage among chronic hepatitis B patients. <i>Complementary Therapies in Medicine</i> , 2005, 13, 175-182.                                     | 2.7  | 28        |
| 203 | Non-invasive assessment of liver fibrosis with transient elastography (FibroScan®): applying the cut-offs of M probe to XL probe. <i>Annals of Hepatology</i> , 2013, 12, 402-412.                           | 1.5  | 28        |
| 204 | Targeted hepatitis C screening among ex-injection drug users in the community. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 116-120.  | 2.8  | 28        |
| 205 | Repeating measurements by transient elastography in non-alcoholic fatty liver disease patients with high liver stiffness. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 241-248. | 2.8  | 28        |
| 206 | Development of a Novel Inflammation-Based Index for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 167-181.  | 7.7  | 28        |
| 207 | Higher Estimated Net Endogenous Acid Production May Be Associated with Increased Prevalence of Nonalcoholic Fatty Liver Disease in Chinese Adults in Hong Kong. <i>PLoS ONE</i> , 2015, 10, e0122406.        | 2.5  | 28        |
| 208 | Multimarker Panels for Detection of Early Stage Hepatocellular Carcinoma: A Prospective, Multicenter, Case-Control Study. <i>Hepatology Communications</i> , 2022, 6, 679-691.                               | 4.3  | 28        |
| 209 | Progranulin mediates immune evasion of pancreatic ductal adenocarcinoma through regulation of MHC1 expression. <i>Nature Communications</i> , 2022, 13, 156.   | 12.8 | 28        |
| 210 | Two-year lamivudine treatment for hepatitis B e antigen-negative chronic hepatitis B: a double-blind, placebo-controlled trial. <i>Antiviral Therapy</i> , 2007, 12, 345-53.                                 | 1.0  | 28        |
| 211 | Long-Term Lamivudine Treatment is Associated with a Good Maintained Response in Severe Acute Exacerbation of Chronic Hbeag-Negative Hepatitis B. <i>Antiviral Therapy</i> , 2006, 11, 465-471.               | 1.0  | 28        |
| 212 | Virological Response to Different Combination Regimes of Peginterferon $\alpha$ -2b and Lamivudine in Hepatitis B e Antigen Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2007, 12, 815-823.      | 1.0  | 28        |
| 213 | Genotype B hepatitis B virus is associated with severe icteric flare-up of chronic hepatitis B virus infection in Hong Kong. <i>American Journal of Gastroenterology</i> , 2002, 97, 2629-2633.              | 0.4  | 27        |
| 214 | Predictors of invasion in needle core biopsies of the breast with ductal carcinoma in situ. <i>Modern Pathology</i> , 2010, 23, 737-742.   | 5.5  | 27        |
| 215 | Significance of hepatitis B virus genotypes and mutations in the development of hepatocellular carcinoma in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 8-12.            | 2.8  | 27        |
| 216 | Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 484-491.   | 2.8  | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Quantifying and monitoring fibrosis in non-alcoholic fatty liver disease using dual-photon microscopy. <i>Gut</i> , 2020, 69, 1116-1126.  | 12.1 | 27        |
| 218 | Improving transient elastography performance for detecting hepatitis B cirrhosis. <i>Digestive and Liver Disease</i> , 2012, 44, 61-66.   | 0.9  | 26        |
| 219 | Dysregulated Lysine Acetyltransferase 2B Promotes Inflammatory Bowel Disease Pathogenesis Through Transcriptional Repression of Interleukin-10. <i>Journal of Crohn's and Colitis</i> , 2016, 10, 726-734.  | 1.3  | 26        |
| 220 | Accuracy of Faecal Immunochemical Test to Predict Endoscopic and Histological Healing in Ulcerative Colitis: A Prospective Study Based on Validated Histological Scores. <i>Journal of Crohn's and Colitis</i> , 2017, 11, 1071-1077.                                       | 1.3  | 26        |
| 221 | Genomic landscape of lymphoepithelioma-like hepatocellular carcinoma. <i>Journal of Pathology</i> , 2019, 249, 166-172.   | 4.5  | 26        |
| 222 | Significantly Lower Case-fatality Ratio of Coronavirus Disease 2019 (COVID-19) than Severe Acute Respiratory Syndrome (SARS) in Hong Kong's A Territory-Wide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021, 72, e466-e475.                                       | 5.8  | 26        |
| 223 | Risk of Advanced Adenomas in Siblings of Individuals With Advanced Adenomas: A Cross-Sectional Study. <i>Gastroenterology</i> , 2016, 150, 608-616.   | 1.3  | 25        |
| 224 | A Sequential Algorithm Combining ADAPT and Liver Stiffness Can Stage Metabolic-Associated Fatty Liver Disease in Hospital-Based and Primary Care Patients. <i>American Journal of Gastroenterology</i> , 2021, 116, 984-993.  | 0.4  | 25        |
| 225 | Promoter hypermethylation of Death-associated protein-kinase gene associated with advance stage gastric cancer. <i>Oncology Reports</i> , 2005, 13, 937-41.   | 2.6  | 25        |
| 226 | Early Hepatitis B Virus DNA Suppression Can Predict Virologic Response to Peginterferon and Lamivudine Treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 1022-1026.   | 4.4  | 24        |
| 227 | Incorporating Serum Level of Hepatitis B Surface Antigen or Omitting Level of Hepatitis B Virus DNA Does not Affect Calculation of Risk for Hepatocellular Carcinoma in Patients Without Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 461-468.e2. | 4.4  | 24        |
| 228 | On-Treatment Improvement of MELD Score Reduces Death and Hepatic Events in Patients With Hepatitis B-Related Cirrhosis. <i>American Journal of Gastroenterology</i> , 2018, 113, 1629-1638.   | 0.4  | 24        |
| 229 | Clinical Study of Single-stranded Oligonucleotide RO7062931 in Healthy Volunteers and Patients With Chronic Hepatitis B. <i>Hepatology</i> , 2021, 74, 1795-1808.   | 7.3  | 24        |
| 230 | Risk of liver-related events by age and diabetes duration in patients with diabetes and nonalcoholic fatty liver disease. <i>Hepatology</i> , 2022, 76, 1409-1422.  | 7.3  | 24        |
| 231 | Phylogenetic, Virological, and Clinical Characteristics of Genotype C Hepatitis B Virus with TCC at Codon 15 of the Precore Region. <i>Journal of Clinical Microbiology</i> , 2006, 44, 681-687.  | 3.9  | 23        |
| 232 | Treatment of non-alcoholic steatohepatitis with <i>Scytanthus urinaria</i> : A randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 57-62.   | 2.8  | 23        |
| 233 | Ketamine-related cholangiopathy: a retrospective study on clinical and imaging findings. <i>Abdominal Imaging</i> , 2014, 39, 1241-1246.  | 2.0  | 23        |
| 234 | Metabolic syndrome increases cardiovascular events but not hepatic events and death in patients with chronic hepatitis B. <i>Hepatology</i> , 2016, 64, 1507-1517.  | 7.3  | 23        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 235 | Cell cycle-related kinase reprograms the liver immune microenvironment to promote cancer metastasis. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1005-1015.   | 10.5 | 23        |
| 236 | Similarly low risk of hepatocellular carcinoma after either spontaneous or nucleos(t)ide analogue-induced hepatitis B surface antigen loss. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 321-331.   | 3.7  | 23        |
| 237 | Use of Hepatitis B Virus DNA Quantitation To Predict Hepatitis B e Antigen Reversion in Cases of Chronic Hepatitis B. <i>Journal of Clinical Microbiology</i> , 2003, 41, 4793-4795.   | 3.9  | 22        |
| 238 | Evaluation of Impact of Serial Hepatitis B Virus DNA Levels on Development of Hepatocellular Carcinoma. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1830-1836.   | 3.9  | 22        |
| 239 | Reduced <i>CRYL1</i> expression in hepatocellular carcinoma confers cell growth advantages and correlates with adverse patient prognosis. <i>Journal of Pathology</i> , 2010, 220, 348-360.  | 4.5  | 22        |
| 240 | Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. <i>Diabetic Medicine</i> , 2010, 27, 1443-1449.   | 2.3  | 22        |
| 241 | Prevention of hepatocellular carcinoma: a concise review of contemporary issues. <i>Annals of Hepatology</i> , 2012, 11, 284-293.  | 1.5  | 22        |
| 242 | Liver fibrosis progression in chronic hepatitis B patients positive for hepatitis B e antigen: A prospective cohort study with paired transient elastography examination. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1762-1769. | 2.8  | 22        |
| 243 | A phase 2 study of the efficacy and biomarker on the combination of transarterial chemoembolization and axitinib in the treatment of inoperable hepatocellular carcinoma. <i>Cancer</i> , 2017, 123, 3977-3985.  | 4.1  | 22        |
| 244 | Four-year Outcomes After Cessation of Tenofovir in Immune-tolerant Chronic Hepatitis B Patients. <i>Journal of Clinical Gastroenterology</i> , 2018, 52, 347-352.  | 2.2  | 22        |
| 245 | International validation of the Chinese University Prognostic Index for staging of hepatocellular carcinoma: a joint United Kingdom and Hong Kong study. <i>Chinese Journal of Cancer</i> , 2014, 33, 481-91.  | 4.9  | 22        |
| 246 | MCM7 serves as a prognostic marker in diffuse-type gastric adenocarcinoma and siRNA-mediated knockdown suppresses its oncogenic function. <i>Oncology Reports</i> , 2014, 31, 2071-2078.   | 2.6  | 21        |
| 247 | Steatotic hepatocellular carcinoma: a variant associated with metabolic factors and late tumour relapse. <i>Histopathology</i> , 2016, 69, 971-984.  | 2.9  | 21        |
| 248 | Albumin-bilirubin grade predicts the outcomes of liver resection versus radiofrequency ablation for very early/early stage of hepatocellular carcinoma. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2018, 16, 163-170.                      | 1.8  | 21        |
| 249 | Performance of Simple Fibrosis Scores in Nonobese Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2843-2845.e2.  | 4.4  | 21        |
| 250 | Metabolic syndrome delays HBsAg seroclearance in Chinese patients with hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 716-726.   | 3.7  | 20        |
| 251 | Evaluation of histological staging systems for primary biliary cirrhosis: correlation with clinical and biochemical factors and significance of pathological parameters in prognostication. <i>Histopathology</i> , 2014, 65, 174-186.                         | 2.9  | 20        |
| 252 | Epigenetic silencing of GDF1 disrupts SMAD signaling to reinforce gastric cancer development. <i>Oncogene</i> , 2016, 35, 2133-2144.   | 5.9  | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Aspirin Reduces the Incidence of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B Receiving Oral Nucleos(t)ide Analog. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00324.                               | 2.5 | 20        |
| 254 | A phase II clinical study on the efficacy and predictive biomarker of pegylated recombinant arginase on hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2021, 39, 1375-1382.  | 2.6 | 20        |
| 255 | Risk factors for active liver disease in HBeAg-negative chronic hepatitis B virus-infected patients. <i>American Journal of Gastroenterology</i> , 2000, 95, 3547-3551.  | 0.4 | 19        |
| 256 | In vivo appearances of gallbladder carcinoma under magnifying endoscopy and probe-based confocal laser endomicroscopy after endosonographic gallbladder drainage. <i>Endoscopy</i> , 2014, 46, E13-E14.                                  | 1.8 | 19        |
| 257 | Changing scene in hepatitis B serology interpretation. <i>British Journal of Hospital Medicine</i> , 2002, 63, 16-19.  | 0.2 | 18        |
| 258 | Probability-Based Interpretation of Liver Stiffness Measurement in Untreated Chronic Hepatitis B Patients. <i>Digestive Diseases and Sciences</i> , 2015, 60, 1448-1456.   | 2.3 | 18        |
| 259 | Cross-sectional area of the median nerve at the wrist: Comparison of sonographic, MRI, and cadaveric measurements. <i>Journal of Clinical Ultrasound</i> , 2019, 47, 122-127.  | 0.8 | 18        |
| 260 | Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1950-1958.e7.  | 4.4 | 18        |
| 261 | Increasing antiviral treatment uptake improves survival in patients with HBV-related HCC. <i>JHEP Reports</i> , 2020, 2, 100152.   | 4.9 | 18        |
| 262 | Laparoscopic Hepatectomy (with or without Robotic Assistance) versus Radiofrequency Ablation as a Minimally Invasive Treatment for Very Early-Stage or Early-Stage Hepatocellular Carcinoma. <i>Digestive Surgery</i> , 2020, 37, 65-71. | 1.2 | 17        |
| 263 | Thiazolidinediones reduce the risk of hepatocellular carcinoma and hepatic events in diabetic patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2020, 27, 904-914.  | 2.0 | 17        |
| 264 | Promoter hypermethylation of Death-associated protein-kinase gene associated with advance stage gastric cancer. <i>Oncology Reports</i> , 0, , .   | 2.6 | 17        |
| 265 | Second-Trimester Detection of Mowat-Wilson Syndrome Using Comparative Genomic Hybridization Microarray Testing. <i>Obstetrics and Gynecology</i> , 2010, 115, 462-465.   | 2.4 | 16        |
| 266 | Correlation of biomarkers in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2010, 143, 795-800.  | 1.9 | 16        |
| 267 | Real-life efficacy and safety of paritaprevir/ritonavir, ombitasvir, and dasabuvir in chronic hepatitis C patients in Hong Kong. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1230-1233.                    | 2.8 | 16        |
| 268 | Increased expression of GATA zinc finger domain containing 1 through gene amplification promotes liver cancer by directly inducing phosphatase of regenerating liver 3. <i>Hepatology</i> , 2018, 67, 2302-2319.                         | 7.3 | 16        |
| 269 | Epstein-Barr Virus-Induced Epigenetic Pathogenesis of Viral-Associated Lymphoepithelioma-Like Carcinomas and Natural Killer/T-Cell Lymphomas. <i>Pathogens</i> , 2018, 7, 63.  | 2.8 | 16        |
| 270 | A comparability study of immunohistochemical assays for PD-L1 expression in hepatocellular carcinoma. <i>Modern Pathology</i> , 2019, 32, 1646-1656.   | 5.5 | 16        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Unresolved issues of immune tolerance in chronic hepatitis B. <i>Journal of Gastroenterology</i> , 2020, 55, 383-389.   | 5.1 | 16        |
| 272 | Risks of AKI and Major Adverse Clinical Outcomes in Patients with Severe Acute Respiratory Syndrome or Coronavirus Disease 2019. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 961-971.                  | 6.1 | 16        |
| 273 | HER2 Expression Predicts Improved Survival in Patients with Cervical Node-Positive Head and Neck Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 141, 467-473.                                     | 1.9 | 15        |
| 274 | Multiple modulatory activities of <i>Andrographis paniculata</i> on immune responses and xenograft growth in esophageal cancer preclinical models. <i>Phytomedicine</i> , 2019, 60, 152886.                                       | 5.3 | 15        |
| 275 | Progressive increase of genetic alteration in urinary bladder cancer by combined allelotyping analysis and comparative genomic hybridization. <i>International Journal of Oncology</i> , 2009, 34, 963-70.                        | 3.3 | 14        |
| 276 | Chronic Hepatitis B: A Treatment Update. <i>Seminars in Liver Disease</i> , 2013, 33, 122-129.  | 3.6 | 14        |
| 277 | Targeting ribonucleotide reductase M2 subunit by small interfering RNA exerts anti-oncogenic effects in gastric adenocarcinoma. <i>Oncology Reports</i> , 2014, 31, 2579-2586.  | 2.6 | 14        |
| 278 | Applicability of BALAD score in prognostication of hepatitis B-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1529-1535.   | 2.8 | 14        |
| 279 | Improvement in enhanced liver fibrosis score and liver stiffness measurement reflects lower risk of hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1509-1517.                              | 3.7 | 14        |
| 280 | Serum fibrosis index-based risk score predicts hepatocellular carcinoma in untreated patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 499-509.   | 8.9 | 14        |
| 281 | A review of the natural history of chronic hepatitis B in the era of transient elastography. <i>Antiviral Therapy</i> , 2009, 14, 489-99.   | 1.0 | 14        |
| 282 | Granulin epithelin precursor promotes colorectal carcinogenesis by activating MARK/ERK pathway. <i>Journal of Translational Medicine</i> , 2018, 16, 150.   | 4.4 | 13        |
| 283 | Change in treatment paradigm in people who previously injected drugs with chronic hepatitis C in the era of direct-acting antiviral therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1641-1647. | 2.8 | 13        |
| 284 | Unique molecular characteristics of NAFLD-associated liver cancer accentuate $\beta$ -catenin/TNFRSF19-mediated immune evasion. <i>Journal of Hepatology</i> , 2022, 77, 410-423.   | 3.7 | 13        |
| 285 | Congenital systemic Langerhans cell histiocytosis presenting as hydrops fetalis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1843-1847.   | 1.5 | 12        |
| 286 | Serum hepatitis B surface antigen kinetics in severe reactivation of hepatitis e antigen negative chronic hepatitis B patients receiving nucleos(t)ide analogues. <i>Antiviral Therapy</i> , 2013, 18, 979-986.                   | 1.0 | 12        |
| 287 | Noninvasive assessments of liver fibrosis with transient elastography and Hui index predict survival in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 582-590.     | 2.8 | 12        |
| 288 | Virus and Host Testing to Manage Chronic Hepatitis B. <i>Clinical Infectious Diseases</i> , 2016, 62, S298-S305.  | 5.8 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | EXOSC4 functions as a potential oncogene in development and progression of colorectal cancer. <i>Molecular Carcinogenesis</i> , 2018, 57, 1780-1791.  | 2.7 | 12        |
| 290 | Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. <i>European Journal of Internal Medicine</i> , 2021, 84, 68-73.  | 2.2 | 12        |
| 291 | A prospective 5-year study on the use of transient elastography to monitor the improvement of non-alcoholic fatty liver disease following bariatric surgery. <i>Scientific Reports</i> , 2021, 11, 5416.              | 3.3 | 12        |
| 292 | U-shaped relationship between urea level and hepatic decompensation in chronic liver diseases. <i>Clinical and Molecular Hepatology</i> , 2022, 28, 77-90.  | 8.9 | 12        |
| 293 | Novel machine learning models outperform risk scores in predicting hepatocellular carcinoma in patients with chronic viral hepatitis. <i>JHEP Reports</i> , 2022, 4, 100441.  | 4.9 | 12        |
| 294 | Antiviral therapy for chronic hepatitis B: Challenges in Hong Kong. <i>Journal of Hepatology</i> , 2009, 51, 1088-1090.   | 3.7 | 11        |
| 295 | Primary perivascular epithelioid cell tumour (PEComa) of the urinary bladder. <i>Pathology</i> , 2011, 43, 746-749.   | 0.6 | 11        |
| 296 | A concurrent primary hepatic MALT lymphoma and hepatocellular carcinoma. <i>Pathology</i> , 2015, 47, 178-181.  | 0.6 | 11        |
| 297 | Cost Effectiveness of Response-Guided Therapy With Peginterferon in the Treatment of Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 377-385.e5.                                     | 4.4 | 11        |
| 298 | A Pancreatic Mass With Multiple Hepatic Lesions. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, e3-e4.   | 4.4 | 11        |
| 299 | Validating the ALBI grade: Its current and future use in HCC prognostication. <i>Journal of Hepatology</i> , 2017, 66, 661-663.   | 3.7 | 11        |
| 300 | EBV-encoded miRNAs can sensitize nasopharyngeal carcinoma to chemotherapeutic drugs by targeting BRCA1. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 13523-13535.                                    | 3.6 | 11        |
| 301 | Extramedullary Nasal Plasmacytoma – An Unusual Clinical Entity. <i>Ear, Nose and Throat Journal</i> , 1996, 75, 171-173.  | 0.8 | 10        |
| 302 | Impact of diabetes mellitus and hepatitis B virus coinfection on patients with chronic hepatitis C: A territory-wide cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 934-941. | 2.8 | 10        |
| 303 | Virtual multiplex immunohistochemistry: Application on cell block of effusion and aspiration cytology. <i>Diagnostic Cytopathology</i> , 2020, 48, 417-423.   | 1.0 | 10        |
| 304 | SARS-CoV-2 Viral Persistence Based on Cycle Threshold Value and Liver Injury in Patients With COVID-19. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab205.   | 0.9 | 10        |
| 305 | Malignant pigmented clear cell epithelioid cell tumor (PEComa) in an adolescent boy with widespread metastases: a rare entity in this age group. <i>Pediatric Radiology</i> , 2011, 41, 1587-1590.                    | 2.0 | 9         |
| 306 | Novel therapeutic targets and predictive markers for hepatocellular carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 973-983.  | 3.4 | 9         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 307 | Association Between Serum Folate Level and Toxicity of Capecitabine During Treatment for Colorectal Cancer. <i>Oncologist</i> , 2018, 23, 1436-1445.  | 3.7  | 9         |
| 308 | Peginterferon Alfa-2a (40 kD) Stopping Rules in Chronic Hepatitis B: A Systematic Review and Meta-Analysis of Individual Participant Data. <i>Antiviral Therapy</i> , 2019, 24, 133-140.  | 1.0  | 9         |
| 309 | Receptor tyrosine kinase fusions act as a significant alternative driver of the serrated pathway in colorectal cancer development. <i>Journal of Pathology</i> , 2020, 251, 74-86.  | 4.5  | 9         |
| 310 | Colonoscopy and Risk of Colorectal Cancer in Patients With Nonalcoholic Fatty Liver Disease: A Retrospective Territory-Wide Cohort Study. <i>Hepatology Communications</i> , 2021, 5, 1212-1223.  | 4.3  | 9         |
| 311 | Familial extrarenal Wilms tumor. <i>Journal of Pediatric Surgery</i> , 2007, 42, 1826-1830.   | 1.6  | 8         |
| 312 | A sensitive and specific liquid chromatography-tandem mass spectrometric method for determination of belinostat in plasma from liver cancer patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2409-2414. | 2.3  | 8         |
| 313 | EUS-guided alcohol injection of pancreatic neuroendocrine tumor. <i>Gastrointestinal Endoscopy</i> , 2015, 82, 167.   | 1.0  | 8         |
| 314 | Long-term lamivudine treatment is associated with a good maintained response in severe acute exacerbation of chronic HBeAg-negative hepatitis B. <i>Antiviral Therapy</i> , 2006, 11, 465-71.   | 1.0  | 8         |
| 315 | Virological response to different combination regimes of peginterferon alpha-2b and lamivudine in hepatitis B e antigen positive chronic hepatitis B. <i>Antiviral Therapy</i> , 2007, 12, 815-23.  | 1.0  | 8         |
| 316 | Antiviral Drug Resistance Testing in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2012, 57, 221-231.   | 2.3  | 7         |
| 317 | Peginterferon therapy for chronic hepatitis B: one size fits all?. <i>Gut</i> , 2013, 62, 185-187.  | 12.1 | 7         |
| 318 | An Uncommon Insertion Mutation in Exon 19 of EGFR Showed Stable Disease after TKI Treatment. <i>Journal of Thoracic Oncology</i> , 2013, 8, e107-e108.  | 1.1  | 7         |
| 319 | Impact of IL28B and PNPLA3 polymorphisms on treatment outcomes in patients infected with genotype 6 hepatitis C virus. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1040-1048.   | 2.8  | 7         |
| 320 | Impact of Weight Loss During Chemotherapy in Chinese Patients with Unresectable Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2019, 71, 954-970.   | 2.0  | 7         |
| 321 | Endoscopic ultrasound of pancreatic lesions. <i>Journal of Visualized Surgery</i> , 2016, 2, 119-119.   | 0.2  | 6         |
| 322 | No association between IFNL3 (IL28B) genotype and response to peginterferon alfa-2a in HBeAg-positive or -negative chronic hepatitis B. <i>PLoS ONE</i> , 2018, 13, e0199198.   | 2.5  | 6         |
| 323 | Macromolecular proton fraction mapping based on spin-echo magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 3157-3171.  | 3.0  | 6         |
| 324 | High incidence of hepatocellular carcinoma and cirrhotic complications in patients with psychiatric illness: a territory-wide cohort study. <i>BMC Gastroenterology</i> , 2020, 20, 128.  | 2.0  | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Liver stiffness measurement predicts short-term and long-term outcomes in patients with hepatocellular carcinoma after curative liver resection. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2022, 20, 78-84.  | 1.8 | 6         |
| 326 | EUS-guided transduodenal biliary drainage. <i>Gastrointestinal Endoscopy</i> , 2010, 72, 186-187.   | 1.0 | 5         |
| 327 | Benign epithelioid schwannoma of intraparotid facial nerve. <i>Pathology</i> , 2011, 43, 280-282.   | 0.6 | 5         |
| 328 | 45 YEAR OLD MAN WITH A PINEAL REGION TUMOR FOR OVER 15 YEARS. <i>Brain Pathology</i> , 2012, 22, 255-258.   | 4.1 | 5         |
| 329 | Irreversible Electroporation of the Femoral Neurovascular Bundle: Imaging and Histologic Evaluation in a Swine Model. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 1212-1220.e1.                           | 0.5 | 5         |
| 330 | Topical Application of Mesenchymal Stromal Cells Ameliorated Liver Parenchyma Damage After Ischemia-Reperfusion Injury in an Animal Model. <i>Transplantation Direct</i> , 2017, 3, e160.   | 1.6 | 5         |
| 331 | Primary hepatic gastrointestinal stromal tumor presented with rupture. <i>Hepatobiliary Surgery and Nutrition</i> , 2017, 6, 65-66.   | 1.5 | 5         |
| 332 | Genetic variation in ABCB5 associates with risk of hepatocellular carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10705-10713.   | 3.6 | 5         |
| 333 | Hepatitis B Core-Related Antigen: From Virology to Clinical Application. <i>Seminars in Liver Disease</i> , 2021, 41, 182-190.  | 3.6 | 5         |
| 334 | Congenital systemic Langerhans cell histiocytosis presenting as hydrops fetalis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1843-1847.   | 1.5 | 5         |
| 335 | Non-Hodgkin's Lymphoma of the Knee: A Case Report. <i>Iranian Journal of Radiology</i> , 2015, 12, e7583.   | 0.2 | 5         |
| 336 | Reliability of the nonalcoholic steatohepatitis clinical research network and steatosis activity fibrosis histological scoring systems. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1131-1138.      | 2.8 | 5         |
| 337 | Tenofovir alafenamide is associated with improved alanine aminotransferase and renal safety compared to tenofovir disoproxil fumarate. <i>Journal of Medical Virology</i> , 2022, 94, 4440-4448.                                  | 5.0 | 5         |
| 338 | Is transient elastography inaccurate in chronic hepatitis B and non-alcoholic fatty liver disease?. <i>Journal of Hepatology</i> , 2011, 55, 497.   | 3.7 | 4         |
| 339 | Should all patients with nonalcoholic fatty liver disease undergo oral glucose tolerance test?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 419-420.  | 2.8 | 4         |
| 340 | Treatment of hepatitis C virus infection in patients with CKD. <i>Nature Reviews Nephrology</i> , 2016, 12, 5-6.  | 9.6 | 4         |
| 341 | Ablative Chemoembolization for Hepatocellular Carcinoma: A Prospective Phase I Case-Control Comparison with Conventional Chemoembolization. <i>Radiology</i> , 2018, 287, 340-348.  | 7.3 | 4         |
| 342 | Novel biomarkers GEP/ABCB5 regulate response to adjuvant transarterial chemoembolization after curative hepatectomy for hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 524-530. | 1.3 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Updates of pancreatic neuroendocrine neoplasm in the 2017 World Health Organization classification. <i>Surgical Practice</i> , 2019, 23, 42-47.   | 0.2 | 4         |
| 344 | Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1610-1618.  | 2.8 | 4         |
| 345 | Reply:. <i>Hepatology</i> , 2009, 50, 2049-2050.  | 7.3 | 3         |
| 346 | Response-guided therapy by hepatitis B surface antigen level for peginterferon therapy: What is next?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 420-421.   | 2.8 | 3         |
| 347 | Mechanism and Natural Course of Tumor Involution in Hepatocellular Carcinoma Following Transarterial Ethanol Ablation. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1136-1143.  | 2.0 | 3         |
| 348 | Reply to: Correspondence concerning "Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection". <i>Journal of Hepatology</i> , 2019, 70, 573-574.                            | 3.7 | 3         |
| 349 | Alpha-Fetoprotein as a Biomarker in Hepatocellular Carcinoma: Focus on Its Role in Composition of Tumor Staging Systems and Monitoring of Treatment Response. <i>Biomarkers in Disease</i> , 2017, , 623-635.                                     | 0.1 | 3         |
| 350 | Virodynamic Predictors of Response to Pegylated Interferon and Lamivudine Combination Treatment of Hepatitis B e Antigen-Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2008, 13, 1029-1037.  | 1.0 | 3         |
| 351 | 984 COMBINATION OF THE MEDIAN AND VARIABILITY OF LIVER STIFFNESS MEASUREMENTS BY TRANSIENT ELASTOGRAPHY IMPROVES THE ACCURACY OF DIAGNOSING ADVANCED FIBROSIS IN NONALCOHOLIC FATTY LIVER DISEASE. <i>Journal of Hepatology</i> , 2008, 48, S367. | 3.7 | 2         |
| 352 | Renal myxoid tumour of uncertain malignant potential. <i>Pathology</i> , 2011, 43, 287-289.   | 0.6 | 2         |
| 353 | Two are better than one: noninvasive assessment of liver fibrosis in nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2015, 9, 481-483.  | 4.2 | 2         |
| 354 | HHV8 genotype study in an HIV+ patient with concurrent Kaposi sarcoma and extracavitary primary effusion lymphoma. <i>Journal of Clinical Pathology</i> , 2017, 70, 814-816.  | 2.0 | 2         |
| 355 | Peptostreptococcus Anaerobius Induces Intracellular Cholesterol Biosynthesis in Colon Cells to Induce Proliferation and Causes Dysplasia in Mice. <i>Gastroenterology</i> , 2017, 152, S1010.   | 1.3 | 2         |
| 356 | Towards finite oral antiviral treatment for chronic hepatitis B. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 260-262.  | 8.1 | 2         |
| 357 | Reply. <i>Hepatology</i> , 2016, 64, 685-686.   | 7.3 | 1         |
| 358 | Fecal Immunochemical Test Predicts Histological Healing in Ulcerative Colitis: A Prospective Study Using the Geboes Score and Nancy Index. <i>Gastroenterology</i> , 2017, 152, S209.   | 1.3 | 1         |
| 359 | Serial combination of noninvasive tools improves the diagnostic accuracy of severe liver fibrosis in patients with nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2017, 49, e2.   | 0.9 | 1         |
| 360 | Impact of Non-alcoholic Fatty Liver Disease on Chronic Hepatitis B Infection. <i>Current Hepatology Reports</i> , 2017, 16, 97-104.   | 0.9 | 1         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 361 | IDDF2018-ABS-0107â€¦Efficacy and safety of TENOFOVIR ALAFENAMIDE (TAF) at 96 weeks in chronic HBV (CHB) patients with risk factors for use of TENOFOVIR DISOPROXIL FUMARATE (TDF). , 2018, , .  |      | 1         |
| 362 | PS-201-External validation in NAFLD cohorts of the FibroScan-based FAST score combining liver stiffness, controlled attenuation parameter and AST to identify patients with active NASH (NAS â‰¥ 4) and significant fibrosis (F â‰¥ 2). Journal of Hepatology, 2019, 70, e134-e135. | 3.7  | 1         |
| 363 | En bloc transdiaphragmatic lung resection for locally advanced hepatocellular carcinoma: a case report. Journal of Surgical Case Reports, 2020, 2020, rjaa084.  | 0.4  | 1         |
| 364 | Letter to the Editor: Use of Pregenomic Hepatitis B Virus RNA and Hepatitis B Coreâ€“Related Antigen to Predict Cure of Hepatitis B Virus Infection. Hepatology, 2021, 73, 870-870.   | 7.3  | 1         |
| 365 | Sodiumâ€“glucose coâ€“transporter 2 inhibitors reduce hepatic events in diabetic patients with chronic hepatitis B. GastroHep, 2021, 3, 261-269.  | 0.6  | 1         |
| 366 | Single-nucleotide polymorphism (SNP) of excision repair cross complementation group 1 (ERCC1) in nasopharynx cancer (NPC): A companion biomarker study to Hong Kong NPC Study Group 0502 trial.. Journal of Clinical Oncology, 2014, 32, 6029-6029.                                 | 1.6  | 1         |
| 367 | The association between serum folate level and toxicity of capecitabine.. Journal of Clinical Oncology, 2016, 34, 3566-3566.  | 1.6  | 1         |
| 368 | A study on thromboembolism of patients with pancreatic cancer.. Journal of Clinical Oncology, 2017, 35, 262-262.  | 1.6  | 1         |
| 369 | CD133 and EpCAM as Biomarkers in Liver Diseases. Biomarkers in Disease, 2017, , 349-372.  | 0.1  | 1         |
| 370 | Abstract 4563: PD-L1 expression associated with treatment responses in colorectal cancer patients with XELOX/FOLFOX chemotherapy: Potential of checkpoint blockage and natural killer cell-based immunotherapy. , 2018, , .   |      | 1         |
| 371 | Letter: systematic review with metaâ€“analysis on the impact of functional cure on clinical outcomes in patients with chronic hepatitis B. Alimentary Pharmacology and Therapeutics, 2022, 55, 616-617.   | 3.7  | 1         |
| 372 | Molecular virology and drug resistance in antiviral therapy of chronic hepatitis B. Current Hepatitis Reports, 2005, 4, 27-33.  | 0.3  | 0         |
| 373 | Fine needle aspiration cytology of breast cancer in women aged 70 years and older. Pathology, 2008, 40, 573-579.  | 0.6  | 0         |
| 374 | Metabolic syndrome and chronic hepatitis B: is the evidence enough?. Gut, 2010, 59, 277.1-277.  | 12.1 | 0         |
| 375 | Case report and a review of the literature of two patients with gastric <sc>MALT</sc>oma and pulmonary metastasis. Surgical Practice, 2013, 17, 28-30.  | 0.2  | 0         |
| 376 | Case of hepatocellular carcinoma with multicentric Castleman's disease. Surgical Practice, 2014, 18, 154-155.   | 0.2  | 0         |
| 377 | A Rare Tumor of the Common Hepatic Duct Causing Biliary Obstruction. Clinical Gastroenterology and Hepatology, 2014, 12, e29-e30.   | 4.4  | 0         |
| 378 | A Rare Cause of Protein-Losing Enteropathy. Clinical Gastroenterology and Hepatology, 2014, 12, e49-e50.  | 4.4  | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Development of Serum DHCR24 Antibody as a Marker for Hepatocellular Carcinoma: The End of the Beginning. EBioMedicine, 2015, 2, 497-498.   | 6.1 | 0         |
| 380 | Reply. Hepatology, 2016, 64, 1820-1821.  | 7.3 | 0         |
| 381 | MET DNA Alterations in NSCLCâ€”Reply. Clinical Cancer Research, 2016, 22, 3699-3699.   | 7.0 | 0         |
| 382 | A Rare Cause of Ischemic Colitis. Clinical Gastroenterology and Hepatology, 2016, 14, e109-e110.   | 4.4 | 0         |
| 383 | Comments on â€œProposal and validation of a new model to estimate survival for hepatocellular carcinoma patientsâ€• European Journal of Cancer, 2016, 68, 203-205.   | 2.8 | 0         |
| 384 | Reply to: â€œSerum HBsAg kinetics in clinical predictionâ€• Journal of Hepatology, 2017, 67, 193-194.  | 3.7 | 0         |
| 385 | GATAD1 Promotes Hepatocellular Carcinogenesis through Directly Inducing PTP4A3 and Activating Akt Pathway. Gastroenterology, 2017, 152, S1182.   | 1.3 | 0         |
| 386 | Non-invasive Assessment of Liver Disease. , 2018, , 163-179.   |     | 0         |
| 387 | Reply to: â€œRisk factors of hepatocellular carcinoma after hepatitis B surface antigen seroclearanceâ€• Journal of Hepatology, 2018, 68, 208-209.   | 3.7 | 0         |
| 388 | IDDF2018-ABS-0058â€œ...Early normalisation of alanine aminotransferase (alt) after nucleos(t)ide analogue treatment reduces the risk of hepatocellular carcinoma (hcc) in patients with chronic hepatitis b â€œ a territory-wide study of 21,182 subjects. , 2018, , . |     | 0         |
| 389 | IDDF2018-ABS-0106â€œ...Tenofovir alafenamide (taf) compared with tenofovir disoproxil fumarate (tdf) in patients with chronic hbv: week 96 efficacy and safety results in chinese patients enrolled in 2 global phase 3 studies. , 2018, , .                           |     | 0         |
| 390 | Reply to: â€œNAFLD and beneficial effects of lifestyle intervention: Defining the meat of the matterâ€• Journal of Hepatology, 2019, 70, 1304.   | 3.7 | 0         |
| 391 | IDDF2019-ABS-0199â€œ...The risk of metabolic acidosis in diabetic patients with different severity of chronic hepatitis B-related cirrhosis and renal impairment. , 2019, , .  |     | 0         |
| 392 | IDDF2019-ABS-0325â€œ...Superior efficacy and long-term survival benefit of HDAC8 and PD-L1 co-blockade in liver cancer immunotherapy. , 2019, , .  |     | 0         |
| 393 | IDDF2019-ABS-0174â€œ...Targeting monocyte-intrinsic enhancer reprogramming improves immunotherapy efficacy in hepatocellular carcinoma. , 2019, , .  |     | 0         |
| 394 | Reply to: â€œHepatocellular carcinoma risk stratification in HBV cirrhosis: Time to turn the pageâ€• Journal of Hepatology, 2020, 73, 729-730.   | 3.7 | 0         |
| 395 | Debate settled for elevated alanine aminotransferase in hepatitis B?. Lancet Infectious Diseases, The, 2021, 21, 750-751.  | 9.1 | 0         |
| 396 | IDDF2021-ABS-0122â€œ...No association between proton-pump inhibitor use and adverse clinical outcomes of COVID-19: a territory-wide cohort study of 8,675 patients. , 2021, , .  |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Abstract 4127: MiR-183/96/182 cluster confers cell motile advantages in hepatocellular carcinoma. , 2012, , .  |     | 0         |
| 398 | Abstract 1245: Reactivation of growth/differentiation factor 1 contributes to the chemopreventive effect of 5-aza-2â€²deoxycytidine in gastric cancer. , 2014, , .   |     | 0         |
| 399 | CD133 and EpCAM as Biomarkers in Liver Diseases. Exposure and Health, 2015, , 1-24.  | 4.9 | 0         |
| 400 | A phase II clinical trial on combined axitinib and transarterial chemoembolization (TACE) for hepatocellular carcinoma (HCC): Final results and evaluation of clinical predictor for response.. Journal of Clinical Oncology, 2015, 33, 4073-4073.         | 1.6 | 0         |
| 401 | Alpha-Fetoprotein as a Biomarker in Hepatocellular Carcinoma: Focus on Its Role in Composition of Tumor Staging Systems and Monitoring of Treatment Response. Biomarkers in Disease, 2016, , 1-13.   | 0.1 | 0         |
| 402 | Clinical Application, Performance, and Common Pitfalls of Ultrasound-guided Pleural Biopsy: Our Local Experience. Hong Kong Journal of Radiology, 0, , 103-110.  | 0.1 | 0         |
| 403 | A novel and validated inflammation-integrated prognostic model for hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2017, 35, e15679-e15679.   | 1.6 | 0         |
| 404 | Hepatic adverse events during treatment with immune checkpoint inhibitors (ICI) in cancer patients: A territory-wide patient cohort study.. Journal of Clinical Oncology, 2020, 38, 508-508.   | 1.6 | 0         |
| 405 | IDDF2020-ABS-0200â€¦Impact of rising prevalence of metabolic comorbidities on accuracy of hepatocellular carcinoma risk score in chronic hepatitis B patients receiving antiviral therapy: A territory-wide cohort of 31,953 treated patients. , 2020, , . |     | 0         |
| 406 | Recognising the clinically significant macrotrabecular massive variant of hepatocellular carcinoma. Singapore Medical Journal, 2022, , .   | 0.6 | 0         |
| 407 | Use of Proton-Pump Inhibitor Is Not Associated with Adverse Clinical Outcomes in COVID-19 Patients: A Territory-Wide Cohort Study. GastroHep, 2022, 2022, 1-13.  | 0.6 | 0         |