

# Yvette P Conley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3249932/publications.pdf>

Version: 2024-02-01

246  
papers

5,653  
citations

117453

34  
h-index

133063

59  
g-index

250  
all docs

250  
docs citations

250  
times ranked

7387  
citing authors



| #  | ARTICLE                                                                                                                                                                                                                       | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | <sc>IL</sc>â€² associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2015, 56, 991-1001.                                                                            | 2.6 | 50        |
| 20 | The Associations Between <i>OPRM</i> and <i>COMT</i> Genotypes and Postoperative Pain, Opioid Use, and Opioid-Induced Sedation. <i>Biological Research for Nursing</i> , 2013, 15, 309-317.                                   | 1.0 | 49        |
| 21 | Genetic variation in the adenosine regulatory cycle is associated with posttraumatic epilepsy development. <i>Epilepsia</i> , 2015, 56, 1198-1206.                                                                            | 2.6 | 49        |
| 22 | Intracranial Pressure Trajectories: A Novel Approach to Informing Severe Traumatic Brain Injury Phenotypes*. <i>Critical Care Medicine</i> , 2018, 46, 1792-1802.                                                             | 0.4 | 47        |
| 23 | Apolipoprotein E Genotype and Cognitive Function in Postmenopausal Women With Early-Stage Breast Cancer. <i>Oncology Nursing Forum</i> , 2014, 41, E313-E325.                                                                 | 0.5 | 46        |
| 24 | Posttraumatic Brain Injury Cognitive Performance Is Moderated by Variation Within ANKK1 and DRD2 Genes. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E54-E66.                                                     | 1.0 | 43        |
| 25 | Melatonin as a Therapy for Traumatic Brain Injury: A Review of Published Evidence. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1539.                                                                       | 1.8 | 43        |
| 26 | Precision assessment of heterogeneity of lymphedema phenotype, genotypes and risk prediction. <i>Breast</i> , 2016, 29, 231-240.                                                                                              | 0.9 | 42        |
| 27 | Haptoglobin genotype and functional outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2014, 120, 386-390.                                                                                    | 0.9 | 40        |
| 28 | Integrating emerging areas of nursing science into PhD programs. <i>Nursing Outlook</i> , 2015, 63, 408-416.                                                                                                                  | 1.5 | 40        |
| 29 | OPRM1 and COMT Gene Gene Interaction Is Associated With Postoperative Pain and Opioid Consumption After Orthopedic Trauma. <i>Biological Research for Nursing</i> , 2017, 19, 170-179.                                        | 1.0 | 40        |
| 30 | ABCC8 Single Nucleotide Polymorphisms are Associated with Cerebral Edema in Severe TBI. <i>Neurocritical Care</i> , 2017, 26, 213-224.                                                                                        | 1.2 | 40        |
| 31 | Impact of Aromatase Genetic Variation on Hormone Levels and Global Outcome after Severe TBI. <i>Journal of Neurotrauma</i> , 2013, 30, 1415-1425.                                                                             | 1.7 | 38        |
| 32 | Psychometric evaluation of the Epworth Sleepiness Scale in an obstetric population. <i>Sleep Medicine</i> , 2013, 14, 116-121.                                                                                                | 0.8 | 37        |
| 33 | Precision health: A nursing perspective. <i>International Journal of Nursing Sciences</i> , 2020, 7, 5-12.                                                                                                                    | 0.5 | 37        |
| 34 | Machine learning for detection of lymphedema among breast cancer survivors. <i>MHealth</i> , 2018, 4, 17-17.                                                                                                                  | 0.9 | 37        |
| 35 | Associations between genetic and epigenetic variations in cytokine genes and mild persistent breast pain in women following breast cancer surgery. <i>Cytokine</i> , 2017, 99, 203-213.                                       | 1.4 | 36        |
| 36 | Regionally clustered <i>ABCC8</i> polymorphisms in a prospective cohort predict cerebral oedema and outcome in severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1152-1162. | 0.9 | 36        |

| #  | ARTICLE                                                                                                                                                                                                                                       | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Predisposition to Childhood Otitis Media and Genetic Polymorphisms within the Toll-Like Receptor 4 (TLR4) Locus. <i>PLoS ONE</i> , 2015, 10, e0132551.                                                                                        | 1.1 | 35        |
| 38 | Variants of SLC6A4 in depression risk following severe TBI. <i>Brain Injury</i> , 2013, 27, 696-706.                                                                                                                                          | 0.6 | 34        |
| 39 | Differences in Symptom Clusters Identified Using Ratings of Symptom Occurrence vs. Severity in Lung Cancer Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 194-203.                                | 0.6 | 34        |
| 40 | Associations Between Perceived Stress and Chemotherapy-Induced Peripheral Neuropathy and Oxicity in Adult Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 88-97.                                                  | 0.6 | 34        |
| 41 | 20-HETE is Associated with Unfavorable Outcomes in Subarachnoid Hemorrhage Patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1515-1522.                                                                              | 2.4 | 33        |
| 42 | Genetic variation in neuronal glutamate transport genes and associations with posttraumatic seizure. <i>Epilepsia</i> , 2016, 57, 984-993.                                                                                                    | 2.6 | 33        |
| 43 | COMT and ANKK1 Genetics Interact With Depression to Influence Behavior Following Severe TBI. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 920-930.                                                                                | 1.4 | 32        |
| 44 | A Prospective Study of Nausea and Vomiting After Breast Cancer Surgery. <i>Journal of Perianesthesia Nursing</i> , 2017, 32, 169-176.                                                                                                         | 0.3 | 32        |
| 45 | Perceived stress is associated with a higher symptom burden in cancer survivors. <i>Cancer</i> , 2019, 125, 4509-4515.                                                                                                                        | 2.0 | 32        |
| 46 | The Association of CYP2D6 Genotype and Postoperative Nausea and Vomiting in Orthopedic Trauma Patients. <i>Biological Research for Nursing</i> , 2013, 15, 382-389.                                                                           | 1.0 | 31        |
| 47 | Inflammatory pathway genes associated with inter-individual variability in the trajectories of morning and evening fatigue in patients receiving chemotherapy. <i>Cytokine</i> , 2017, 91, 187-210.                                           | 1.4 | 31        |
| 48 | Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. <i>Journal of Neurotrauma</i> , 2020, 37, 2353-2371.                            | 1.7 | 31        |
| 49 | Evaluation of coping as a mediator of the relationship between stressful life events and cancer-related distress. <i>Health Psychology</i> , 2017, 36, 1147-1160.                                                                             | 1.3 | 31        |
| 50 | Interleukin 6 and Apolipoprotein E as Predictors of Acute Brain Dysfunction and Survival in Critical Care Patients. <i>American Journal of Critical Care</i> , 2014, 23, 49-57.                                                               | 0.8 | 30        |
| 51 | A Dopamine Pathway Gene Risk Score for Cognitive Recovery Following Traumatic Brain Injury: Methodological Considerations, Preliminary Findings, and Interactions With Sex. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, E15-E29. | 1.0 | 30        |
| 52 | Brain injury results in lower levels of melatonin receptors subtypes MT1 and MT2. <i>Neuroscience Letters</i> , 2017, 650, 18-24.                                                                                                             | 1.0 | 30        |
| 53 | Symptom Clusters in Patients With Gastrointestinal Cancers Using Different Dimensions of the Symptom Experience. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 224-234.                                                           | 0.6 | 30        |
| 54 | Educating future nursing scientists: Recommendations for integrating omics content in PhD programs. <i>Nursing Outlook</i> , 2015, 63, 417-427.                                                                                               | 1.5 | 29        |

| #  | ARTICLE                                                                                                                                                                                                                                                       | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Cerebrospinal Fluid Cortisol Mediates Brain-Derived Neurotrophic Factor Relationships to Mortality after Severe TBI: A Prospective Cohort Study. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 44.                                                   | 1.4 | 29        |
| 56 | Stability of Symptom Clusters in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 989-1001.e10.                                                                                       | 0.6 | 29        |
| 57 | Symptom Clusters in Women With Breast Cancer During the First 18 Months of Adjuvant Therapy. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 233-241.                                                                                               | 0.6 | 29        |
| 58 | Variation in endoglin pathway genes is associated with preeclampsia: a case-control candidate gene association study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 82.                                                                                     | 0.9 | 28        |
| 59 | Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2017, 28, 122-132.                                    | 0.9 | 28        |
| 60 | Phenotypic Characterization of Paclitaxel-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 908-919.e3.                                                                                            | 0.6 | 28        |
| 61 | Downstream <i>TRPM4</i> Polymorphisms Are Associated with Intracranial Hypertension and Statistically Interact with <i>ABCC8</i> Polymorphisms in a Prospective Cohort of Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 1804-1817. | 1.7 | 28        |
| 62 | A Conceptual Model of Psychoneurological Symptom Cluster Variation in Women with Breast Cancer: Bringing Nursing Research to Personalized Medicine. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2013, 11, 224-230.                            | 0.2 | 28        |
| 63 | Influence of ATP-Binding Cassette Polymorphisms on Neurological Outcome After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2013, 19, 192-198.                                                                                                          | 1.2 | 27        |
| 64 | Mitochondrial Polymorphisms Impact Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 34-41.                                                                                                                             | 1.7 | 27        |
| 65 | Symptom clusters in patients receiving chemotherapy: A systematic review. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 10-21.                                                                                                                        | 0.8 | 27        |
| 66 | Predictors of the multidimensional symptom experience of lung cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 1931-1939.                                                                                                 | 1.0 | 26        |
| 67 | Association of personality profiles with depressive, anxiety, and cancer-related symptoms in patients undergoing chemotherapy. <i>Personality and Individual Differences</i> , 2017, 117, 130-138.                                                            | 1.6 | 26        |
| 68 | Association of KIBRA rs17070145 polymorphism and episodic memory in individuals with severe TBI. <i>Brain Injury</i> , 2012, 26, 1658-1669.                                                                                                                   | 0.6 | 25        |
| 69 | Current and Emerging Technology Approaches in Genomics. <i>Journal of Nursing Scholarship</i> , 2013, 45, 5-14.                                                                                                                                               | 1.1 | 25        |
| 70 | Congruence Between Latent Class and K-Modes Analyses in the Identification of Oncology Patients With Distinct Symptom Experiences. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 318-333.e4.                                                      | 0.6 | 25        |
| 71 | Changes in the Occurrence, Severity, and Distress of Symptoms in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 808-834.                                                            | 0.6 | 25        |
| 72 | Gene Expression in First Trimester Preeclampsia Placenta. <i>Biological Research for Nursing</i> , 2011, 13, 134-139.                                                                                                                                         | 1.0 | 24        |

| #  | ARTICLE                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | A Systematic Review of Genetic Influences on Coping. <i>Biological Research for Nursing</i> , 2015, 17, 87-93.                                                                                                                                          | 1.0 | 23        |
| 74 | Identification of subgroups of chemotherapy patients with distinct sleep disturbance profiles and associated co-occurring symptoms. <i>Sleep</i> , 2019, 42, .                                                                                          | 0.6 | 23        |
| 75 | Genetic Markers in the EET Metabolic Pathway Are Associated with Outcomes in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 267-276.                                                | 2.4 | 22        |
| 76 | Morning Fatigue Severity Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Cancer Nursing</i> , 2019, 42, 355-364.                                                                                                                            | 0.7 | 22        |
| 77 | Associations between Genetic Polymorphisms of Insulin-like Growth Factor Axis Genes and Risk for Age-Related Macular Degeneration. , 2011, 52, 9099.                                                                                                    |     | 21        |
| 78 | Exploring the multifactorial nature of postoperative nausea and vomiting in women following surgery for breast cancer. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 202, 102-107.                                                          | 1.4 | 21        |
| 79 | Trajectories of Cognitive Function and Associated Phenotypic and Genotypic Factors in Breast Cancer. <i>Oncology Nursing Forum</i> , 2018, 45, 308-326.                                                                                                 | 0.5 | 21        |
| 80 | Variability with Astroglial Glutamate Transport Genetics Is Associated with Increased Risk for Post-Traumatic Seizures. <i>Journal of Neurotrauma</i> , 2019, 36, 230-238.                                                                              | 1.7 | 21        |
| 81 | Co-occurring Gastrointestinal Symptoms Are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 756-765.                                                                | 0.6 | 21        |
| 82 | Assessment of local tissue water in the arms and trunk of breast cancer survivors with and without upper extremity lymphoedema. <i>Clinical Physiology and Functional Imaging</i> , 2019, 39, 57-64.                                                    | 0.5 | 21        |
| 83 | The Future of Genomic Nursing Research. <i>Journal of Nursing Scholarship</i> , 2007, 39, 17-24.                                                                                                                                                        | 1.1 | 20        |
| 84 | Learning from data to predict future symptoms of oncology patients. <i>PLoS ONE</i> , 2018, 13, e0208808.                                                                                                                                               | 1.1 | 20        |
| 85 | Higher levels of stress and different coping strategies are associated with greater morning and evening fatigue severity in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2020, 28, 4697-4706.                           | 1.0 | 20        |
| 86 | The Association of Cataract With Leukocyte Telomere Length in Older Adults: Defining a New Marker of Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 639-645.                                    | 1.7 | 19        |
| 87 | ABCB1 genotype is associated with fentanyl requirements in critically ill children. <i>Pediatric Research</i> , 2017, 82, 29-35.                                                                                                                        | 1.1 | 19        |
| 88 | Differences in symptom occurrence, severity, and distress ratings between patients with gastrointestinal cancers who received chemotherapy alone or chemotherapy with targeted therapy. <i>Journal of Gastrointestinal Oncology</i> , 2017, 8, 109-126. | 0.6 | 19        |
| 89 | Polymorphisms in DNA repair and oxidative stress genes associated with pre-treatment cognitive function in breast cancer survivors: an exploratory study. <i>SpringerPlus</i> , 2016, 5, 422.                                                           | 1.2 | 18        |
| 90 | Cytokine Gene Polymorphisms Associated With Symptom Clusters in Oncology Patients Undergoing Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 305-316.e3.                                                                   | 0.6 | 18        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Differences in symptom clusters before and twelve months after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2018, 32, 63-72.                                                                                                                                                                  | 0.9 | 18        |
| 92  | Deleterious Effects of Higher Body Mass Index on Subjective and Objective Measures of Chemotherapy-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 252-263.                                                                                              | 0.6 | 18        |
| 93  | Association of a Functional Polymorphism in the <i>CHRFAM7A</i> Gene with Inflammatory Response Mediators and Neuropathic Pain after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 3026-3033.                                                                                                         | 1.7 | 18        |
| 94  | Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain. <i>Molecular Pain</i> , 2020, 16, 174480692093650. | 1.0 | 18        |
| 95  | Linked exudative vitreoretinopathy caused by an arginine to leucine substitution (R121L) in the Norrie disease protein. <i>Clinical Genetics</i> , 1996, 50, 113-115.                                                                                                                                                 | 1.0 | 17        |
| 96  | Strategies to Prepare Faculty to Integrate Genomics Into Nursing Education Programs. <i>Journal of Nursing Scholarship</i> , 2011, 43, no-no.                                                                                                                                                                         | 1.1 | 17        |
| 97  | Variants of the Adenosine $2A$ Receptor Gene Are Protective against Proliferative Diabetic Retinopathy in Patients with Type 1 Diabetes. <i>Ophthalmic Research</i> , 2011, 46, 1-8.                                                                                                                                  | 1.0 | 17        |
| 98  | Association Between Serotonin Transport Polymorphisms and Postdischarge Nausea and Vomiting in Women Following Breast Cancer Surgery. <i>Oncology Nursing Forum</i> , 2014, 41, 195-202.                                                                                                                              | 0.5 | 17        |
| 99  | Emerging areas of nursing science and PhD education for the 21st century: Response to commentaries. <i>Nursing Outlook</i> , 2015, 63, 439-445.                                                                                                                                                                       | 1.5 | 17        |
| 100 | Epigenome Variation in Severe Asthma. <i>Biological Research for Nursing</i> , 2015, 17, 263-269.                                                                                                                                                                                                                     | 1.0 | 17        |
| 101 | Differential expression of genes and differentially perturbed pathways associated with very high evening fatigue in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2018, 26, 739-750.                                                                                                   | 1.0 | 17        |
| 102 | Hearing loss and tinnitus in survivors with chemotherapy-induced neuropathy. <i>European Journal of Oncology Nursing</i> , 2018, 32, 1-11.                                                                                                                                                                            | 0.9 | 17        |
| 103 | Association of personality profiles with coping and adjustment to cancer among patients undergoing chemotherapy. <i>Psycho-Oncology</i> , 2020, 29, 1060-1067.                                                                                                                                                        | 1.0 | 17        |
| 104 | Higher Levels of Stress Are Associated With a Significant Symptom Burden in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 24-31.e4.                                                                                                                          | 0.6 | 17        |
| 105 | Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021, 148, 155653.                                                                                                                                                                                   | 1.4 | 17        |
| 106 | Common and Distinct Characteristics Associated With Trajectories of Morning and Evening Energy in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 887-900.e2.                                                                                                     | 0.6 | 16        |
| 107 | Endoglin pathway genetic variation in preeclampsia: A validation study in Norwegian and Latina cohorts. <i>Pregnancy Hypertension</i> , 2018, 12, 144-149.                                                                                                                                                            | 0.6 | 16        |
| 108 | Symptom Experience, Management, and Outcomes According to Race and Social Determinants Including Genomics, Epigenomics, and Metabolomics (SEMOARS + GEM): an Explanatory Model for Breast Cancer Treatment Disparity. <i>Journal of Cancer Education</i> , 2020, 35, 428-440.                                         | 0.6 | 16        |



| #   | ARTICLE                                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Genes Involved in the HPA Axis and the Symptom Cluster of Fatigue, Depressive Symptoms, and Anxiety in Women With Breast Cancer During 18 Months of Adjuvant Therapy. <i>Biological Research for Nursing</i> , 2020, 22, 277-286.            | 1.0 | 16        |
| 110 | Distinct Stress Profiles Among Oncology Patients Undergoing Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 646-657.                                                                                                 | 0.6 | 16        |
| 111 | Qualitative and quantitative detection of mitochondrial heteroplasmy in cerebrospinal fluid using denaturing high-performance liquid chromatography. <i>Brain Research Protocols</i> , 2003, 12, 99-103.                                     | 1.7 | 15        |
| 112 | Gene Expression Profiling for Discovery of Novel Targets in Human Traumatic Brain Injury. <i>Biological Research for Nursing</i> , 2011, 13, 140-153.                                                                                        | 1.0 | 15        |
| 113 | Genetic Variation in the Vesicular Monoamine Transporter: Preliminary Associations With Cognitive Outcomes After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017, 32, E24-E34.                            | 1.0 | 15        |
| 114 | Modifiable and non-modifiable characteristics associated with sleep disturbance in oncology outpatients during chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 2485-2494.                                                         | 1.0 | 15        |
| 115 | The pharmacogenomics of severe traumatic brain injury. <i>Pharmacogenomics</i> , 2017, 18, 1413-1425.                                                                                                                                        | 0.6 | 15        |
| 116 | An exploratory study of host polymorphisms in genes that clinically characterize breast cancer tumors and pretreatment cognitive performance in breast cancer survivors. <i>Breast Cancer: Targets and Therapy</i> , 2017, Volume 9, 95-110. | 1.0 | 15        |
| 117 | Quality of life of patients with gastrointestinal cancers undergoing chemotherapy. <i>Quality of Life Research</i> , 2018, 27, 1865-1876.                                                                                                    | 1.5 | 15        |
| 118 | Symptom Science: Omics Supports Common Biological Underpinnings Across Symptoms. <i>Biological Research for Nursing</i> , 2018, 20, 183-191.                                                                                                 | 1.0 | 15        |
| 119 | Distinct attentional function profiles in older adults receiving cancer chemotherapy. <i>European Journal of Oncology Nursing</i> , 2018, 36, 32-39.                                                                                         | 0.9 | 15        |
| 120 | Symptom Science: Advocating for Inclusion of Functional Genetic Polymorphisms. <i>Biological Research for Nursing</i> , 2019, 21, 349-354.                                                                                                   | 1.0 | 15        |
| 121 | Identification of Distinct Symptom Profiles in Cancer Patients Using a Pre-Specified Symptom Cluster. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 17-27.                                                                       | 0.6 | 15        |
| 122 | Molecular Genomic Research Designs. <i>Annual Review of Nursing Research</i> , 2011, 29, 1-26.                                                                                                                                               | 0.7 | 14        |
| 123 | <i>COMT</i> and <i>OPRM1</i> genotype associations with daily knee pain variability and activity induced pain. <i>Scandinavian Journal of Pain</i> , 2016, 10, 6-12.                                                                         | 0.5 | 14        |
| 124 | Variation in PPP3CC Genotype Is Associated with Long-Term Recovery after Severe Brain Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 86-96.                                                                                               | 1.7 | 14        |
| 125 | Potassium Channel Candidate Genes Predict the Development of Secondary Lymphedema Following Breast Cancer Surgery. <i>Nursing Research</i> , 2017, 66, 85-94.                                                                                | 0.8 | 14        |
| 126 | Variation in Candidate Traumatic Brain Injury Biomarker Genes Are Associated with Gross Neurological Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2684-2690.                                      | 1.7 | 14        |



| #   | ARTICLE                                                                                                                                                                                                                           | IF  | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Model-Based Patterns of Lymphedema Symptomatology: Phenotypic and Biomarker Characterization. <i>Current Breast Cancer Reports</i> , 2021, 13, 1-18.                                                                              | 0.5 | 14        |
| 128 | Genomic, Transcriptomic, and Epigenomic Approaches to Recovery After Acquired Brain Injury. <i>PM and R</i> , 2011, 3, S52-8.                                                                                                     | 0.9 | 13        |
| 129 | Cerebral Vasospasm after Sub-arachnoid Hemorrhage as a Clinical Predictor and Phenotype for Genetic Association Study. <i>International Journal of Stroke</i> , 2013, 8, 620-625.                                                 | 2.9 | 13        |
| 130 | Endothelin-1 and Endothelin Receptor Gene Variants and Their Association With Negative Outcomes Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2013, 15, 390-397.                         | 1.0 | 13        |
| 131 | Identification and prioritization of candidate genes for symptom variability in breast cancer survivors based on disease characteristics at the cellular level. <i>Breast Cancer: Targets and Therapy</i> , 2016, 8, 29.          | 1.0 | 13        |
| 132 | <i>ABCG2</i> c.421C>A Is Associated with Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 48-53.                                                                                           | 1.7 | 13        |
| 133 | Risk Factors Associated With Chemotherapy-Induced Nausea in the Week Before the Next Cycle and Impact of Nausea on Quality of Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 352-362.                   | 0.6 | 13        |
| 134 | Age-related differences in patient-reported and objective measures of chemotherapy-induced peripheral neuropathy among cancer survivors. <i>Supportive Care in Cancer</i> , 2019, 27, 3905-3912.                                  | 1.0 | 13        |
| 135 | Alterations in Patterns of Gene Expression and Perturbed Pathways in the Gut-Brain Axis Are Associated With Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1248-1259.e5.                  | 0.6 | 13        |
| 136 | Psychological Symptoms and Stress Are Associated With Decrements in Attentional Function in Cancer Patients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2020, 43, 402-410.                                                   | 0.7 | 13        |
| 137 | Iron homeostasis pathway DNA methylation trajectories reveal a role for STEAP3 metalloreductase in patient outcomes after aneurysmal subarachnoid hemorrhage. , 2021, 1, .                                                        |     | 13        |
| 138 | Use of individual development plans for nurse scientist training. <i>Nursing Outlook</i> , 2020, 68, 284-292.                                                                                                                     | 1.5 | 12        |
| 139 | Anxiety profiles are associated with stress, resilience and symptom severity in outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 7825-7836.                                                       | 1.0 | 12        |
| 140 | Endophenotypes for Age-Related Macular Degeneration: Extending Our Reach into the Preclinical Stages of Disease. <i>Journal of Clinical Medicine</i> , 2014, 3, 1335-1356.                                                        | 1.0 | 11        |
| 141 | Group-Based Trajectory Analysis of Emotional Symptoms Among Survivors After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017, 32, E29-E37.                                                      | 1.0 | 11        |
| 142 | Psychosocial Comorbidities Related to Return to Work Rates Following Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Occupational Rehabilitation</i> , 2019, 29, 205-211.                                                       | 1.2 | 11        |
| 143 | Gastrointestinal symptoms are associated with trajectories of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2020, 28, 2205-2215.                                                                                | 1.0 | 11        |
| 144 | A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 4677-4686. | 1.0 | 11        |

| #   | ARTICLE                                                                                                                                                                                                                                               | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Genetic Variants Associated With Intraparenchymal Hemorrhage Progression After Traumatic Brain Injury. <i>JAMA Network Open</i> , 2021, 4, e2116839.                                                                                                  | 2.8 | 11        |
| 146 | Symptom Cluster Research in Women with Breast Cancer: A Comparison of Three Subgrouping Techniques. <i>Advances in Breast Cancer Research</i> , 2013, 02, 107-113.                                                                                    | 0.1 | 11        |
| 147 | Dissection of Chromosome 16p12 Linkage Peak Suggests a Possible Role forCACNG3Variants in Age-Related Macular Degeneration Susceptibility. , 2011, 52, 1748.                                                                                          |     | 10        |
| 148 | A Literature Review of Psychosocial Comorbidities Related to Working Capacity After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neuroscience Nursing</i> , 2017, 49, 179-184.                                                                   | 0.7 | 10        |
| 149 | Associations Between Catecholaminergic and Serotonergic Genes and Persistent Breast Pain Phenotypes After Breast Cancer Surgery. <i>Journal of Pain</i> , 2018, 19, 1130-1146.                                                                        | 0.7 | 10        |
| 150 | Impact of chemotherapy on symptoms and symptom clusters in postmenopausal women with breast cancer prior to aromatase inhibitor therapy. <i>Journal of Clinical Nursing</i> , 2019, 28, 4560-4571.                                                    | 1.4 | 10        |
| 151 | Signaling pathways and gene co-expression modules associated with cytoskeleton and axon morphology in breast cancer survivors with chronic paclitaxel-induced peripheral neuropathy. <i>Molecular Pain</i> , 2019, 15, 174480691987808.               | 1.0 | 10        |
| 152 | A Pilot Study Using a Multistaged Integrated Analysis of Gene Expression and Methylation to Evaluate Mechanisms for Evening Fatigue in Women Who Received Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2019, 21, 142-156. | 1.0 | 10        |
| 153 | Genetic Variability and Trajectories of DNA Methylation May Support a Role for HAMP in Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020, 32, 550-563.                                                      | 1.2 | 10        |
| 154 | Genetic Variation in the <i>TP53</i> Gene and Patient Outcomes Following Severe Traumatic Brain Injury. <i>Biological Research for Nursing</i> , 2020, 22, 334-340.                                                                                   | 1.0 | 10        |
| 155 | Temporal Acute Serum Estradiol and Tumor Necrosis Factor- $\alpha$ Associations and Risk of Death after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 2198-2210.                                                           | 1.7 | 10        |
| 156 | Distinct diarrhea profiles during outpatient chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 2363-2373.                                                                                                                                    | 1.0 | 10        |
| 157 | Distinct sleep disturbance profiles among patients with gynecologic cancer receiving chemotherapy. <i>Gynecologic Oncology</i> , 2021, 163, 419-426.                                                                                                  | 0.6 | 10        |
| 158 | Variations in Discovery $\alpha$ -Based Preeclampsia Candidate Genes. <i>Clinical and Translational Science</i> , 2012, 5, 333-339.                                                                                                                   | 1.5 | 9         |
| 159 | A Pilot Study of Demographic and Dopaminergic Genetic Contributions to Weight Change in Kidney Transplant Recipients. <i>PLoS ONE</i> , 2015, 10, e0138885.                                                                                           | 1.1 | 9         |
| 160 | Associations between pathologic tumor features and preadjuvant therapy cognitive performance in women diagnosed with breast cancer. <i>Cancer Medicine</i> , 2017, 6, 339-348.                                                                        | 1.3 | 9         |
| 161 | Perceived cognitive function for breast cancer survivors: association of genetic and behaviorally related variables for inflammation. <i>Supportive Care in Cancer</i> , 2017, 25, 2475-2484.                                                         | 1.0 | 9         |
| 162 | Epigenetic Modifications Following Noxious Stimuli in Infants. <i>Biological Research for Nursing</i> , 2018, 20, 137-144.                                                                                                                            | 1.0 | 9         |

| #   | ARTICLE                                                                                                                                                                                                             | IF  | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Perturbations in neuroinflammatory pathways are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2019, 335, 577019.                         | 1.1 | 9         |
| 164 | Fatigue, Stress, and Functional Status are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020, 62, 373-382.e2.                         | 0.6 | 9         |
| 165 | Distinct profiles of multiple co-occurring symptoms in patients with gastrointestinal cancers receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 4461-4471.                                       | 1.0 | 9         |
| 166 | Effect of CHRFAM7A 12bp gene variant on secondary inflammation after spinal cord injury. <i>PLoS ONE</i> , 2021, 16, e0251110.                                                                                      | 1.1 | 9         |
| 167 | Symptom clusters in outpatients with cancer using different dimensions of the symptom experience. <i>Supportive Care in Cancer</i> , 2022, 30, 6889-6899.                                                           | 1.0 | 9         |
| 168 | A Review and Conceptual Model of Dopaminergic Contributions to Poststroke Depression. <i>Journal of Neuroscience Nursing</i> , 2016, 48, 242-246.                                                                   | 0.7 | 8         |
| 169 | Co-occurring symptoms in older oncology patients with distinct attentional function profiles. <i>European Journal of Oncology Nursing</i> , 2019, 41, 196-203.                                                      | 0.9 | 8         |
| 170 | Associations Between Catecholaminergic and Serotonergic Genes and Persistent Arm Pain Severity Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2019, 20, 1100-1111.                                       | 0.7 | 8         |
| 171 | The Influence of Physical Activity and Epigenomics On Cognitive Function and Brain Health in Breast Cancer. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 123.                                                 | 1.7 | 8         |
| 172 | Methylation Data Processing Protocol and Comparison of Blood and Cerebral Spinal Fluid Following Aneurysmal Subarachnoid Hemorrhage. <i>Frontiers in Genetics</i> , 2020, 11, 671.                                  | 1.1 | 8         |
| 173 | The Effect of the APOE 4 Genotype on the Development of Alzheimer's Disease (AD) and Mild Cognitive Impairment (MCI) in Non-Latino Whites. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1044-1049. | 1.3 | 8         |
| 174 | Changes in Attentional Function in Patients From Before Through 12 Months After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1172-1185.                                         | 0.6 | 8         |
| 175 | Prediction of evening fatigue severity in outpatients receiving chemotherapy: less may be more. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2021, 9, 14-32.                                                  | 1.2 | 8         |
| 176 | Current status and future directions of U.S. genomic nursing health care policy. <i>Nursing Outlook</i> , 2021, 69, 471-488.                                                                                        | 1.5 | 8         |
| 177 | Worst Pain Severity Profiles of Oncology Patients Are Associated With Significant Stress and Multiple Co-Occurring Symptoms. <i>Journal of Pain</i> , 2022, 23, 74-88.                                              | 0.7 | 8         |
| 178 | Decreased DNA Methylation of RGMA is Associated with Intracranial Hypertension After Severe Traumatic Brain Injury: An Exploratory Epigenome-Wide Association Study. <i>Neurocritical Care</i> , 2022, 37, 26-37.   | 1.2 | 8         |
| 179 | The Utility of Breastmilk for Genetic or Genomic Studies: A Systematic Review. <i>Breastfeeding Medicine</i> , 2013, 8, 249-256.                                                                                    | 0.8 | 7         |
| 180 | Distinct evening fatigue profiles in oncology outpatients receiving chemotherapy. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 131-144.                                                              | 1.2 | 7         |

| #   | ARTICLE                                                                                                                                                                                                    | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Menopausal-Related Symptoms in Women One Year After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 1138-1151.e1.                                                         | 0.6 | 7         |
| 182 | Cytokine Gene Polymorphisms Associated With Various Domains of Quality of Life in Women With Breast Cancer. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 334-350.e3.                          | 0.6 | 7         |
| 183 | Assessment of Arm Volume Using a Tape Measure Versus a 3D Optical Scanner in Survivors with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, , .                            | 0.5 | 7         |
| 184 | An Exploratory Study of Epigenetic Age in Preeclamptic and Normotensive Pregnancy Reveals Differences by Self-Reported Race but Not Pregnancy Outcome. <i>Reproductive Sciences</i> , 2021, 28, 3519-3528. | 1.1 | 7         |
| 185 | Subgroups of patients undergoing chemotherapy with distinct cognitive fatigue and evening physical fatigue profiles. <i>Supportive Care in Cancer</i> , 2021, 29, 7985-7998.                               | 1.0 | 7         |
| 186 | Oncology outpatients with worse depression and sleep disturbance profiles are at increased risk for a higher symptom burden and poorer quality of life outcomes. <i>Sleep Medicine</i> , 2022, 95, 91-104. | 0.8 | 7         |
| 187 | Neurogenetic and Neuroimaging Evidence for a Conceptual Model of Dopaminergic Contributions to Obesity. <i>Biological Research for Nursing</i> , 2015, 17, 413-421.                                        | 1.0 | 6         |
| 188 | Differences in limb volume trajectories after breast cancer treatment. <i>Journal of Cancer Survivorship</i> , 2016, 10, 772-782.                                                                          | 1.5 | 6         |
| 189 | Influence of Menopausal Status on the Symptom Experience of Women Before Breast Cancer Surgery. <i>Cancer Nursing</i> , 2018, 41, 265-278.                                                                 | 0.7 | 6         |
| 190 | Association Between Physical Activity Levels and Chemotherapy-Induced Peripheral Neuropathy Severity in Cancer Survivors. <i>Oncology Nursing Forum</i> , 2020, 47, 703-719.                               | 0.5 | 6         |
| 191 | Epigenetic Effects on Pediatric Traumatic Brain Injury Recovery (EETR): An Observational, Prospective, Longitudinal Concurrent Cohort Study Protocol. <i>Frontiers in Neurology</i> , 2020, 11, 460.       | 1.1 | 6         |
| 192 | Endothelin-1 Gene Polymorphisms Influence Cerebrospinal Fluid Endothelin-1 Levels Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2015, 17, 185-190.                | 1.0 | 5         |
| 193 | Symptoms of Attention-Deficit Hyperactivity Disorder, Nonsyndromic Orofacial Cleft Children, and Dopamine Polymorphisms. <i>Biological Research for Nursing</i> , 2015, 17, 257-262.                       | 1.0 | 5         |
| 194 | Factors Contributing to Fentanyl Pharmacokinetic Variability Among Diagnostically Diverse Critically Ill Children. <i>Clinical Pharmacokinetics</i> , 2019, 58, 1567-1576.                                 | 1.6 | 5         |
| 195 | DNA methylation changes and improved sleep quality in adults with obstructive sleep apnea and diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000707.                                     | 1.2 | 5         |
| 196 | Genetic Underpinnings of Musculoskeletal Pain During Treatment With Aromatase Inhibitors for Breast Cancer: A Biological Pathway Analysis. <i>Biological Research for Nursing</i> , 2020, 22, 263-276.     | 1.0 | 5         |
| 197 | Gender Differences in the Use of Engagement and Disengagement Coping Strategies in Patients With Cancer Receiving Chemotherapy. <i>Oncology Nursing Forum</i> , 2020, 47, 586-594.                         | 0.5 | 5         |
| 198 | Perturbations in Endocytotic and Apoptotic Pathways Are Associated With Chemotherapy-Induced Nausea. <i>Biological Research for Nursing</i> , 2021, 23, 238-247.                                           | 1.0 | 5         |

| #   | ARTICLE                                                                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Determination of Cutpoints for Symptom Burden in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 42-51.                                                                                                                  | 0.6 | 5         |
| 200 | A Systematic Review of Endoglin Gene Expression in Preeclampsia. <i>Biological Research for Nursing</i> , 2013, 15, 129-136.                                                                                                                                                 | 1.0 | 4         |
| 201 | In response to comments on IL-1 $\beta$ associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2014, 55, 1313-1314.                                                                                                 | 2.6 | 4         |
| 202 | Genetic risk models: Influence of model size on risk estimates and precision. <i>Genetic Epidemiology</i> , 2017, 41, 282-296.                                                                                                                                               | 0.6 | 4         |
| 203 | Characteristics associated with inter-individual differences in the trajectories of self-reported attentional function in oncology outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017, 25, 783-793.                                                 | 1.0 | 4         |
| 204 | Symptom Science. <i>Biological Research for Nursing</i> , 2017, 19, 18-27.                                                                                                                                                                                                   | 1.0 | 4         |
| 205 | Examining the effect of 5-HTTLPR on depressive symptoms in postmenopausal women 1 year after initial breast cancer treatment. <i>Supportive Care in Cancer</i> , 2019, 27, 513-519.                                                                                          | 1.0 | 4         |
| 206 | Elevated cerebrospinal fluid concentrations of N-acetylaspartate correlate with poor outcome in a pilot study of severe brain trauma. <i>Brain Injury</i> , 2019, 33, 1364-1371.                                                                                             | 0.6 | 4         |
| 207 | Exploratory Study of Associations Between DNA Repair and Oxidative Stress Gene Polymorphisms and Cognitive Problems Reported by Postmenopausal Women With and Without Breast Cancer. <i>Biological Research for Nursing</i> , 2019, 21, 50-60.                               | 1.0 | 4         |
| 208 | Neuropsychological Symptoms and Intrusive Thoughts Are Associated With Worse Trajectories of Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 668-678.                                                                                 | 0.6 | 4         |
| 209 | Co-occurrence of decrements in physical and cognitive function is common in older oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2020, 48, 101823.                                                                                  | 0.9 | 4         |
| 210 | Genetic Variability in the Iron Homeostasis Pathway and Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020, 33, 749-758.                                                                                                            | 1.2 | 4         |
| 211 | Characteristics associated with inter-individual variability in financial distress in patients with breast cancer prior to and for 12 months following surgery. <i>Supportive Care in Cancer</i> , 2022, 30, 1293-1302.                                                      | 1.0 | 4         |
| 212 | The Brain-Derived Neurotrophic Factor Functional Polymorphism and Hand Grip Strength Impact the Association between Brain-Derived Neurotrophic Factor Levels and Cognition in Older Adults in the United States. <i>Biological Research for Nursing</i> , 2022, 24, 226-234. | 1.0 | 4         |
| 213 | Effect of Promoter Polymorphisms on Cytokine Concentration in Preterm Breast Milk and Subsequent Infant Outcomes. <i>Journal of Human Lactation</i> , 2016, 32, 425-437.                                                                                                     | 0.8 | 3         |
| 214 | Maternal Interleukin Genotypes Are Associated With NICU Outcomes Among Low-Birth-Weight Infants. <i>Biological Research for Nursing</i> , 2017, 19, 36-44.                                                                                                                   | 1.0 | 3         |
| 215 | B-Cell Lymphoma 2 (Bcl-2) Gene Is Associated with Intracranial Hypertension after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 38, 291-299.                                                                                                          | 1.7 | 3         |
| 216 | Gene-Based Association Testing of Dichotomous Traits With Generalized Functional Linear Mixed Models Using Extended Pedigrees: Applications to Age-Related Macular Degeneration. <i>Journal of the American Statistical Association</i> , 2021, 116, 531-545.                | 1.8 | 3         |

| #   | ARTICLE                                                                                                                                                                                                                  | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | A high stress profile is associated with severe pain in oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102135.                                                        | 0.9 | 3         |
| 218 | Characterization of cerebrospinal fluid DNA methylation age during the acute recovery period following aneurysmal subarachnoid hemorrhage. , 2021, 1, .                                                                  |     | 3         |
| 219 | A pilot study on the impact of dopamine, serotonin, and brain-derived neurotrophic factor genotype on long-term functional outcomes after subarachnoid hemorrhage. <i>SAGE Open Medicine</i> , 2017, 5, 205031211772672. | 0.7 | 2         |
| 220 | Genomic links between blast exposure, brain injury, and Alzheimer disease. <i>Neurology: Genetics</i> , 2017, 3, e196.                                                                                                   | 0.9 | 2         |
| 221 | Cytokine Genetic Variants and Health-Related Quality of Life in Crohn's Disease: An Exploratory Study. <i>Biological Research for Nursing</i> , 2019, 21, 544-551.                                                       | 1.0 | 2         |
| 222 | Contribution of Loss of Large Fiber Function to Pain in 2 Samples of Oncology Patients. <i>Clinical Journal of Pain</i> , 2019, 35, 37-42.                                                                               | 0.8 | 2         |
| 223 | Multiple Gastrointestinal Symptoms Are Associated With Chemotherapy-Induced Nausea in Patients With Breast Cancer. <i>Cancer Nursing</i> , 2021, Publish Ahead of Print, .                                               | 0.7 | 2         |
| 224 | Association Between the APOE ε2/ε4 Genotype and Alzheimer's Disease and Mild Cognitive Impairment Among African Americans. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 943-948.                                    | 1.2 | 2         |
| 225 | Higher stress and symptom severity are associated with worse depressive symptom profiles in patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2022, 58, 102031.                             | 0.9 | 2         |
| 226 | Omics for Nurse Scientists Conducting Environmental Health Research. <i>Annual Review of Nursing Research</i> , 2019, 38, 35-52.                                                                                         | 0.7 | 2         |
| 227 | Use of Dual-Energy X-Ray Absorptiometry to Assess Soft Tissue Composition in Breast Cancer Survivors With and Without Lymphedema. <i>Lymphatic Research and Biology</i> , 2022, 20, 391-397.                             | 0.5 | 2         |
| 228 | Genetics and Type 1 Diabetes: Online Resources for Diabetes Educators. <i>The Diabetes Educator</i> , 2004, 30, 961-971.                                                                                                 | 2.6 | 1         |
| 229 | dbVOR: a database system for importing pedigree, phenotype and genotype data and exporting selected subsets. <i>BMC Bioinformatics</i> , 2015, 16, 91.                                                                   | 1.2 | 1         |
| 230 | Evaluation of APOE Genotype and Ability to Perform Activities of Daily Living Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2018, 20, 177-182.                                  | 1.0 | 1         |
| 231 | Novel classification for global gene signature model for predicting severity of systemic sclerosis. <i>PLoS ONE</i> , 2018, 13, e0199314.                                                                                | 1.1 | 1         |
| 232 | A Comparison of Supine Versus Stand-on Bioimpedance Devices to Assess Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021, 19, 553-561.                                                       | 0.5 | 1         |
| 233 | Distinct employment interference profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMC Cancer</i> , 2021, 21, 883.                                                                | 1.1 | 1         |
| 234 | Occurrence and perceived effectiveness of activities used to decrease chemotherapy-induced peripheral neuropathy symptoms in the feet. <i>European Journal of Oncology Nursing</i> , 2021, 54, 102025.                   | 0.9 | 1         |



| #   | ARTICLE                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | An exploratory study of white blood cell proportions across preeclamptic and normotensive pregnancy by self-identified race in individuals with overweight or obesity. <i>Hypertension in Pregnancy</i> , 2021, 40, 312-321. | 0.5 | 1         |
| 236 | ANGPT1 methylation and delayed cerebral ischemia in aneurysmal subarachnoid hemorrhage patients. , 2021, 1, .                                                                                                                |     | 1         |
| 237 | SIMILARITIES IN THE NEUROPATHY PHENOTYPE OF CANCER SURVIVORS WHO RECEIVED DIFFERENT CLASSES OF CHEMOTHERAPY DRUGS. <i>Journal of Pain</i> , 2022, , .                                                                        | 0.7 | 1         |
| 238 | Exploring Calcium Level Disorders: Looking Through the Genetic Window for New Treatment Clues. <i>Nursing for Women's Health</i> , 2002, 6, 424-429.                                                                         | 0.2 | 0         |
| 239 | Genetic MEâ€“a visualization application for merging and editing pedigrees for genetic studies. <i>BMC Research Notes</i> , 2015, 8, 241.                                                                                    | 0.6 | 0         |
| 240 | DNA Methylation of Endoglin Pathway Genes in Pregnant Women With and Without Preeclampsia. <i>Epigenetics Insights</i> , 2020, 13, 251686572095968.                                                                          | 0.6 | 0         |
| 241 | Symptom Science: Omics and Response to Non-Pharmacological Interventions. <i>Biological Research for Nursing</i> , 2021, 23, 394-401.                                                                                        | 1.0 | 0         |
| 242 | Personalized Gene Expression Profile Information Predicts Severity of Systemic Sclerosis Despite Heterogeneity of Disease. <i>FASEB Journal</i> , 2018, 32, 414.10.                                                          | 0.2 | 0         |
| 243 | Introduction to Omics Approaches in Symptom Science. , 2020, , 15-27.                                                                                                                                                        |     | 0         |
| 244 | Prediction of severity and subtype of fibrosing disease using model informed by inflammation and extracellular matrix gene index. <i>PLoS ONE</i> , 2020, 15, e0240986.                                                      | 1.1 | 0         |
| 245 | The genetics of age-related macular degeneration. <i>Medsurg Nursing: Official Journal of the Academy of Medical-Surgical Nurses</i> , 2003, 12, 238-41, 259.                                                                | 0.2 | 0         |
| 246 | Genetic susceptibility to psychiatric disorders. <i>Medsurg Nursing: Official Journal of the Academy of Medical-Surgical Nurses</i> , 2004, 13, 319-25.                                                                      | 0.2 | 0         |