## Emina Babarovic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3251168/publications.pdf

Version: 2024-02-01

1040056 996975 21 243 9 15 citations h-index g-index papers 21 21 21 442 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Correlation of tumor-infiltrating lymphocytes with bladder cancer recurrence in patients with solitary low-grade urothelial carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 443-448.	2.8	37
2	Combined evaluation of bone marrow aspirate and biopsy is superior in the prognosis of multiple myeloma. Diagnostic Pathology, 2010, 5, 30.	2.0	34
3	Assessment of Bone Marrow Fibrosis and Angiogenesis in Monitoring Patients With Multiple Myeloma. American Journal of Clinical Pathology, 2012, 137, 870-878.	0.7	23
4	The association between the recurrence of solitary non-muscle invasive bladder cancer and tumor infiltrating lymphocytes. Croatian Medical Journal, 2012, 53, 598-604.	0.7	20
5	High grade angiosarcoma arising in fibroadenoma. Diagnostic Pathology, 2011, 6, 125.	2.0	17
6	Plasma Levels of Osteopontin and Vascular Endothelial Growth Factor in Association with Clinical Features and Parameters of Tumor Burden in Patients with Multiple Myeloma. BioMed Research International, 2014, 2014, 1-6.	1.9	12
7	Plasma Levels of Monocyte Chemotactic Protein-1 Are Associated with Clinical Features and Angiogenesis in Patients with Multiple Myeloma. BioMed Research International, 2016, 2016, 1-7.	1.9	10
8	The expression of osteopontin and vascular endothelial growth factor in correlation with angiogenesis in monoclonal gammopathy of undetermined significance and multiple myeloma. Pathology Research and Practice, 2016, 212, 509-516.	2.3	10
9	Potential role of heatâ€shock protein 70 and interleukinâ€15 in the pathogenesis of threatened spontaneous abortions. American Journal of Reproductive Immunology, 2016, 76, 126-136.	1.2	9
10	Adult Granulosa Cell Tumors of the Ovary: A Retrospective Study of 36 FIGO Stage I Cases with Emphasis on Prognostic Pathohistological Features. Analytical Cellular Pathology, 2018, 2018, 1-11.	1.4	9
11	The Role of CD44 and RHAMM in Endometrial (Endometrioid Type) Cancer: An Immunohistochemical Study. Applied Immunohistochemistry and Molecular Morphology, 2019, 27, 606-612.	1.2	9
12	Myeloma cell morphology and morphometry in correlation with clinical stages and survival. Diagnostic Cytopathology, 2013, 41, 947-954.	1.0	8
13	Correlation of tumor-associated macrophages and NK cells with bladder cancer size and T stage in patients with solitary low-grade urothelial carcinoma. Wiener Klinische Wochenschrift, 2016, 128, 248-252.	1.9	8
14	Unusual presentation of plasmablastic lymphoma involving ovarian mature cystic teratoma: a case report. Diagnostic Pathology, 2017, 12, 83.	2.0	8
15	Primary Carcinosarcoma of the Vagina Associated With Differentiated Squamous Intraepithelial Neoplasia in a Patient With Complete Uterine Prolapse: Case Report and Review of the Literature. International Journal of Surgical Pathology, 2018, 26, 370-376.	0.8	7
16	Nuclear EGFR Expression Is Associated With Poor Survival in Laryngeal Carcinoma. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, 576-584.	1.2	7
17	Granulysinâ€mediated apoptosis of trophoblasts in blighted ovum and missed abortion. American Journal of Reproductive Immunology, 2018, 80, e12978.	1.2	6
18	The expression of calpain-1 and androgen receptor in breast cancer and their correlation with clinicopathological characteristics: An immunohistochemical retrospective study. Pathology Research and Practice, 2020, 216, 153068.	2.3	6

#	Article	IF	CITATIONS
19	Significance of uroplakin III expression in recurrence of solitary muscle non-invasive bladder cancer. Pathology Research and Practice, 2014, 210, 279-284.	2.3	2
20	Predictive Value of Monocyte Chemoattractant Protein-1 in the Development of Diastolic Dysfunction in Patients with Psoriatic Arthritis. Disease Markers, 2022, 2022, 1-12.	1.3	1
21	Relapsed ovarian high-grade serous carcinoma with long-term survival associated with synchronous primary squamous cell carcinoma of the colon. Proceedings in Obstetrics and Gynecology, 2018, 8, 1-9.	0.1	O