

# Stewart B Harris

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3254811/publications.pdf>

Version: 2024-02-01

102  
papers

3,851  
citations

136950

32  
h-index

133252

59  
g-index

103  
all docs

103  
docs citations

103  
times ranked

4511  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interpretation and Impact of Real-World Clinical Data for the Practicing Clinician. <i>Advances in Therapy</i> , 2018, 35, 1763-1774.	2.9	424
2	Overweight among children and adolescents in a Native Canadian community: prevalence and associated factors. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 693-700.	4.7	229
3	Glycemic control and morbidity in the Canadian primary care setting (results of the diabetes in Canada) <i>Tj ETQq1 1,0,784314,rgBT /O</i>	2.8	197
4	Specific Patterns of Food Consumption and Preparation Are Associated with Diabetes and Obesity in a Native Canadian Community. <i>Journal of Nutrition</i> , 1998, 128, 541-547.	2.9	171
5	The role of patient, physician and systemic factors in the management of type 2 diabetes mellitus. <i>Family Practice</i> , 2002, 19, 344-349.	1.9	147
6	Health-related quality of life associated with daytime and nocturnal hypoglycaemic events: a time trade-off survey in five countries. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 90.	2.4	142
7	Global complication rates of type 2 diabetes in Indigenous peoples: A comprehensive review. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 1-17.	2.8	141
8	Cardiometabolic Risk in Canada: A Detailed Analysis and Position Paper by the Cardiometabolic Risk Working Group. <i>Canadian Journal of Cardiology</i> , 2011, 27, e1-e33.	1.7	138
9	Type 2 Diabetes Mellitus Management in Canada: Is It Improving?. <i>Canadian Journal of Diabetes</i> , 2013, 37, 82-89.	0.8	127
10	Peripheral Neuropathy and Nerve Dysfunction in Individuals at High Risk for Type 2 Diabetes: The PROMISE Cohort. <i>Diabetes Care</i> , 2015, 38, 793-800.	8.6	104
11	Treatment gaps in the management of cardiovascular risk factors in patients with type 2 diabetes in Canada. <i>Canadian Journal of Cardiology</i> , 2010, 26, 297-302.	1.7	89
12	Clinical inertia in patients with T2DM requiring insulin in family practice. <i>Canadian Family Physician</i> , 2010, 56, e418-24.	0.4	74
13	Real-world crude incidence of hypoglycemia in adults with diabetes: Results of the InHypo-DM Study, Canada. <i>BMJ Open Diabetes Research and Care</i> , 2018, 6, e000503.	2.8	71
14	Complications of Type 2 Diabetes Among Aboriginal Canadians: Prevalence and associated risk factors. <i>Diabetes Care</i> , 2005, 28, 2054-2057.	8.6	69
15	G Protein $\beta$ 3 Subunit Gene Variant and Blood Pressure Variation in Canadian Oji-Cree. <i>Hypertension</i> , 1998, 32, 688-692.	2.7	66
16	The impact of diabetes on cardiovascular risk factors and outcomes in a native Canadian population. <i>Diabetes Research and Clinical Practice</i> , 2002, 55, 165-173.	2.8	60
17	Genetic variation in <i>LMNA</i> modulates plasma leptin and indices of obesity in aboriginal Canadians. <i>Physiological Genomics</i> , 2000, 3, 39-44.	2.3	59
18	The Effect of Hypoglycemia on Health-Related Quality of Life: Canadian Results from a Multinational Time Trade-off Survey. <i>Canadian Journal of Diabetes</i> , 2014, 38, 45-52.	0.8	59

#	ARTICLE	IF	CITATIONS
19	Body Image Concepts Differ by Age and Sex in an Ojibway-Cree Community in Canada. <i>Journal of Nutrition</i> , 1996, 126, 2990-3000.	2.9	58
20	Safety and efficacy of IDegLira titrated once weekly versus twice weekly in patients with type 2 diabetes uncontrolled on oral antidiabetic drugs: DUAL VI randomized clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 858-865.	4.4	58
21	Clinical use of insulin degludec. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 19-31.	2.8	56
22	Treatment satisfaction and quality of life using an early insulinization strategy with insulin glargine compared to an adjusted oral therapy in the management of Type 2 diabetes: The Canadian INSIGHT Study. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, 254-258.	2.8	53
23	Major gaps in diabetes clinical care among Canada's First Nations: Results of the CIRCLE study. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 272-279.	2.8	51
24	Prevalence and Epidemiology of Diabetes in Canadian Primary Care Practices: A Report from the Canadian Primary Care Sentinel Surveillance Network. <i>Canadian Journal of Diabetes</i> , 2014, 38, 179-185.	0.8	51
25	Type 2 Diabetes in Aboriginal Peoples. <i>Canadian Journal of Diabetes</i> , 2013, 37, S191-S196.	0.8	50
26	Best Practices for the Prevention and Management of Diabetes and Obesity-Related Chronic Disease among Indigenous Peoples in Canada: A Review. <i>Canadian Journal of Diabetes</i> , 2016, 40, 216-225.	0.8	50
27	Superior efficacy of insulin degludec/liraglutide versus insulin glargine U100 as add-on to sodium-glucose co-transporter 2 inhibitor therapy: A randomized clinical trial in people with uncontrolled type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1399-1408.	4.4	48
28	Type 2 diabetes in family practice. Room for improvement. <i>Canadian Family Physician</i> , 2003, 49, 778-85.	0.4	43
29	Investigating concordance in diabetes diagnosis between primary care charts (electronic medical) <i>Tj ETQq1</i> 1 0.784314 rgBT /Overload 2010, 10, 347.	2.2	42
30	Call to action: A new path for improving diabetes care for Indigenous peoples, a global review. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 120-133.	2.8	42
31	Childhood overweight and obesity management: A national perspective of primary health care providers' views, practices, perceived barriers and needs. <i>Paediatrics and Child Health</i> , 2010, 15, 419-426.	0.6	38
32	Sandy Lake Health and Diabetes Project: A Community-Based Intervention Targeting Type 2 Diabetes and Its Risk Factors in a First Nations Community. <i>Frontiers in Endocrinology</i> , 2013, 4, 170.	3.5	35
33	Association of NEFA composition with insulin sensitivity and beta cell function in the Prospective Metabolism and Islet Cell Evaluation (PROMISE) cohort. <i>Diabetologia</i> , 2018, 61, 821-830.	6.3	34
34	Angiotensinogen Gene Variation Associated With Variation in Blood Pressure in Aboriginal Canadians. <i>Hypertension</i> , 1997, 29, 1073-1077.	2.7	34
35	Impact of a quality improvement program on primary healthcare in Canada: A mixed-method evaluation. <i>Health Policy</i> , 2015, 119, 405-416.	3.0	33
36	Prevalence, determinants and co-morbidities of chronic kidney disease among First Nations adults with diabetes: results from the CIRCLE study. <i>BMC Nephrology</i> , 2012, 13, 57.	1.8	31

#	ARTICLE	IF	CITATIONS
37	Initiating insulin: How to help people with type 2 diabetes start and continue insulin successfully. <i>International Journal of Clinical Practice</i> , 2017, 71, e12973.	1.7	29
38	Descriptions of health states associated with increasing severity and frequency of hypoglycemia: a patient-level perspective. <i>Patient Preference and Adherence</i> , 2013, 7, 925.	1.8	28
39	Teleconferenced educational detailing: Diabetes education for primary care physicians. <i>Journal of Continuing Education in the Health Professions</i> , 2005, 25, 87-97.	1.3	26
40	Lifestyle interventions for type 2 diabetes. Relevance for clinical practice. <i>Canadian Family Physician</i> , 2003, 49, 1618-25.	0.4	26
41	Lifestyle management for type 2 diabetes. Are family physicians ready and willing?. <i>Canadian Family Physician</i> , 2004, 50, 1235-43.	0.4	26
42	Can family physicians help patients initiate basal insulin therapy successfully?: randomized trial of patient-titrated insulin glargine compared with standard oral therapy: lessons for family practice from the Canadian INSIGHT trial. <i>Canadian Family Physician</i> , 2008, 54, 550-8.	0.4	26
43	Providers' perceptions of barriers to the management of type 2 diabetes in remote Aboriginal settings. <i>International Journal of Circumpolar Health</i> , 2011, 70, 552-563.	1.2	24
44	Influence of a quality improvement learning collaborative program on team functioning in primary healthcare.. <i>Families, Systems and Health</i> , 2015, 33, 222-230.	0.6	23
45	Dietary Patterns and Type 2 Diabetes Mellitus in a First Nations Community. <i>Canadian Journal of Diabetes</i> , 2016, 40, 304-310.	0.8	23
46	Use of once-weekly semaglutide in patients with type 2 diabetes in routine clinical practice: Results from the SURE Canada multicentre, prospective, observational study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2269-2278.	4.4	23
47	Does a Patient-Managed Insulin Intensification Strategy With Insulin Glargine and Insulin Glulisine Provide Similar Glycemic Control as a Physician-Managed Strategy? Results of the START (Self-Titration) Trial. <i>Diabetes Care</i> , 2017, 40, 1414-1420.	1.6	20
48	Diabetes Management in Canada: Baseline Results of the Group Practice Diabetes Management Study. <i>Canadian Journal of Diabetes</i> , 2006, 30, 1-7.	0.8	19
49	Out-of-pocket Costs of Managing Hyperglycemia and Hypoglycemia in Patients With Type 1 Diabetes and Insulin-treated Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2007, 31, 25-33.	0.8	19
50	Results of a Mixed-Methods Evaluation of Partnerships for Health: A Quality Improvement Initiative for Diabetes Care. <i>Journal of the American Board of Family Medicine</i> , 2013, 26, 711-719.	1.5	19
51	The power of two: an update on fixed-dose combinations for type 2 diabetes. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 1453-1462.	3.1	19
52	Insulin Matters: A Practical Approach to Basal Insulin Management in Type 2 Diabetes. <i>Diabetes Therapy</i> , 2018, 9, 501-519.	2.5	18
53	Recommendations from the Canadian Diabetes Association. 2003 guidelines for prevention and management of diabetes and related cardiovascular risk factors. <i>Canadian Family Physician</i> , 2004, 50, 425-33.	0.4	18
54	Developing community-driven quality improvement initiatives to enhance chronic disease care in Indigenous communities in Canada: the FORGE AHEAD program protocol. <i>Health Research Policy and Systems</i> , 2016, 14, 55.	2.8	16

#	ARTICLE	IF	CITATIONS
55	Can community retail pharmacist and diabetes expert support facilitate insulin initiation by family physicians? Results of the AIM@GP randomized controlled trial. <i>BMC Health Services Research</i> , 2013, 13, 71.	2.2	14
56	Insulin degludec/liraglutide (IDegLira) was effective across a range of dysglycaemia and body mass index categories in the <scp>DUAL V</scp> randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 200-205.	4.4	14
57	COVID-19 hinterland: surveilling the self-reported impacts of the pandemic on diabetes management in the USA (cross-sectional results of the INPHORM study). <i>BMJ Open</i> , 2021, 11, e049782.	1.9	14
58	Living With Hypoglycemia: An Exploration of Patients's™ Emotions: Qualitative Findings From the InHypo-DM Study, Canada. <i>Diabetes Spectrum</i> , 2019, 32, 270-276.	1.0	13
59	Clinical Considerations When Initiating and Titrating Insulin Degludec/Liraglutide (IDegLira) in People with Type 2 Diabetes. <i>Drugs</i> , 2020, 80, 147-165.	10.9	13
60	Associations of circulating 25(OH)D with cardiometabolic disorders underlying type 2 diabetes mellitus in an Aboriginal Canadian community. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 440-449.	2.8	12
61	The Diabetes Evaluation Framework for Innovative National Evaluations (DEFINE): Construct and Content Validation Using a Modified Delphi Method. <i>Canadian Journal of Diabetes</i> , 2017, 41, 281-296.	0.8	12
62	Longitudinal Associations of Phospholipid and Cholesteryl Ester Fatty Acids With Disorders Underlying Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2536-2544.	3.6	11
63	When Insulin Therapy Fails: The Impact of SGLT2 Inhibitors in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2017, 40, e141-e142.	8.6	11
64	Family Members: The Forgotten Players in the Diabetes Care Team (The TALK-HYPO Study). <i>Diabetes Therapy</i> , 2019, 10, 2305-2311.	2.5	10
65	Therapeutic Inertia in People With Type 2 Diabetes in Primary Care: A Challenge That Just Won't Go Away. <i>Diabetes Spectrum</i> , 2020, 33, 44-49.	1.0	10
66	An Innovative Model of Diabetes Care and Delivery: The St. Joseph's Primary Care Diabetes Support Program (SJHC PCDSP). <i>Canadian Journal of Diabetes</i> , 2014, 38, 212-215.	0.8	9
67	Reporting of hypoglycaemia in clinical trials of basal insulins: A need for consensus. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1529-1542.	4.4	9
68	Closing the indigenous health gap in Canada: Results from the TransFORMATION of IndiGENous PrimARy HEALthcare delivery (FORGE AHEAD) program. <i>Diabetes Research and Clinical Practice</i> , 2020, 162, 108066.	2.8	9
69	Traditional foods and 25(OH)D concentrations in a subarctic First Nations community. <i>International Journal of Circumpolar Health</i> , 2016, 75, 31956.	1.2	8
70	National Survey of Indigenous primary healthcare capacity and delivery models in Canada: the TransFORMATION of IndiGENous PrimARy HEALthcare delivery (FORGE AHEAD) community profile survey. <i>BMC Health Services Research</i> , 2018, 18, 828.	2.2	8
71	Short-term intensive insulin as induction and maintenance therapy for the preservation of beta-cell function in early type 2 diabetes (<scp>RESET Main</scp>): A 2-year randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1926-1935.	4.4	8
72	Cross-Sectional and Prospective Associations between Abdominal Adiposity and Proinsulin Concentration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 77-83.	3.6	8

#	ARTICLE	IF	CITATIONS
73	Clusters of fatty acids in the serum triacylglyceride fraction associate with the disorders of type 2 diabetes. <i>Journal of Lipid Research</i> , 2018, 59, 1751-1762.	4.2	7
74	Controlled trial of an intervention to improve cholesterol management in diabetes patients in remote Aboriginal communities. <i>International Journal of Circumpolar Health</i> , 2010, 69, 333-343.	1.2	6
75	Similar glycaemic control and less hypoglycaemia during active titration after insulin initiation with glargine 300 units/mL and degludec 100 units/mL: A subanalysis of the BRIGHT study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 346-354.	4.4	6
76	A National Survey of Physicians' and Allied Health Professionals' Practices and Perspectives Regarding Hypoglycemia Management: The InHYPO-DM Study Image 8. <i>Canadian Journal of Diabetes</i> , 2016, 40, S58-S59.	0.8	5
77	The FORGE AHEAD clinical readiness consultation tool: a validated tool to assess clinical readiness for chronic disease care mobilization in Canada's First Nations. <i>BMC Health Services Research</i> , 2017, 17, 233.	2.2	5
78	Beyond the Sick Role: The Many Roles of Adults With Type 1 and Type 2 Diabetes in the Management of Hypoglycemia—The InHypo-DM Study, Canada. <i>Canadian Journal of Diabetes</i> , 2020, 44, 657-662.	0.8	5
79	A Population-Based Study on Incidence and Associated Risk Factors for Hypoglycemia in Canada: The InHYPO-DM Study. <i>Canadian Journal of Diabetes</i> , 2016, 40, S11-S12.	0.8	4
80	Case study of evaluations that go beyond clinical outcomes to assess quality improvement diabetes programmes using the Diabetes Evaluation Framework for Innovative National Evaluations (DEFINE). <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 644-652.	1.8	4
81	The Distribution of Fatty Acid Biomarkers of Dairy Intake across Serum Lipid Fractions: The Prospective Metabolism and Islet Cell Evaluation (PROMISE) Cohort. <i>Lipids</i> , 2019, 54, 617-627.	1.7	4
82	Primary and Secondary Cardiovascular Prevention Among First Nations Peoples With Type 2 Diabetes in Canada: Findings From the FORGE AHEAD Program. <i>CJC Open</i> , 2020, 2, 547-554.	1.5	4
83	Evaluating the Effectiveness of Switching to Insulin Degludec from Other Basal Insulins in a Real-World Canadian Population with Type 1 or Type 2 Diabetes: The CAN-TREAT Study. <i>Diabetes Therapy</i> , 2021, 12, 1689-1702.	2.5	4
84	Room for improvement in diabetes care among First Nations in northern Quebec (Eeyou Istchee): reasonable management of glucose but poor management of complications. <i>International Journal of Circumpolar Health</i> , 2012, 71, 18418.	1.2	3
85	Use of Diabetes Registry Data for Comparing Indices of Diabetes Management: A Comparison of 2 Urban Sites in Canada and Colombia. <i>Canadian Journal of Diabetes</i> , 2015, 39, 496-501.	0.8	3
86	Real-world incidence and risk factors for daytime and nocturnal non-severe hypoglycemia in adults with type 2 diabetes mellitus on insulin and/or secretagogues (InHypo-DM Study, Canada). <i>Canadian Journal of Diabetes</i> , 2021, , .	0.8	3
87	Predicting Real-world Hypoglycemia Risk in American Adults With Type 1 or 2 Diabetes Mellitus Prescribed Insulin and/or Secretagogues: Protocol for a Prospective, 12-Wave Internet-Based Panel Survey With Email Support (the INPHORM [Investigating Novel Predictions of Hypoglycemia] Trial). <i>BMJ Open</i> , 2017, 5, e000392.	1.0	3
88	Investments in Diabetes Strategies: Time to Evaluate!. <i>Canadian Journal of Diabetes</i> , 2014, 38, 159-160.	0.8	2
89	Diabetes in Primary Care: Back to Basics. <i>Canadian Journal of Diabetes</i> , 2014, 38, 155-156.	0.8	2
90	Impact of a primary healthcare quality improvement program on diabetes in Canada: evaluation of the Quality Improvement and Innovation Partnership (QIIP). <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000392.	2.8	2

#	ARTICLE	IF	CITATIONS
91	Cardiovascular risk factor management in patients with diabetes: Does management differ with disease duration?. Journal of Diabetes and Its Complications, 2021, 35, 107997.	2.3	2
92	Managing diabetes. Recommendations and caveats. Canadian Family Physician, 2005, 51, 637-9, 644-6.	0.4	2
93	Real-world risk factors of confirmed or probable COVID-19 in Americans with diabetes: A prospective, community-based study ( INPHORM ). Endocrinology, Diabetes and Metabolism, 2021, 17, 1000000.	2.4	2
94	A qualitative enquiry of hypoglycemia and the social determinants of health: The InHypo-DM study, Canada.. Families, Systems and Health, 2018, 36, 471-481.	0.6	1
95	Exposure to specific components of a diabetes risk behavior prevention program associated with select psychosocial, dietary and anthropometric outcomes. FASEB Journal, 2008, 22, 677.17.	0.5	1
96	COVID-19 hinterland: surveilling the self-reported impacts of the pandemic on diabetes management in the USA (cross-sectional results of the INPHORM study). BMJ Open, 2021, 11, e049782.	1.9	1
97	Clinical Use of Insulin Glargine 300U/mL in Adults with Type 2 Diabetes: Hypothetical Case Studies. Diabetes Therapy, 2022, , 1.	2.5	1
98	Assessment and Treatment of Cardiometabolic Risk in Adults at Risk for or with Type 2 Diabetes Mellitus. Canadian Journal of Diabetes, 2012, 36, 320-326.	0.8	0
99	Le diabète de type 2 chez les Autochtones. Canadian Journal of Diabetes, 2013, 37, S575-S581.	0.8	0
100	Health Care Providers' Emotional Responses to Their Patients' Hypoglycemic Events: Qualitative Findings From the InHypo-DM Study, Canada. Diabetes Spectrum, 2021, 34, ds200061.	1.0	0
101	Baseline Assessment for a Multi-institutional Diabetes Prevention Program for First Nations. FASEB Journal, 2006, 20, A129.	0.5	0
102	Family Physician Clinical Inertia in Managing Hypoglycemia. Primary Care Diabetes, 2022, , .	1.8	0