
Stewart B Harris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3254811/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predicting Real-world Hypoglycemia Risk in American Adults With Type 1 or 2 Diabetes Mellitus Prescribed Insulin and/or Secretagogues: Protocol for a Prospective, 12-Wave Internet-Based Panel Survey With Email Support (the iNPHORM [Investigating Novel Predictions of Hypoglycemia) Tj ETQq1 1 0.78	4314 ^{1.0} BT /	Overlock 10
2	Family Physician Clinical Inertia in Managing Hypoglycemia. Primary Care Diabetes, 2022, , .	1.8	0
3	Clinical Use of Insulin Clargine 300ÂU/mL in Adults with TypeÂ2 Diabetes: Hypothetical Case Studies. Diabetes Therapy, 2022, , 1.	2.5	1
4	Health Care Providers' Emotional Responses to Their Patients' Hypoglycemic Events: Qualitative Findings From the InHypo-DM Study, Canada. Diabetes Spectrum, 2021, 34, ds200061.	1.0	0
5	Shortâ€ŧerm intensive insulin as induction and maintenance therapy for the preservation of betaâ€cell function in early type 2 diabetes (<scp>RESETâ€IT Main</scp>): A 2â€year randomized controlled trial. Diabetes, Obesity and Metabolism, 2021, 23, 1926-1935.	4.4	8
6	Evaluating the Effectiveness of Switching to Insulin Degludec from Other Basal Insulins in a Real-World Canadian Population with TypeÂ1 or TypeÂ2 Diabetes: The CAN-TREAT Study. Diabetes Therapy, 2021, 12, 1689-1702.	2.5	4
7	Use of onceâ€weekly semaglutide in patients with type <scp>2</scp> diabetes in routine clinical practice: Results from the <scp>SURE C</scp> anada multicentre, prospective, observational study. Diabetes, Obesity and Metabolism, 2021, 23, 2269-2278.	4.4	23
8	Real-world incidence and risk factors for daytime and nocturnal non-severe hypoglycemia in adults with type 2 diabetes mellitus on insulin and/or secretagogues (InHypo-DM Study, Canada). Canadian Journal of Diabetes, 2021, , .	0.8	3
9	Cardiovascular risk factor management in patients with diabetes: Does management differ with disease duration?. Journal of Diabetes and Its Complications, 2021, 35, 107997.	2.3	2
10	COVID-19 hinterland: surveilling the self-reported impacts of the pandemic on diabetes management in the USA (cross-sectional results of the iNPHORM study). BMJ Open, 2021, 11, e049782.	1.9	1
11	COVID-19 hinterland: surveilling the self-reported impacts of the pandemic on diabetes management in the USA (cross-sectional results of the iNPHORM study). BMJ Open, 2021, 11, e049782.	1.9	14
12	Similar glycaemic control and less hypoglycaemia during active titration after insulin initiation with glargine 300 units/mL and degludec 100 units/mL: A subanalysis of the BRIGHT study. Diabetes, Obesity and Metabolism, 2020, 22, 346-354.	4.4	6
13	Primary and Secondary Cardiovascular Prevention Among First Nations Peoples With Type 2 Diabetes in Canada: Findings From the FORGE AHEAD Program. CJC Open, 2020, 2, 547-554.	1.5	4
14	Therapeutic Inertia in People With Type 2 Diabetes in Primary Care: A Challenge That Just Won't Go Away. Diabetes Spectrum, 2020, 33, 44-49.	1.0	10
15	Beyond the Sick Role: The Many Roles of Adults With Type 1 and TypeÂ2 Diabetes in the Management of Hypoglycemia—The InHypo-DM Study, Canada. Canadian Journal of Diabetes, 2020, 44, 657-662.	0.8	5
16	Closing the indigenous health gap in Canada: Results from the TransFORmation of IndiGEnous PrimAry HEAlthcare delivery (FORGE AHEAD) program. Diabetes Research and Clinical Practice, 2020, 162, 108066.	2.8	9
17	Clinical Considerations When Initiating and Titrating Insulin Degludec/Liraglutide (IDegLira) in People with Type 2 Diabetes. Drugs, 2020, 80, 147-165.	10.9	13
18	The Distribution of Fatty Acid Biomarkers of Dairy Intake across Serum Lipid Fractions: The Prospective Metabolism and Islet Cell Evaluation (PROMISE) Cohort. Lipids, 2019, 54, 617-627.	1.7	4

STEWART B HARRIS

#	Article	IF	CITATIONS
19	Family Members: The Forgotten Players in the Diabetes Care Team (The TALK-HYPO Study). Diabetes Therapy, 2019, 10, 2305-2311.	2.5	10
20	Reporting of hypoglycaemia in clinical trials of basal insulins: A need for consensus. Diabetes, Obesity and Metabolism, 2019, 21, 1529-1542.	4.4	9
21	Superior efficacy of insulin degludec/liraglutide versus insulin glargine U100 as addâ€on to sodiumâ€glucose coâ€transporterâ€2 inhibitor therapy: A randomized clinical trial in people with uncontrolled type 2 diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 1399-1408.	4.4	48
22	Living With Hypoglycemia: An Exploration of Patients' Emotions: Qualitative Findings From the InHypo-DM Study, Canada. Diabetes Spectrum, 2019, 32, 270-276.	1.0	13
23	Insulin Matters: A Practical Approach to Basal Insulin Management in Type 2 Diabetes. Diabetes Therapy, 2018, 9, 501-519.	2.5	18
24	Association of NEFA composition with insulin sensitivity and beta cell function in the Prospective Metabolism and Islet Cell Evaluation (PROMISE) cohort. Diabetologia, 2018, 61, 821-830.	6.3	34
25	Insulin degludec/liraglutide (IDegLira) was effective across a range of dysglycaemia and body mass index categories in the <scp>DUAL V</scp> randomized trial. Diabetes, Obesity and Metabolism, 2018, 20, 200-205.	4.4	14
26	National Survey of Indigenous primary healthcare capacity and delivery models in Canada: the TransFORmation of IndiGEnous PrimAry HEAlthcare delivery (FORGE AHEAD) community profile survey. BMC Health Services Research, 2018, 18, 828.	2.2	8
27	Interpretation and Impact of Real-World Clinical Data for the Practicing Clinician. Advances in Therapy, 2018, 35, 1763-1774.	2.9	424
28	Real-world crude incidence of hypoglycemia in adults with diabetes: Results of the InHypo-DM Study, Canada. BMJ Open Diabetes Research and Care, 2018, 6, e000503.	2.8	71
29	Clusters of fatty acids in the serum triacylglyceride fraction associate with the disorders of type 2 diabetes. Journal of Lipid Research, 2018, 59, 1751-1762.	4.2	7
30	A qualitative enquiry of hypoglycemia and the social determinants of health: The InHypo-DM study, Canada Families, Systems and Health, 2018, 36, 471-481.	0.6	1
31	Safety and efficacy of <scp>IDegLira</scp> titrated once weekly versus twice weekly in patients with type 2 diabetes uncontrolled on oral antidiabetic drugs: <scp>DUAL VI</scp> randomized clinical trial. Diabetes, Obesity and Metabolism, 2017, 19, 858-865.	4.4	58
32	The Diabetes Evaluation Framework for Innovative National Evaluations (DEFINE): Construct and Content Validation Using a Modified Delphi Method. Canadian Journal of Diabetes, 2017, 41, 281-296.	0.8	12
33	Call to action: A new path for improving diabetes care for Indigenous peoples, a global review. Diabetes Research and Clinical Practice, 2017, 123, 120-133.	2.8	42
34	Initiating insulin: How to help people with type 2 diabetes start and continue insulin successfully. International Journal of Clinical Practice, 2017, 71, e12973.	1.7	29
35	When Insulin Therapy Fails: The Impact of SGLT2 Inhibitors in Patients With Type 2 Diabetes. Diabetes Care, 2017, 40, e141-e142.	8.6	11
36	The FORGE AHEAD clinical readiness consultation tool: a validated tool to assess clinical readiness for chronic disease care mobilization in Canada's First Nations. BMC Health Services Research, 2017, 17, 233.	2.2	5

STEWART B HARRIS

#	Article	IF	CITATIONS
37	Impact of a primary healthcare quality improvement program on diabetes in Canada: evaluation of the Quality Improvement and Innovation Partnership (QIIP). BMJ Open Diabetes Research and Care, 2017, 5, e000392.	2.8	2
38	Traditional foods and 25(OH)D concentrations in a subarctic First Nations community. International Journal of Circumpolar Health, 2016, 75, 31956.	1.2	8
39	Best Practices for the Prevention and Management of Diabetes and Obesity-Related Chronic Disease among Indigenous Peoples in Canada: A Review. Canadian Journal of Diabetes, 2016, 40, 216-225.	0.8	50
40	A Population-Based Study on Incidence and Associated Risk Factors for Hypoglycemia in Canada: The InHYPO-DM Study. Canadian Journal of Diabetes, 2016, 40, S11-S12.	0.8	4
41	Longitudinal Associations of Phospholipid and Cholesteryl Ester Fatty Acids With Disorders Underlying Diabetes. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2536-2544.	3.6	11
42	The power of two: an update on fixed-dose combinations for type 2 diabetes. Expert Review of Clinical Pharmacology, 2016, 9, 1453-1462.	3.1	19
43	Case study of evaluations that go beyond clinical outcomes to assess quality improvement diabetes programmes using the <scp>D</scp> iabetes <scp>E</scp> valuation <scp>F</scp> ramework for <scp>I</scp> nnovative <scp>N</scp> ational <scp>E</scp> valuations (<scp>DEFINE</scp>). Journal of Evaluation in Clinical Practice. 2016. 22. 644-652.	1.8	4
44	Dietary Patterns and Type 2 Diabetes Mellitus in a First Nations Community. Canadian Journal of Diabetes, 2016, 40, 304-310.	0.8	23
45	A National Survey of Physicians' and Allied Health Professionals' Practices and Perspectives Regarding Hypoglycemia Management: The InHYPO-DM StudyImage 8. Canadian Journal of Diabetes, 2016, 40, S58-S59.	0.8	5
46	Developing community-driven quality improvement initiatives to enhance chronic disease care in Indigenous communities in Canada: the FORGE AHEAD program protocol. Health Research Policy and Systems, 2016, 14, 55.	2.8	16
47	Influence of a quality improvement learning collaborative program on team functioning in primary healthcare Families, Systems and Health, 2015, 33, 222-230.	0.6	23
48	Associations of circulating 25(OH)D with cardiometabolic disorders underlying type 2 diabetes mellitus in an Aboriginal Canadian community. Diabetes Research and Clinical Practice, 2015, 109, 440-449.	2.8	12
49	Clinical use of insulin degludec. Diabetes Research and Clinical Practice, 2015, 109, 19-31.	2.8	56
50	Peripheral Neuropathy and Nerve Dysfunction in Individuals at High Risk for Type 2 Diabetes: The PROMISE Cohort. Diabetes Care, 2015, 38, 793-800.	8.6	104
51	Use of Diabetes Registry Data for Comparing Indices of Diabetes Management: A Comparison of 2 Urban Sites in Canada and Colombia. Canadian Journal of Diabetes, 2015, 39, 496-501.	0.8	3
52	Impact of a quality improvement program on primary healthcare in Canada: A mixed-method evaluation. Health Policy, 2015, 119, 405-416.	3.0	33
53	Prevalence and Epidemiology of Diabetes in Canadian Primary Care Practices: A Report from the Canadian Primary Care Sentinel Surveillance Network. Canadian Journal of Diabetes, 2014, 38, 179-185.	0.8	51
54	The Effect of Hypoglycemia on Health-Related Quality of Life: Canadian Results from a Multinational Time Trade-off Survey. Canadian Journal of Diabetes, 2014, 38, 45-52.	0.8	59

#	Article	IF	CITATIONS
55	Does a Patient-Managed Insulin Intensification Strategy With Insulin Glargine and Insulin Glulisine Provide Similar Glycemic Control as a Physician-Managed Strategy? Results of the START (Self-Titration) Tj ETQq	1 1 ® &84:	31421gBT /Ov
56	Investments in Diabetes Strategies: Time to Evaluate!. Canadian Journal of Diabetes, 2014, 38, 159-160.	0.8	2
57	An Innovative Model of Diabetes Care and Delivery: The St. Joseph's Primary Care Diabetes Support Program (SJHC PCDSP). Canadian Journal of Diabetes, 2014, 38, 212-215.	0.8	9
58	Diabetes in Primary Care: Back to Basics. Canadian Journal of Diabetes, 2014, 38, 155-156.	0.8	2
59	Health-related quality of life associated with daytime and nocturnal hypoglycaemic events: a time trade-off survey in five countries. Health and Quality of Life Outcomes, 2013, 11, 90.	2.4	142
60	Can community retail pharmacist and diabetes expert support facilitate insulin initiation by family physicians? Results of the AIM@GP randomized controlled trial. BMC Health Services Research, 2013, 13, 71.	2.2	14
61	Le diabète de type 2 chez les Autochtones. Canadian Journal of Diabetes, 2013, 37, S575-S581.	0.8	0
62	Type 2 Diabetes Mellitus Management in Canada: Is It Improving?. Canadian Journal of Diabetes, 2013, 37, 82-89.	0.8	127
63	Type 2 Diabetes in Aboriginal Peoples. Canadian Journal of Diabetes, 2013, 37, S191-S196.	0.8	50
64	Sandy Lake Health and Diabetes Project: A Community-Based Intervention Targeting Type 2 Diabetes and Its Risk Factors in a First Nations Community. Frontiers in Endocrinology, 2013, 4, 170.	3.5	35
65	Results of a Mixed-Methods Evaluation of Partnerships for Health: A Quality Improvement Initiative for Diabetes Care. Journal of the American Board of Family Medicine, 2013, 26, 711-719.	1.5	19
66	Descriptions of health states associated with increasing severity and frequency of hypoglycemia: a patient-level perspective. Patient Preference and Adherence, 2013, 7, 925.	1.8	28
67	Room for improvement in diabetes care among First Nations in northern Quebec (Eeyou Istchee): reasonable management of glucose but poor management of complications. International Journal of Circumpolar Health, 2012, 71, 18418.	1.2	3
68	Assessment and Treatment of Cardiometabolic Risk in Adults at Risk for or with Type 2 Diabetes Mellitus. Canadian Journal of Diabetes, 2012, 36, 320-326.	0.8	0
69	Prevalence, determinants and co-morbidities of chronic kidney disease among First Nations adults with diabetes: results from the CIRCLE study. BMC Nephrology, 2012, 13, 57.	1.8	31
70	Cardiometabolic Risk in Canada: A Detailed Analysis and Position Paper by the Cardiometabolic Risk Working Group. Canadian Journal of Cardiology, 2011, 27, e1-e33.	1.7	138
71	Major gaps in diabetes clinical care among Canada's First Nations: Results of the CIRCLE study. Diabetes Research and Clinical Practice, 2011, 92, 272-279.	2.8	51
72	Providers' perceptions of barriers to the management of type 2 diabetes in remote Aboriginal settings. International Journal of Circumpolar Health, 2011, 70, 552-563.	1.2	24

#	Article	IF	CITATIONS
73	Investigating concordance in diabetes diagnosis between primary care charts (electronic medical) Tj ETQq1 2 2010, 10, 347.	L 0.784314 rgB 2.2	T /Overloc 42
74	Controlled trial of an intervention to improve cholesterol management in diabetes patients in remote Aboriginal communities. International Journal of Circumpolar Health, 2010, 69, 333-343.	1.2	6
75	Childhood overweight and obesity management: A national perspective of primary health care providers' views, practices, perceived barriers and needs. Paediatrics and Child Health, 2010, 15, 419-426.	0.6	38
76	Treatment gaps in the management of cardiovascular risk factors in patients with type 2 diabetes in Canada. Canadian Journal of Cardiology, 2010, 26, 297-302.	1.7	89
77	Clinical inertia in patients with T2DM requiring insulin in family practice. Canadian Family Physician, 2010, 56, e418-24.	0.4	74
78	Global complication rates of type 2 diabetes in Indigenous peoples: A comprehensive review. Diabetes Research and Clinical Practice, 2008, 82, 1-17.	2.8	141
79	Exposure to specific components of a diabetes risk behavior prevention program associated with select psychosocial, dietary and anthropometric outcomes. FASEB Journal, 2008, 22, 677.17.	0.5	1
80	Can family physicians help patients initiate basal insulin therapy successfully?: randomized trial of patient-titrated insulin glargine compared with standard oral therapy: lessons for family practice from the Canadian INSIGHT trial. Canadian Family Physician, 2008, 54, 550-8.	0.4	26
81	Treatment satisfaction and quality of life using an early insulinization strategy with insulin glargine compared to an adjusted oral therapy in the management of Type 2 diabetes: The Canadian INSIGHT Study. Diabetes Research and Clinical Practice, 2007, 78, 254-258.	2.8	53
82	Out-of-pocket Costs of Managing Hyperglycemia and Hypoglycemia in Patients With Type 1 Diabetes and Insulin-treated Type 2 Diabetes. Canadian Journal of Diabetes, 2007, 31, 25-33.	0.8	19
83	Diabetes Management in Canada: Baseline Results of the Group Practice Diabetes Management Study. Canadian Journal of Diabetes, 2006, 30, 1-7.	0.8	19
84	Baseline Assessment for a Multiâ€institutional Diabetes Prevention Program for First Nations. FASEB Journal, 2006, 20, A129.	0.5	0
85	Teleconferenced educational detailing: Diabetes education for primary care physicians. Journal of Continuing Education in the Health Professions, 2005, 25, 87-97.	1.3	26
86	Complications of Type 2 Diabetes Among Aboriginal Canadians: Prevalence and associated risk factors. Diabetes Care, 2005, 28, 2054-2057.	8.6	69
87	Glycemic control and morbidity in the Canadian primary care setting (results of the diabetes in Canada) Tj ET	Qq1 1.0,78431	.4 ₁₉₉ BT /Ov
88	Managing diabetes. Recommendations and caveats. Canadian Family Physician, 2005, 51, 637-9, 644-6.	0.4	2
89	Recommendations from the Canadian Diabetes Association. 2003 guidelines for prevention and management of diabetes and related cardiovascular risk factors. Canadian Family Physician, 2004, 50, 425-33.	0.4	18
90	Lifestyle management for type 2 diabetes. Are family physicians ready and willing?. Canadian Family Physician, 2004, 50, 1235-43.	0.4	26

STEWART B HARRIS

#	Article	IF	CITATIONS
91	Lifestyle interventions for type 2 diabetes. Relevance for clinical practice. Canadian Family Physician, 2003, 49, 1618-25.	0.4	26
92	Type 2 diabetes in family practice. Room for improvement. Canadian Family Physician, 2003, 49, 778-85.	0.4	43
93	The role of patient, physician and systemic factors in the management of type 2 diabetes mellitus. Family Practice, 2002, 19, 344-349.	1.9	147
94	The impact of diabetes on cardiovascular risk factors and outcomes in a native Canadian population. Diabetes Research and Clinical Practice, 2002, 55, 165-173.	2.8	60
95	Cross-Sectional and Prospective Associations between Abdominal Adiposity and Proinsulin Concentration. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 77-83.	3.6	8
96	Overweight among children and adolescents in a Native Canadian community: prevalence and associated factors. American Journal of Clinical Nutrition, 2000, 71, 693-700.	4.7	229
97	Genetic variation in <i>LMNA</i> modulates plasma leptin and indices of obesity in aboriginal Canadians. Physiological Genomics, 2000, 3, 39-44.	2.3	59
98	Specific Patterns of Food Consumption and Preparation Are Associated with Diabetes and Obesity in a Native Canadian Community. Journal of Nutrition, 1998, 128, 541-547.	2.9	171
99	G Protein β3 Subunit Gene Variant and Blood Pressure Variation in Canadian Oji-Cree. Hypertension, 1998, 32, 688-692.	2.7	66
100	Angiotensinogen Gene Variation Associated With Variation in Blood Pressure in Aboriginal Canadians. Hypertension, 1997, 29, 1073-1077.	2.7	34
101	Body Image Concepts Differ by Age and Sex in an Ojibway-Cree Community in Canada. Journal of Nutrition, 1996, 126, 2990-3000.	2.9	58
102	Realâ€world risk factors of confirmed or probable <scp>COVID</scp> â€19 in Americans with diabetes: A prospective, communityâ€based study (<scp>iNPHORM</scp>). Endocrinology, Diabetes and Metabolism, 0, , .	2.4	2

7