
## Paul Aveyard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3258570/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Meat consumption, health, and the environment. Science, 2018, 361, .	12.6	1,031
2	Change in mental health after smoking cessation: systematic review and meta-analysis. BMJ, The, 2014, 348, g1151-g1151.	6.0	743
3	Influence of smoking cessation after diagnosis of early stage lung cancer on prognosis: systematic review of observational studies with meta-analysis. BMJ: British Medical Journal, 2010, 340, b5569-b5569.	2.3	588
4	Weight gain in smokers after quitting cigarettes: meta-analysis. BMJ, The, 2012, 345, e4439-e4439.	6.0	377
5	Diet or Exercise Interventions vs Combined Behavioral Weight Management Programs: AÂSystematic Review and Meta-Analysis of DirectÂComparisons. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 1557-1568.	0.8	365
6	Associations between body-mass index and COVID-19 severity in 6·9 million people in England: a prospective, community-based, cohort study. Lancet Diabetes and Endocrinology,the, 2021, 9, 350-359.	11.4	348
7	Effectiveness and safety of nicotine replacement therapy assisted reduction to stop smoking: systematic review and meta-analysis. BMJ: British Medical Journal, 2009, 338, b1024-b1024.	2.3	310
8	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d6500-d6500.	2.3	308
9	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2020, 106, 1503-1511.	2.9	297
10	Brief opportunistic smoking cessation interventions: a systematic review and metaâ€analysis to compare advice to quit and offer of assistance. Addiction, 2012, 107, 1066-1073.	3.3	289
11	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. Lancet, The, 2016, 388, 2492-2500.	13.7	220
12	Health are interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. Addiction, 2015, 110, 1388-1403.	3.3	208
13	What Everyone Else Is Eating: A Systematic Review and Meta-Analysis of the Effect of Informational Eating Norms on Eating Behavior. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 414-429.	0.8	207
14	Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. Journal of the National Cancer Institute, 2012, 104, 740-748.	6.3	198
15	Effects of empathic and positive communication in healthcare consultations: a systematic review and meta-analysis. Journal of the Royal Society of Medicine, 2018, 111, 240-252.	2.0	196
16	Placebo-Controlled Trial of Cytisine for Smoking Cessation. New England Journal of Medicine, 2011, 365, 1193-1200.	27.0	181
17	Effect of behavioural techniques and delivery mode on effectiveness of weight management: systematic review, metaâ€analysis and metaâ€regression. Obesity Reviews, 2014, 15, 598-609.	6.5	178
18	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. Lancet Respiratory Medicine,the, 2021, 9, 909-923.	10.7	177

#	Article	IF	CITATIONS
19	Waterpipe smoking in students: Prevalence, risk factors, symptoms of addiction, and smoke intake. Evidence from one British university. BMC Public Health, 2008, 8, 174.	2.9	174
20	Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. American Journal of Clinical Nutrition, 2013, 97, 728-742.	4.7	174
21	Interventions for preventing weight gain after smoking cessation. The Cochrane Library, 2012, 1, CD006219.	2.8	173
22	Extended and standard duration weight-loss programme referrals for adults in primary care (WRAP): a randomised controlled trial. Lancet, The, 2017, 389, 2214-2225.	13.7	161
23	Association of Weight Loss Interventions With Changes in Biomarkers of Nonalcoholic Fatty Liver Disease. JAMA Internal Medicine, 2019, 179, 1262.	5.1	159
24	Canadian and English students' beliefs about waterpipe smoking: a qualitative study. BMC Public Health, 2009, 9, 10.	2.9	158
25	Restructuring physical micro-environments to reduce the demand for meat: a systematic review and qualitative comparative analysis. Lancet Planetary Health, The, 2018, 2, e384-e397.	11.4	155
26	Cluster randomised controlled trial of expert system based on the transtheoretical ("stages of) Tj ETQq0 0 0 rgBT 319, 948-953.	/Overlock 2.3	10 Tf 50 46 134
27	A methodological and substantive review of the evidence that schools cause pupils to smoke. Social Science and Medicine, 2004, 58, 2253-2265.	3.8	125
28	Behavioural weight management programmes for adults assessed by trials conducted in everyday contexts: systematic review and metaâ€analysis. Obesity Reviews, 2014, 15, 920-932.	6.5	122
29	Effectiveness and cost-effectiveness of computer and other electronic aids for smoking cessation: a systematic review and network meta-analysis Health Technology Assessment, 2012, 16, 1-205, iii-v.	2.8	121
30	Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. Thorax, 2022, 77, 65-73.	5.6	118
31	A new theory of health promoting schools based on human functioning, school organisation and pedagogic practice. Social Science and Medicine, 2003, 56, 1209-1220.	3.8	115
32	Associations between weight change over 8 years and baseline body mass index in a cohort of continuing and quitting smokers. Addiction, 2011, 106, 188-196.	3.3	111
33	Managing smoking cessation. BMJ: British Medical Journal, 2007, 335, 37-41.	2.3	110
34	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1.	1.6	108
35	Tobacco cessation interventions for young people. The Cochrane Library, 2017, 2017, CD003289.	2.8	106
36	Cost-Effectiveness of Pharmacological Interventions for Smoking Cessation: A Literature Review and a Decision Analytic Analysis. Medical Decision Making, 2002, 22, 26-37.	2.4	105

#	Article	IF	CITATIONS
37	'Cut down to quit' with nicotine replacement therapies in smoking cessation: a systematic review of effectiveness and economic analysis. Health Technology Assessment, 2008, 12, iii-iv, ix-xi, 1-135.	2.8	102
38	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. Behavior Genetics, 2016, 46, 151-169.	2.1	98
39	Does smoking status influence the prognosis of bladder cancer? A systematic review. BJU International, 2002, 90, 228-239.	2.5	96
40	The importance of social sources of cigarettes to school students. Tobacco Control, 2003, 12, 67-73.	3.2	95
41	Interventions to increase adherence to medications for tobacco dependence. The Cochrane Library, 2015, , CD009164.	2.8	91
42	Interventions for preventing weight gain after smoking cessation. , 2009, , CD006219.		90
43	A systematic review and metaâ€analysis of the effectiveness of meal replacements for weight loss. Obesity Reviews, 2019, 20, 569-587.	6.5	89
44	Development and feasibility testing of a smart phone based attentive eating intervention. BMC Public Health, 2013, 13, 639.	2.9	88
45	Change in anxiety following successful and unsuccessful attempts at smoking cessation: cohort study. British Journal of Psychiatry, 2013, 202, 62-67.	2.8	86
46	Interventions targeting conscious determinants of human behaviour to reduce the demand for meat: a systematic review with qualitative comparative analysis. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 102.	4.6	85
47	Reduction versus abrupt cessation in smokers who want to quit. The Cochrane Library, 2012, 11, CD008033.	2.8	84
48	Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET): pragmatic randomised controlled trial. BMJ: British Medical Journal, 2018, 362, k3760.	2.3	83
49	Clinical effectiveness of veryâ€lowâ€energy diets in the management of weight loss: a systematic review and metaâ€analysis of randomized controlled trials. Obesity Reviews, 2016, 17, 225-234.	6.5	82
50	Gradual Versus Abrupt Smoking Cessation. Annals of Internal Medicine, 2016, 164, 585.	3.9	81
51	Behavioural interventions for smoking cessation: an overview and network meta-analysis. The Cochrane Library, 2021, 1, CD013229.	2.8	81
52	CHRNA3 rs1051730 Genotype and Short-Term Smoking Cessation. Nicotine and Tobacco Research, 2011, 13, 982-988.	2.6	75
53	The risk of preterm delivery in women from different ethnic groups. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 894-899.	2.3	72
54	Weekly versus basic smoking cessation support in primary care: a randomised controlled trial. Thorax, 2007, 62, 898-903.	5.6	71

#	Article	IF	CITATIONS
55	The influence of school culture on smoking among pupils. Social Science and Medicine, 2004, 58, 1767-1780.	3.8	70
56	A controlled trial of an expert system and self-help manual intervention based on the stages of change versus standard self-help materials in smoking cessation. Addiction, 2003, 98, 345-345.	3.3	69
57	The effect of Transtheoretical Model based interventions on smoking cessation. Social Science and Medicine, 2009, 68, 397-403.	3.8	69
58	Electronic cigarettes for smoking cessation. BMJ: British Medical Journal, 2018, 360, j5543.	2.3	69
59	Bariatric surgery, lifestyle interventions and orlistat for severe obesity: the REBALANCE mixed-methods systematic review and economic evaluation. Health Technology Assessment, 2018, 22, 1-246.	2.8	69
60	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. Lancet Diabetes and Endocrinology,the, 2015, 3, 423-430.	11.4	67
61	Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 104.	4.6	65
62	Smoking cessation for improving mental health. The Cochrane Library, 2021, 2021, CD013522.	2.8	65
63	Does reduced smoking if you can't stop make any difference?. BMC Medicine, 2015, 13, 257.	5.5	64
64	The effect of the magnitude of weight loss on non-alcoholic fatty liver disease: A systematic review and meta-analysis. Metabolism: Clinical and Experimental, 2021, 115, 154455.	3.4	64
65	Smoking reduction interventions for smoking cessation. The Cochrane Library, 2019, 2019, CD013183.	2.8	64
66	The Change-in-Stage and Updated Smoking Status Results from a Cluster-Randomized Trial of Smoking Prevention and Cessation Using the Transtheoretical Model among British Adolescents. Preventive Medicine, 2001, 33, 313-324.	3.4	63
67	Association of COMT Val108/158Met genotype with smoking cessation. Pharmacogenetics and Genomics, 2008, 18, 121-128.	1.5	62
68	Reducing high calorie snack food in young adults: a role for social norms and health based messages. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 73.	4.6	61
69	A cluster randomised controlled trial of smoking cessation in pregnant women comparing interventions based on the transtheoretical (stages of change) model to standard care. Tobacco Control, 2003, 12, 168-177.	3.2	60
70	School culture as an influencing factor on youth substance use. Journal of Epidemiology and Community Health, 2007, 61, 485-490.	3.7	57
71	Self-Help for Weight Loss in Overweight and Obese Adults: Systematic Review and Meta-Analysis. American Journal of Public Health, 2015, 105, e43-e57.	2.7	56
72	Using a descriptive social norm to increase vegetable selection in workplace restaurant settings Health Psychology, 2017, 36, 1026-1033.	1.6	56

#	Article	IF	CITATIONS
73	Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. Health Technology Assessment, 2015, 19, 1-156.	2.8	56
74	An updated meta-analysis of nicotine preloading for smoking cessation: investigating mediators of the effect. Psychopharmacology, 2011, 214, 579-592.	3.1	52
75	Inequalities in the uptake of weight management interventions in a pragmatic trial: an observational study in primary care. British Journal of General Practice, 2016, 66, e258-e263.	1.4	51
76	Does stage-based smoking cessation advice in pregnancy result in long-term quitters? 18-month postpartum follow-up of a randomized controlled trial. Addiction, 2005, 100, 107-116.	3.3	49
77	Associations between dietary patterns and the incidence of total and fatal cardiovascular disease and all-cause mortality in 116,806 individuals from the UK Biobank: a prospective cohort study. BMC Medicine, 2021, 19, 83.	5.5	49
78	Genome-wide association for smoking cessation success: participants in the Patch in Practice trial of nicotine replacement. Pharmacogenomics, 2010, 11, 357-367.	1.3	47
79	Financial incentives for smoking cessation in pregnancy: a singleâ€arm intervention study assessing cessation and gaming. Addiction, 2015, 110, 680-688.	3.3	47
80	Nortriptyline plus nicotine replacement versus placebo plus nicotine replacement for smoking cessation: pragmatic randomised controlled trial. BMJ: British Medical Journal, 2008, 336, 1223-1227.	2.3	46
81	Use of nicotine replacement therapy for smoking reduction and during enforced temporary abstinence: a national survey of English smokers. Addiction, 2011, 106, 197-204.	3.3	45
82	School nurses: policies, working practices, roles and value perceptions. Journal of Advanced Nursing, 2004, 47, 377-385.	3.3	44
83	Physical activity for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h2145-h2145.	6.0	43
84	Weight loss as a predictor of cancer in primary care: a systematic review and meta-analysis. British Journal of General Practice, 2018, 68, e311-e322.	1.4	43
85	Reduction versus abrupt cessation in smokers who want to quit. , 2010, , CD008033.		42
86	Improving smoking cessation approaches at the individual level. Tobacco Control, 2012, 21, 252-257.	3.2	42
87	Adherence to and Consumption of Nicotine Replacement Therapy and the Relationship With Abstinence Within a Smoking Cessation Trial in Primary Care. Nicotine and Tobacco Research, 2013, 15, 1537-1544.	2.6	42
88	German medical students lack knowledge of how to treat smoking and problem drinking. Addiction, 2012, 107, 1878-1882.	3.3	41
89	Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. Tobacco Control, 2013, 22, 118-122.	3.2	41
90	Development of tools to study personal weight control strategies: Ox <scp>FAB</scp> taxonomy. Obesity, 2016, 24, 314-320.	3.0	41

Paul Aveyard

#	Article	IF	CITATIONS
91	The association of weight loss with changes in the gut microbiota diversity, composition, and intestinal permeability: a systematic review and meta-analysis. Gut Microbes, 2022, 14, 2020068.	9.8	41
92	A foodâ€based, lowâ€energy, lowâ€carbohydrate diet for people with type 2 diabetes in primary care: A randomized controlled feasibility trial. Diabetes, Obesity and Metabolism, 2020, 22, 512-520.	4.4	40
93	A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage. British Journal of Health Psychology, 2006, 11, 263-278.	3.5	39
94	Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. Journal of Public Health, 2014, 36, 259-267.	1.8	39
95	Communication practices for delivering health behaviour change conversations in primary care: a systematic review and thematic synthesis. BMC Family Practice, 2019, 20, 111.	2.9	39
96	Prominent positioning and food swaps are effective interventions to reduce the saturated fat content of the shopping basket in an experimental online supermarket: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 50.	4.6	39
97	Which weight-loss programmes are as effective as Weight Watchers <sup>®</sup> ?. British Journal of General Practice, 2014, 64, e128-e136.	1.4	38
98	Experiences of Self-Monitoring in Self-Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. Qualitative Health Research, 2019, 29, 124-134.	2.1	38
99	Weight change and the risk of incident atrial fibrillation: a systematic review and meta-analysis. Heart, 2019, 105, 1799-1805.	2.9	38
100	Clinical encounters about obesity: Systematic review of patients' perspectives. Clinical Obesity, 2020, 10, e12347.	2.0	37
101	Effect on Adherence to Nicotine Replacement Therapy of Informing Smokers Their Dose Is Determined by Their Genotype: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e35249.	2.5	36
102	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324.	2.8	36
103	What happens to women's self-reported cigarette consumption and urinary cotinine levels in pregnancy?. Addiction, 2003, 98, 1315-1320.	3.3	35
104	Valueâ€added education and smoking uptake in schools: a cohort study. Addiction, 2008, 103, 155-161.	3.3	35
105	A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. BMC Public Health, 2010, 10, 439.	2.9	35
106	Efficacy of water preloading before main meals as a strategy for weight loss in primary care patients with obesity: <scp>RCT</scp> . Obesity, 2015, 23, 1785-1791.	3.0	35
107	Barriers and facilitators to screening and treating malnutrition in older adults living in the community: a mixed-methods synthesis. BMC Family Practice, 2019, 20, 100.	2.9	35
108	Insights From Google Play Store User Reviews for the Development of Weight Loss Apps: Mixed-Method Analysis. JMIR MHealth and UHealth, 2017, 5, e203.	3.7	35

#	Article	IF	CITATIONS
109	Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach Psychology of Addictive Behaviors, 2008, 22, 288-294.	2.1	34
110	Preventing the Link Between SES and High-Risk Behaviors: "Value-Added―Education, Drug Use and Delinquency in High-Risk, Urban Schools. Prevention Science, 2011, 12, 211-221.	2.6	33
111	Recent trends in weight loss attempts: repeated cross-sectional analyses from the health survey for England. International Journal of Obesity, 2016, 40, 1754-1759.	3.4	33
112	Smoking cessation and survival in lung, upper aero-digestive tract and bladder cancer: cohort study. British Journal of Cancer, 2017, 117, 1224-1232.	6.4	33
113	The association between unexpected weight loss and cancer diagnosis in primary care: a matched cohort analysis of 65,000 presentations. British Journal of Cancer, 2020, 122, 1848-1856.	6.4	33
114	Systematic review and meta-analysis: influence of smoking cessation on incidence of pneumonia in HIV. BMC Medicine, 2013, 11, 15.	5.5	32
115	Weight change among people randomized to minimal intervention control groups in weight loss trials. Obesity, 2016, 24, 772-780.	3.0	32
116	A systematic review and thematic synthesis of qualitative studies exploring GPs' and nurses' perspectives on discussing weight with patients with overweight and obesity in primary care. Obesity Reviews, 2021, 22, e13151.	6.5	32
117	Lack of attentional retraining effects in cigarette smokers attempting cessation: A proof of concept double-blind randomised controlled trial. Drug and Alcohol Dependence, 2015, 149, 158-165.	3.2	31
118	English Stop-Smoking Services: One-Year Outcomes. International Journal of Environmental Research and Public Health, 2016, 13, 1175.	2.6	31
119	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. Addiction, 2016, 111, 1656-1665.	3.3	30
120	Interventions to increase adherence to medications for tobacco dependence. The Cochrane Library, 2019, 8, CD009164.	2.8	30
121	The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. Health Technology Assessment, 2015, 19, 1-136.	2.8	30
122	Assessing the performance of general practices caring for patients with asthma. British Journal of General Practice, 1997, 47, 423-6.	1.4	30
123	Surgical lung cancer patients' views about smoking and support to quit after diagnosis: a qualitative study. Journal of Cancer Survivorship, 2016, 10, 312-319.	2.9	29
124	ls inter-school variation in smoking uptake and cessation due to differences in pupil composition? A cohort study. Health and Place, 2005, 11, 55-65.	3.3	28
125	Lack of association of DRD2 rs1800497 (Taq1A) polymorphism with smoking cessation in a nicotine replacement therapy randomized trial. Nicotine and Tobacco Research, 2009, 11, 404-407.	2.6	28
126	Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. Trials, 2012, 13, 186.	1.6	28

#	Article	IF	CITATIONS
127	Is plate clearing a risk factor for obesity? A cross-sectional study of self-reported data in US adults. Obesity, 2015, 23, 301-304.	3.0	28
128	Physical activity as an aid to smoking cessation during pregnancy: Two feasibility studies. BMC Public Health, 2008, 8, 328.	2.9	27
129	Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: New data from the Patch in Practice trial and pooled analyses. Drug and Alcohol Dependence, 2008, 98, 77-85.	3.2	27
130	Feasibility and acceptability of regular weighing, setting weight gain limits and providing feedback by community midwives to prevent excess weight gain during pregnancy: randomised controlled trial and qualitative study. BMC Obesity, 2015, 2, 35.	3.1	27
131	Optimising swaps to reduce the salt content of food purchases in a virtual online supermarket: A randomised controlled trial. Appetite, 2019, 133, 378-386.	3.7	27
132	GPs' and nurses' perceptions of electronic cigarettes in England: a qualitative interview study. British Journal of General Practice, 2019, 69, e8-e14.	1.4	27
133	What determines future smoking intentions of 12- to 13-year-old UK African-Caribbean, Indian, Pakistani and white young people?. Health Education Research, 2004, 19, 15-28.	1.9	26
134	Assessing the outcomes of prolonged cessation-induction and aid-to-cessation trials: Floating prolonged abstinence. Nicotine and Tobacco Research, 2009, 11, 475-480.	2.6	26
135	Does school ethos explain the relationship between value-added education and teenage substance use? A cohort study. Social Science and Medicine, 2012, 75, 69-76.	3.8	26
136	Factors Associated With Smoking Cessation in Early and Late Pregnancy in the Smoking, Nicotine, and Pregnancy Trial: A Trial of Nicotine Replacement Therapy. Nicotine and Tobacco Research, 2014, 16, 381-389.	2.6	26
137	Should we educate about the risks of medication overuse headache?. Journal of Headache and Pain, 2014, 15, 10.	6.0	26
138	A smartphone based attentive eating intervention for energy intake and weight loss: results from a randomised controlled trial. BMC Public Health, 2019, 19, 611.	2.9	26
139	Two observational studies examining the effect of a social norm and a health message on the purchase of vegetables in student canteen settings. Appetite, 2019, 132, 122-130.	3.7	26
140	The risk of smoking in relation to engagement with a school-based smoking intervention. Social Science and Medicine, 2003, 56, 869-882.	3.8	25
141	Association between smoking, e-cigarette use and severe COVID-19: a cohort study. International Journal of Epidemiology, 2022, 51, 1062-1072.	1.9	25
142	A proof of concept randomised placebo controlled factorial trial to examine the efficacy of St John's wort for smoking cessation and chromium to prevent weight gain on smoking cessation. Drug and Alcohol Dependence, 2009, 102, 116-122.	3.2	24
143	Pharmacogenetics of Smoking Cessation in General Practice: Results From the Patch II and Patch in Practice Trials. Nicotine and Tobacco Research, 2011, 13, 157-167.	2.6	24
144	Determinants and extent of weight recording in UK primary care: an analysis of 5 million adults' electronic health records from 2000 to 2017. BMC Medicine, 2019, 17, 222.	5.5	24

#	Article	IF	CITATIONS
145	Associations between body composition, fat distribution and metabolic consequences of excess adiposity with severe COVID-19 outcomes: observational study and Mendelian randomisation analysis. International Journal of Obesity, 2022, 46, 943-950.	3.4	24
146	Using Latent Class and Latent Transition Analysis to Examine the Transtheoretical Model Staging Algorithm and Sequential Stage Transition in Adolescent Smoking. Substance Use and Misuse, 2009, 44, 2028-2042.	1.4	23
147	Promoting smoking cessation in Pakistani and Bangladeshi men in the UK: pilot cluster randomised controlled trial of trained community outreach workers. Trials, 2011, 12, 197.	1.6	23
148	The Nicotine Metabolite Ratio in Pregnancy Measured by <i>trans</i> -3′-Hydroxycotinine to Cotinine Ratio: Characteristics and Relationship With Smoking Cessation: Table 1 Nicotine and Tobacco Research, 2015, 17, 1318-1323.	2.6	23
149	The influence of in-pregnancy smoking cessation programmes on partner quitting and women's social support mobilization: a randomized controlled trial [ISRCTN89131885]. BMC Public Health, 2005, 5, 80.	2.9	22
150	Is advice to stop smoking from a midwife stressful for pregnant women who smoke? Data from a randomized controlled trial. Preventive Medicine, 2005, 40, 575-582.	3.4	22
151	A randomized controlled trial to assess the effectiveness of a letter from a consultant surgeon in causing smokers to stop smoking pre-operatively. Public Health, 2006, 120, 356-358.	2.9	22
152	A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 125.	4.6	22
153	Visual identification of obesity by healthcare professionals: an experimental study of trainee and qualified GPs. British Journal of General Practice, 2014, 64, e703-e708.	1.4	22
154	The Effects of Liking Norms and Descriptive Norms on Vegetable Consumption: A Randomized Experiment. Frontiers in Psychology, 2016, 7, 442.	2.1	22
155	A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 393.	1.6	21
156	Weight loss referrals for adults in primary care (WRAP): protocol for a multi-centre randomised controlled trial comparing the clinical and cost-effectiveness of primary care referral to a commercial weight loss provider for 12Âweeks, referral for 52Âweeks, and a brief self-help intervention [ISRCTN82857232]. BMC Public Health, 2014, 14, 620.	2.9	21
157	Association between characteristics of behavioural weight loss programmes and weight change after programme end: systematic review and meta-analysis. BMJ, The, 2021, 374, n1840.	6.0	21
158	Rapid reduction versus abrupt quitting for smokers who want to stop soon: a randomised controlled non-inferiority trial. Trials, 2009, 10, 69.	1.6	20
159	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. BMC Public Health, 2010, 10, 680.	2.9	20
160	Promoting smoking cessation through smoking reduction during Ramadan. Addiction, 2011, 106, 1379-1380.	3.3	20
161	Synthesis of Evidence On Heterogeneous Interventions with Multiple Outcomes Recorded Over Multiple Follow-Up Times Reported Inconsistently: A Smoking Cessation Case-Study. Journal of the Royal Statistical Society Series A: Statistics in Society, 2014, 177, 295-314.	1.1	20
162	The Association Between Treatment Adherence to Nicotine Patches and Smoking Cessation in Pregnancy: A Secondary Analysis of a Randomized Controlled Trial. Nicotine and Tobacco Research, 2016, 18, 1952-1959.	2.6	20

#	Article	IF	CITATIONS
163	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. Nicotine and Tobacco Research, 2016, 18, 289-297.	2.6	20
164	Provision of smoking cessation support in UK primary care: impact of the 2012 QOF revision. British Journal of General Practice, 2016, 66, e10-e15.	1.4	20
165	ls Doctor Referral to a Lowâ€Energy Total Diet Replacement Program Costâ€Effective for the Routine Treatment of Obesity?. Obesity, 2019, 27, 391-398.	3.0	20
166	Cost-effectiveness of bariatric surgery and non-surgical weight management programmes for adults with severe obesity: a decision analysis model. International Journal of Obesity, 2021, 45, 2179-2190.	3.4	20
167	Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. Addiction, 2009, 104, 828-838.	3.3	19
168	Lack of Association of OPRM1 Genotype and Smoking Cessation. Nicotine and Tobacco Research, 2013, 15, 739-744.	2.6	19
169	GP-delivered brief weight loss interventions: a cohort study of patient responses and subsequent actions, using conversation analysis in UK primary care. British Journal of General Practice, 2018, 68, e646-e653.	1.4	19
170	The Factor Structure and Factorial Invariance for the Decisional Balance Scale for Adolescent Smoking. International Journal of Behavioral Medicine, 2009, 16, 158-163.	1.7	18
171	Drugs for smoking cessation. BMJ, The, 2016, 352, i571.	6.0	18
172	Should we recommend e-cigarettes to help smokers quit?. BMJ: British Medical Journal, 2018, 361, k1759.	2.3	18
173	Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. BMJ Open, 2019, 9, e030174.	1.9	18
174	Interventions for preventing weight gain after smoking cessation. The Cochrane Library, 2021, 2021, CD006219.	2.8	18
175	Is attributing smoking to genetic causes associated with a reduced probability of quit attempt success? A cohort study. Addiction, 2007, 102, 1657-1664.	3.3	17
176	A pilot randomised controlled trial of the feasibility of using body scan and isometric exercises for reducing urge to smoke in a smoking cessation clinic. BMC Public Health, 2008, 8, 349.	2.9	17
177	Cytisine and the failure to market and regulate for human health. Thorax, 2013, 68, 989-989.	5.6	17
178	Should we welcome food industry funding of public health research?. BMJ, The, 2016, 353, i2161.	6.0	17
179	Cognitive and behavioural strategies for selfâ€directed weight loss: systematic review of qualitative studies. Obesity Reviews, 2017, 18, 335-349.	6.5	17
180	Effects of interventions to combat tobacco addiction: Cochrane update of 2019 and 2020 reviews. Addiction, 2022, 117, 1573-1588.	3.3	17

#	Article	IF	CITATIONS
181	Are school physical activity characteristics associated with weight status in primary school children? A multilevel cross-sectional analysis of routine surveillance data. Archives of Disease in Childhood, 2014, 99, 135-141.	1.9	16
182	Cluster analysis of behavioural weight management strategies and associations with weight change in young women: a longitudinal analysis. International Journal of Obesity, 2015, 39, 1601-1606.	3.4	16
183	Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. International Journal of Obesity, 2019, 43, 2066-2075.	3.4	16
184	Patterns in Weight and Physical Activity Tracking Data Preceding a Stop in Weight Monitoring: Observational Analysis. Journal of Medical Internet Research, 2020, 22, e15790.	4.3	16
185	Replacing meat with alternative plant-based products (RE-MAP): a randomized controlled trial of a multicomponent behavioral intervention to reduce meat consumption. American Journal of Clinical Nutrition, 2022, 115, 1357-1366.	4.7	16
186	Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). BMC Public Health, 2015, 15, 530.	2.9	15
187	Physician Support of Smoking Cessation After Diagnosis of Lung, Bladder, or Upper Aerodigestive Tract Cancer. Annals of Family Medicine, 2017, 15, 443-450.	1.9	15
188	Doctor Referral of Overweight People to a Low-Energy Treatment (DROPLET) in primary care using total diet replacement products: a protocol for a randomised controlled trial. BMJ Open, 2017, 7, e016709.	1.9	15
189	Behavioural interventions for smoking cessation: an overview and network meta-analysis. The Cochrane Library, 0, , .	2.8	15
190	Weight loss as a predictor of cancer and serious disease in primary care: an ISAC-approved CPRD protocol for a retrospective cohort study using routinely collected primary care dataÂfrom the UK. Diagnostic and Prognostic Research, 2018, 2, 1.	1.8	15
191	Vaping for weight control: A cross-sectional population study in England. Addictive Behaviors, 2019, 95, 211-219.	3.0	15
192	Prevention and reversal of Type 2 diabetes: highlights from a symposium at the 2019 Diabetes <scp>UK</scp> Annual Professional Conference. Diabetic Medicine, 2019, 36, 359-365.	2.3	15
193	Combining simple blood tests to identify primary care patients with unexpected weight loss for cancer investigation: Clinical risk score development, internal validation, and net benefit analysis. PLoS Medicine, 2021, 18, e1003728.	8.4	15
194	Assessing the association between the use of NRT for smoking reduction and attempts to quit smoking using propensity score matching. Drug and Alcohol Dependence, 2012, 126, 354-361.	3.2	14
195	Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. Trials, 2014, 15, 296.	1.6	14
196	Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. Trials, 2016, 17, 524.	1.6	14
197	Experiences of Reframing during Selfâ€Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. Applied Psychology: Health and Well-Being, 2018, 10, 309-329.	3.0	14
198	Greater Attendance at a Community Weight Loss Programme over the First 12 Weeks Predicts Weight Loss at 2 Years. Obesity Facts, 2020, 13, 349-360.	3.4	14

#	Article	IF	CITATIONS
199	Selfâ€help educational booklets for the prevention of smoking relapse following smoking cessation treatment: a randomized controlled trial. Addiction, 2015, 110, 2006-2014.	3.3	13
200	Differences in Longer-Term Smoking Abstinence After Treatment by Specialist or Nonspecialist Advisors: Secondary Analysis of Data From a Relapse Prevention Trial. Nicotine and Tobacco Research, 2016, 18, 1061-1066.	2.6	13
201	Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. BMC Pregnancy and Childbirth, 2018, 18, 156.	2.4	13
202	Cognitive and behavioural strategies for weight management in overweight adults: Results from the Oxford Food and Activity Behaviours (OxFAB) cohort study. PLoS ONE, 2018, 13, e0202072.	2.5	13
203	Prioritising primary care patients with unexpected weight loss for cancer investigation: diagnostic accuracy study. BMJ, The, 2020, 370, m2651.	6.0	13
204	Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. Health Technology Assessment, 2015, 19, 1-70.	2.8	13
205	Views about integrating smoking cessation treatment within psychological services for patients with common mental illness: A multiâ€perspective qualitative study. Health Expectations, 2021, 24, 411-420.	2.6	13
206	Obesity, metabolic risk and adherence to healthy lifestyle behaviours: prospective cohort study in the UK Biobank. BMC Medicine, 2022, 20, 65.	5.5	13
207	Electronic cigarettes and subsequent cigarette smoking in young people. The Cochrane Library, 2022, 2022, .	2.8	13
208	The partial smoking ban in licensed establishments and health inequalities in England: modelling study. BMJ: British Medical Journal, 2005, 331, 488-489.	2.3	12
209	Financial incentives for smoking cessation in pregnancy: protocol for a single arm intervention study. BMC Pregnancy and Childbirth, 2013, 13, 66.	2.4	12
210	Does Use of Nicotine Replacement Therapy While Continuing to Smoke Undermine Cessation?: A Systematic Review. Journal of Smoking Cessation, 2013, 8, 45-56.	1.0	12
211	<p>The internal validation of weight and weight change coding using weight measurement data within the UK primary care Electronic Health Record</p> . Clinical Epidemiology, 2019, Volume 11, 145-155.	3.0	12
212	Effectiveness of a selfâ€regulation intervention for weight loss: A randomized controlled trial. British Journal of Health Psychology, 2020, 25, 652-676.	3.5	12
213	Association of Weight Changes With Changes in Histological Features and Blood Markers in Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2022, 20, e538-e547.	4.4	12
214	Addressing concerns about smoking cessation and mental health: theoretical review and practical guide for healthcare professionals. BJ Psych Advances, 2021, 27, 85-95.	0.7	12
215	A Mobile Health Salt Reduction Intervention for People With Hypertension: Results of a Feasibility Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e26233.	3.7	12
216	Discussing weight loss opportunistically and effectively in family practice: a qualitative study of clinical interactions using conversation analysis in UK family practice. Family Practice, 2021, 38, 321-328.	1.9	12

#	Article	IF	CITATIONS
217	Effectiveness of Motivational Interviewing in Managing Overweight and Obesity. Annals of Internal Medicine, 2022, 175, 838-850.	3.9	12
218	Associations Between Dietary Patterns and Incident Type 2 Diabetes: Prospective Cohort Study of 120,343 UK Biobank Participants. Diabetes Care, 2022, 45, 1315-1325.	8.6	12
219	The place of varenicline in smoking cessation treatment. Thorax, 2008, 63, 666-668.	5.6	11
220	Mediated, moderated and direct effects of country of residence, age, and gender on the cognitive and social determinants of adolescent smoking in Spain and the UK: a cross-sectional study. BMC Public Health, 2009, 9, 173.	2.9	11
221	Predicting the lifeâ€time benefit of schoolâ€based smoking prevention programmes. Addiction, 2010, 105, 1109-1116.	3.3	11
222	Smoking cessation and development of respiratory health in smokers screened with normal spirometry. Respiratory Medicine, 2011, 105, 243-249.	2.9	11
223	Incentives for promoting smoking cessation: What we still do not know. , 2011, , ED000027.		11
224	Experiences of outreach workers in promoting smoking cessation to Bangladeshi and Pakistani men: longitudinal qualitative evaluation. BMC Public Health, 2011, 11, 452.	2.9	11
225	Association Between Nicotinic Acetylcholine Receptor Single Nucleotide Polymorphisms and Smoking Cessation. Nicotine and Tobacco Research, 2012, 14, 993-997.	2.6	11
226	Gradual Reduction vs Abrupt Cessation as a Smoking Cessation Strategy in Smokers Who Want to Quit. JAMA - Journal of the American Medical Association, 2013, 310, 91.	7.4	11
227	Does deterioration in mental health after smoking cessation predict relapse to smoking?. BMC Public Health, 2015, 15, 1150.	2.9	11
228	Effectiveness of regular weighing, weight target setting and feedback by community midwives within routine antenatal care in preventing excessive gestational weight gain: randomised controlled trial. BMC Obesity, 2015, 3, 7.	3.1	11
229	Does smoking cessation result in improved mental health? A comparison of regression modelling and propensity score matching. BMJ Open, 2015, 5, e008774.	1.9	11
230	When should unexpected weight loss warrant further investigation to exclude cancer?. BMJ: British Medical Journal, 2019, 366, I5271.	2.3	11
231	The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. BMC Medicine, 2019, 17, 51.	5.5	11
232	Effect of weight loss on cardiometabolic risk: observational analysis of two randomised controlled trials of community weight-loss programmes. British Journal of General Practice, 2021, 71, e312-e319.	1.4	11
233	The Chinese Intelligence Scale for Young Children. Educational and Psychological Measurement, 2009, 69, 459-474.	2.4	10
234	A randomised trial of nicotine assisted reduction to stop in pharmacies - the redpharm study. BMC Public Health, 2012, 12, 182.	2.9	10

#	Article	IF	CITATIONS
235	Attentional bias retraining in cigarette smokers attempting smoking cessation (ARTS): Study protocol for a double blind randomised controlled trial. BMC Public Health, 2013, 13, 1176.	2.9	10
236	Future orientation and smoking cessation: secondary analysis of data from a smoking cessation trial. Addiction, 2014, 109, 1732-1740.	3.3	10
237	Does cigarette reduction while using nicotine replacement therapy prior to a quit attempt predict abstinence following quit date?. Addiction, 2016, 111, 1275-1282.	3.3	10
238	Student- and school-level belonging and commitment and student smoking, drinking and misbehaviour. Health Education Journal, 2017, 76, 206-220.	1.2	10
239	Early weight gain after stopping smoking: a predictor of overall large weight gain? A single-site retrospective cohort study. BMJ Open, 2018, 8, e023987.	1.9	10
240	Replacing meat with alternative plant-based products (RE-MAPs): protocol for a randomised controlled trial of a behavioural intervention to reduce meat consumption. BMJ Open, 2019, 9, e027016.	1.9	10
241	Dietary Approaches to the Management Of type 2 Diabetes (DIAMOND): protocol for a randomised feasibility trial. BMJ Open, 2019, 9, e026460.	1.9	10
242	A systematic review of UKâ€based longâ€ŧerm nonsurgical interventions for people with severe obesity (BMI ≥35ÂkgÂm â^'2 ). Journal of Human Nutrition and Dietetics, 2020, 33, 351-372.	2.5	10
243	Weight loss interventions on healthâ€related quality of life in those with moderate to severe obesity: Findings from an individual patient data metaâ€analysis of randomized trials. Obesity Reviews, 2021, 22, e13317.	6.5	10
244	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial. PLoS Medicine, 2020, 17, e1003385.	8.4	10
245	The psychological journey of weight gain in psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 525-540.	2.5	10
246	Does smoking influence survival in cancer patients through effects on respiratory and vascular disease?. European Journal of Cancer Prevention, 2006, 15, 87-90.	1.3	9
247	Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. Trials, 2012, 13, 69.	1.6	9
248	Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. PLoS ONE, 2018, 13, e0205992.	2.5	9
249	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. Trials, 2019, 20, 659.	1.6	9
250	Smoking cessation for improving mental health. The Cochrane Library, 0, , .	2.8	9
251	What happens when patients say "no―to offers of referral for weight loss? - Results and recommendations from a conversation analysis of primary care interactions. Patient Education and Counseling, 2022, 105, 524-533.	2.2	9
252	Electronic cigarettes as a smoking cessation aid for patients with cancer: beliefs and behaviours of clinicians in the UK. BMJ Open, 2020, 10, e037637.	1.9	9

#	Article	IF	CITATIONS
253	A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. Public Health Research, 2019, 7, 1-66.	1.3	9
254	Behavioural programmes for cigarette smoking cessation: investigating interactions between behavioural, motivational and delivery components in a systematic review and component network metaâ€analysis. Addiction, 2022, 117, 2145-2156.	3.3	9
255	Monitoring the performance of general practices. Journal of Evaluation in Clinical Practice, 1997, 3, 275-281.	1.8	8
256	Where next with theory and research on how the school environment influences young people's substance use?. Health and Place, 2016, 40, 91-97.	3.3	8
257	A new measure of unhealthy school environments and its implications for critical assessments of health promotion in schools. Critical Public Health, 2017, 27, 248-262.	2.4	8
258	Emaciated mannequins: a study of mannequin body size in high street fashion stores. Journal of Eating Disorders, 2017, 5, 13.	2.7	8
259	The Salt Swap intervention to reduce salt intake in people with high blood pressure: protocol for a feasibility randomised controlled trial. Trials, 2019, 20, 584.	1.6	8
260	IntEgrating Smoking Cessation treatment As part of usual Psychological care for dEpression and anxiety (ESCAPE): protocol for a randomised and controlled, multicentre, acceptability, feasibility and implementation trial. Pilot and Feasibility Studies, 2019, 5, 16.	1.2	8
261	Analysing self-regulatory behaviours in response to daily weighing: a think-aloud study with follow-up interviews. Psychology and Health, 2020, 35, 16-35.	2.2	8
262	Is there a place for cuttingâ€downâ€ŧoâ€stop in smoking cessation support?. Addiction, 2020, 115, 1797-1799.	3.3	8
263	Nicotine preloading for smoking cessation: the Preloading RCT. Health Technology Assessment, 2018, 22, 1-84.	2.8	8
264	Managing smoking cessation‑related weight gain. , 2012, 122, 494-8.		8
265	Can the Stages of Change for Smoking Acquisition Be Measured Reliably in Adolescents?. Preventive Medicine, 2002, 35, 407-414.	3.4	7
266	The association of rs1051730 genotype on adherence to and consumption of prescribed nicotine replacement therapy dose during a smoking cessation attempt. Drug and Alcohol Dependence, 2015, 151, 236-240.	3.2	7
267	Association between smoking-related attentional bias and craving measured in the clinic and in the natural environment Psychology of Addictive Behaviors, 2016, 30, 868-875.	2.1	7
268	A mixed methods feasibility study of nicotine-assisted smoking reduction programmes delivered by community pharmacists – The RedPharm study. BMC Public Health, 2017, 17, 210.	2.9	7
269	Primary care treatment of insomnia: study protocol for a pragmatic, multicentre, randomised controlled trial comparing nurse-delivered sleep restriction therapy to sleep hygiene (the HABIT) Tj ETQq1 1 0.784	31 <b>.4</b> rgBT	Overlock 1(
270	What Makes Opportunistic GP Interventions Effective? An Analysis of Behavior Change Techniques Used in 237 GP-Delivered Brief Interventions for Weight Loss. Annals of Behavioral Medicine, 2021, 55, 228-241.	2.9	7

Paul Aveyard

#	Article	IF	CITATIONS
271	General practitioner views on addressing weight opportunistically in primary care: An embedded sequential mixed-methods study. Patient Education and Counseling, 2021, , .	2.2	7
272	Identifying effective characteristics of behavioral weight management interventions for people with serious mental illness: A systematic review with a qualitative comparative analysis. Obesity Reviews, 2022, 23, e13355.	6.5	7
273	Pharmacological and electronic cigarette interventions for smoking cessation in adults: component network meta-analyses. The Cochrane Library, 2022, 2022, .	2.8	7
274	Does the multidimensional nature of super profiles help district health authorities understand the way social capital affects health?. Journal of Public Health, 2000, 22, 317-323.	1.8	6
275	BEHAVIOURAL INTERVENTIONS TO PREVENT WEIGHT GAIN ON SMOKING CESSATION: A RESPONSE. Addiction, 2009, 104, 2119-2120.	3.3	6
276	Should smokers be advised to cut down as well as quit?. BMJ, The, 2014, 348, g2787-g2787.	6.0	6
277	Type 2 diabetes: treating not managing. Lancet Diabetes and Endocrinology,the, 2019, 7, 326-327.	11.4	6
278	Brief interventions for obesity when patients are asked to pay for weight loss treatment: an observational study in primary care with an embedded randomised trial. British Journal of General Practice, 2020, 70, e348-e355.	1.4	6
279	A fresh look at proportional mortality ratios. Public Health, 1998, 112, 77-80.	2.9	6
280	Randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: protocol for the Trial of physical Activity-assisted Reduction of Smoking (TARS) Study. BMJ Open, 2020, 10, e043331.	1.9	6
281	User Experiences of a Smartphone-Based Attentive Eating App and Their Association With Diet and Weight Loss Outcomes: Thematic and Exploratory Analyses From a Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e16780.	3.7	6
282	The old and familiar meets the new and unknown: patient and clinician perceptions on eâ€cigarettes for smoking reduction in UK general practice, a qualitative interview study. Addiction, 2022, 117, 1427-1437.	3.3	6
283	Factors influencing the impact of pharmacogenomic prescribing on adherence to nicotine replacement therapy: A qualitative study of participants from a randomized controlled trial. Translational Behavioral Medicine, 2018, 8, 18-28.	2.4	6
284	Promoting smoking cessation in Bangladeshi and Pakistani male adults: design of a pilot cluster randomised controlled trial of trained community smoking cessation workers. Trials, 2009, 10, 71.	1.6	5
285	Trial Protocol: Randomised controlled trial of the effects of very low calorie diet, modest dietary restriction, and sequential behavioural programme on hunger, urges to smoke, abstinence and weight gain in overweight smokers stopping smoking. Trials, 2010, 11, 94.	1.6	5
286	Brief Interventions for Weight Loss in Primary Care. Current Obesity Reports, 2013, 2, 341-347.	8.4	5
287	Mediators of the effect of nicotine preâ€ŧreatment on quitting smoking. Addiction, 2018, 113, 2280-2289.	3.3	5
288	Extended follow-up of a short total diet replacement programme: results of the Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET) randomised controlled trial at 3 years. International Journal of Obesity, 2021, 45, 2432-2438.	3.4	5

#	Article	IF	CITATIONS
289	Primary Care SHOPping intervention for cardiovascular disease prevention (PC-SHOP): protocol for a randomised controlled trial to reduce saturated fat intake. BMJ Open, 2019, 9, e027035.	1.9	5
290	The neurobiological basis for partial agonist treatment of nicotine dependence. International Journal of Clinical Practice, 2006, 60, 507-508.	1.7	4
291	RESPONSE TO SPRING <i>ET AL</i> .: WHAT IS THE BEST METHOD TO ASSESS THE EFFECT OF COMBINED INTERVENTIONS FOR SMOKING CESSATION AND POSTâ€CESSATION WEIGHT GAIN?. Addiction, 2011, 106, 675-676.	3.3	4
292	Psychometric Properties of the Processes of Change Scale for Smoking Cessation in UK Adolescents. International Journal of Behavioral Medicine, 2011, 18, 71-78.	1.7	4
293	Weight Change Over Eight Years in Relation to Alcohol Consumption in a Cohort of Continuing Smokers and Quitters. Nicotine and Tobacco Research, 2011, 13, 1149-1154.	2.6	4
294	Mediation analysis of the association between use of NRT for smoking reduction and attempts to stop smoking. Psychology and Health, 2012, 27, 1118-1133.	2.2	4
295	Slimming World in Stop Smoking Services (SWISSS): study protocol for a randomized controlled trial. Trials, 2013, 14, 182.	1.6	4
296	Tackling statin intolerance with n-of-1 trials (TaSINI) in primary care: protocol for a feasibility randomised trial to increase statin adherence. BMJ Open, 2020, 10, e033070.	1.9	4
297	Exploratory Analyses of the Popularity and Efficacy of Four Behavioral Methods of Gradual Smoking Cessation. Nicotine and Tobacco Research, 2020, 22, 2257-2261.	2.6	4
298	The effect of referral to an openâ€group behavioural weightâ€management programme on the relative risk of normoglycaemia, nonâ€diabetic hyperglycaemia and type 2 diabetes: Secondary analysis of the <scp>WRAP</scp> trial. Diabetes, Obesity and Metabolism, 2020, 22, 2069-2076.	4.4	4
299	Heterogeneity in the uptake, attendance, and outcomes in a clinical trial of a total diet replacement weight loss programme. BMC Medicine, 2020, 18, 86.	5.5	4
300	Individual inflammatory marker abnormalities or inflammatory marker scores to identify primary care patients with unexpected weight loss for cancer investigation?. British Journal of Cancer, 2021, 124, 1540-1542.	6.4	4
301	The relationship between mean birth weight and poverty using the Townsend deprivation score and the Super Profile classification system. Public Health, 2002, 116, 308-314.	2.9	4
302	Effects of a group-based weight management programme on anxiety and depression: A randomised controlled trial (RCT). PLoS ONE, 2022, 17, e0263228.	2.5	4
303	Unblinded and Blinded N-of-1 Trials Versus Usual Care: A Randomized Controlled Trial to Increase Statin Uptake in Primary Care. Circulation: Cardiovascular Quality and Outcomes, 2022, 15, .	2.2	4
304	Does exercise in adolescence prevent smoking uptake?. Addiction, 2007, 102, 1025-1026.	3.3	3
305	Trial protocol and preliminary results for a cluster randomised trial of behavioural support versus brief advice for smoking cessation in adolescents. BMC Research Notes, 2010, 3, 336.	1.4	3
306	Temporary abstinence from smoking prior to surgery reduces harm to smokers. International Journal of Clinical Practice, 2010, 64, 285-288.	1.7	3

#	Article	IF	CITATIONS
307	Benefits of medical treatment of obesity. Lancet, The, 2011, 377, 903.	13.7	3
308	Provision of commercial weight management programmes. Lancet, The, 2011, 378, 1444-1445.	13.7	3
309	Differential Efficacy of Nicotine Replacement Among Overweight and Obese Women Smokers. Nicotine and Tobacco Research, 2015, 17, 855-861.	2.6	3
310	Does smoking reduction worsen mental health? A comparison of two observational approaches. BMJ Open, 2015, 5, e007812-e007812.	1.9	3
311	How can schools help to reduce the harm associated with teenage substance use? Development of a theoretically driven whole-school approach. Drugs and Alcohol Today, 2017, 17, 1-11.	0.7	3
312	Impact of variation in functions and delivery on the effectiveness of behavioural and mood management interventions for smoking cessation in people with depression: protocol for a systematic review and meta-analysis. BMJ Open, 2017, 7, e018617.	1.9	3
313	Testing the effectiveness of a weight loss intervention to enhance self-regulation in adults who are obese: protocol for a randomised controlled trial. BMJ Open, 2019, 9, e031572.	1.9	3
314	Vaping for weight control: Findings from a qualitative study. Addictive Behaviors Reports, 2020, 12, 100275.	1.9	3
315	The Effect of Moderate Weight Loss on a Non-Invasive Biomarker of Liver Fibrosis: A Randomised Controlled Trial. Obesity Facts, 2020, 13, 144-151.	3.4	3
316	The effect of nicotine dependence and withdrawal symptoms on use of nicotine replacement therapy: Secondary analysis of a randomized controlled trial in primary care. Journal of Substance Abuse Treatment, 2022, 132, 108591.	2.8	3
317	The cost effectiveness of including pencils and erasers with self-completion epidemiological questionnaires. Public Health, 2001, 115, 80-81.	2.9	3
318	Is it as easy as young people claim for them to buy cigarettes?. Health Education, 2005, 105, 103-108.	0.9	2
319	"Intention to Analyze―in Pharmacogenomics Studies. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 740-741.	2.5	2
320	Is the UK's coalition Government serious about public health?. Lancet, The, 2010, 376, 589.	13.7	2
321	Commentary on Chan <i>et al.</i> (2011): Smoking reduction – where are we now?. Addiction, 2011, 106, 1164-1165.	3.3	2
322	A commentary on â€~exercise and smoking cessation (Ussher etÂal, 2012): And the verdict is…'. Mental Health and Physical Activity, 2012, 5, 101-102.	1.8	2
323	Authors respond to criticism that treatment is ineffective. BMJ: British Medical Journal, 2009, 338, b1979-b1979.	2.3	2
324	Optimising an intervention to support home-living older adults at risk of malnutrition: a qualitative study. BMC Family Practice, 2021, 22, 219.	2.9	2

#	Article	IF	CITATIONS
325	Lifestyle advice for hypertension or diabetes: trend analysis from 2002 to 2017 in England. British Journal of General Practice, 2022, 72, e269-e275.	1.4	2
326	Non-tailored computer-generated letters encourage smokers to quit. Evidence-Based Healthcare and Public Health, 2001, 5, 113-114.	0.0	1
327	A preliminary investigation into factors influencing limiting long-standing illness among UK university graduates: a retrospective cohort study. Health (United Kingdom), 2006, 10, 47-73.	1.5	1
328	What is transtheoretical therapy? A response to Prochaska. Social Science and Medicine, 2009, 68, 407-409.	3.8	1
329	A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. Psychopharmacology, 2011, 216, 43-51.	3.1	1
330	Response to Rose (2011): nicotine preloading: the importance of a pre-cessation reduction in smoking behavior. Psychopharmacology, 2011, 218, 459-460.	3.1	1
331	Public health benefits of weight loss: in response to Dixon et al Journal of Public Health, 2013, 35, 342-342.	1.8	1
332	Attacking scientists who lead work on reducing sugar intake damages the cause. BMJ, The, 2015, 350, h1133-h1133.	6.0	1
333	Authors' reply to Braillon and Bewley. BMJ, The, 2015, 350, h3555-h3555.	6.0	1
334	Gradual Versus Abrupt Smoking Cessation. Annals of Internal Medicine, 2016, 165, 742.	3.9	1
335	Obesity management in primary care – Authors' reply. Lancet, The, 2017, 389, 1606-1607.	13.7	1
336	Reduction versus abrupt cessation in smokers who want to quit. The Cochrane Library, 2019, 10, CD008033.	2.8	1
337	CrossTalk proposal: The benefits of e igarettes outweigh the harms. Journal of Physiology, 2020, 598, 3049-3051.	2.9	1
338	Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWeL trial. Clinical Obesity, 2021, 11, e12418.	2.0	1
339	What proportion of people have a follow-up biopsy in randomized trials of treatments for non-alcoholic steatohepatitis?: A systematic review and meta-analysis. PLoS ONE, 2021, 16, e0250385.	2.5	1
340	Smoking cessation for secondary prevention of cardiovascular disease. The Cochrane Library, 0, , .	2.8	1
341	The risk of preterm delivery in women from different ethnic groups. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 894-899.	2.3	1
342	Weight change, cardio-metabolic risk factors and cardiovascular incidence in people with serious mental illness: protocol of a population-based cohort study in the UK from 1998 to 2020. BMJ Open, 2021, 11, e053427.	1.9	1

#	Article	IF	CITATIONS
343	Referral to Slimming World in UK Stop Smoking Services (SWISSS) versus stop smoking support alone on body weight in quitters: results of a randomised controlled trial. BMJ Open, 2020, 10, e032271.	1.9	1
344	New York City offensive against tobacco. Lancet, The, 2005, 365, 1831-1832.	13.7	0
345	Understanding Nicotine and Tobacco Addiction. Edited by Gregory Bock & Jamie Goode. John Wiley & Sons. 2006. 284pp. £80.00 (hb). ISBN 0470016574. British Journal of Psychiatry, 2007, 191, 272-272.	2.8	0
346	Is there a relationship between where students sit in lectures and their performance in examinations?. Medical Education, 2007, 41, 1234-1234.	2.1	0
347	Authors' reply to Sanderson and colleagues. BMJ, The, 2014, 348, g2031-g2031.	6.0	0
348	Authors' reply to Mendelsohn. BMJ, The, 2016, 353, i2177.	6.0	0
349	Obesity, self-reported symptom severity, and quality of life in people with atrial fibrillation: A community-based cross-sectional survey. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2221-2229.	2.6	0
350	Rebuttal from Rachna Begh and Paul Aveyard. Journal of Physiology, 2020, 598, 3057-3057.	2.9	0
351	Using Supermarket Loyalty Card Data to Provide Personalised Advice to Help Reduce Saturated Fat Intake among Patients with Hypercholesterolemia: A Qualitative Study of Participants' Experiences. Nutrients, 2021, 13, 1146.	4.1	0
352	Authors' reply to letter. BMJ: British Medical Journal, 2007, 335, 222.2-222.	2.3	0
353	Smoking cessation 1: choosing the right pharmacotherapy for each patient. Primary Care Cardiovascular Journal, 2009, 2, 19.	0.1	0
354	Smoking cessation 2: nicotine replacement therapy – new tricks with old drugs. Primary Care Cardiovascular Journal, 2009, 2, 21.	0.1	0
355	Smoking cessation 3: nicotinic partial agonists in smoking cessation – varenicline and cytisine. Primary Care Cardiovascular Journal, 2009, 2, 87.	0.1	0
356	Smoking cessation 4: antidepressants for smoking cessation – bupropion and nortriptyline. Primary Care Cardiovascular Journal, 2010, 3, 32.	0.1	0
357	A Natural Experiment Comparing the Effectiveness of the "Healthy Eagles―Child Weight Management Intervention in School Versus Community Settings. Nutrients, 2021, 13, 3912.	4.1	0
358	Recommendations on smoking cessation intervention from Malmö International Strategic Seminar. Clinical Health Promotion - Research and Best Practice for Patients Staff and Community, 2015, 5, 25-25.	0.1	0
359	Title is missing!. , 2020, 17, e1003385.		0

0

#	Article	IF	CITATIONS
361	Title is missing!. , 2020, 17, e1003385.		0
362	Title is missing!. , 2020, 17, e1003385.		0
363	Title is missing!. , 2020, 17, e1003385.		0
364	Prevention in practice: why is it neglected and what can we do?. British Journal of General Practice, 2022, 72, 237-238.	1.4	0