Paul Aveyard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3258570/publications.pdf

Version: 2024-02-01

364 papers 15,868 citations

20759 60 h-index 24915 109 g-index

377 all docs

377 docs citations

times ranked

377

18455 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association of Weight Changes With Changes in Histological Features and Blood Markers in Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2022, 20, e538-e547. | 2.4 | 12 |
| 2 | The effect of nicotine dependence and withdrawal symptoms on use of nicotine replacement therapy: Secondary analysis of a randomized controlled trial in primary care. Journal of Substance Abuse Treatment, 2022, 132, 108591. | 1.5 | 3 |
| 3 | What happens when patients say "no―to offers of referral for weight loss? - Results and recommendations from a conversation analysis of primary care interactions. Patient Education and Counseling, 2022, 105, 524-533. | 1.0 | 9 |
| 4 | Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. Thorax, 2022, 77, 65-73. | 2.7 | 118 |
| 5 | Identifying effective characteristics of behavioral weight management interventions for people with serious mental illness: A systematic review with a qualitative comparative analysis. Obesity Reviews, 2022, 23, e13355. | 3.1 | 7 |
| 6 | Effects of interventions to combat tobacco addiction: Cochrane update of 2019 and 2020 reviews. Addiction, 2022, 117, 1573-1588. | 1.7 | 17 |
| 7 | The association of weight loss with changes in the gut microbiota diversity, composition, and intestinal permeability: a systematic review and meta-analysis. Gut Microbes, 2022, 14, 2020068. | 4.3 | 41 |
| 8 | Associations between body composition, fat distribution and metabolic consequences of excess adiposity with severe COVID-19 outcomes: observational study and Mendelian randomisation analysis. International Journal of Obesity, 2022, 46, 943-950. | 1.6 | 24 |
| 9 | Behavioural programmes for cigarette smoking cessation: investigating interactions between behavioural, motivational and delivery components in a systematic review and component network metaâ€analysis. Addiction, 2022, 117, 2145-2156. | 1.7 | 9 |
| 10 | Association between smoking, e-cigarette use and severe COVID-19: a cohort study. International Journal of Epidemiology, 2022, 51, 1062-1072. | 0.9 | 25 |
| 11 | The psychological journey of weight gain in psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 525-540. | 1.3 | 10 |
| 12 | Effects of a group-based weight management programme on anxiety and depression: A randomised controlled trial (RCT). PLoS ONE, 2022, 17, e0263228. | 1.1 | 4 |
| 13 | Replacing meat with alternative plant-based products (RE-MAP): a randomized controlled trial of a multicomponent behavioral intervention to reduce meat consumption. American Journal of Clinical Nutrition, 2022, 115, 1357-1366. | 2.2 | 16 |
| 14 | Lifestyle advice for hypertension or diabetes: trend analysis from 2002 to 2017 in England. British Journal of General Practice, 2022, 72, e269-e275. | 0.7 | 2 |
| 15 | Obesity, metabolic risk and adherence to healthy lifestyle behaviours: prospective cohort study in the UK Biobank. BMC Medicine, 2022, 20, 65. | 2.3 | 13 |
| 16 | Pharmacological and electronic cigarette interventions for smoking cessation in adults: component network meta-analyses. The Cochrane Library, 2022, 2022, . | 1.5 | 7 |
| 17 | Electronic cigarettes and subsequent cigarette smoking in young people. The Cochrane Library, 2022, 2022, . | 1.5 | 13 |
| 18 | Effectiveness of Motivational Interviewing in Managing Overweight and Obesity. Annals of Internal Medicine, 2022, 175, 838-850. | 2.0 | 12 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Associations Between Dietary Patterns and Incident Type 2 Diabetes: Prospective Cohort Study of 120,343 UK Biobank Participants. Diabetes Care, 2022, 45, 1315-1325. | 4.3 | 12 |
| 20 | The old and familiar meets the new and unknown: patient and clinician perceptions on eâ€cigarettes for smoking reduction in UK general practice, a qualitative interview study. Addiction, 2022, 117, 1427-1437. | 1.7 | 6 |
| 21 | Prevention in practice: why is it neglected and what can we do?. British Journal of General Practice, 2022, 72, 237-238. | 0.7 | 0 |
| 22 | Unblinded and Blinded N-of-1 Trials Versus Usual Care: A Randomized Controlled Trial to Increase Statin Uptake in Primary Care. Circulation: Cardiovascular Quality and Outcomes, 2022, 15, . | 0.9 | 4 |
| 23 | What Makes Opportunistic GP Interventions Effective? An Analysis of Behavior Change Techniques Used in 237 GP-Delivered Brief Interventions for Weight Loss. Annals of Behavioral Medicine, 2021, 55, 228-241. | 1.7 | 7 |
| 24 | The effect of the magnitude of weight loss on non-alcoholic fatty liver disease: A systematic review and meta-analysis. Metabolism: Clinical and Experimental, 2021, 115, 154455. | 1.5 | 64 |
| 25 | A systematic review and thematic synthesis of qualitative studies exploring GPs' and nurses' perspectives on discussing weight with patients with overweight and obesity in primary care. Obesity Reviews, 2021, 22, e13151. | 3.1 | 32 |
| 26 | Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWeL trial. Clinical Obesity, 2021, 11, e12418. | 1.1 | 1 |
| 27 | Individual inflammatory marker abnormalities or inflammatory marker scores to identify primary care patients with unexpected weight loss for cancer investigation?. British Journal of Cancer, 2021, 124, 1540-1542. | 2.9 | 4 |
| 28 | Using Supermarket Loyalty Card Data to Provide Personalised Advice to Help Reduce Saturated Fat Intake among Patients with Hypercholesterolemia: A Qualitative Study of Participants' Experiences. Nutrients, 2021, 13, 1146. | 1.7 | 0 |
| 29 | Smoking cessation for improving mental health. The Cochrane Library, 2021, 2021, CD013522. | 1.5 | 65 |
| 30 | Associations between dietary patterns and the incidence of total and fatal cardiovascular disease and all-cause mortality in 116,806 individuals from the UK Biobank: a prospective cohort study. BMC Medicine, 2021, 19, 83. | 2.3 | 49 |
| 31 | What proportion of people have a follow-up biopsy in randomized trials of treatments for non-alcoholic steatohepatitis?: A systematic review and meta-analysis. PLoS ONE, 2021, 16, e0250385. | 1.1 | 1 |
| 32 | Associations between body-mass index and COVID-19 severity in $6\hat{A}$ -9 million people in England: a prospective, community-based, cohort study. Lancet Diabetes and Endocrinology, the, 2021, 9, 350-359. | 5.5 | 348 |
| 33 | Cost-effectiveness of bariatric surgery and non-surgical weight management programmes for adults with severe obesity: a decision analysis model. International Journal of Obesity, 2021, 45, 2179-2190. | 1.6 | 20 |
| 34 | General practitioner views on addressing weight opportunistically in primary care: An embedded sequential mixed-methods study. Patient Education and Counseling, 2021, , . | 1.0 | 7 |
| 35 | Extended follow-up of a short total diet replacement programme: results of the Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET) randomised controlled trial at 3 years. International Journal of Obesity, 2021, 45, 2432-2438. | 1.6 | 5 |
| 36 | Combining simple blood tests to identify primary care patients with unexpected weight loss for cancer investigation: Clinical risk score development, internal validation, and net benefit analysis. PLoS Medicine, 2021, 18, e1003728. | 3.9 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Weight loss interventions on healthâ€related quality of life in those with moderate to severe obesity: Findings from an individual patient data metaâ€analysis of randomized trials. Obesity Reviews, 2021, 22, e13317. | 3.1 | 10 |
| 38 | Association between characteristics of behavioural weight loss programmes and weight change after programme end: systematic review and meta-analysis. BMJ, The, 2021, 374, n1840. | 3.0 | 21 |
| 39 | Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. Lancet Respiratory Medicine, the, 2021, 9, 909-923. | 5.2 | 177 |
| 40 | Behavioural interventions for smoking cessation: an overview and network meta-analysis. The Cochrane Library, 2021, 1, CD013229. | 1.5 | 81 |
| 41 | Addressing concerns about smoking cessation and mental health: theoretical review and practical guide for healthcare professionals. BJ Psych Advances, 2021, 27, 85-95. | 0.5 | 12 |
| 42 | Interventions for preventing weight gain after smoking cessation. The Cochrane Library, 2021, 2021, CD006219. | 1.5 | 18 |
| 43 | A Mobile Health Salt Reduction Intervention for People With Hypertension: Results of a Feasibility Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e26233. | 1.8 | 12 |
| 44 | A Natural Experiment Comparing the Effectiveness of the "Healthy Eagles―Child Weight Management Intervention in School Versus Community Settings. Nutrients, 2021, 13, 3912. | 1.7 | 0 |
| 45 | Effect of weight loss on cardiometabolic risk: observational analysis of two randomised controlled trials of community weight-loss programmes. British Journal of General Practice, 2021, 71, e312-e319. | 0.7 | 11 |
| 46 | Views about integrating smoking cessation treatment within psychological services for patients with common mental illness: A multiâ€perspective qualitative study. Health Expectations, 2021, 24, 411-420. | 1.1 | 13 |
| 47 | Discussing weight loss opportunistically and effectively in family practice: a qualitative study of clinical interactions using conversation analysis in UK family practice. Family Practice, 2021, 38, 321-328. | 0.8 | 12 |
| 48 | Weight change, cardio-metabolic risk factors and cardiovascular incidence in people with serious mental illness: protocol of a population-based cohort study in the UK from 1998 to 2020. BMJ Open, 2021, 11, e053427. | 0.8 | 1 |
| 49 | Optimising an intervention to support home-living older adults at risk of malnutrition: a qualitative study. BMC Family Practice, 2021, 22, 219. | 2.9 | 2 |
| 50 | Analysing self-regulatory behaviours in response to daily weighing: a think-aloud study with follow-up interviews. Psychology and Health, 2020, 35, 16-35. | 1.2 | 8 |
| 51 | A foodâ€based, lowâ€energy, lowâ€earbohydrate diet for people with type 2 diabetes in primary care: A randomized controlled feasibility trial. Diabetes, Obesity and Metabolism, 2020, 22, 512-520. | 2.2 | 40 |
| 52 | Clinical encounters about obesity: Systematic review of patients' perspectives. Clinical Obesity, 2020, 10, e12347. | 1.1 | 37 |
| 53 | ls there a place for cuttingâ€downâ€ŧoâ€stop in smoking cessation support?. Addiction, 2020, 115, 1797-1799. | 1.7 | 8 |
| 54 | Obesity, self-reported symptom severity, and quality of life in people with atrial fibrillation: A community-based cross-sectional survey. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2221-2229. | 1.1 | 0 |

| # | Article | IF | Citations |
|----|---|------------------------|-------------------------|
| 55 | Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2020, 106, 1503-1511. | 1.2 | 297 |
| 56 | Prioritising primary care patients with unexpected weight loss for cancer investigation: diagnostic accuracy study. BMJ, The, 2020, 370, m2651. | 3.0 | 13 |
| 57 | Tackling statin intolerance with n-of-1 trials (TaSINI) in primary care: protocol for a feasibility randomised trial to increase statin adherence. BMJ Open, 2020, 10, e033070. | 0.8 | 4 |
| 58 | Greater Attendance at a Community Weight Loss Programme over the First 12 Weeks Predicts Weight Loss at 2 Years. Obesity Facts, 2020, 13, 349-360. | 1.6 | 14 |
| 59 | Brief interventions for obesity when patients are asked to pay for weight loss treatment: an observational study in primary care with an embedded randomised trial. British Journal of General Practice, 2020, 70, e348-e355. | 0.7 | 6 |
| 60 | CrossTalk proposal: The benefits of eâ€eigarettes outweigh the harms. Journal of Physiology, 2020, 598, 3049-3051. | 1.3 | 1 |
| 61 | Rebuttal from Rachna Begh and Paul Aveyard. Journal of Physiology, 2020, 598, 3057-3057. | 1.3 | 0 |
| 62 | Effectiveness of a selfâ€regulation intervention for weight loss: A randomized controlled trial. British Journal of Health Psychology, 2020, 25, 652-676. | 1.9 | 12 |
| 63 | Primary care treatment of insomnia: study protocol for a pragmatic, multicentre, randomised controlled trial comparing nurse-delivered sleep restriction therapy to sleep hygiene (the HABIT) Tj ETQq1 1 0.78 | 843 û.& rgB | T / O verlock [] |
| 64 | Vaping for weight control: Findings from a qualitative study. Addictive Behaviors Reports, 2020, 12, 100275. | 1.0 | 3 |
| 65 | The Effect of Moderate Weight Loss on a Non-Invasive Biomarker of Liver Fibrosis: A Randomised Controlled Trial. Obesity Facts, 2020, 13, 144-151. | 1.6 | 3 |
| 66 | Exploratory Analyses of the Popularity and Efficacy of Four Behavioral Methods of Gradual Smoking Cessation. Nicotine and Tobacco Research, 2020, 22, 2257-2261. | 1.4 | 4 |
| 67 | The effect of referral to an openâ€group behavioural weightâ€management programme on the relative risk of normoglycaemia, nonâ€diabetic hyperglycaemia and type 2 diabetes: Secondary analysis of the <scp>WRAP</scp> trial. Diabetes, Obesity and Metabolism, 2020, 22, 2069-2076. | 2.2 | 4 |
| 68 | A systematic review of UKâ€based longâ€ŧerm nonsurgical interventions for people with severe obesity (BMI ≥35ÂkgÂm â^'2). Journal of Human Nutrition and Dietetics, 2020, 33, 351-372. | 1.3 | 10 |
| 69 | The association between unexpected weight loss and cancer diagnosis in primary care: a matched cohort analysis of 65,000 presentations. British Journal of Cancer, 2020, 122, 1848-1856. | 2.9 | 33 |
| 70 | Heterogeneity in the uptake, attendance, and outcomes in a clinical trial of a total diet replacement weight loss programme. BMC Medicine, 2020, 18, 86. | 2.3 | 4 |
| 71 | Electronic cigarettes as a smoking cessation aid for patients with cancer: beliefs and behaviours of clinicians in the UK. BMJ Open, 2020, 10, e037637. | 0.8 | 9 |
| 72 | Randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: protocol for the Trial of physical Activity-assisted Reduction of Smoking (TARS) Study. BMJ Open, 2020, 10, e043331. | 0.8 | 6 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial. PLoS Medicine, 2020, 17, e1003385. | 3.9 | 10 |
| 74 | Patterns in Weight and Physical Activity Tracking Data Preceding a Stop in Weight Monitoring: Observational Analysis. Journal of Medical Internet Research, 2020, 22, e15790. | 2.1 | 16 |
| 75 | User Experiences of a Smartphone-Based Attentive Eating App and Their Association With Diet and Weight Loss Outcomes: Thematic and Exploratory Analyses From a Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e16780. | 1.8 | 6 |
| 76 | Referral to Slimming World in UK Stop Smoking Services (SWISSS) versus stop smoking support alone on body weight in quitters: results of a randomised controlled trial. BMJ Open, 2020, 10, e032271. | 0.8 | 1 |
| 77 | Title is missing!. , 2020, 17, e1003385. | | 0 |
| 78 | Title is missing!. , 2020, 17, e1003385. | | 0 |
| 79 | Title is missing!. , 2020, 17, e1003385. | | 0 |
| 80 | Title is missing!. , 2020, 17, e1003385. | | 0 |
| 81 | Title is missing!. , 2020, 17, e1003385. | | 0 |
| 82 | Experiences of Self-Monitoring in Self-Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. Qualitative Health Research, 2019, 29, 124-134. | 1.0 | 38 |
| 83 | Communication practices for delivering health behaviour change conversations in primary care: a systematic review and thematic synthesis. BMC Family Practice, 2019, 20, 111. | 2.9 | 39 |
| 84 | Barriers and facilitators to screening and treating malnutrition in older adults living in the community: a mixed-methods synthesis. BMC Family Practice, 2019, 20, 100. | 2.9 | 35 |
| 85 | Association of Weight Loss Interventions With Changes in Biomarkers of Nonalcoholic Fatty Liver Disease. JAMA Internal Medicine, 2019, 179, 1262. | 2.6 | 159 |
| 86 | The Salt Swap intervention to reduce salt intake in people with high blood pressure: protocol for a feasibility randomised controlled trial. Trials, 2019, 20, 584. | 0.7 | 8 |
| 87 | When should unexpected weight loss warrant further investigation to exclude cancer?. BMJ: British Medical Journal, 2019, 366, l5271. | 2.4 | 11 |
| 88 | A systematic review and metaâ€analysis of the effectiveness of meal replacements for weight loss. Obesity Reviews, 2019, 20, 569-587. | 3.1 | 89 |
| 89 | A smartphone based attentive eating intervention for energy intake and weight loss: results from a randomised controlled trial. BMC Public Health, 2019, 19, 611. | 1.2 | 26 |
| 90 | Weight change and the risk of incident atrial fibrillation: a systematic review and meta-analysis. Heart, 2019, 105, 1799-1805. | 1.2 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Replacing meat with alternative plant-based products (RE-MAPs): protocol for a randomised controlled trial of a behavioural intervention to reduce meat consumption. BMJ Open, 2019, 9, e027016. | 0.8 | 10 |
| 92 | Prominent positioning and food swaps are effective interventions to reduce the saturated fat content of the shopping basket in an experimental online supermarket: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 50. | 2.0 | 39 |
| 93 | Is Doctor Referral to a Lowâ€Energy Total Diet Replacement Program Costâ€Effective for the Routine Treatment of Obesity?. Obesity, 2019, 27, 391-398. | 1.5 | 20 |
| 94 | Type 2 diabetes: treating not managing. Lancet Diabetes and Endocrinology, the, 2019, 7, 326-327. | 5.5 | 6 |
| 95 | The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. BMC Medicine, 2019, 17, 51. | 2.3 | 11 |
| 96 | Dietary Approaches to the Management Of type 2 Diabetes (DIAMOND): protocol for a randomised feasibility trial. BMJ Open, 2019, 9, e026460. | 0.8 | 10 |
| 97 | <p>The internal validation of weight and weight change coding using weight measurement data within the UK primary care Electronic Health Record</p> . Clinical Epidemiology, 2019, Volume 11, 145-155. | 1.5 | 12 |
| 98 | Vaping for weight control: A cross-sectional population study in England. Addictive Behaviors, 2019, 95, 211-219. | 1.7 | 15 |
| 99 | IntEgrating Smoking Cessation treatment As part of usual Psychological care for dEpression and anxiety (ESCAPE): protocol for a randomised and controlled, multicentre, acceptability, feasibility and implementation trial. Pilot and Feasibility Studies, 2019, 5, 16. | 0.5 | 8 |
| 100 | Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. International Journal of Obesity, 2019, 43, 2066-2075. | 1.6 | 16 |
| 101 | Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. BMJ Open, 2019, 9, e030174. | 0.8 | 18 |
| 102 | Testing the effectiveness of a weight loss intervention to enhance self-regulation in adults who are obese: protocol for a randomised controlled trial. BMJ Open, 2019, 9, e031572. | 0.8 | 3 |
| 103 | Reduction versus abrupt cessation in smokers who want to quit. The Cochrane Library, 2019, 10, CD008033. | 1.5 | 1 |
| 104 | Interventions to increase adherence to medications for tobacco dependence. The Cochrane Library, 2019, 8, CD009164. | 1.5 | 30 |
| 105 | Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. Trials, 2019, 20, 659. | 0.7 | 9 |
| 106 | Determinants and extent of weight recording in UK primary care: an analysis of 5 million adults' electronic health records from 2000 to 2017. BMC Medicine, 2019, 17, 222. | 2.3 | 24 |
| 107 | Prevention and reversal of Type 2 diabetes: highlights from a symposium at the 2019 Diabetes <scp>UK</scp> Annual Professional Conference. Diabetic Medicine, 2019, 36, 359-365. | 1.2 | 15 |
| 108 | Optimising swaps to reduce the salt content of food purchases in a virtual online supermarket: A randomised controlled trial. Appetite, 2019, 133, 378-386. | 1.8 | 27 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | GPs' and nurses' perceptions of electronic cigarettes in England: a qualitative interview study. British Journal of General Practice, 2019, 69, e8-e14. | 0.7 | 27 |
| 110 | Two observational studies examining the effect of a social norm and a health message on the purchase of vegetables in student canteen settings. Appetite, 2019, 132, 122-130. | 1.8 | 26 |
| 111 | Smoking reduction interventions for smoking cessation. The Cochrane Library, 2019, 2019, CD013183. | 1.5 | 64 |
| 112 | Primary Care SHOPping intervention for cardiovascular disease prevention (PC-SHOP): protocol for a randomised controlled trial to reduce saturated fat intake. BMJ Open, 2019, 9, e027035. | 0.8 | 5 |
| 113 | A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. Public Health Research, 2019, 7, 1-66. | 0.5 | 9 |
| 114 | Effects of empathic and positive communication in healthcare consultations: a systematic review and meta-analysis. Journal of the Royal Society of Medicine, 2018, 111, 240-252. | 1.1 | 196 |
| 115 | Weight loss as a predictor of cancer in primary care: a systematic review and meta-analysis. British Journal of General Practice, 2018, 68, e311-e322. | 0.7 | 43 |
| 116 | Electronic cigarettes for smoking cessation. BMJ: British Medical Journal, 2018, 360, j5543. | 2.4 | 69 |
| 117 | Should we recommend e-cigarettes to help smokers quit?. BMJ: British Medical Journal, 2018, 361, k1759. | 2.4 | 18 |
| 118 | Early weight gain after stopping smoking: a predictor of overall large weight gain? A single-site retrospective cohort study. BMJ Open, 2018, 8, e023987. | 0.8 | 10 |
| 119 | Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. PLoS ONE, 2018, 13, e0205992. | 1.1 | 9 |
| 120 | Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET): pragmatic randomised controlled trial. BMJ: British Medical Journal, 2018, 362, k3760. | 2.4 | 83 |
| 121 | Interventions targeting conscious determinants of human behaviour to reduce the demand for meat: a systematic review with qualitative comparative analysis. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 102. | 2.0 | 85 |
| 122 | Restructuring physical micro-environments to reduce the demand for meat: a systematic review and qualitative comparative analysis. Lancet Planetary Health, The, 2018, 2, e384-e397. | 5.1 | 155 |
| 123 | GP-delivered brief weight loss interventions: a cohort study of patient responses and subsequent actions, using conversation analysis in UK primary care. British Journal of General Practice, 2018, 68, e646-e653. | 0.7 | 19 |
| 124 | Mediators of the effect of nicotine preâ€treatment on quitting smoking. Addiction, 2018, 113, 2280-2289. | 1.7 | 5 |
| 125 | Meat consumption, health, and the environment. Science, 2018, 361, . | 6.0 | 1,031 |
| 126 | Weight loss as a predictor of cancer and serious disease in primary care: an ISAC-approved CPRD protocol for a retrospective cohort study using routinely collected primary care dataAfrom the UK. Diagnostic and Prognostic Research, 2018, 2, 1. | 0.8 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. BMC Pregnancy and Childbirth, 2018, 18, 156. | 0.9 | 13 |
| 128 | Cognitive and behavioural strategies for weight management in overweight adults: Results from the Oxford Food and Activity Behaviours (OxFAB) cohort study. PLoS ONE, 2018, 13, e0202072. | 1.1 | 13 |
| 129 | Experiences of Reframing during Selfâ€Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. Applied Psychology: Health and Well-Being, 2018, 10, 309-329. | 1.6 | 14 |
| 130 | Nicotine preloading for smoking cessation: the Preloading RCT. Health Technology Assessment, 2018, 22, 1-84. | 1.3 | 8 |
| 131 | Bariatric surgery, lifestyle interventions and orlistat for severe obesity: the REBALANCE mixed-methods systematic review and economic evaluation. Health Technology Assessment, 2018, 22, 1-246. | 1.3 | 69 |
| 132 | Factors influencing the impact of pharmacogenomic prescribing on adherence to nicotine replacement therapy: A qualitative study of participants from a randomized controlled trial. Translational Behavioral Medicine, 2018, 8, 18-28. | 1.2 | 6 |
| 133 | A new measure of unhealthy school environments and its implications for critical assessments of health promotion in schools. Critical Public Health, 2017, 27, 248-262. | 1.4 | 8 |
| 134 | Cognitive and behavioural strategies for selfâ€directed weight loss: systematic review of qualitative studies. Obesity Reviews, 2017, 18, 335-349. | 3.1 | 17 |
| 135 | Extended and standard duration weight-loss programme referrals for adults in primary care (WRAP): a randomised controlled trial. Lancet, The, 2017, 389, 2214-2225. | 6.3 | 161 |
| 136 | How can schools help to reduce the harm associated with teenage substance use? Development of a theoretically driven whole-school approach. Drugs and Alcohol Today, 2017, 17, 1-11. | 0.3 | 3 |
| 137 | Student- and school-level belonging and commitment and student smoking, drinking and misbehaviour. Health Education Journal, 2017, 76, 206-220. | 0.6 | 10 |
| 138 | Smoking cessation and survival in lung, upper aero-digestive tract and bladder cancer: cohort study. British Journal of Cancer, 2017, 117, 1224-1232. | 2.9 | 33 |
| 139 | Physician Support of Smoking Cessation After Diagnosis of Lung, Bladder, or Upper Aerodigestive Tract Cancer. Annals of Family Medicine, 2017, 15, 443-450. | 0.9 | 15 |
| 140 | Obesity management in primary care – Authors' reply. Lancet, The, 2017, 389, 1606-1607. | 6.3 | 1 |
| 141 | Tobacco cessation interventions for young people. The Cochrane Library, 2017, 2017, CD003289. | 1.5 | 106 |
| 142 | A mixed methods feasibility study of nicotine-assisted smoking reduction programmes delivered by community pharmacists – The RedPharm study. BMC Public Health, 2017, 17, 210. | 1.2 | 7 |
| 143 | Emaciated mannequins: a study of mannequin body size in high street fashion stores. Journal of Eating Disorders, 2017, 5, 13. | 1.3 | 8 |
| 144 | Impact of variation in functions and delivery on the effectiveness of behavioural and mood management interventions for smoking cessation in people with depression: protocol for a systematic review and meta-analysis. BMJ Open, 2017, 7, e018617. | 0.8 | 3 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Doctor Referral of Overweight People to a Low-Energy Treatment (DROPLET) in primary care using total diet replacement products: a protocol for a randomised controlled trial. BMJ Open, 2017, 7, e016709. | 0.8 | 15 |
| 146 | Using a descriptive social norm to increase vegetable selection in workplace restaurant settings Health Psychology, 2017, 36, 1026-1033. | 1.3 | 56 |
| 147 | Insights From Google Play Store User Reviews for the Development of Weight Loss Apps: Mixed-Method Analysis. JMIR MHealth and UHealth, 2017, 5, e203. | 1.8 | 35 |
| 148 | English Stop-Smoking Services: One-Year Outcomes. International Journal of Environmental Research and Public Health, 2016, 13, 1175. | 1.2 | 31 |
| 149 | Authors' reply to Mendelsohn. BMJ, The, 2016, 353, i2177. | 3.0 | 0 |
| 150 | Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. Trials, 2016, 17, 524. | 0.7 | 14 |
| 151 | The Effects of Liking Norms and Descriptive Norms on Vegetable Consumption: A Randomized Experiment. Frontiers in Psychology, 2016, 7, 442. | 1.1 | 22 |
| 152 | Clinical effectiveness of veryâ€lowâ€energy diets in the management of weight loss: a systematic review and metaâ€analysis of randomized controlled trials. Obesity Reviews, 2016, 17, 225-234. | 3.1 | 82 |
| 153 | Association between smoking-related attentional bias and craving measured in the clinic and in the natural environment Psychology of Addictive Behaviors, 2016, 30, 868-875. | 1.4 | 7 |
| 154 | Gradual Versus Abrupt Smoking Cessation. Annals of Internal Medicine, 2016, 164, 585. | 2.0 | 81 |
| 155 | Where next with theory and research on how the school environment influences young people's substance use?. Health and Place, 2016, 40, 91-97. | 1.5 | 8 |
| 156 | Inequalities in the uptake of weight management interventions in a pragmatic trial: an observational study in primary care. British Journal of General Practice, 2016, 66, e258-e263. | 0.7 | 51 |
| 157 | The Association Between Treatment Adherence to Nicotine Patches and Smoking Cessation in Pregnancy: A Secondary Analysis of a Randomized Controlled Trial. Nicotine and Tobacco Research, 2016, 18, 1952-1959. | 1.4 | 20 |
| 158 | Does cigarette reduction while using nicotine replacement therapy prior to a quit attempt predict abstinence following quit date?. Addiction, 2016, 111, 1275-1282. | 1.7 | 10 |
| 159 | Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. Addiction, 2016, 111, 1656-1665. | 1.7 | 30 |
| 160 | Weight change among people randomized to minimal intervention control groups in weight loss trials. Obesity, 2016, 24, 772-780. | 1.5 | 32 |
| 161 | Development of tools to study personal weight control strategies: Ox <scp>FAB</scp> taxonomy. Obesity, 2016, 24, 314-320. | 1.5 | 41 |
| 162 | Recent trends in weight loss attempts: repeated cross-sectional analyses from the health survey for England. International Journal of Obesity, 2016, 40, 1754-1759. | 1.6 | 33 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. Lancet, The, 2016, 388, 2492-2500. | 6.3 | 220 |
| 164 | Gradual Versus Abrupt Smoking Cessation. Annals of Internal Medicine, 2016, 165, 742. | 2.0 | 1 |
| 165 | Should we welcome food industry funding of public health research?. BMJ, The, 2016, 353, i2161. | 3.0 | 17 |
| 166 | An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. Nicotine and Tobacco Research, 2016, 18, 289-297. | 1.4 | 20 |
| 167 | Provision of smoking cessation support in UK primary care: impact of the 2012 QOF revision. British Journal of General Practice, 2016, 66, e10-e15. | 0.7 | 20 |
| 168 | Drugs for smoking cessation. BMJ, The, 2016, 352, i571. | 3.0 | 18 |
| 169 | Surgical lung cancer patients' views about smoking and support to quit after diagnosis: a qualitative study. Journal of Cancer Survivorship, 2016, 10, 312-319. | 1.5 | 29 |
| 170 | Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. Behavior Genetics, 2016, 46, 151-169. | 1.4 | 98 |
| 171 | Differences in Longer-Term Smoking Abstinence After Treatment by Specialist or Nonspecialist Advisors: Secondary Analysis of Data From a Relapse Prevention Trial. Nicotine and Tobacco Research, 2016, 18, 1061-1066. | 1.4 | 13 |
| 172 | Efficacy of water preloading before main meals as a strategy for weight loss in primary care patients with obesity: <scp>RCT</scp> . Obesity, 2015, 23, 1785-1791. | 1.5 | 35 |
| 173 | Selfâ€help educational booklets for the prevention of smoking relapse following smoking cessation treatment: a randomized controlled trial. Addiction, 2015, 110, 2006-2014. | 1.7 | 13 |
| 174 | Feasibility and acceptability of regular weighing, setting weight gain limits and providing feedback by community midwives to prevent excess weight gain during pregnancy: randomised controlled trial and qualitative study. BMC Obesity, 2015, 2, 35. | 3.1 | 27 |
| 175 | Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1. | 0.7 | 108 |
| 176 | Does deterioration in mental health after smoking cessation predict relapse to smoking?. BMC Public Health, 2015, 15, 1150. | 1.2 | 11 |
| 177 | Does reduced smoking if you can't stop make any difference?. BMC Medicine, 2015, 13, 257. | 2.3 | 64 |
| 178 | Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 104. | 2.0 | 65 |
| 179 | Effectiveness of regular weighing, weight target setting and feedback by community midwives within routine antenatal care in preventing excessive gestational weight gain: randomised controlled trial. BMC Obesity, 2015, 3, 7. | 3.1 | 11 |
| 180 | Self-Help for Weight Loss in Overweight and Obese Adults: Systematic Review and Meta-Analysis. American Journal of Public Health, 2015, 105, e43-e57. | 1.5 | 56 |

| # | Article | IF | Citations |
|-----|--|-------------|-----------|
| 181 | Attacking scientists who lead work on reducing sugar intake damages the cause. BMJ, The, 2015, 350, h1133-h1133. | 3.0 | 1 |
| 182 | Financial incentives for smoking cessation in pregnancy: a singleâ€arm intervention study assessing cessation and gaming. Addiction, 2015, 110, 680-688. | 1.7 | 47 |
| 183 | Is plate clearing a risk factor for obesity? A cross-sectional study of self-reported data in US adults. Obesity, 2015, 23, 301-304. | 1.5 | 28 |
| 184 | Interventions to increase adherence to medications for tobacco dependence. The Cochrane Library, 2015, , CD009164. | 1.5 | 91 |
| 185 | Healthâ€care interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. Addiction, 2015, 110, 1388-1403. | 1.7 | 208 |
| 186 | Differential Efficacy of Nicotine Replacement Among Overweight and Obese Women Smokers. Nicotine and Tobacco Research, 2015, 17, 855-861. | 1.4 | 3 |
| 187 | The Nicotine Metabolite Ratio in Pregnancy Measured by <i>trans </i> -3â \in 2-Hydroxycotinine to Cotinine Ratio: Characteristics and Relationship With Smoking Cessation: Table 1 Nicotine and Tobacco Research, 2015, 17, 1318-1323. | 1.4 | 23 |
| 188 | The association of rs1051730 genotype on adherence to and consumption of prescribed nicotine replacement therapy dose during a smoking cessation attempt. Drug and Alcohol Dependence, 2015, 151, 236-240. | 1.6 | 7 |
| 189 | Authors' reply to Braillon and Bewley. BMJ, The, 2015, 350, h3555-h3555. | 3.0 | 1 |
| 190 | The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. Lancet Diabetes and Endocrinology, the, 2015, 3, 423-430. | 5. 5 | 67 |
| 191 | Lack of attentional retraining effects in cigarette smokers attempting cessation: A proof of concept double-blind randomised controlled trial. Drug and Alcohol Dependence, 2015, 149, 158-165. | 1.6 | 31 |
| 192 | Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). BMC Public Health, 2015, 15, 530. | 1.2 | 15 |
| 193 | Does smoking reduction worsen mental health? A comparison of two observational approaches. BMJ Open, 2015, 5, e007812-e007812. | 0.8 | 3 |
| 194 | Physical activity for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h2145-h2145. | 3.0 | 43 |
| 195 | Does smoking cessation result in improved mental health? A comparison of regression modelling and propensity score matching. BMJ Open, 2015, 5, e008774. | 0.8 | 11 |
| 196 | Cluster analysis of behavioural weight management strategies and associations with weight change in young women: a longitudinal analysis. International Journal of Obesity, 2015, 39, 1601-1606. | 1.6 | 16 |
| 197 | Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. Health Technology Assessment, 2015, 19, 1-70. | 1.3 | 13 |
| 198 | The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. Health Technology Assessment, 2015, 19, 1-136. | 1.3 | 30 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. Health Technology Assessment, 2015, 19, 1-156. | 1.3 | 56 |
| 200 | Recommendations on smoking cessation intervention from Malm \tilde{A}_{\P} International Strategic Seminar. Clinical Health Promotion - Research and Best Practice for Patients Staff and Community, 2015, 5, 25-25. | 0.1 | 0 |
| 201 | Should smokers be advised to cut down as well as quit?. BMJ, The, 2014, 348, g2787-g2787. | 3.0 | 6 |
| 202 | Change in mental health after smoking cessation: systematic review and meta-analysis. BMJ, The, 2014, 348, g1151-g1151. | 3.0 | 743 |
| 203 | Future orientation and smoking cessation: secondary analysis of data from a smoking cessation trial. Addiction, 2014, 109, 1732-1740. | 1.7 | 10 |
| 204 | Synthesis of Evidence On Heterogeneous Interventions with Multiple Outcomes Recorded Over Multiple Follow-Up Times Reported Inconsistently: A Smoking Cessation Case-Study. Journal of the Royal Statistical Society Series A: Statistics in Society, 2014, 177, 295-314. | 0.6 | 20 |
| 205 | A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 125. | 2.0 | 22 |
| 206 | Diet or Exercise Interventions vs Combined Behavioral Weight Management Programs: AÂSystematic Review and Meta-Analysis of DirectÂComparisons. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 1557-1568. | 0.4 | 365 |
| 207 | Factors Associated With Smoking Cessation in Early and Late Pregnancy in the Smoking, Nicotine, and Pregnancy Trial: A Trial of Nicotine Replacement Therapy. Nicotine and Tobacco Research, 2014, 16, 381-389. | 1.4 | 26 |
| 208 | Behavioural weight management programmes for adults assessed by trials conducted in everyday contexts: systematic review and metaâ€analysis. Obesity Reviews, 2014, 15, 920-932. | 3.1 | 122 |
| 209 | Effect of behavioural techniques and delivery mode on effectiveness of weight management: systematic review, metaâ€analysis and metaâ€regression. Obesity Reviews, 2014, 15, 598-609. | 3.1 | 178 |
| 210 | Are school physical activity characteristics associated with weight status in primary school children? A multilevel cross-sectional analysis of routine surveillance data. Archives of Disease in Childhood, 2014, 99, 135-141. | 1.0 | 16 |
| 211 | Weight loss referrals for adults in primary care (WRAP): protocol for a multi-centre randomised controlled trial comparing the clinical and cost-effectiveness of primary care referral to a commercial weight loss provider for 12Âweeks, referral for 52Âweeks, and a brief self-help intervention [ISRCTN82857232]. BMC Public Health. 2014. 14. 620. | 1.2 | 21 |
| 212 | Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. Trials, 2014, 15, 296. | 0.7 | 14 |
| 213 | Should we educate about the risks of medication overuse headache?. Journal of Headache and Pain, 2014, 15, 10. | 2.5 | 26 |
| 214 | Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. Journal of Public Health, 2014, 36, 259-267. | 1.0 | 39 |
| 215 | What Everyone Else Is Eating: A Systematic Review and Meta-Analysis of the Effect of Informational Eating Norms on Eating Behavior. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 414-429. | 0.4 | 207 |
| 216 | Visual identification of obesity by healthcare professionals: an experimental study of trainee and qualified GPs. British Journal of General Practice, 2014, 64, e703-e708. | 0.7 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Authors' reply to Sanderson and colleagues. BMJ, The, 2014, 348, g2031-g2031. | 3.0 | О |
| 218 | Which weight-loss programmes are as effective as Weight Watchers < \sup > \hat{A}^{\otimes} < /sup > ?. British Journal of General Practice, 2014, 64, e128-e136. | 0.7 | 38 |
| 219 | A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324. | 1.3 | 36 |
| 220 | Reducing high calorie snack food in young adults: a role for social norms and health based messages. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 73. | 2.0 | 61 |
| 221 | Slimming World in Stop Smoking Services (SWISSS): study protocol for a randomized controlled trial. Trials, 2013, 14, 182. | 0.7 | 4 |
| 222 | Financial incentives for smoking cessation in pregnancy: protocol for a single arm intervention study. BMC Pregnancy and Childbirth, 2013, 13, 66. | 0.9 | 12 |
| 223 | Systematic review and meta-analysis: influence of smoking cessation on incidence of pneumonia in HIV. BMC Medicine, $2013,11,15.$ | 2.3 | 32 |
| 224 | Adherence to and Consumption of Nicotine Replacement Therapy and the Relationship With Abstinence Within a Smoking Cessation Trial in Primary Care. Nicotine and Tobacco Research, 2013, 15, 1537-1544. | 1.4 | 42 |
| 225 | Brief Interventions for Weight Loss in Primary Care. Current Obesity Reports, 2013, 2, 341-347. | 3.5 | 5 |
| 226 | Development and feasibility testing of a smart phone based attentive eating intervention. BMC Public Health, 2013, 13, 639. | 1.2 | 88 |
| 227 | Attentional bias retraining in cigarette smokers attempting smoking cessation (ARTS): Study protocol for a double blind randomised controlled trial. BMC Public Health, 2013, 13, 1176. | 1.2 | 10 |
| 228 | A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 393. | 0.7 | 21 |
| 229 | Does Use of Nicotine Replacement Therapy While Continuing to Smoke Undermine Cessation?: A Systematic Review. Journal of Smoking Cessation, 2013, 8, 45-56. | 0.3 | 12 |
| 230 | Public health benefits of weight loss: in response to Dixon et al Journal of Public Health, 2013, 35, 342-342. | 1.0 | 1 |
| 231 | Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. American Journal of Clinical Nutrition, 2013, 97, 728-742. | 2.2 | 174 |
| 232 | Cytisine and the failure to market and regulate for human health. Thorax, 2013, 68, 989-989. | 2.7 | 17 |
| 233 | Gradual Reduction vs Abrupt Cessation as a Smoking Cessation Strategy in Smokers Who Want to Quit. JAMA - Journal of the American Medical Association, 2013, 310, 91. | 3.8 | 11 |
| 234 | Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. Tobacco Control, 2013, 22, 118-122. | 1.8 | 41 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 235 | Lack of Association of OPRM1 Genotype and Smoking Cessation. Nicotine and Tobacco Research, 2013, 15, 739-744. | 1.4 | 19 |
| 236 | Change in anxiety following successful and unsuccessful attempts at smoking cessation: cohort study. British Journal of Psychiatry, 2013, 202, 62-67. | 1.7 | 86 |
| 237 | Effectiveness and cost-effectiveness of computer and other electronic aids for smoking cessation: a systematic review and network meta-analysis Health Technology Assessment, 2012, 16, 1-205, iii-v. | 1.3 | 121 |
| 238 | Improving smoking cessation approaches at the individual level. Tobacco Control, 2012, 21, 252-257. | 1.8 | 42 |
| 239 | Weight gain in smokers after quitting cigarettes: meta-analysis. BMJ, The, 2012, 345, e4439-e4439. | 3.0 | 377 |
| 240 | Mediation analysis of the association between use of NRT for smoking reduction and attempts to stop smoking. Psychology and Health, 2012, 27, 1118-1133. | 1.2 | 4 |
| 241 | Association Between Nicotinic Acetylcholine Receptor Single Nucleotide Polymorphisms and Smoking Cessation. Nicotine and Tobacco Research, 2012, 14, 993-997. | 1.4 | 11 |
| 242 | Interventions for preventing weight gain after smoking cessation. The Cochrane Library, 2012, 1, CD006219. | 1.5 | 173 |
| 243 | A randomised trial of nicotine assisted reduction to stop in pharmacies - the redpharm study. BMC Public Health, 2012, 12, 182. | 1.2 | 10 |
| 244 | Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. Trials, 2012, 13, 186. | 0.7 | 28 |
| 245 | Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. Trials, 2012, 13, 69. | 0.7 | 9 |
| 246 | Assessing the association between the use of NRT for smoking reduction and attempts to quit smoking using propensity score matching. Drug and Alcohol Dependence, 2012, 126, 354-361. | 1.6 | 14 |
| 247 | A commentary on â€~exercise and smoking cessation (Ussher etÂal, 2012): And the verdict is…'. Mental Health and Physical Activity, 2012, 5, 101-102. | 0.9 | 2 |
| 248 | Reduction versus abrupt cessation in smokers who want to quit. The Cochrane Library, 2012, 11, CD008033. | 1.5 | 84 |
| 249 | Effect on Adherence to Nicotine Replacement Therapy of Informing Smokers Their Dose Is Determined by Their Genotype: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e35249. | 1.1 | 36 |
| 250 | Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. Journal of the National Cancer Institute, 2012, 104, 740-748. | 3.0 | 198 |
| 251 | Brief opportunistic smoking cessation interventions: a systematic review and metaâ€analysis to compare advice to quit and offer of assistance. Addiction, 2012, 107, 1066-1073. | 1.7 | 289 |
| 252 | Does school ethos explain the relationship between value-added education and teenage substance use? A cohort study. Social Science and Medicine, 2012, 75, 69-76. | 1.8 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | German medical students lack knowledge of how to treat smoking and problem drinking. Addiction, 2012, 107, 1878-1882. | 1.7 | 41 |
| 254 | Managing smoking cessation‑related weight gain. , 2012, 122, 494-8. | | 8 |
| 255 | CHRNA3 rs1051730 Genotype and Short-Term Smoking Cessation. Nicotine and Tobacco Research, 2011, 13, 982-988. | 1.4 | 75 |
| 256 | Smoking cessation and development of respiratory health in smokers screened with normal spirometry. Respiratory Medicine, 2011, 105, 243-249. | 1.3 | 11 |
| 257 | Benefits of medical treatment of obesity. Lancet, The, 2011, 377, 903. | 6.3 | 3 |
| 258 | Provision of commercial weight management programmes. Lancet, The, 2011, 378, 1444-1445. | 6.3 | 3 |
| 259 | Incentives for promoting smoking cessation: What we still do not know. , 2011, , ED000027. | | 11 |
| 260 | Associations between weight change over 8 years and baseline body mass index in a cohort of continuing and quitting smokers. Addiction, 2011, 106, 188-196. | 1.7 | 111 |
| 261 | Use of nicotine replacement therapy for smoking reduction and during enforced temporary abstinence: a national survey of English smokers. Addiction, 2011, 106, 197-204. | 1.7 | 45 |
| 262 | RESPONSE TO SPRING <i>ETâ€fAL</i> .: WHAT IS THE BEST METHOD TO ASSESS THE EFFECT OF COMBINED INTERVENTIONS FOR SMOKING CESSATION AND POSTâ€CESSATION WEIGHT GAIN?. Addiction, 2011, 106, 675-676. | 1.7 | 4 |
| 263 | Promoting smoking cessation through smoking reduction during Ramadan. Addiction, 2011, 106, 1379-1380. | 1.7 | 20 |
| 264 | Commentary on Chan <i>etâ€fal.</i> (2011): Smoking reduction – where are we now?. Addiction, 2011, 106, 1164-1165. | 1.7 | 2 |
| 265 | Promoting smoking cessation in Pakistani and Bangladeshi men in the UK: pilot cluster randomised controlled trial of trained community outreach workers. Trials, 2011, 12, 197. | 0.7 | 23 |
| 266 | Preventing the Link Between SES and High-Risk Behaviors: "Value-Added―Education, Drug Use and Delinquency in High-Risk, Urban Schools. Prevention Science, 2011, 12, 211-221. | 1.5 | 33 |
| 267 | An updated meta-analysis of nicotine preloading for smoking cessation: investigating mediators of the effect. Psychopharmacology, 2011, 214, 579-592. | 1.5 | 52 |
| 268 | A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. Psychopharmacology, 2011, 216, 43-51. | 1.5 | 1 |
| 269 | Response to Rose (2011): nicotine preloading: the importance of a pre-cessation reduction in smoking behavior. Psychopharmacology, 2011, 218, 459-460. | 1.5 | 1 |
| 270 | Psychometric Properties of the Processes of Change Scale for Smoking Cessation in UK Adolescents. International Journal of Behavioral Medicine, 2011, 18, 71-78. | 0.8 | 4 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 271 | Experiences of outreach workers in promoting smoking cessation to Bangladeshi and Pakistani men: longitudinal qualitative evaluation. BMC Public Health, 2011, 11, 452. | 1.2 | 11 |
| 272 | Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d6500-d6500. | 2.4 | 308 |
| 273 | Pharmacogenetics of Smoking Cessation in General Practice: Results From the Patch II and Patch in Practice Trials. Nicotine and Tobacco Research, 2011, 13, 157-167. | 1.4 | 24 |
| 274 | Weight Change Over Eight Years in Relation to Alcohol Consumption in a Cohort of Continuing Smokers and Quitters. Nicotine and Tobacco Research, 2011, 13, 1149-1154. | 1.4 | 4 |
| 275 | Placebo-Controlled Trial of Cytisine for Smoking Cessation. New England Journal of Medicine, 2011, 365, 1193-1200. | 13.9 | 181 |
| 276 | Reduction versus abrupt cessation in smokers who want to quit., 2010,, CD008033. | | 42 |
| 277 | Genome-wide association for smoking cessation success: participants in the Patch in Practice trial of nicotine replacement. Pharmacogenomics, 2010, 11, 357-367. | 0.6 | 47 |
| 278 | A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. BMC Public Health, 2010, 10, 439. | 1.2 | 35 |
| 279 | Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. BMC Public Health, 2010, 10, 680. | 1.2 | 20 |
| 280 | Trial protocol and preliminary results for a cluster randomised trial of behavioural support versus brief advice for smoking cessation in adolescents. BMC Research Notes, 2010, 3, 336. | 0.6 | 3 |
| 281 | Trial Protocol: Randomised controlled trial of the effects of very low calorie diet, modest dietary restriction, and sequential behavioural programme on hunger, urges to smoke, abstinence and weight gain in overweight smokers stopping smoking. Trials, 2010, 11, 94. | 0.7 | 5 |
| 282 | Temporary abstinence from smoking prior to surgery reduces harm to smokers. International Journal of Clinical Practice, 2010, 64, 285-288. | 0.8 | 3 |
| 283 | Predicting the lifeâ€time benefit of schoolâ€based smoking prevention programmes. Addiction, 2010, 105, 1109-1116. | 1.7 | 11 |
| 284 | Influence of smoking cessation after diagnosis of early stage lung cancer on prognosis: systematic review of observational studies with meta-analysis. BMJ: British Medical Journal, 2010, 340, b5569-b5569. | 2.4 | 588 |
| 285 | Is the UK's coalition Government serious about public health?. Lancet, The, 2010, 376, 589. | 6.3 | 2 |
| 286 | Smoking cessation 4: antidepressants for smoking cessation – bupropion and nortriptyline. Primary Care Cardiovascular Journal, 2010, 3, 32. | 0.1 | 0 |
| 287 | Lack of association of DRD2 rs1800497 (Taq1A) polymorphism with smoking cessation in a nicotine replacement therapy randomized trial. Nicotine and Tobacco Research, 2009, 11, 404-407. | 1.4 | 28 |
| 288 | Assessing the outcomes of prolonged cessation-induction and aid-to-cessation trials: Floating prolonged abstinence. Nicotine and Tobacco Research, 2009, 11, 475-480. | 1.4 | 26 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 289 | The Chinese Intelligence Scale for Young Children. Educational and Psychological Measurement, 2009, 69, 459-474. | 1.2 | 10 |
| 290 | Effectiveness and safety of nicotine replacement therapy assisted reduction to stop smoking: systematic review and meta-analysis. BMJ: British Medical Journal, 2009, 338, b1024-b1024. | 2.4 | 310 |
| 291 | What is transtheoretical therapy? A response to Prochaska. Social Science and Medicine, 2009, 68, 407-409. | 1.8 | 1 |
| 292 | The effect of Transtheoretical Model based interventions on smoking cessation. Social Science and Medicine, 2009, 68, 397-403. | 1.8 | 69 |
| 293 | Canadian and English students' beliefs about waterpipe smoking: a qualitative study. BMC Public Health, 2009, 9, 10. | 1.2 | 158 |
| 294 | Mediated, moderated and direct effects of country of residence, age, and gender on the cognitive and social determinants of adolescent smoking in Spain and the UK: a cross-sectional study. BMC Public Health, 2009, 9, 173. | 1.2 | 11 |
| 295 | The Factor Structure and Factorial Invariance for the Decisional Balance Scale for Adolescent Smoking. International Journal of Behavioral Medicine, 2009, 16, 158-163. | 0.8 | 18 |
| 296 | Rapid reduction versus abrupt quitting for smokers who want to stop soon: a randomised controlled non-inferiority trial. Trials, 2009, 10, 69. | 0.7 | 20 |
| 297 | Promoting smoking cessation in Bangladeshi and Pakistani male adults: design of a pilot cluster randomised controlled trial of trained community smoking cessation workers. Trials, 2009, 10, 71. | 0.7 | 5 |
| 298 | Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. Addiction, 2009, 104, 828-838. | 1.7 | 19 |
| 299 | BEHAVIOURAL INTERVENTIONS TO PREVENT WEIGHT GAIN ON SMOKING CESSATION: A RESPONSE. Addiction, 2009, 104, 2119-2120. | 1.7 | 6 |
| 300 | A proof of concept randomised placebo controlled factorial trial to examine the efficacy of St John's wort for smoking cessation and chromium to prevent weight gain on smoking cessation. Drug and Alcohol Dependence, 2009, 102, 116-122. | 1.6 | 24 |
| 301 | Using Latent Class and Latent Transition Analysis to Examine the Transtheoretical Model Staging Algorithm and Sequential Stage Transition in Adolescent Smoking. Substance Use and Misuse, 2009, 44, 2028-2042. | 0.7 | 23 |
| 302 | Interventions for preventing weight gain after smoking cessation., 2009,, CD006219. | | 90 |
| 303 | Authors respond to criticism that treatment is ineffective. BMJ: British Medical Journal, 2009, 338, b1979-b1979. | 2.4 | 2 |
| 304 | Smoking cessation 1: choosing the right pharmacotherapy for each patient. Primary Care Cardiovascular Journal, 2009, 2, 19. | 0.1 | 0 |
| 305 | Smoking cessation 2: nicotine replacement therapy – new tricks with old drugs. Primary Care Cardiovascular Journal, 2009, 2, 21. | 0.1 | 0 |
| 306 | Smoking cessation 3: nicotinic partial agonists in smoking cessation – varenicline and cytisine. Primary Care Cardiovascular Journal, 2009, 2, 87. | 0.1 | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 307 | Valueâ€added education and smoking uptake in schools: a cohort study. Addiction, 2008, 103, 155-161. | 1.7 | 35 |
| 308 | Waterpipe smoking in students: Prevalence, risk factors, symptoms of addiction, and smoke intake. Evidence from one British university. BMC Public Health, 2008, 8, 174. | 1.2 | 174 |
| 309 | Physical activity as an aid to smoking cessation during pregnancy: Two feasibility studies. BMC Public Health, 2008, 8, 328. | 1.2 | 27 |
| 310 | A pilot randomised controlled trial of the feasibility of using body scan and isometric exercises for reducing urge to smoke in a smoking cessation clinic. BMC Public Health, 2008, 8, 349. | 1.2 | 17 |
| 311 | Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: New data from the Patch in Practice trial and pooled analyses. Drug and Alcohol Dependence, 2008, 98, 77-85. | 1.6 | 27 |
| 312 | The place of varenicline in smoking cessation treatment. Thorax, 2008, 63, 666-668. | 2.7 | 11 |
| 313 | Nortriptyline plus nicotine replacement versus placebo plus nicotine replacement for smoking cessation: pragmatic randomised controlled trial. BMJ: British Medical Journal, 2008, 336, 1223-1227. | 2.4 | 46 |
| 314 | Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach Psychology of Addictive Behaviors, 2008, 22, 288-294. | 1.4 | 34 |
| 315 | "Intention to Analyze―in Pharmacogenomics Studies. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 740-741. | 1.1 | 2 |
| 316 | Association of COMT Val108/158Met genotype with smoking cessation. Pharmacogenetics and Genomics, 2008, 18, 121-128. | 0.7 | 62 |
| 317 | 'Cut down to quit' with nicotine replacement therapies in smoking cessation: a systematic review of effectiveness and economic analysis. Health Technology Assessment, 2008, 12, iii-iv, ix-xi, 1-135. | 1.3 | 102 |
| 318 | School culture as an influencing factor on youth substance use. Journal of Epidemiology and Community Health, 2007, 61, 485-490. | 2.0 | 57 |
| 319 | Managing smoking cessation. BMJ: British Medical Journal, 2007, 335, 37-41. | 2.4 | 110 |
| 320 | Understanding Nicotine and Tobacco Addiction. Edited by Gregory Bock & Jamie Goode. John Wiley & Sons. 2006. 284pp. £80.00 (hb). ISBN 0470016574. British Journal of Psychiatry, 2007, 191, 272-272. | 1.7 | 0 |
| 321 | Weekly versus basic smoking cessation support in primary care: a randomised controlled trial. Thorax, 2007, 62, 898-903. | 2.7 | 71 |
| 322 | Is there a relationship between where students sit in lectures and their performance in examinations?. Medical Education, 2007, 41, 1234-1234. | 1.1 | 0 |
| 323 | Does exercise in adolescence prevent smoking uptake?. Addiction, 2007, 102, 1025-1026. | 1.7 | 3 |
| 324 | Is attributing smoking to genetic causes associated with a reduced probability of quit attempt success? A cohort study. Addiction, 2007, 102, 1657-1664. | 1.7 | 17 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 325 | Authors' reply to letter. BMJ: British Medical Journal, 2007, 335, 222.2-222. | 2.4 | O |
| 326 | A randomized controlled trial to assess the effectiveness of a letter from a consultant surgeon in causing smokers to stop smoking pre-operatively. Public Health, 2006, 120, 356-358. | 1.4 | 22 |
| 327 | Does smoking influence survival in cancer patients through effects on respiratory and vascular disease?. European Journal of Cancer Prevention, 2006, 15, 87-90. | 0.6 | 9 |
| 328 | The neurobiological basis for partial agonist treatment of nicotine dependence. International Journal of Clinical Practice, 2006, 60, 507-508. | 0.8 | 4 |
| 329 | A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage. British Journal of Health Psychology, 2006, 11, 263-278. | 1.9 | 39 |
| 330 | A preliminary investigation into factors influencing limiting long-standing illness among UK university graduates: a retrospective cohort study. Health (United Kingdom), 2006, 10, 47-73. | 0.9 | 1 |
| 331 | Is it as easy as young people claim for them to buy cigarettes?. Health Education, 2005, 105, 103-108. | 0.4 | 2 |
| 332 | Does stage-based smoking cessation advice in pregnancy result in long-term quitters? 18-month postpartum follow-up of a randomized controlled trial. Addiction, 2005, 100, 107-116. | 1.7 | 49 |
| 333 | Is inter-school variation in smoking uptake and cessation due to differences in pupil composition? A cohort study. Health and Place, 2005, 11, 55-65. | 1.5 | 28 |
| 334 | The influence of in-pregnancy smoking cessation programmes on partner quitting and women's social support mobilization: a randomized controlled trial [ISRCTN89131885]. BMC Public Health, 2005, 5, 80. | 1.2 | 22 |
| 335 | The partial smoking ban in licensed establishments and health inequalities in England: modelling study. BMJ: British Medical Journal, 2005, 331, 488-489. | 2.4 | 12 |
| 336 | New York City offensive against tobacco. Lancet, The, 2005, 365, 1831-1832. | 6.3 | 0 |
| 337 | Is advice to stop smoking from a midwife stressful for pregnant women who smoke? Data from a randomized controlled trial. Preventive Medicine, 2005, 40, 575-582. | 1.6 | 22 |
| 338 | What determines future smoking intentions of 12- to 13-year-old UK African-Caribbean, Indian, Pakistani and white young people?. Health Education Research, 2004, 19, 15-28. | 1.0 | 26 |
| 339 | School nurses: policies, working practices, roles and value perceptions. Journal of Advanced Nursing, 2004, 47, 377-385. | 1.5 | 44 |
| 340 | A methodological and substantive review of the evidence that schools cause pupils to smoke. Social Science and Medicine, 2004, 58, 2253-2265. | 1.8 | 125 |
| 341 | The influence of school culture on smoking among pupils. Social Science and Medicine, 2004, 58, 1767-1780. | 1.8 | 70 |
| 342 | The risk of smoking in relation to engagement with a school-based smoking intervention. Social Science and Medicine, 2003, 56, 869-882. | 1.8 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----------------|----------------------|
| 343 | A new theory of health promoting schools based on human functioning, school organisation and pedagogic practice. Social Science and Medicine, 2003, 56, 1209-1220. | 1.8 | 115 |
| 344 | A controlled trial of an expert system and self-help manual intervention based on the stages of change versus standard self-help materials in smoking cessation. Addiction, 2003, 98, 345-345. | 1.7 | 69 |
| 345 | What happens to women's self-reported cigarette consumption and urinary cotinine levels in pregnancy?. Addiction, 2003, 98, 1315-1320. | 1.7 | 35 |
| 346 | The importance of social sources of cigarettes to school students. Tobacco Control, 2003, 12, 67-73. | 1.8 | 95 |
| 347 | A cluster randomised controlled trial of smoking cessation in pregnant women comparing interventions based on the transtheoretical (stages of change) model to standard care. Tobacco Control, 2003, 12, 168-177. | 1.8 | 60 |
| 348 | Cost-Effectiveness of Pharmacological Interventions for Smoking Cessation: A Literature Review and a Decision Analytic Analysis. Medical Decision Making, 2002, 22, 26-37. | 1.2 | 105 |
| 349 | Can the Stages of Change for Smoking Acquisition Be Measured Reliably in Adolescents?. Preventive Medicine, 2002, 35, 407-414. | 1.6 | 7 |
| 350 | Does smoking status influence the prognosis of bladder cancer? A systematic review. BJU International, 2002, 90, 228-239. | 1.3 | 96 |
| 351 | The risk of preterm delivery in women from different ethnic groups. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 894-899. | 1.1 | 72 |
| 352 | The risk of preterm delivery in women from different ethnic groups., 2002, 109, 894. | | 1 |
| 353 | The relationship between mean birth weight and poverty using the Townsend deprivation score and the Super Profile classification system. Public Health, 2002, 116, 308-14. | 1.4 | 4 |
| 354 | The Change-in-Stage and Updated Smoking Status Results from a Cluster-Randomized Trial of Smoking Prevention and Cessation Using the Transtheoretical Model among British Adolescents. Preventive Medicine, 2001, 33, 313-324. | 1.6 | 63 |
| 355 | Non-tailored computer-generated letters encourage smokers to quit. Evidence-Based Healthcare and Public Health, 2001, 5, 113-114. | 0.0 | 1 |
| 356 | The cost effectiveness of including pencils and erasers with self-completion epidemiological questionnaires. Public Health, 2001, 115, 80-1. | 1.4 | 3 |
| 357 | Does the multidimensional nature of super profiles help district health authorities understand the way social capital affects health?. Journal of Public Health, 2000, 22, 317-323. | 1.0 | 6 |
| 358 | Cluster randomised controlled trial of expert system based on the transtheoretical ("stages of) Tj ETQq0 0 0 rgBT 319, 948-953. | Overlock 2.4 | 2 10 Tf 50 14 134 |
| 359 | A fresh look at proportional mortality ratios. Public Health, 1998, 112, 77-80. | 1.4 | 6 |
| 360 | Monitoring the performance of general practices. Journal of Evaluation in Clinical Practice, 1997, 3, 275-281. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Assessing the performance of general practices caring for patients with asthma. British Journal of General Practice, 1997, 47, 423-6. | 0.7 | 30 |
| 362 | Behavioural interventions for smoking cessation: an overview and network meta-analysis. The Cochrane Library, 0 , 0 , . | 1.5 | 15 |
| 363 | Smoking cessation for improving mental health. The Cochrane Library, 0, , . | 1.5 | 9 |
| 364 | Smoking cessation for secondary prevention of cardiovascular disease. The Cochrane Library, 0, , . | 1.5 | 1 |