

Ulrike Heger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3263540/publications.pdf>

Version: 2024-02-01

32
papers

1,059
citations

394421

19
h-index

434195

31
g-index

33
all docs

33
docs citations

33
times ranked

1714
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival Benefit of Resection Surgery for Pancreatic Ductal Adenocarcinoma with Liver Metastases: A Propensity Score-Matched SEER Database Analysis. <i>Cancers</i> , 2022, 14, 57.	3.7	23
2	Systematic Review and Metaanalysis of Lymph Node Metastases of Resected Pancreatic Neuroendocrine Tumors. <i>Annals of Surgical Oncology</i> , 2021, 28, 1614-1624.	1.5	44
3	Prognostic Factors of Survival After Neoadjuvant Treatment and Resection for Initially Unresectable Pancreatic Cancer. <i>Annals of Surgery</i> , 2021, 273, 154-162.	4.2	87
4	68Ga-FAPI-PET/CT in patients with various gynecological malignancies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 4089-4100.	6.4	91
5	68Ga-FAPI-PET/CT improves diagnostic staging and radiotherapy planning of adenoid cystic carcinomas – Imaging analysis and histological validation. <i>Radiotherapy and Oncology</i> , 2021, 160, 192-201.	0.6	40
6	Open irreversible electroporation for isolated local recurrence of pancreatic ductal adenocarcinoma after primary surgery. <i>Pancreatology</i> , 2021, 21, 1349-1355.	1.1	2
7	Can local ablative techniques replace surgery for locally advanced pancreatic cancer?. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 2536-2546.	1.4	4
8	Induction chemotherapy in pancreatic cancer: CA 19-9 may predict resectability and survival. <i>Hpb</i> , 2020, 22, 224-232.	0.3	47
9	Escherichia coli Bacterobilia Is Associated with Severe Postoperative Pancreatic Fistula After Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1802-1808.	1.7	17
10	Underutilization of Surgery in Periapillary Cancer Treatment. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 959-965.	1.7	10
11	Incidence trends and survival prediction of hepatoblastoma in children: a population-based study. <i>Cancer Communications</i> , 2019, 39, 1-9.	9.2	89
12	Cytologic Analysis of Pancreatic Juice Increases Specificity of Detection of Malignant IPMN – A Systematic Review. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2199-2211.e21.	4.4	24
13	CT response of primary tumor and CA19-9 predict resectability of metastasized pancreatic cancer after FOLFIRINOX. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1453-1459.	1.0	33
14	Prognostic significance of microsatellite instability in gastric and gastroesophageal junction cancer patients undergoing neoadjuvant chemotherapy. <i>International Journal of Cancer</i> , 2019, 144, 1697-1703.	5.1	51
15	Surgical strategies in true adenocarcinoma of the esophagogastric junction (AEG II): thoracoabdominal or abdominal approach?. <i>Gastric Cancer</i> , 2018, 21, 303-314.	5.3	70
16	ASO Author Reflections: Multimodal Treatment of Upper Gastrointestinal Signet Ring Cell Containing Cancer – Better Together. <i>Annals of Surgical Oncology</i> , 2018, 25, 761-762.	1.5	0
17	Neoadjuvant Therapy Improves Outcomes in Locally Advanced Signet-Ring-Cell Containing Esophagogastric Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2018, 25, 2418-2427.	1.5	21
18	Definition of an extended minimum level of lymphadenectomy in non-pancreatic periapillary cancer resections. <i>Hpb</i> , 2018, 20, 1028-1033.	0.3	6

#	ARTICLE	IF	CITATIONS
19	Patient-derived xenografts of gastrointestinal cancers are susceptible to rapid and delayed B-lymphoproliferation. <i>International Journal of Cancer</i> , 2017, 140, 1356-1363.	5.1	26
20	Inflammatory cytokines are associated with response and prognosis in patients with esophageal cancer. <i>Oncotarget</i> , 2017, 8, 47518-47532.	1.8	39
21	Salinomycin inhibits metastatic colorectal cancer growth and interferes with Wnt/ β^2 -catenin signaling in CD133+ human colorectal cancer cells. <i>BMC Cancer</i> , 2016, 16, 896.	2.6	46
22	Influence of Different Neoadjuvant Chemotherapy Regimens on Response, Prognosis, and Complication Rate in Patients with Esophagogastric Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 905-914.	1.5	14
23	Association of angiogenic factors with prognosis in esophageal cancer. <i>BMC Cancer</i> , 2015, 15, 121.	2.6	28
24	Is Preoperative Chemotherapy Followed by Surgery the Appropriate Treatment for Signet Ring Cell Containing Adenocarcinomas of the Esophagogastric Junction and Stomach?. <i>Annals of Surgical Oncology</i> , 2014, 21, 1739-1748.	1.5	86
25	Interim endoscopy results during neoadjuvant therapy for gastric cancer correlate with histopathological response and prognosis. <i>Gastric Cancer</i> , 2014, 17, 478-488.	5.3	20
26	Is primary surgery without preoperative chemotherapy the best treatment option for signet ring cell esophagogastric adenocarcinomas?. <i>Journal of Clinical Oncology</i> , 2014, 32, 106-106.	1.6	0
27	Prevention of abdominal wound infection (PROUD trial, DRKS00000390): study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 245.	1.6	12
28	Ischemic colitisâ€”analysis of risk factors for postoperative mortality. <i>Langenbeck's Archives of Surgery</i> , 2008, 393, 507-512.	1.9	42
29	l-Arginine Improves Endothelial and Myocardial Function after Brain Death. <i>Transplantation</i> , 2006, 82, 108-112.	1.0	4
30	Poly(ADP-ribose) polymerase inhibition attenuates biventricular reperfusion injury after orthotopic heart transplantationâ†. <i>European Journal of Cardio-thoracic Surgery</i> , 2005, 27, 226-234.	1.4	24
31	Mesenteric injury after cardiopulmonary bypass: Role of poly(adenosine 5â€²-diphosphate-ribose) polymerase*. <i>Critical Care Medicine</i> , 2004, 32, 2392-2397.	0.9	12
32	INO-1001 A NOVEL POLY(ADP-RIBOSE) POLYMERASE (PARP) INHIBITOR IMPROVES CARDIAC AND PULMONARY FUNCTION AFTER CRYSTALLOID CARDIOPLEGIA AND EXTRACORPORAL CIRCULATION. <i>Shock</i> , 2004, 21, 426-432.	2.1	36