
## Tutuncu Nb

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3265263/publications.pdf Version: 2024-02-01



Τυτυνου Νβ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A Case Report of Conversion from Hashimoto's Thyroiditis to Graves' Disease in Type 1 Diabetic Patient<br>Following the COVID-19 Vaccination. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2023,<br>23, 405-409.  | 1.2 | 4         |
| 2  | A Case Report of Concurrent Graves' Disease and Subacute Thyroiditis Following SARS-CoV-2<br>Vaccination: An Autoimmune/Inflammatory Syndrome (ASIA). Endocrine, Metabolic and Immune<br>Disorders - Drug Targets, 2022, 22, .   | 1.2 | 4         |
| 3  | Acoustic Radiation Force Impulse Elastography and Ultrasonographic Findings of Achilles Tendon in<br>Patients With and Without Diabetic Peripheral Neuropathy: A Cross-Sectional Study. Experimental and<br>Clinical Endocrinology and Diabetes, 2021, 129, 99-103.                              | 1.2 | 10        |
| 4  | Patterns and preferences of antidiabetic drug use in Turkish patients with type 2 diabetes – A<br>nationwide cross-sectional study (TEMD treatment study). Diabetes Research and Clinical Practice,<br>2021, 171, 108556.  | 2.8 | 6         |
| 5  | Characteristics of patients with hypertension in a population with type 2 diabetes mellitus. Results<br>from the Turkish Nationwide SurvEy of Glycemic and Other Metabolic Parameters of Patients with<br>Diabetes Mellitus (TEMD Hypertension Study). Primary Care Diabetes, 2021, 15, 332-339. | 1.8 | 13        |
| 6  | Severe chronic periodontitis is not common in Acromegaly: Potential protective role of gingival BMP-2. Turkish Journal of Medical Sciences, 2021, 51, 1172-1178.   | 0.9 | 3         |
| 7  | Risk Factors and Treatment Options for Persistent Hyperparathyroidism After Kidney Transplantation.<br>Transplantation Proceedings, 2020, 52, 157-161.   | 0.6 | 7         |
| 8  | Blood pressure and mortality in patients with type 2 diabetes and a recent coronary event in the ELIXA trial. Cardiovascular Diabetology, 2020, 19, 175.   | 6.8 | 1         |
| 9  | Utilization of statins and LDL-cholesterol target attainment in Turkish patients with type 2 diabetes - a<br>nationwide cross-sectional study (TEMD dyslipidemia study). Lipids in Health and Disease, 2020, 19, 237.  | 3.0 | 8         |
| 10 | Hyperglycaemia, ejection fraction and the risk of heart failure or cardiovascular death in patients<br>with type 2 diabetes and a recent acute coronary syndrome. European Journal of Heart Failure, 2020,<br>22, 1133-1143.   | 7.1 | 16        |
| 11 | The effect of iatrogenic subclinical hyperthyroidism on anxiety, depression and quality of life in differentiated thyroid carcinoma. Turkish Journal of Medical Sciences, 2020, 50, 870-876.   | 0.9 | 7         |
| 12 | A Cross-Sectional Study of Overtreatment and Deintensification of Antidiabetic and Antihypertensive<br>Medications in Diabetes Mellitus: The TEMD Overtreatment Study. Diabetes Therapy, 2020, 11, 1045-1059.  | 2.5 | 14        |
| 13 | Short-Term Effect of Hypergastrinemia Following Esomeprazole Treatment On Well-Controlled Type 2<br>Diabetes Mellitus: A Prospective Study. Endocrine, Metabolic and Immune Disorders - Drug Targets,<br>2020, 20, 1090-1096.  | 1.2 | 2         |
| 14 | Turkish Society of Cardiology Consensus Paper on Evaluation and Treatment of Resistant<br>Hypertension. Anatolian Journal of Cardiology, 2020, 24, 137-152.  | 0.9 | 2         |
| 15 | Preventive and therapeutic effects of relaxin on bisphosphonaterelated osteonecrosis of the jaw: an experimental study in rats. Brazilian Dental Science, 2020, 23, .  | 0.4 | 0         |
| 16 | Uncoupling protein gene ucp1-3826a/g, ucp2 ins/del and ucp3-55c/t polymorphisms in obese turkish<br>children. Turkish Journal of Pediatrics, 2020, 62, 921.  | 0.6 | 3         |
| 17 | The curative treatment of familial hypercholesterolemia: Liver transplantation. Clinical<br>Transplantation, 2019, 33, e13730.   | 1.6 | 10        |
|    | Impact of Obesity on the Metabolic Control of Type 2 Diabetes: Desults of the Turbish Nationwide   |     |           |

Impact of Obesity on the Metabolic Control of Type 2 Diabetes: Results of the Turkish Nationwide Survey of Clycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMD Obesity) Tj ETQq0 0 & 4gBT /Owerlock 10

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Thyroid Nodules Are More Prevalent in Subjects with Colon Polyps, Independent of Insulin Resistance.<br>Medical Principles and Practice, 2019, 28, 418-424.  | 2.4 | 2         |
| 20 | Effects of basal insulin glargine and omegaâ€3 on lower limb arterial disease outcome in patients with dysglycaemia: An analysis of the Outcome Reduction with an Initial Glargine INtervention (ORIGIN) trial. Diabetes, Obesity and Metabolism, 2019, 21, 1502-1505. | 4.4 | 3         |
| 21 | The Diabetes Unmet Need with Basal Insulin Evaluation (DUNE) study in type 2 diabetes: Achieving HbA1c<br>targets with basal insulin in a realâ€world setting. Diabetes, Obesity and Metabolism, 2019, 21, 1429-1436.  | 4.4 | 28        |
| 22 | The association of basal insulin treatment versus standard care with outcomes in antiâ€GAD positive<br>and negative subjects: A postâ€hoc analysis of the ORIGIN trial. Diabetes, Obesity and Metabolism, 2019, 21,<br>429-433.  | 4.4 | 5         |
| 23 | Testosterone, sex hormone-binding globulin and risk of cardiovascular events: A report from the<br>Outcome Reduction with an Initial Glargine Intervention trial. European Journal of Preventive<br>Cardiology, 2019, 26, 847-854.                                     | 1.8 | 11        |
| 24 | Hypoglycemia and Incident Cognitive Dysfunction: A Post Hoc Analysis From the ORIGIN Trial. Diabetes Care, 2019, 42, 142-147.  | 8.6 | 18        |
| 25 | Abdominal Bioelectric Impedance for Follow-Up of Dieters: a Prospective Study. Acta Endocrinologica, 2019, 15, 145-152.  | 0.3 | 2         |
| 26 | An international survey on hypoglycemia among insulin-treated type I and type II diabetes patients:<br>Turkey cohort of the non-interventional IO HAT study. BMC Endocrine Disorders, 2018, 18, 9.   | 2.2 | 5         |
| 27 | Do Statins Affect Thyroid Volume and Nodule Size in Patients with Hyperlipidemia in a Region with<br>Mild-to-Moderate Iodine Deficiency? A Prospective Study. Medical Principles and Practice, 2018, 27, 1-7.  | 2.4 | 12        |
| 28 | Effect of Basal Insulin Glargine on First and Recurrent Episodes of Heart Failure Hospitalization.<br>Circulation, 2018, 137, 88-90.   | 1.6 | 30        |
| 29 | Insulin resistance and cardiovascular outcomes in the <scp>ORIGIN</scp> trial. Diabetes, Obesity and Metabolism, 2018, 20, 564-570.  | 4.4 | 10        |
| 30 | Retinopathy, Neuropathy, and Subsequent Cardiovascular Events in Patients with Type 2 Diabetes and<br>Acute Coronary Syndrome in the ELIXA: The Importance of Disease Duration. Journal of Diabetes<br>Research, 2018, 2018, 1-9.                                      | 2.3 | 26        |
| 31 | Turkish nationwide survEy of glycemic and other Metabolic parameters of patients with Diabetes mellitus (TEMD study). Diabetes Research and Clinical Practice, 2018, 146, 138-147.   | 2.8 | 25        |
| 32 | Comments on Chronic Kidney Disease, Basal Insulin Glargine, and Health Outcomes in People with<br>Dysglycemia: The Origin Study. American Journal of Medicine, 2018, 131, e315.  | 1.5 | 0         |
| 33 | Fat Distribution and Metabolic Profile in Subjects with Hashimoto's Thyroiditis. Acta<br>Endocrinologica, 2018, 14, 105-112.   | 0.3 | 9         |
| 34 | Chronic Kidney Disease, Basal Insulin Glargine, and Health Outcomes in People with Dysglycemia: The<br>ORIGIN Study. American Journal of Medicine, 2017, 130, 1465.e27-1465.e39.   | 1.5 | 17        |
| 35 | Effect of insulin glargine on recreational physical activity and TV viewing: Analysis of the randomised ORIGIN trial. Diabetes Research and Clinical Practice, 2017, 132, 137-143.   | 2.8 | 0         |
| 36 | Comment on "Metformin Decreases Thyroid Volume and Nodule Size in Subjects with Insulin<br>Resistance: A Preliminary Study― Medical Principles and Practice, 2017, 26, 199-200.  | 2.4 | 0         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Validation of the ORIGIN Cardiovascular Biomarker Panel and the Value of Adding Troponin I in<br>Dysglycemic People. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2251-2257.  | 3.6  | 13        |
| 38 | Serum Adiponectin Level as a Predictor of Subclinical Cushing's Syndrome in Patients with Adrenal<br>Incidentaloma. International Journal of Endocrinology, 2016, 2016, 1-8.  | 1.5  | 9         |
| 39 | Metformin Decreases Thyroid Volume and Nodule Size in Subjects with Insulin Resistance: A<br>Preliminary Study. Medical Principles and Practice, 2016, 25, 233-236.   | 2.4  | 38        |
| 40 | Early Treatment with Basal Insulin Glargine in People with Type 2 Diabetes: Lessons from ORIGIN and<br>Other Cardiovascular Trials. Diabetes Therapy, 2016, 7, 187-201.   | 2.5  | 29        |
| 41 | Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids (ORIGINALE). Diabetes Care, 2016, 39, 709-716.   | 8.6  | 55        |
| 42 | Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary<br>Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. American Heart<br>Journal, 2015, 169, 631-638.e7. | 2.7  | 88        |
| 43 | Predictors of Nonsevere and Severe Hypoglycemia During Glucose-Lowering Treatment With Insulin<br>Glargine or Standard Drugs in the ORIGIN Trial. Diabetes Care, 2015, 38, 22-28.   | 8.6  | 64        |
| 44 | Lixisenatide in Patients with Type 2 Diabetes and Acute Coronary Syndrome. New England Journal of Medicine, 2015, 373, 2247-2257.   | 27.0 | 1,856     |
| 45 | Low Prevalence of Periodontitis in Acromegaly: Growth Hormone May Exert a Protective Effect.<br>Turkish Journal of Endocrinology and Metabolism, 2015, 19, 42-48.   | 0.5  | 4         |
| 46 | Insulin Resistance in Non-Obese Polycystic Ovary Syndrome Subjects and Relation with Family History of Diabetes Mellitus. Turkish Journal of Endocrinology and Metabolism, 2015, 19, 55-59.   | 0.5  | 2         |
| 47 | Thyroid volume in patients with glucose metabolism disorders. Arquivos Brasileiros De<br>Endocrinologia E Metabologia, 2014, 58, 824-827.   | 1.3  | 21        |
| 48 | Acromegaly is protective for periodontal tissue – advanced chronic periodontitis is rare in<br>acromegalics. Bratislava Medical Journal, 2014, 115, 588-592.  | 0.8  | 4         |
| 49 | Basal insulin glargine and microvascular outcomes in dysglycaemic individuals: results of the<br>Outcome Reduction with an Initial Glargine Intervention (ORIGIN) trial. Diabetologia, 2014, 57, 1325-1331.                               | 6.3  | 47        |
| 50 | The relationship between thyroid volume and malignant thyroid disease. Medical Oncology, 2014, 31,<br>814.  | 2.5  | 11        |
| 51 | Is the incidence of temporomandibular disorder increased in polycystic ovary syndrome?. British<br>Journal of Oral and Maxillofacial Surgery, 2014, 52, 822-826.  | 0.8  | 10        |
| 52 | The Association of Basal Insulin Glargine and/or n-3 Fatty Acids With Incident Cancers in Patients<br>With Dysglycemia. Diabetes Care, 2014, 37, 1360-1366.   | 8.6  | 76        |
| 53 | Association of handgrip strength to cardiovascular mortality in pre-diabetic and diabetic patients: A<br>subanalysis of the ORIGIN trial. International Journal of Cardiology, 2014, 174, 458-461.  | 1.7  | 83        |
| 54 | The relationship between glucose metabolism disorders and malignant thyroid disease. International<br>Journal of Clinical Oncology, 2013, 18, 585-589.  | 2.2  | 9         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Does hypoglycaemia increase the risk of cardiovascular events? A report from the ORIGIN trial.<br>European Heart Journal, 2013, 34, 3137-3144.   | 2.2  | 211       |
| 56 | Response to Comment on: The ORIGIN Trial Investigators. Characteristics Associated With Maintenance<br>of Mean A1C <6.5% in People With Dysglycemia in the ORIGIN Trial. Diabetes Care 2013;36:2915-2922.<br>Diabetes Care, 2013, 36, e181-e181. | 8.6  | 1         |
| 57 | Successful Management of a Giant Pituitary Lactosomatotroph Adenoma Only with Cabergoline. Case<br>Reports in Endocrinology, 2013, 2013, 1-4.  | 0.4  | 2         |
| 58 | Characteristics Associated With Maintenance of Mean A1C <6.5% in People With Dysglycemia in the ORIGIN Trial. Diabetes Care, 2013, 36, 2915-2922.  | 8.6  | 26        |
| 59 | Performance of Abdominal Bioelectrical Impedance Analysis and Comparison with Other Known<br>Parameters in Predicting the Metabolic Syndrome. Experimental and Clinical Endocrinology and<br>Diabetes, 2013, 121, 391-396.                       | 1.2  | 5         |
| 60 | Sepsiste Steroid Kullanımı. Turkish Journal of Endocrinology and Metabolism, 2013, 17, 121-124.  | 0.5  | 0         |
| 61 | Tiroid Kanserinde Tirozin Kinaz İnhibitörleri: Axl/Gas6 Yolağı Gizli Bir Hedef Olabilir mi?. UHOD -<br>Uluslararasi Hematoloji-Onkoloji Dergisi, 2013, 23, 207-212.  | 0.1  | 0         |
| 62 | Insulin Glargine in Gastrostomy Feeding. Acta Endocrinologica, 2012, 8, 257-263.   | 0.3  | 0         |
| 63 | n–3 Fatty Acids and Cardiovascular Outcomes in Patients with Dysglycemia. New England Journal of<br>Medicine, 2012, 367, 309-318.  | 27.0 | 810       |
| 64 | Basal Insulin and Cardiovascular and Other Outcomes in Dysglycemia. New England Journal of<br>Medicine, 2012, 367, 319-328.  | 27.0 | 1,426     |
| 65 | Cyclin A and cyclin B1 overexpression in differentiated thyroid carcinoma. Medical Oncology, 2012, 29, 294-300.  | 2.5  | 19        |
| 66 | Macroprolactinemia, like hyperprolactinemia, may promote platelet activation. Endocrine, 2010, 37,<br>294-300.   | 2.3  | 13        |
| 67 | Rapidly Progressing Malignant Insulinoma Presented with Multiple Liver Metastases: A Case Report.<br>Journal of Gastrointestinal Cancer, 2010, 41, 272-274.  | 1.3  | 1         |
| 68 | The 5-Year Incidence of Type 2 Diabetes Mellitus in Women Older Than 15 Years in Ankara, Turkey.<br>Journal of Investigative Medicine, 2010, 58, 796-800.  | 1.6  | 0         |
| 69 | Newly diagnosed hyperglycemia and stress hyperglycemia in a coronary intensive care unit. Diabetes<br>Research and Clinical Practice, 2010, 90, 8-14.  | 2.8  | 17        |
| 70 | Rimonabant for prevention of cardiovascular events (CRESCENDO): a randomised, multicentre, placebo-controlled trial. Lancet, The, 2010, 376, 517-523.  | 13.7 | 222       |
| 71 | The 5-year incidence of type 2 diabetes mellitus in women older than 15 years in Ankara, Turkey: a<br>population-based study. Journal of Investigative Medicine, 2010, 58, 796-800.  | 1.6  | 0         |
| 72 | 49,XXXXY Syndrome with Autoimmune Diabetes and Ocular Manifestations. Medical Principles and Practice, 2009, 18, 482-485.  | 2.4  | 12        |

| #  | Article  | IF         | CITATIONS              |
|----|--|------------|------------------------|
| 73 | Unresectable Huge Sternal and Mediastinal Metastasis of Follicular Thyroid Carcinoma; Radiotherapy<br>as First-line and Palliative Therapy. Experimental and Clinical Endocrinology and Diabetes, 2009, 117,<br>155-158. | 1.2        | 6                      |
| 74 | Metabolic syndrome and its components are associated with increased thyroid volume and nodule prevalence in a mild-to-moderate iodine-deficient area. European Journal of Endocrinology, 2009, 161, 599-605.             | 3.7        | 167                    |
| 75 | Prevalence of osteoporosis and factors affecting bone mineral density among postmenopausal<br>Turkish women with type 2 diabetes. Journal of Diabetes and Its Complications, 2009, 23, 12-17.                            | 2.3        | 52                     |
| 76 | Repaglinide plus single-dose insulin glargine: a safe regimen for low-risk type 2 diabetic patients who<br>insist on fasting in Ramadan. Acta Diabetologica, 2009, 46, 63-65.  | 2.5        | 33                     |
| 77 | Serum total antioxidant status and lipid peroxidation marker malondialdehyde levels in overt and subclinical hypothyroidism. Clinical Endocrinology, 2009, 70, 469-474.  | 2.4        | 174                    |
| 78 | Systolic pulmonary artery pressure and echocardiographic measurements in patients with euthyroid Hashimoto's thyroiditis. Journal of Endocrinological Investigation, 2009, 32, 530-532.                                  | 3.3        | 12                     |
| 79 | Clinical and epidemiological characteristics of thyroid hemiagenesis: ultrasound screening in patients with thyroid disease and normal population. Endocrine, 2008, 33, 338-341.   | 2.3        | 42                     |
| 80 | Initiation of insulin glargine therapy in type 2 diabetes subjects suboptimally controlled on oral antidiabetic agents: results from the AT.LANTUS trial*. Diabetes, Obesity and Metabolism, 2008, 10, 387-399.          | 4.4        | 60                     |
| 81 | Rationale, design, and baseline characteristics for a large international trial of cardiovascular<br>disease prevention in people with dysglycemia: The ORIGIN Trial (Outcome Reduction with an Initial) Tj ETQq1 1      | 0.72874314 | ŀrg <b>B</b> 71/Overic |
| 82 | Clinicopathological Characteristics of Thyroid Cancer in Patients on Dialysis for End-Stage Renal<br>Disease. Thyroid, 2008, 18, 45-50.  | 4.5        | 8                      |
| 83 | Subclinical Hypothyroidism Is Characterized by Increased QT Interval Dispersion among Women.<br>Medical Principles and Practice, 2008, 17, 390-394.  | 2.4        | 40                     |
| 84 | Evaluation of Brain Natriuretic Peptide Levels in Hyperthyroidism and Hypothyroidism. Journal of the National Medical Association, 2008, 100, 401-405.   | 0.8        | 27                     |
| 85 | Radioactive Iodine in the Treatment of Type-2 Amiodarone-Induced Thyrotoxicosis. Journal of the National Medical Association, 2008, 100, 716-720.  | 0.8        | 14                     |
| 86 | The biodistribution of radioiodine on posttherapy iodine-131 scans in thyroid cancer patients with chronic renal failure. Nuclear Medicine Communications, 2008, 29, 943-948.  | 1.1        | 5                      |
| 87 | Needle-Free Delivery of Lidocaine for Reducing the Pain Associated with the Fine-Needle Aspiration<br>Biopsy of Thyroid Nodules: Time-Saving and Efficacious Procedure. Thyroid, 2007, 17, 317-321.                      | 4.5        | 29                     |
| 88 | Rosiglitazone Decreases Serum Bone-Specific Alkaline Phosphatase Activity in Postmenopausal Diabetic<br>Women. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 3523-3530.                                    | 3.6        | 103                    |
| 89 | Serum Osteoprotegerin Concentration with Strontium Ranelate Treatment for Postmenopausal<br>Osteoporosis: An Open, Prospective Study. Current Therapeutic Research, 2007, 68, 217-225.                                   | 1.2        | 0                      |
| 90 | The analgesic efficacy of lidocaine/prilocaine (EMLA) cream during fine-needle aspiration biopsy of thyroid nodules. Clinical Endocrinology, 2007, 66, 691-694.  | 2.4        | 32                     |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | The effect of single-dose orlistat on postprandial serum glucose, insulin and glucagon-like peptide-1<br>levels in nondiabetic obese patients. Clinical Endocrinology, 2007, 67, 346-350.                                      | 2.4 | 14        |
| 92  | Effects of metformin or rosiglitazone on serum concentrations of homocysteine, folate, and vitamin<br>B12 in patients with type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2007, 21, 118-123.             | 2.3 | 116       |
| 93  | Mean platelet volume in patients with polycystic ovary disease. Platelets, 2006, 17, 505-506.  | 2.3 | 11        |
| 94  | Changes in Insulin Sensitivity and Glucose and Bone Metabolism over Time in Patients with<br>Asymptomatic Primary Hyperparathyroidism. Journal of Clinical Endocrinology and Metabolism, 2006,<br>91, 4260-4263.               | 3.6 | 43        |
| 95  | Polycythemia as the first manifestation of Cushing's disease. Journal of Endocrinological<br>Investigation, 2006, 29, 742-744.   | 3.3 | 26        |
| 96  | Prevalence and prediction of malignancy in cytologically indeterminate thyroid nodules. Clinical Endocrinology, 2006, 65, 514-518.   | 2.4 | 80        |
| 97  | Ultrasound-Guided Fine-Needle Aspiration Biopsy and Ultrasonographic Features of Infracentimetric<br>Nodules in Patients with Nodular Goiter: Correlation with Pathological Findings. Endocrine<br>Pathology, 2006, 17, 67-74. | 9.0 | 25        |
| 98  | Familial dilated cardiomyopathy hypergonadotrophic hypogonadism associated with thyroid hemiagenesis. American Journal of Medical Genetics, Part A, 2006, 140A, 895-896.   | 1.2 | 9         |
| 99  | Effects of raloxifene on platelet functions in patients with postmenopausal osteoporosis. Platelets, 2006, 17, 351-353.  | 2.3 | 2         |
| 100 | Thermolabile methylenetetrahydrofolate reductase enzyme genotype is frequent in type 2 diabetic patients with normal fasting homocysteine levels. Journal of Internal Medicine, 2005, 257, 446-453.                            | 6.0 | 16        |
| 101 | Melatonin levels decrease in type 2 diabetic patients with cardiac autonomic neuropathy. Journal of<br>Pineal Research, 2005, 39, 43-49.   | 7.4 | 76        |
| 102 | Thyroid cancer in hyperthyroidism: Incidence rates and value of ultrasound-guided fine-needle aspiration biopsy in this patient group. Journal of Endocrinological Investigation, 2005, 28, 815-818.                           | 3.3 | 26        |
| 103 | Factors Associated with Bone Metabolism in Acromegalic Patients: Hypogonadism and Female Gender.<br>Experimental and Clinical Endocrinology and Diabetes, 2004, 112, 328-332.  | 1.2 | 15        |
| 104 | Prolonged P300 Latency in Thyroid Failure: A Paradox. P300 Latency Recovers Later in Mild<br>Hypothyroidism Than in Severe Hypothyroidism. Thyroid, 2004, 14, 622-627.   | 4.5 | 13        |
| 105 | Autoimmune Hypoglycemia in a Type 2 Diabetic Patient With Anti-Insulin and Insulin Receptor<br>Antibodies: Response to Kim et al Diabetes Care, 2004, 27, 1246-1247.   | 8.6 | 24        |
| 106 | Influence of 1,25-dihydroxyvitamin D3 as an immunomodulator in renal transplant recipients: a retrospective cohort study. Transplantation Proceedings, 2003, 35, 2885-2887.  | 0.6 | 42        |
| 107 | Alveolar Gas Exchange in Patients with Type 2 Diabetes Mellitus. Endocrine Journal, 2003, 50, 663-667.   | 1.6 | 36        |
| 108 | Evaluation of the safety and efficacy of sibutramine, orlistat and metformin in the treatment of obesity. Diabetes, Obesity and Metabolism, 2002, 4, 49-55.  | 4.4 | 137       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Effects of Sibutramine in Obese Female Subjects With Type 2 Diabetes and Poor Blood Glucose Control.<br>Diabetes Care, 2001, 24, 1957-1960.  | 8.6 | 99        |
| 110 | Unusual Case of Metastatic Thyroid Nodule: Nonpalpable Breast Mass as Origin. Endocrine Practice, 2001, 7, 379-382.  | 2.1 | 5         |
| 111 | Chlamydia Pneumonia Seropositivity Correlates with Serum Fibrinogen and Lipoprotein a Levels: Any<br>Role in Atherosclerosis?. Endocrine Journal, 2001, 48, 269-274.   | 1.6 | 8         |
| 112 | Efficacy of ACE inhibitors and ATII receptor blockers in patients with microalbuminuria: a prospective study. Acta Diabetologica, 2001, 38, 157-161.   | 2.5 | 49        |
| 113 | Major Determinants of the Carotid Intima-Media Thickness in Type 2 Diabetic Patients. Age and Body<br>Mass Index Endocrine Journal, 2000, 47, 525-533.   | 1.6 | 23        |
| 114 | Quantitative CT of the orbit in Graves' disease British Journal of Radiology, 1999, 72, 757-762.   | 2.2 | 36        |
| 115 | Adrenal incidentaloma: Report of 33 cases. , 1999, 70, 247-250.  |     | 20        |
| 116 | Reversal of defective nerve conduction with vitamin E supplementation in type 2 diabetes: a preliminary study Diabetes Care, 1998, 21, 1915-1918.  | 8.6 | 88        |
| 117 | Breathlessness in a patient with rheumatoid vasculitis Postgraduate Medical Journal, 1998, 74, 294-297.  | 1.8 | 0         |
| 118 | lfosfamide-based Chemotherapy for Recurrent or Metastatic Hemangiopericytoma. Acta Oncológica,<br>1997, 36, 348-348.   | 1.8 | 8         |
| 119 | Primary central nervous system lymphoma presenting with multiple myeloma-like clinical picture.<br>Journal of Neurology, Neurosurgery and Psychiatry, 1997, 63, 409-410.   | 1.9 | 1         |
| 120 | Evisceration of the Eye in a Renal Transplant Recipient with Cytomegalovirus Chorioretinitis.<br>American Journal of Nephrology, 1996, 16, 367-368.  | 3.1 | 0         |
| 121 | Difficult Diagnosis in a Patient with Multiple Osteoblastic Thoracic Vertebral Lesions. Annals of Saudi Medicine, 1996, 16, 590-590.   | 1.1 | 0         |
| 122 | Acoustic Radiation Force Impulse Elastography and Ultrasonographic Findings of Achilles Tendon in<br>Patients with and without diabetic peripheral neuropathy: a cross-sectional study. Endocrine<br>Abstracts, 0, , . | 0.0 | 1         |