

Jay G Slowik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/326679/publications.pdf>

Version: 2024-02-01

142
papers

15,753
citations

26630

56
h-index

19749

117
g-index

145
all docs

145
docs citations

145
times ranked

10353
citing authors

#	ARTICLE	IF	CITATIONS
1	Source identification and characterization of organic nitrogen in atmospheric aerosols at a suburban site in China. <i>Science of the Total Environment</i> , 2022, 818, 151800.	8.0	3
2	Characteristics of VOC Composition at Urban and Suburban Sites of New Delhi, India in Winter. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	3.3	18
3	Highly time-resolved chemical speciation and source apportionment of organic aerosol components in Delhi, India, using extractive electrospray ionization mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 7739-7761.	4.9	11
4	Molecular characterization of ultrafine particles using extractive electrospray time-of-flight mass spectrometry. <i>Environmental Science Atmospheres</i> , 2021, 1, 434-448.	2.4	10
5	Characteristics of wintertime VOCs in urban Beijing: Composition and source apportionment. <i>Atmospheric Environment: X</i> , 2021, 9, 100100.	1.4	9
6	A new method for long-term source apportionment with time-dependent factor profiles and uncertainty assessment using SoFi Pro: application to 1 year of organic aerosol data. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 923-943.	3.1	50
7	Brown Carbon in Primary and Aged Coal Combustion Emission. <i>Environmental Science & Technology</i> , 2021, 55, 5701-5710.	10.0	31
8	Detection of trace metals in biogas using extractive electrospray ionization high-resolution mass spectrometry. <i>Renewable Energy</i> , 2021, 169, 780-787.	8.9	7
9	Photodegradation of α -Pinene Secondary Organic Aerosol Dominated by Moderately Oxidized Molecules. <i>Environmental Science & Technology</i> , 2021, 55, 6936-6943.	10.0	11
10	Sources and characteristics of light-absorbing fine particulates over Delhi through the synergy of real-time optical and chemical measurements. <i>Atmospheric Environment</i> , 2021, 252, 118338.	4.1	20
11	Real-time characterization and source apportionment of fine particulate matter in the Delhi megacity area during late winter. <i>Science of the Total Environment</i> , 2021, 770, 145324.	8.0	35
12	Characteristics and sources of hourly elements in PM ₁₀ and PM _{2.5} during wintertime in Beijing. <i>Environmental Pollution</i> , 2021, 278, 116865.	7.5	38
13	Quantification of solid fuel combustion and aqueous chemistry contributions to secondary organic aerosol during wintertime haze events in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 9859-9886.	4.9	20
14	Critical Role of Simultaneous Reduction of Atmospheric Odd Oxygen for Winter Haze Mitigation. <i>Environmental Science & Technology</i> , 2021, 55, 11557-11567.	10.0	21
15	Effects of aerosol size and coating thickness on the molecular detection using extractive electrospray ionization. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 5913-5923.	3.1	7
16	Diurnal variability in the spectral characteristics and sources of water-soluble brown carbon aerosols over Delhi. <i>Science of the Total Environment</i> , 2021, 794, 148589.	8.0	20
17	Highly time-resolved measurements of element concentrations in PM ₁₀ and PM _{2.5} : comparison of Delhi, Beijing, London, and Krakow. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 717-730.	4.9	19
18	Constraining the response factors of an extractive electrospray ionization mass spectrometer for near-molecular aerosol speciation. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 6955-6972.	3.1	10

#	ARTICLE	IF	CITATIONS
19	Real-Time Detection of Aerosol Metals Using Online Extractive Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2020, 92, 1316-1325.	6.5	20
20	Chemical characterization of PM _{2.5} and source apportionment of organic aerosol in New Delhi, India. <i>Science of the Total Environment</i> , 2020, 745, 140924.	8.0	60
21	Real-Time Measurements of PM _{2.5} Oxidative Potential Using a Dithiothreitol Assay in Delhi, India. <i>Environmental Science and Technology Letters</i> , 2020, 7, 504-510.	8.7	42
22	Online Aerosol Chemical Characterization by Extractive Electrospray Ionization–Ultra-high-Resolution Mass Spectrometry (EESI-Orbitrap). <i>Environmental Science & Technology</i> , 2020, 54, 3871-3880.	10.0	25
23	Source apportionment of highly time-resolved elements during a firework episode from a rural freeway site in Switzerland. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 1657-1674.	4.9	37
24	Real-time measurement and source apportionment of elements in Delhi's atmosphere. <i>Science of the Total Environment</i> , 2020, 742, 140332.	8.0	78
25	Automated alternating sampling of PM ₁₀ and PM _{2.5} with an online XRF spectrometer. <i>Atmospheric Environment: X</i> , 2020, 5, 100065.	1.4	11
26	Online Chemical Characterization and Source Identification of Summer and Winter Aerosols in Măgurele, Romania. <i>Atmosphere</i> , 2020, 11, 385.	2.3	6
27	On the fate of oxygenated organic molecules in atmospheric aerosol particles. <i>Science Advances</i> , 2020, 6, eaax8922.	10.3	63
28	Source characterization of volatile organic compounds measured by proton-transfer-reaction time-of-flight mass spectrometers in Delhi, India. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 9753-9770.	4.9	42
29	Improved chloride quantification in quadrupole aerosol chemical speciation monitors (Q-ACSMs). <i>Atmospheric Measurement Techniques</i> , 2020, 13, 5293-5301.	3.1	9
30	A 1-year characterization of organic aerosol composition and sources using an extractive electrospray ionization time-of-flight mass spectrometer (EESI-TOF). <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 7875-7893.	4.9	20
31	An extractive electrospray ionization time-of-flight mass spectrometer (EESI-TOF) for online measurement of atmospheric aerosol particles. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 4867-4886.	3.1	91
32	Organic aerosol source apportionment in Zurich using an extractive electrospray ionization time-of-flight mass spectrometer (EESI-TOF-MS) – Part 2: Biomass burning influences in winter. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 8037-8062.	4.9	57
33	Organic aerosol source apportionment in Zurich using an extractive electrospray ionization time-of-flight mass spectrometer (EESI-TOF-MS) – Part 1: Biogenic influences and day–night chemistry in summer. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14825-14848.	4.9	38
34	Predominance of secondary organic aerosol to particle-bound reactive oxygen species activity in fine ambient aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14703-14720.	4.9	31
35	Secondary organic aerosol formation from smoldering and flaming combustion of biomass: a box model parametrization based on volatility basis set. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 11461-11484.	4.9	24
36	Effect of Stove Technology and Combustion Conditions on Gas and Particulate Emissions from Residential Biomass Combustion. <i>Environmental Science & Technology</i> , 2019, 53, 2209-2219.	10.0	35

#	ARTICLE	IF	CITATIONS
37	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Residential Coal Combustion. <i>Environmental Science & Technology</i> , 2018, 52, 2612-2617.	10.0	30
38	Insights into organic-aerosol sources via a novel laser-desorption/ionization mass spectrometry technique applied to one year of PM ₁₀ samples from nine sites in central Europe. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 2155-2174.	4.9	7
39	Large contribution of fossil fuel derived secondary organic carbon to water soluble organic aerosols in winter haze in China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4005-4017.	4.9	49
40	High contributions of vehicular emissions to ammonia in three European cities derived from mobile measurements. <i>Atmospheric Environment</i> , 2018, 175, 210-220.	4.1	42
41	Particle-bound reactive oxygen species (PB-ROS) emissions and formation pathways in residential wood smoke under different combustion and aging conditions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 6985-7000.	4.9	31
42	Identification of secondary aerosol precursors emitted by an aircraft turbofan. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7379-7391.	4.9	14
43	Production of particulate brown carbon during atmospheric aging of residential wood-burning emissions. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 17843-17861.	4.9	77
44	Influence of the vapor wall loss on the degradation rate constants in chamber experiments of levoglucosan and other biomass burning markers. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10915-10930.	4.9	19
45	Improved source apportionment of organic aerosols in complex urban air pollution using the multilinear engine (ME-2). <i>Atmospheric Measurement Techniques</i> , 2018, 11, 1049-1060.	3.1	28
46	Evolution of the chemical fingerprint of biomass burning organic aerosol during aging. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 7607-7624.	4.9	67
47	Gas-phase composition and secondary organic aerosol formation from standard and particle filter-retrofitted gasoline direct injection vehicles investigated in a batch and flow reactor. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 9929-9954.	4.9	57
48	Wood combustion particles induce adverse effects to normal and diseased airway epithelia. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 538-548.	3.5	14
49	Collocated observations of cloud condensation nuclei, particle size distributions, and chemical composition. <i>Scientific Data</i> , 2017, 4, 170003.	5.3	44
50	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Aircraft Turbine Engines. <i>Environmental Science & Technology</i> , 2017, 51, 3621-3629.	10.0	6
51	The Distant Double Bond Determines the Fate of the Carboxylic Group in the Dissociative Photoionization of Oleic Acid. <i>ChemPhysChem</i> , 2017, 18, 3595-3604.	2.1	6
52	Primary emissions and secondary aerosol production potential from woodstoves for residential heating: Influence of the stove technology and combustion efficiency. <i>Atmospheric Environment</i> , 2017, 169, 65-79.	4.1	48
53	Gasoline cars produce more carbonaceous particulate matter than modern filter-equipped diesel cars. <i>Scientific Reports</i> , 2017, 7, 4926.	3.3	133
54	Long-term chemical analysis and organic aerosol source apportionment at nine sites in central Europe: source identification and uncertainty assessment. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 13265-13282.	4.9	78

#	ARTICLE	IF	CITATIONS
55	Characterization of gas-phase organics using proton transfer reaction time-of-flight mass spectrometry: fresh and aged residential wood combustion emissions. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 705-720.	4.9	79
56	Argon offline-AMS source apportionment of organic aerosol over yearly cycles for an urban, rural, and marine site in northern Europe. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 117-141.	4.9	59
57	Assessing the influence of NO ₂ concentrations and relative humidity on secondary organic aerosol yields from α -pinene photo-oxidation through smog chamber experiments and modelling calculations. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 5035-5061.	4.9	37
58	Organic aerosol source apportionment by offline-AMS over a full year in Marseille. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8247-8268.	4.9	75
59	Evaporation of sulfate aerosols at low relative humidity. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8923-8938.	4.9	11
60	Elemental composition of ambient aerosols measured with high temporal resolution using an online XRF spectrometer. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 2061-2076.	3.1	79
61	An electrospray chemical ionization source for real-time measurement of atmospheric organic and inorganic vapors. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 3609-3625.	3.1	19
62	Characterization and source apportionment of organic aerosol using offline aerosol mass spectrometry. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 23-39.	3.1	110
63	Indoor terpene emissions from cooking with herbs and pepper and their secondary organic aerosol production potential. <i>Scientific Reports</i> , 2016, 6, 36623.	3.3	51
64	Dissociative Ionization Mechanism and Appearance Energies in Adipic Acid Revealed by Imaging Photoelectron Photoion Coincidence, Selective Deuteration, and Calculations. <i>Journal of Physical Chemistry A</i> , 2016, 120, 3397-3405.	2.5	22
65	Inorganic Salt Interference on CO ₂ in Aerodyne AMS and ACSM Organic Aerosol Composition Studies. <i>Environmental Science & Technology</i> , 2016, 50, 10494-10503.	10.0	88
66	Identification of significant precursor gases of secondary organic aerosols from residential wood combustion. <i>Scientific Reports</i> , 2016, 6, 27881.	3.3	141
67	Urban increments of gaseous and aerosol pollutants and their sources using mobile aerosol mass spectrometry measurements. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 7117-7134.	4.9	31
68	Aqueous phase oxidation of sulphur dioxide by ozone in cloud droplets. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 1693-1712.	4.9	47
69	New insights into PM _{2.5} chemical composition and sources in two major cities in China during extreme haze events using aerosol mass spectrometry. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3207-3225.	4.9	300
70	Observation of viscosity transition in α -pinene secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 4423-4438.	4.9	55
71	Fossil and non-fossil source contributions to atmospheric carbonaceous aerosols during extreme spring grassland fires in Eastern Europe. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 5513-5529.	4.9	35
72	Comment on "The effects of molecular weight and thermal decomposition on the sensitivity of a thermal desorption aerosol mass spectrometer". <i>Aerosol Science and Technology</i> , 2016, 50, i-xv.	3.1	39

#	ARTICLE	IF	CITATIONS
73	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Cooking Emissions. <i>Environmental Science & Technology</i> , 2016, 50, 1243-1250.	10.0	97
74	Size-Resolved Identification, Characterization, and Quantification of Primary Biological Organic Aerosol at a European Rural Site. <i>Environmental Science & Technology</i> , 2016, 50, 3425-3434.	10.0	57
75	The first UK measurements of nitryl chloride using a chemical ionization mass spectrometer in central London in the summer of 2012, and an investigation of the role of Cl atom oxidation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 5638-5657.	3.3	76
76	Non-linear photochemical pathways in laser-induced atmospheric aerosol formation. <i>Scientific Reports</i> , 2015, 5, 14978.	3.3	17
77	Characterization of ice-nucleating bacteria using on-line electron impact ionization aerosol mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2015, 50, 662-671.	1.6	10
78	Seasonal differences in oxygenated organic aerosol composition: implications for emissions sources and factor analysis. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 6993-7002.	4.9	106
79	Particulate matter, air quality and climate: lessons learned and future needs. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 8217-8299.	4.9	641
80	In situ, satellite measurement and model evidence on the dominant regional contribution to fine particulate matter levels in the Paris megacity. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 9577-9591.	4.9	92
81	Advanced source apportionment of size-resolved trace elements at multiple sites in London during winter. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 11291-11309.	4.9	71
82	Fourteen months of on-line measurements of the non-refractory submicron aerosol at the Jungfrauoch (3580 m a.s.l.) – chemical composition, origins and organic aerosol sources. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 11373-11398.	4.9	55
83	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode of 2013. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1299-1312.	4.9	163
84	Kerb and urban increment of highly time-resolved trace elements in PM ₁₀ , PM _{2.5} and PM _{1.0} ; winter aerosol in London during ClearfLo 2012. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 2367-2386.	4.9	46
85	Characterization of primary and secondary wood combustion products generated under different burner loads. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 2825-2841.	4.9	99
86	ACTRIS ACSM intercomparison – Part 1: Reproducibility of concentration and fragment results from 13 individual Quadrupole Aerosol Chemical Speciation Monitors (Q-ACSM) and consistency with co-located instruments. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 5063-5087.	3.1	104
87	ACTRIS ACSM intercomparison – Part 2: Intercomparison of ME-2 organic source apportionment results from 15 individual, co-located aerosol mass spectrometers. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 2555-2576.	3.1	118
88	Inter-comparison of laboratory smog chamber and flow reactor systems on organic aerosol yield and composition. <i>Atmospheric Measurement Techniques</i> , 2015, 8, 2315-2332.	3.1	110
89	Toxicity of aged gasoline exhaust particles to normal and diseased airway epithelia. <i>Scientific Reports</i> , 2015, 5, 11801.	3.3	71
90	Characteristics and temporal evolution of particulate emissions from a ship diesel engine. <i>Applied Energy</i> , 2015, 155, 204-217.	10.1	76

#	ARTICLE	IF	CITATIONS
91	Effects of alkylate fuel on exhaust emissions and secondary aerosol formation of a 2-stroke and a 4-stroke scooter. <i>Atmospheric Environment</i> , 2014, 94, 307-315.	4.1	24
92	Two-stroke scooters are a dominant source of air pollution in many cities. <i>Nature Communications</i> , 2014, 5, 3749.	12.8	126
93	High secondary aerosol contribution to particulate pollution during haze events in China. <i>Nature</i> , 2014, 514, 218-222.	27.8	3,582
94	Enhancing non-refractory aerosol apportionment from an urban industrial site through receptor modeling of complete high time-resolution aerosol mass spectra. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 8017-8042.	4.9	16
95	Effective Henry's Law Partitioning and the Salting Constant of Glyoxal in Aerosols Containing Sulfate. <i>Environmental Science & Technology</i> , 2013, 47, 4236-4244.	10.0	115
96	Evolution of nanoparticle composition in CLOUD in presence of sulphuric acid, ammonia and organics. , 2013, , .		1
97	The ToF-ACSM: a portable aerosol chemical speciation monitor with TOFMS detection. <i>Atmospheric Measurement Techniques</i> , 2013, 6, 3225-3241.	3.1	184
98	Similarities in STXM-NEXAFS Spectra of Atmospheric Particles and Secondary Organic Aerosol Generated from Glyoxal, α -Pinene, Isoprene, 1,2,4-Trimethylbenzene, and d-Limonene. <i>Aerosol Science and Technology</i> , 2013, 47, 543-555.	3.1	6
99	The link between organic aerosol mass loading and degree of oxygenation: an α -pinene photooxidation study. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 6493-6506.	4.9	48
100	Evolution of particle composition in CLOUD nucleation experiments. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 5587-5600.	4.9	33
101	Primary and secondary organic aerosol origin by combined gas-particle phase source apportionment. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 8411-8426.	4.9	96
102	Secondary organic aerosol formation from gasoline vehicle emissions in a new mobile environmental reaction chamber. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 9141-9158.	4.9	207
103	Wintertime aerosol chemical composition and source apportionment of the organic fraction in the metropolitan area of Paris. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 961-981.	4.9	391
104	Identification of marine and continental aerosol sources in Paris using high resolution aerosol mass spectrometry. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 1950-1963.	3.3	142
105	SoFi, an IGOR-based interface for the efficient use of the generalized multilinear engine (ME-2) for the source apportionment: ME-2 application to aerosol mass spectrometer data. <i>Atmospheric Measurement Techniques</i> , 2013, 6, 3649-3661.	3.1	433
106	Evaluation of chemical transport model predictions of primary organic aerosol for air masses classified by particle component-based factor analysis. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 8297-8321.	4.9	11
107	Identification and quantification of organic aerosol from cooking and other sources in Barcelona using aerosol mass spectrometer data. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 1649-1665.	4.9	449
108	Real-time, controlled OH-initiated oxidation of biogenic secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 9775-9790.	4.9	31

#	ARTICLE	IF	CITATIONS
109	A new method to discriminate secondary organic aerosols from different sources using high-resolution aerosol mass spectra. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 2189-2203.	4.9	32
110	Oxidation of ambient biogenic secondary organic aerosol by hydroxyl radicals: Effects on cloud condensation nuclei activity. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	4.0	44
111	Characterization of aerosol photooxidation flow reactors: heterogeneous oxidation, secondary organic aerosol formation and cloud condensation nuclei activity measurements. <i>Atmospheric Measurement Techniques</i> , 2011, 4, 445-461.	3.1	298
112	Impact of model grid spacing on regional- and urban- scale air quality predictions of organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 3107-3118.	4.9	57
113	The effect of meteorological and chemical factors on the agreement between observations and predictions of fine aerosol composition in southwestern Ontario during BAQS-Met. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 3195-3210.	4.9	13
114	Elucidating determinants of aerosol composition through particle-type-based receptor modeling. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 8133-8155.	4.9	30
115	Photochemical processing of organic aerosol at nearby continental sites: contrast between urban plumes and regional aerosol. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 2991-3006.	4.9	77
116	Quantification of aerosol chemical composition using continuous single particle measurements. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 7027-7044.	4.9	72
117	Temperature response of the submicron organic aerosol from temperate forests. <i>Atmospheric Environment</i> , 2011, 45, 6696-6704.	4.1	62
118	Diurnally resolved particulate and VOC measurements at a rural site: indication of significant biogenic secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 5745-5760.	4.9	24
119	Analysis of cloud condensation nuclei composition and growth kinetics using a pumped counterflow virtual impactor and aerosol mass spectrometer. <i>Atmospheric Measurement Techniques</i> , 2011, 4, 1677-1688.	3.1	13
120	Simultaneous factor analysis of organic particle and gas mass spectra: AMS and PTR-MS measurements at an urban site. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 1969-1988.	4.9	90
121	Observations of OM/OC and specific attenuation coefficients (SAC) in ambient fine PM at a rural site in central Ontario, Canada. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 2393-2411.	4.9	71
122	Characterization of a large biogenic secondary organic aerosol event from eastern Canadian forests. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 2825-2845.	4.9	164
123	Slower CCN growth kinetics of anthropogenic aerosol compared to biogenic aerosol observed at a rural site. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 299-312.	4.9	54
124	The hygroscopicity parameter ($\hat{\kappa}$) of ambient organic aerosol at a field site subject to biogenic and anthropogenic influences: relationship to degree of aerosol oxidation. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 5047-5064.	4.9	245
125	Biogenic oxidized organic functional groups in aerosol particles from a mountain forest site and their similarities to laboratory chamber products. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 5075-5088.	4.9	54
126	Chakrabarty et al. Reply. <i>Physical Review Letters</i> , 2010, 104, .	7.8	4

#	ARTICLE	IF	CITATIONS
127	Primary and secondary organic aerosols in urban air masses intercepted at a rural site. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	27
128	Soot Particle Studiesâ€”Instrument Inter-Comparisonâ€”Project Overview. <i>Aerosol Science and Technology</i> , 2010, 44, 592-611.	3.1	228
129	Low Fractal Dimension Cluster-Dilute Soot Aggregates from a Premixed Flame. <i>Physical Review Letters</i> , 2009, 102, 235504.	7.8	51
130	Mass Absorption Cross-Section of Ambient Black Carbon Aerosol in Relation to Chemical Age. <i>Aerosol Science and Technology</i> , 2009, 43, 522-532.	3.1	132
131	Measurements of VOCs by proton transfer reaction mass spectrometry at a rural Ontario site: Sources and correlation to aerosol composition. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	47
132	Morphology based particle segregation by electrostatic charge. <i>Journal of Aerosol Science</i> , 2008, 39, 785-792.	3.8	19
133	An Inter-Comparison of Instruments Measuring Black Carbon Content of Soot Particles. <i>Aerosol Science and Technology</i> , 2007, 41, 295-314.	3.1	276
134	Measurements of Morphology Changes of Fractal Soot Particles using Coating and Denuding Experiments: Implications for Optical Absorption and Atmospheric Lifetime. <i>Aerosol Science and Technology</i> , 2007, 41, 734-750.	3.1	92
135	Heterogeneous oxidation of saturated organic aerosols by hydroxyl radicals: uptake kinetics, condensed-phase products, and particle size change. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 4187-4201.	4.9	182
136	Light scattering and absorption by fractal-like carbonaceous chain aggregates: comparison of theories and experiment. <i>Applied Optics</i> , 2007, 46, 6990.	2.1	93
137	A Novel Method for Estimating Light-Scattering Properties of Soot Aerosols Using a Modified Single-Particle Soot Photometer. <i>Aerosol Science and Technology</i> , 2007, 41, 125-135.	3.1	258
138	Laboratory and Ambient Particle Density Determinations using Light Scattering in Conjunction with Aerosol Mass Spectrometry. <i>Aerosol Science and Technology</i> , 2007, 41, 343-359.	3.1	208
139	Single-particle measurements of midlatitude black carbon and light-scattering aerosols from the boundary layer to the lower stratosphere. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	594
140	Particle Morphology and Density Characterization by Combined Mobility and Aerodynamic Diameter Measurements. Part 2: Application to Combustion-Generated Soot Aerosols as a Function of Fuel Equivalence Ratio. <i>Aerosol Science and Technology</i> , 2004, 38, 1206-1222.	3.1	212
141	Particle Morphology and Density Characterization by Combined Mobility and Aerodynamic Diameter Measurements. Part 1: Theory. <i>Aerosol Science and Technology</i> , 2004, 38, 1185-1205.	3.1	811
142	Products and Mechanisms of Ozone Reactions with Oleic Acid for Aerosol Particles Having Coreâ€”Shell Morphologies. <i>Journal of Physical Chemistry A</i> , 2004, 108, 6686-6695.	2.5	156