

Katrin Mani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3267459/publications.pdf>

Version: 2024-02-01

49
papers

1,161
citations

304743

22
h-index

395702

33
g-index

49
all docs

49
docs citations

49
times ranked

1047
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Glypican-1 Is a Vehicle for Polyamine Uptake in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 47181-47189. | 3.4 | 143 |
| 2 | Nitric Oxide-dependent Processing of Heparan Sulfate in Recycling S-Nitrosylated Glypican-1 Takes Place in Caveolin-1-containing Endosomes. <i>Journal of Biological Chemistry</i> , 2002, 277, 44431-44439. | 3.4 | 72 |
| 3 | Tumor attenuation by 2(6-hydroxynaphthyl)- β -D-xylopyranoside requires priming of heparan sulfate and nuclear targeting of the products. <i>Glycobiology</i> , 2004, 14, 387-397. | 2.5 | 55 |
| 4 | Crystal Structure of N-Glycosylated Human Glypican-1 Core Protein. <i>Journal of Biological Chemistry</i> , 2012, 287, 14040-14051. | 3.4 | 54 |
| 5 | Modulations of Glypican-1 Heparan Sulfate Structure by Inhibition of Endogenous Polyamine Synthesis. <i>Journal of Biological Chemistry</i> , 2001, 276, 46779-46791. | 3.4 | 48 |
| 6 | The Amyloid Precursor Protein (APP) of Alzheimer Disease and Its Paralog, APLP2, Modulate the Cu/Zn-Nitric Oxide-catalyzed Degradation of Glypican-1 Heparan Sulfate in Vivo. <i>Journal of Biological Chemistry</i> , 2005, 280, 13913-13920. | 3.4 | 45 |
| 7 | A novel role for nitric oxide in the endogenous degradation of heparan sulfate during recycling of glypican-1 in vascular endothelial cells. <i>Glycobiology</i> , 2000, 10, 577-586. | 2.5 | 43 |
| 8 | Copper-dependent Autocleavage of Glypican-1 Heparan Sulfate by Nitric Oxide Derived from Intrinsic Nitrosothiols. <i>Journal of Biological Chemistry</i> , 2002, 277, 33353-33360. | 3.4 | 39 |
| 9 | Prion, Amyloid β -derived Cu(II) Ions, or Free Zn(II) Ions Support S-Nitroso-dependent Autocleavage of Glypican-1 Heparan Sulfate. <i>Journal of Biological Chemistry</i> , 2003, 278, 38956-38965. | 3.4 | 36 |
| 10 | Attenuation of Tumor Growth by Formation of Antiproliferative Glycosaminoglycans Correlates with Low Acetylation of Histone H3. <i>Cancer Research</i> , 2010, 70, 3771-3779. | 0.9 | 35 |
| 11 | Suppression of Amyloid β A11 Antibody Immunoreactivity by Vitamin C. <i>Journal of Biological Chemistry</i> , 2011, 286, 27559-27572. | 3.4 | 34 |
| 12 | Copper-dependent co-internalization of the prion protein and glypican-1. <i>Journal of Neurochemistry</i> , 2006, 98, 1445-1457. | 3.9 | 32 |
| 13 | Synthesis, conformation and biology of naphthoxylosides. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4114-4126. | 3.0 | 29 |
| 14 | Involvement of Glycosylphosphatidylinositol-linked Ceruloplasmin in the Copper/Zinc-Nitric Oxide-dependent Degradation of Glypican-1 Heparan Sulfate in Rat C6 Glioma Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 12918-12923. | 3.4 | 28 |
| 15 | Xyloside-primed Chondroitin Sulfate/Dermatan Sulfate from Breast Carcinoma Cells with a Defined Disaccharide Composition Has Cytotoxic Effects in Vitro. <i>Journal of Biological Chemistry</i> , 2016, 291, 14871-14882. | 3.4 | 28 |
| 16 | Rules for priming and inhibition of glycosaminoglycan biosynthesis; probing the β 4GalT7 active site. <i>Chemical Science</i> , 2014, 5, 3501-3508. | 7.4 | 26 |
| 17 | N-Unsubstituted Glucosamine in Heparan Sulfate of Recycling Glypican-1 from Suramin-treated and Nitrite-deprived Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 3885-3894. | 3.4 | 25 |
| 18 | The heparan sulfate-specific epitope 10E4 is NO-sensitive and partly inaccessible in glypican-1. <i>Glycobiology</i> , 2004, 14, 599-607. | 2.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Chemical and Thermal Unfolding of Glypican-1: Protective Effect of Heparan Sulfate against Heat-Induced Irreversible Aggregation. <i>Biochemistry</i> , 2009, 48, 9994-10004. | 2.5 | 25 |
| 20 | Amyloid Precursor Protein (APP)/APP-like Protein 2 (APLP2) Expression Is Required to Initiate Endosome-Nucleus-Autophagosome Trafficking of Glypican-1-derived Heparan Sulfate. <i>Journal of Biological Chemistry</i> , 2014, 289, 20871-20878. | 3.4 | 25 |
| 21 | Exploration of the active site of β 4GalT7: modifications of the aglycon of aromatic xylosides. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 3351-3362. | 2.8 | 25 |
| 22 | Novel aspects of vitamin C: how important is glypican-1 recycling?. <i>Trends in Molecular Medicine</i> , 2007, 13, 143-149. | 6.7 | 24 |
| 23 | Constitutive and vitamin C-induced, NO-catalyzed release of heparan sulfate from recycling glypican-1 in late endosomes. <i>Glycobiology</i> , 2006, 16, 1251-1261. | 2.5 | 22 |
| 24 | Heparan Sulfate Degradation Products Can Associate with Oxidized Proteins and Proteasomes. <i>Journal of Biological Chemistry</i> , 2007, 282, 21934-21944. | 3.4 | 20 |
| 25 | Structural Aspects of N-Glycosylations and the C-terminal Region in Human Glypican-1. <i>Journal of Biological Chemistry</i> , 2015, 290, 22991-23008. | 3.4 | 20 |
| 26 | Defective nitric oxide-dependent, deaminative cleavage of glypican-1 heparan sulfate in Niemann-Pick C1 fibroblasts. <i>Glycobiology</i> , 2006, 16, 711-718. | 2.5 | 19 |
| 27 | Non-conserved, S-nitrosylated cysteines in glypican-1 react with N-unsubstituted glucosamines in heparan sulfate and catalyze deaminative cleavage. <i>Glycobiology</i> , 2012, 22, 1480-1486. | 2.5 | 18 |
| 28 | Nucleolin is a nuclear target of heparan sulfate derived from glypican-1. <i>Experimental Cell Research</i> , 2017, 354, 31-39. | 2.6 | 16 |
| 29 | Involvement of glypican-1 autoprocessing in scrapie infection. <i>European Journal of Neuroscience</i> , 2008, 28, 964-972. | 2.6 | 15 |
| 30 | Non-toxic amyloid beta formed in the presence of glypican-1 or its deaminatively generated heparan sulfate degradation products. <i>Glycobiology</i> , 2013, 23, 1510-1519. | 2.5 | 14 |
| 31 | The structure of EXTL3 helps to explain the different roles of bi-domain exostosins in heparan sulfate synthesis. <i>Nature Communications</i> , 2022, 13, . | 12.8 | 14 |
| 32 | LC-MS/MS characterization of xyloside-primed glycosaminoglycans with cytotoxic properties reveals structural diversity and novel glycan modifications. <i>Journal of Biological Chemistry</i> , 2018, 293, 10202-10219. | 3.4 | 12 |
| 33 | S-Nitrosylation of secreted recombinant human glypican-1. <i>Glycoconjugate Journal</i> , 2009, 26, 1247-1257. | 2.7 | 11 |
| 34 | Rapid nuclear transit and impaired degradation of amyloid β 2 and glypican-1-derived heparan sulfate in Tg2576 mouse fibroblasts. <i>Glycobiology</i> , 2015, 25, 548-556. | 2.5 | 11 |
| 35 | Cytochrome b561, copper, β 2-cleaved amyloid precursor protein and niemann-pick C1 protein are involved in ascorbate-induced release and membrane penetration of heparan sulfate from endosomal S-nitrosylated glypican-1. <i>Experimental Cell Research</i> , 2017, 360, 171-179. | 2.6 | 9 |
| 36 | Fine-tuning the structure of glycosaminoglycans in living cells using xylosides. <i>Glycobiology</i> , 2018, 28, 499-511. | 2.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Proinflammatory cytokines induce accumulation of glypican-1-derived heparan sulfate and the C-terminal fragment of β -cleaved APP in autophagosomes of dividing neuronal cells. <i>Glycobiology</i> , 2020, 30, 539-549. | 2.5 | 9 |
| 38 | Structural and Biophysical Characterization of Human EXTL3: Domain Organization, Glycosylation, and Solution Structure. <i>Biochemistry</i> , 2018, 57, 1166-1177. | 2.5 | 7 |
| 39 | Hypoxia induces NO-dependent release of heparan sulfate in fibroblasts from the Alzheimer mouse Tg2576 by activation of nitrite reduction. <i>Glycobiology</i> , 2016, 26, 623-634. | 2.5 | 6 |
| 40 | The cyanobacterial neurotoxin β -N-methylamino-l-alanine prevents addition of heparan sulfate to glypican-1 and increases processing of amyloid precursor protein in dividing neuronal cells. <i>Experimental Cell Research</i> , 2019, 379, 172-181. | 2.6 | 6 |
| 41 | Degradation and Reprocessing of Heparan Sulphate in Recycling Glypican (Heparan Sulphate) Tj ETQq1 1 0.784314, rBT /Overlock 10 | 0.1 | 0 |
| 42 | Suppression of glypican-1 autodegradation by NO-deprivation correlates with nuclear accumulation of amyloid beta in normal fibroblasts. <i>Glycoconjugate Journal</i> , 2015, 32, 675-684. | 2.7 | 5 |
| 43 | Common traffic routes for imported spermine and endosomal glypican-1-derived heparan sulfate in fibroblasts. <i>Experimental Cell Research</i> , 2018, 364, 133-142. | 2.6 | 5 |
| 44 | Reversal of apolipoprotein E4-dependent or chemical-induced accumulation of APP degradation products by vitamin C-induced release of heparan sulfate from glypican-1. <i>Glycobiology</i> , 2021, 31, 800-811. | 2.5 | 4 |
| 45 | Complex modulation of cytokine-induced β -synuclein aggregation by glypican-1-derived heparan sulfate in neural cells. <i>Glycobiology</i> , 2022, 32, 333-342. | 2.5 | 4 |
| 46 | Disubstituted naphthyl β -D-xylopyranosides: Synthesis, GAG priming, and histone acetyltransferase (HAT) inhibition. <i>Glycoconjugate Journal</i> , 2016, 33, 245-257. | 2.7 | 3 |
| 47 | Production and HPLC-Based Disaccharide Analysis of Xyloside-Primed Glycosaminoglycans. <i>Methods in Molecular Biology</i> , 2022, 2303, 173-182. | 0.9 | 0 |
| 48 | Assays for Evaluation of Substrates for and of β -1,4-Galactosyltransferase 7. <i>Methods in Molecular Biology</i> , 2022, 2303, 477-486. | 0.9 | 0 |
| 49 | Isolation and Characterization of Heparan Containing Precursor Protein Degradation Products. <i>Methods in Molecular Biology</i> , 2022, 2303, 279-288. | 0.9 | 0 |