

Laura P Stabile

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268036/publications.pdf>

Version: 2024-02-01

43
papers

2,105
citations

257450

24
h-index

289244

40
g-index

43
all docs

43
docs citations

43
times ranked

2804
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting the ER ¹² /HER Oncogenic Network in KRAS Mutant Lung Cancer Modulates the Tumor Microenvironment and Is Synergistic with Sequential Immunotherapy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 81.	4.1	6
2	Clinicopathologic and Genomic Landscape of Non-Small Cell Lung Cancer Brain Metastases. <i>Oncologist</i> , 2022, 27, 839-848.	3.7	18
3	Syngeneic tobacco carcinogen-induced mouse lung adenocarcinoma model exhibits PD-L1 expression and high tumor mutational burden. <i>JCI Insight</i> , 2021, 6, .	5.0	13
4	Estrogen Receptor γ in Cancer: To γ (e) or not to γ (e)?. <i>Endocrinology</i> , 2021, 162, .	2.8	8
5	Hormone gene signature guides a novel therapeutic opportunity to improve sensitivity to HER family inhibition in lung cancer. <i>Translational Lung Cancer Research</i> , 2020, 9, 1599-1605.	2.8	0
6	Phase I Study of Ficlatusumab and Cetuximab in Cetuximab-Resistant, Recurrent/Metastatic Head and Neck Cancer. <i>Cancers</i> , 2020, 12, 1537.	3.7	19
7	Interplay between estrogen and Stat3/NF- κ B-driven immunomodulation in lung cancer. <i>Carcinogenesis</i> , 2020, 41, 1529-1542.	2.8	9
8	Induction of Lung Tumors and Mutational Analysis in FVB/N Mice Treated with the Tobacco Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanone. <i>Methods in Molecular Biology</i> , 2020, 2102, 149-160.	0.9	3
9	Randomized, phase II study of ficlatuzumab with or without cetuximab in patients with pan-refractory, recurrent/metastatic (R/M) head and neck squamous cell carcinoma (HNSCC).. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS6594-TPS6594.	1.6	0
10	When fat is favorable: the unexpected relationship between obesity and response to immunotherapy. <i>Immunotherapy</i> , 2020, 12, 1035-1039.	2.0	1
11	The estrogen pathway as a modulator of response to immunotherapy. <i>Immunotherapy</i> , 2019, 11, 1161-1176.	2.0	7
12	A preliminary analysis of interleukin-1 ligands as potential predictive biomarkers of response to cetuximab. <i>Biomarker Research</i> , 2019, 7, 14.	6.8	6
13	Targeting the Temporal Dynamics of Hypoxia-Induced Tumor-Secreted Factors Halts Tumor Migration. <i>Cancer Research</i> , 2019, 79, 2962-2977.	0.9	16
14	Preclinical Evidence for Combined Use of Aromatase Inhibitors and NSAIDs as Preventive Agents of Tobacco-Induced Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 399-412.	1.1	25
15	Sex specific function of epithelial STAT3 signaling in pathogenesis of K-ras mutant lung cancer. <i>Nature Communications</i> , 2018, 9, 4589.	12.8	57
16	Randomized phase II study of fulvestrant and erlotinib compared with erlotinib alone in patients with advanced or metastatic non-small cell lung cancer. <i>Lung Cancer</i> , 2018, 123, 91-98.	2.0	35
17	ADAM10 Sheddase Activity is a Potential Lung-Cancer Biomarker. <i>Journal of Cancer</i> , 2018, 9, 2559-2570.	2.5	30
18	The Role of the Estrogen Pathway in the Tumor Microenvironment. <i>International Journal of Molecular Sciences</i> , 2018, 19, 611.	4.1	145

#	ARTICLE	IF	CITATIONS
19	Phase 1/2 study of rilotumumab (AMG 102), a hepatocyte growth factor inhibitor, and erlotinib in patients with advanced non-small cell lung cancer. <i>Cancer</i> , 2017, 123, 2936-2944.	4.1	36
20	The endocrine disrupting alkylphenols and 4,4'-DDT interfere with estrogen conversion and clearance by mouse liver cytosol. <i>Reproductive Biology</i> , 2017, 17, 185-192.	1.9	17
21	MAP4K4 is a novel MAPK/ERK pathway regulator required for lung adenocarcinoma maintenance. <i>Molecular Oncology</i> , 2017, 11, 628-639.	4.6	43
22	Lung Endothelial MicroRNA-1 Regulates Tumor Growth and Angiogenesis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 196, 1443-1455.	5.6	31
23	Modification of proteolytic activity matrix analysis (PrAMA) to measure ADAM10 and ADAM17 shedase activities in cell and tissue lysates. <i>Journal of Cancer</i> , 2017, 8, 3916-3932.	2.5	3
24	Interaction between the estrogen receptor and fibroblast growth factor receptor pathways in non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 24063-24076.	1.8	26
25	ATM protein is deficient in over 40% of lung adenocarcinomas. <i>Oncotarget</i> , 2016, 7, 57714-57725.	1.8	35
26	Expression of PAM50 Genes in Lung Cancer: Evidence that Interactions between Hormone Receptors and HER2/HER3 Contribute to Poor Outcome. <i>Neoplasia</i> , 2015, 17, 817-825.	5.3	29
27	Targeting the estrogen pathway for the treatment and prevention of lung cancer. <i>Lung Cancer Management</i> , 2014, 3, 43-52.	1.5	30
28	Co-targeting c-Met and COX-2 Leads to Enhanced Inhibition of Lung Tumorigenesis in a Murine Model with Heightened Airway HGF. <i>Journal of Thoracic Oncology</i> , 2014, 9, 1285-1293.	1.1	6
29	Estrogenic Steroid Hormones in Lung Cancer. <i>Seminars in Oncology</i> , 2014, 41, 5-16.	2.2	95
30	c-Src Activation Mediates Erlotinib Resistance in Head and Neck Cancer by Stimulating c-Met. <i>Clinical Cancer Research</i> , 2013, 19, 380-392.	7.0	90
31	Prevention of tobacco carcinogen-induced lung cancer in female mice using antiestrogens. <i>Carcinogenesis</i> , 2012, 33, 2181-2189.	2.8	48
32	HGF Airway Over-expression Leads to Enhanced Pulmonary Vascularization without Induction of VEGF. <i>Current Angiogenesis</i> , 2012, 1, 52-63.	0.1	0
33	Dual Blockade of EGFR and c-Met Abrogates Redundant Signaling and Proliferation in Head and Neck Carcinoma Cells. <i>Clinical Cancer Research</i> , 2011, 17, 4425-4438.	7.0	106
34	Combined Analysis of Estrogen Receptor β -1 and Progesterone Receptor Expression Identifies Lung Cancer Patients with Poor Outcome. <i>Clinical Cancer Research</i> , 2011, 17, 154-164.	7.0	139
35	Targeting of Both the c-Met and EGFR Pathways Results in Additive Inhibition of Lung Tumorigenesis in Transgenic Mice. <i>Cancers</i> , 2010, 2, 2153-2170.	3.7	34
36	HGF and c-Met Participate in Paracrine Tumorigenic Pathways in Head and Neck Squamous Cell Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 3740-3750.	7.0	196

#	ARTICLE	IF	CITATIONS
37	Estrogen receptor beta (ER β) subtype-specific ligands increase transcription, p44/p42 mitogen activated protein kinase (MAPK) activation and growth in human non-small cell lung cancer cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009, 116, 102-109.	2.5	105
38	Pilot study of gefitinib and fulvestrant in the treatment of post-menopausal women with advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2009, 64, 51-59.	2.0	82
39	Therapeutic targeting of human hepatocyte growth factor with a single neutralizing monoclonal antibody reduces lung tumorigenesis. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1913-1922.	4.1	37
40	Transgenic mice overexpressing hepatocyte growth factor in the airways show increased susceptibility to lung cancer. <i>Carcinogenesis</i> , 2005, 27, 1547-1555.	2.8	43
41	Estrogen receptor pathways in lung cancer. <i>Current Oncology Reports</i> , 2004, 6, 259-267.	4.0	93
42	Sex and gender differences in lung cancer. <i>Journal of Gender-specific Medicine</i> , 2003, 6, 37-48.	0.1	21
43	Human non-small cell lung tumors and cells derived from normal lung express both estrogen receptor alpha and beta and show biological responses to estrogen. <i>Cancer Research</i> , 2002, 62, 2141-50.	0.9	362