

Joost Dekker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268061/publications.pdf>

Version: 2024-02-01

463
papers

27,741
citations

10351

72
h-index

7931

149
g-index

472
all docs

472
docs citations

472
times ranked

27243
citing authors

#	ARTICLE	IF	CITATIONS
1	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 34-42.	2.4	7,331
2	The impact of physical therapy on functional outcomes after stroke: what's the evidence?. <i>Clinical Rehabilitation</i> , 2004, 18, 833-862.	1.0	787
3	Prevalence of chronic benign pain disorder among adults: a review of the literature. <i>Pain</i> , 1998, 77, 231-239.	2.0	585
4	Potential barriers to the use of health services among ethnic minorities: a review. <i>Family Practice</i> , 2006, 23, 325-348.	0.8	545
5	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341.	0.5	457
6	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2017, 372, 331-341.	0.3	433
7	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: A systematic review of randomized clinical trials. <i>Arthritis and Rheumatism</i> , 1999, 42, 1361-1369.	6.7	397
8	Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 1196.	2.4	389
9	Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 118-123.	0.5	282
10	Local dynamic stability and variability of gait are associated with fall history in elderly subjects. <i>Gait and Posture</i> , 2012, 36, 527-531.	0.6	248
11	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 524-534.	2.4	245
12	Range of joint motion and disability in patients with osteoarthritis of the knee or hip. <i>Rheumatology</i> , 2000, 39, 955-961.	0.9	244
13	Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 71-85.	0.9	240
14	Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2004, 51, 722-729.	6.7	235
15	Validity of the Canadian Occupational Performance Measure: a client-centred outcome measurement. <i>Clinical Rehabilitation</i> , 2004, 18, 660-667.	1.0	233
16	Community occupational therapy for older patients with dementia and their care givers: cost effectiveness study. <i>BMJ: British Medical Journal</i> , 2008, 336, 134-138.	2.4	218
17	Effects of Community Occupational Therapy on Quality of Life, Mood, and Health Status in Dementia Patients and Their Caregivers: A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1002-1009.	1.7	212
18	Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine months' follow up. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 1123-1130.	0.5	211

#	ARTICLE	IF	CITATIONS
19	Course of functional status and pain in osteoarthritis of the hip or knee: A systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006, 55, 779-785.	6.7	211
20	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: A systematic review. <i>Arthritis and Rheumatism</i> , 2007, 57, 1245-1253.	6.7	210
21	Comorbidity of chronic diseases. <i>Quality of Life Research</i> , 2005, 14, 45-55.	1.5	206
22	Occupational Therapy for Stroke Patients. <i>Stroke</i> , 2003, 34, 676-687.	1.0	194
23	Proprioception in knee osteoarthritis: a narrative review. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 381-388.	0.6	193
24	Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 95.	0.8	192
25	Exercise adherence improving long-term patient outcome in patients with osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010, 62, 1087-1094.	1.5	186
26	Pain and disability in osteoarthritis: A review of biobehavioral mechanisms. <i>Journal of Behavioral Medicine</i> , 1992, 15, 189-214.	1.1	183
27	Effectiveness of a Web-Based Physical Activity Intervention in Patients With Knee and/or Hip Osteoarthritis: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e257.	2.1	167
28	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 620-633.	0.6	158
29	Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004, 33, 453-460.	0.7	147
30	Mortality in patients with rheumatoid arthritis: a 15-year prospective cohort study. <i>Rheumatology International</i> , 2017, 37, 487-493.	1.5	146
31	Risk factors for functional decline in osteoarthritis of the hip or knee. <i>Current Opinion in Rheumatology</i> , 2009, 21, 520-524.	2.0	136
32	Forefoot joint damage, pain and disability in rheumatoid arthritis patients with foot complaints: the role of plantar pressure and gait characteristics. <i>Rheumatology</i> , 2006, 45, 465-469.	0.9	135
33	Joint proprioception, muscle strength, and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 57, 787-793.	6.7	135
34	Effectiveness of exercise therapy and manual mobilisation in acute ankle sprain and functional instability: A systematic review. <i>Australian Journal of Physiotherapy</i> , 2006, 52, 27-37.	0.9	134
35	Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Rheumatology</i> , 2006, 45, 890-902.	0.9	128
36	A Systematic Review of Instruments Assessing Participation: Challenges in Defining Participation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 983-997.	0.5	126

#	ARTICLE	IF	CITATIONS
37	Psychometric evaluation of osteoarthritis questionnaires: A systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006, 55, 480-492.	6.7	121
38	Identification of phenotypes with different clinical outcomes in knee osteoarthritis: Data from the osteoarthritis initiative. <i>Arthritis Care and Research</i> , 2011, 63, 1535-1542.	1.5	115
39	Prognosis of Limitations in Activities in Osteoarthritis of the Hip or Knee: A 3-Year Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 58-66.	0.5	114
40	Muscle strength, pain and disability in patients with osteoarthritis. <i>Clinical Rehabilitation</i> , 2001, 15, 331-341.	1.0	112
41	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1413-1419.	0.5	112
42	Prognosis of Pain and Physical Functioning in Patients With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016, 68, 481-492.	1.5	110
43	Prevalence and course of forefoot impairments and walking disability in the first eight years of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1596-1602.	6.7	109
44	Responsiveness of the Canadian Occupational Performance Measure. <i>Journal of Rehabilitation Research and Development</i> , 2011, 48, 517.	1.6	109
45	Efficacy of strategy training in left hemisphere stroke patients with apraxia: A randomised clinical trial. <i>Neuropsychological Rehabilitation</i> , 2001, 11, 549-566.	1.0	107
46	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2006, 55, 925-934.	6.7	106
47	Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 233-241.	0.9	106
48	“Beating osteoARthritis”: Development of a stepped care strategy to optimize utilization and timing of non-surgical treatment modalities for patients with hip or knee osteoarthritis. <i>Clinical Rheumatology</i> , 2011, 30, 1623-1629.	1.0	102
49	Dutch/Flemish translation of 17 item banks from the Patient-Reported Outcomes Measurement Information System (PROMIS). <i>Quality of Life Research</i> , 2014, 23, 1733-41.	1.5	102
50	Negative affect, pain and disability in osteoarthritis patients: the mediating role of muscle weakness. <i>Behaviour Research and Therapy</i> , 1993, 31, 203-206.	1.6	101
51	Knee joint stabilization therapy in patients with osteoarthritis of the knee: a randomized, controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1025-1034.	0.6	97
52	The reproducibility of the Canadian Occupational Performance Measure. <i>Clinical Rehabilitation</i> , 2005, 19, 888-894.	1.0	95
53	Effectiveness of manual therapy for chronic tension-type headache: A pragmatic, randomised, clinical trial. <i>Cephalalgia</i> , 2011, 31, 133-143.	1.8	92
54	Association of lower muscle strength with self-reported knee instability in osteoarthritis of the knee: Results from the Amsterdam Osteoarthritis Cohort. <i>Arthritis Care and Research</i> , 2012, 64, 38-45.	1.5	92

#	ARTICLE	IF	CITATIONS
55	Prevalence of apraxia among patients with a first left hemisphere stroke in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2000, 14, 130-136.	1.0	91
56	Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. <i>Clinical Rehabilitation</i> , 2005, 19, 247-254.	1.0	91
57	Course and prognosis of elbow complaints: a cohort study in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1331-1336.	0.5	88
58	Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1369-1375.	0.5	88
59	Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018, 98, 560-570.	1.1	87
60	The course of limitations in activities over 5 years in patients with knee and hip osteoarthritis with moderate functional limitations: risk factors for future functional decline. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 503-510.	0.6	86
61	Efficacy of Tailored Exercise Therapy on Physical Functioning in Patients With Knee Osteoarthritis and Comorbidity: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017, 69, 807-816.	1.5	86
62	Behavioural graded activity results in better exercise adherence and more physical activity than usual care in people with osteoarthritis: a cluster-randomised trial. <i>Journal of Physiotherapy</i> , 2010, 56, 41-47.	0.7	84
63	Effectiveness of cognitive behavioral therapy for the treatment of fatigue in patients with multiple sclerosis: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2016, 90, 33-42.	1.2	84
64	Clinical phenotypes in patients with knee osteoarthritis: a study in the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 544-549.	0.6	82
65	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1071-1082.	0.6	80
66	Gait Retraining With Real-Time Biofeedback to Reduce Knee Adduction Moment: Systematic Review of Effects and Methods Used. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 137-150.	0.5	78
67	Occupational therapy for rheumatoid arthritis: A systematic review. <i>Arthritis and Rheumatism</i> , 2002, 47, 672-685.	6.7	77
68	Clinical databases in physical therapy. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 153-167.	0.6	77
69	Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. <i>Bone Marrow Transplantation</i> , 2012, 47, 757-769.	1.3	77
70	Osteoarthritis of the hip or knee: which coexisting disorders are disabling?. <i>Clinical Rheumatology</i> , 2010, 29, 739-747.	1.0	76
71	Outcome of strategy training in stroke patients with apraxia: a phase II study. <i>Clinical Rehabilitation</i> , 1998, 12, 294-303.	1.0	75
72	Physiotherapy management of low back pain: Does practice match the Dutch guidelines?. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 35-41.	0.9	75

#	ARTICLE	IF	CITATIONS
73	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data meta-analysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018, 27, 1150-1161.	1.0	74
74	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005, 14, 1141-1155.	1.5	72
75	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a randomized controlled trial comparing two different physical therapy interventions. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1019-1026.	0.6	72
76	Occupational therapy for children with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2004, 18, 1-14.	1.0	71
77	Avoidance of activity and disability in patients with osteoarthritis of the knee: The mediating role of muscle strength. <i>Arthritis and Rheumatism</i> , 2002, 46, 1784-1788.	6.7	70
78	The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. <i>Rheumatology International</i> , 2015, 35, 1233-1241.	1.5	69
79	Adherence to a Web-Based Physical Activity Intervention for Patients With Knee and/or Hip Osteoarthritis: A Mixed Method Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e223.	2.1	69
80	Attentional Effects on Sexual Arousal. <i>Psychophysiology</i> , 1988, 25, 45-54.	1.2	67
81	How can occupational therapy improve the daily performance and communication of an older patient with dementia and his primary caregiver?. <i>Dementia</i> , 2006, 5, 503-532.	1.0	66
82	Joint laxity and the relationship between muscle strength and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2006, 55, 953-959.	6.7	64
83	The course of apraxia and ADL functioning in left hemisphere stroke patients treated in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2006, 20, 1085-1093.	1.0	64
84	Prevalence of hand symptoms, impairments and activity limitations in rheumatoid arthritis in relation to disease duration. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 916-921.	0.8	64
85	Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 411-419.	0.6	64
86	Predictors of multidisciplinary treatment outcome in fibromyalgia: a systematic review. <i>Disability and Rehabilitation</i> , 2013, 35, 437-449.	0.9	64
87	A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1257-1269.	6.7	63
88	Factors contributing to possession and use of walking aids among persons with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , 2003, 49, 838-842.	6.7	62
89	Clinimetrics in rehabilitation medicine: current issues in developing and applying measurement instruments 1. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 193-201.	0.8	62
90	Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018, 18, 1082.	1.2	62

#	ARTICLE	IF	CITATIONS
91	Forefoot disease activity in rheumatoid arthritis patients in remission: results of a cohort study. <i>Arthritis Research and Therapy</i> , 2010, 12, R3.	1.6	61
92	Social position of adolescents with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 543-549.	0.8	59
93	Cohort Profile: Cohort Hip and Cohort Knee (CHECK) study. <i>International Journal of Epidemiology</i> , 2016, 45, 36-44.	0.9	59
94	Self-reported knee instability and activity limitations in patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2012, 31, 1505-1510.	1.0	58
95	Physical Activity Patterns Among Older Adults With and Without Knee Osteoarthritis in Six European Countries. <i>Arthritis Care and Research</i> , 2016, 68, 228-236.	1.5	58
96	Minimal clinically important change on the Headache Impact Test-6 questionnaire in patients with chronic tension-type headache. <i>Cephalalgia</i> , 2012, 32, 710-714.	1.8	56
97	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 227.	0.8	56
98	Limitations in activities in patients with osteoarthritis of the hip or knee: The relationship with body functions, comorbidity and cognitive functioning. <i>Disability and Rehabilitation</i> , 2009, 31, 1685-1691.	0.9	55
99	Early enforced mobilisation following surgery for gastrointestinal cancer: feasibility and outcomes. <i>Physiotherapy</i> , 2016, 102, 103-110.	0.2	55
100	Prognostic factors for the two-year course of activity limitations in early osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010, 62, 1415-1425.	1.5	54
101	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017, 40, .	0.6	53
102	Clinical value of DSM IV and DSM 5 criteria for diagnosing the most prevalent somatoform disorders in patients with medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2016, 82, 4-10.	1.2	53
103	Association of malalignment, muscular dysfunction, proprioception, laxity and abnormal joint loading with tibiofemoral knee osteoarthritis - a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 273.	0.8	52
104	Impact of self-reported comorbidity on physical and mental health status in early symptomatic osteoarthritis: the CHECK (Cohort Hip and Cohort Knee) study. <i>Rheumatology</i> , 2013, 52, 180-188.	0.9	51
105	Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 171-177.	0.6	51
106	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014, 155, 1605-1612.	2.0	51
107	A Diagnostic Test for Apraxia in Stroke Patients: Internal Consistency and Diagnostic Value. <i>Clinical Neuropsychologist</i> , 1999, 13, 182-192.	1.5	50
108	Internal consistency and validity of a new physical workload questionnaire. <i>Occupational and Environmental Medicine</i> , 2004, 61, 980-986.	1.3	50

#	ARTICLE	IF	CITATIONS
109	Decrease of Muscle Strength Is Associated With Increase of Activity Limitations in Early Knee Osteoarthritis: 3-Year Results From the Cohort Hip and Cohort Knee Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1962-1968.	0.5	50
110	Association of postural control with muscle strength, proprioception, self-reported knee instability and activity limitations in patients with knee osteoarthritis. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 192-197.	0.8	48
111	Reliability and precision of 3D wireless measurement of scapular kinematics. <i>Medical and Biological Engineering and Computing</i> , 2014, 52, 921-931.	1.6	48
112	Setting meaningful goals in rehabilitation: rationale and practical tool. <i>Clinical Rehabilitation</i> , 2020, 34, 3-12.	1.0	48
113	Physical Therapy for Patients with Back Pain. <i>Physiotherapy</i> , 1995, 81, 345-351.	0.2	47
114	Structural joint changes, malalignment, and laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2005, 34, 298-301.	0.6	47
115	Cognitive behavioral therapy positively affects fatigue in patients with multiple sclerosis: Results of a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1542-1553.	1.4	47
116	What factors explain the number of physical therapy treatment sessions in patients referred with low back pain; a multilevel analysis. <i>BMC Health Services Research</i> , 2005, 5, 74.	0.9	46
117	Avoidance of Activities in Early Symptomatic Knee Osteoarthritis: Results from the CHECK Cohort. <i>Annals of Behavioral Medicine</i> , 2012, 44, 33-42.	1.7	46
118	Responsiveness of functional health status measures frequently used in stroke research. <i>Disability and Rehabilitation</i> , 2006, 28, 1035-1040.	0.9	45
119	Falls Associated with Muscle Strength in Patients with Knee Osteoarthritis and Self-reported Knee Instability. <i>Journal of Rheumatology</i> , 2015, 42, 1218-1223.	1.0	45
120	Clinical experience of rehabilitation therapists with chronic diseases: a quantitative approach. <i>Clinical Rehabilitation</i> , 1998, 12, 143-150.	1.0	44
121	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 215-221.	0.5	44
122	The usability and preliminary effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 61.	1.5	44
123	Associations between measures of gait stability, leg strength and fear of falling. <i>Gait and Posture</i> , 2015, 41, 76-80.	0.6	44
124	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 847-854.	0.5	44
125	Diagnosis and Treatment in Physical Therapy: An Investigation of Their Relationship. <i>Physical Therapy</i> , 1993, 73, 568-577.	1.1	43
126	Success or failure of chronic pain rehabilitation: the importance of good interaction – a qualitative study under patients and professionals. <i>Disability and Rehabilitation</i> , 2014, 36, 1903-1910.	0.9	43

#	ARTICLE	IF	CITATIONS
127	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. <i>Disability and Rehabilitation</i> , 2018, 40, 486-496.	0.9	43
128	The internal consistency and validity of the Self-assessment Parkinson's Disease Disability Scale. <i>Clinical Rehabilitation</i> , 2001, 15, 221-228.	1.0	42
129	Course and prognosis of knee complaints in general practice. <i>Arthritis and Rheumatism</i> , 2005, 53, 920-930.	6.7	42
130	Diagnostic accuracy of range of motion measurements in early symptomatic hip and/or knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012, 64, 59-65.	1.5	42
131	Predictors of outcome of multidisciplinary treatment in chronic widespread pain: an observational study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 133.	0.8	42
132	Health Care Use of Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-Care Strategy: An Observational Study. <i>Arthritis Care and Research</i> , 2014, 66, 817-827.	1.5	42
133	The prevalence of depressive symptoms before and after surgery and its association with disability in patients undergoing lumbar spinal fusion. <i>European Spine Journal</i> , 2014, 23, 129-134.	1.0	42
134	Rehabilitation of stroke patients with apraxia: the role of additional cognitive and motor impairments. <i>Disability and Rehabilitation</i> , 2000, 22, 547-554.	0.9	41
135	The Effectiveness of Self-Guided Web-Based Physical Activity Interventions Among Patients With a Chronic Disease: A Systematic Review. <i>Journal of Physical Activity and Health</i> , 2014, 11, 665-677.	1.0	41
136	Development of a Computer Adaptive Test for Depression Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Evaluation and the Health Professions</i> , 2017, 40, 79-105.	0.9	41
137	School and leisure activities in adolescents and young adults with chronic digestive disorders: Impact of burden of disease. <i>International Journal of Behavioral Medicine</i> , 2006, 13, 121-130.	0.8	40
138	The avoidance model in knee and hip osteoarthritis: a systematic review of the evidence. <i>Journal of Behavioral Medicine</i> , 2014, 37, 1226-1241.	1.1	40
139	Attending to stimuli or to images of sexual feelings: Effects on sexual arousal. <i>Behaviour Research and Therapy</i> , 1985, 23, 139-149.	1.6	39
140	Validity of Cyriax's Concept Capsular Pattern for the Diagnosis of Osteoarthritis of Hip and/or Knee. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 347-351.	0.6	39
141	Psychological adjustment to chronic disease and rehabilitation – an exploration. <i>Disability and Rehabilitation</i> , 2018, 40, 116-120.	0.9	39
142	Measuring disabilities in stroke patients with apraxia: A validation study of an observational method. <i>Neuropsychological Rehabilitation</i> , 2000, 10, 401-414.	1.0	37
143	A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. <i>Annals of Hematology</i> , 2016, 95, 105-114.	0.8	37
144	Differential item functioning of the functional independence measure in higher performing neurological patients. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 346-352.	0.8	36

#	ARTICLE	IF	CITATIONS
145	Reproducibility of the measurement of knee joint proprioception in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 57, 1398-1403.	6.7	36
146	Effectiveness of manual therapy compared to usual care by the general practitioner for chronic tension-type headache: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 21.	0.8	36
147	No evidence for the effectiveness of a multidisciplinary group based treatment program in patients with osteoarthritis of hands on the short term; results of a Randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 901-910.	0.6	36
148	Distress in patients with cancer – on the need to distinguish between adaptive and maladaptive emotional responses. <i>Acta Oncologica</i> , 2017, 56, 1026-1029.	0.8	36
149	The Use of Therapeutic Ultrasound by Physical Therapists in Dutch Primary Health Care. <i>Physical Therapy</i> , 1998, 78, 470-478.	1.1	35
150	Work adjustments among the chronically ill. <i>International Journal of Rehabilitation Research</i> , 2001, 24, 7-14.	0.7	35
151	Manual therapy in osteoarthritis of the hip: outcome in subgroups of patients. <i>British Journal of Rheumatology</i> , 2005, 44, 461-464.	2.5	35
152	Long-term effect of comorbidity on the course of physical functioning in patients after stroke and with multiple sclerosis. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 322-326.	0.8	35
153	Knee varus/valgus motion during gait – a measure of joint stability in patients with osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 522-525.	0.6	34
154	Course and predictors of pain and physical functioning in patients with hip osteoarthritis: Systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 245-252.	0.8	34
155	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 82-90.	0.6	34
156	Determinants of Adherence to the Online Component of a Blended Intervention for Patients with Hip and/or Knee Osteoarthritis: A Mixed Methods Study Embedded in the e-Exercise Trial. <i>Telemedicine Journal and E-Health</i> , 2017, 23, 1002-1010.	1.6	34
157	Factors associated with physiotherapy provision in a population of elderly nursing home residents; a cross sectional study. <i>BMC Geriatrics</i> , 2007, 7, 7.	1.1	33
158	Biomechanical factors and physical examination findings in osteoarthritis of the knee: associations with tissue abnormalities assessed by conventional radiography and high-resolution 3.0 Tesla magnetic resonance imaging. <i>Arthritis Research and Therapy</i> , 2012, 14, R212.	1.6	33
159	Development of comorbidity-adapted exercise protocols for patients with knee osteoarthritis. <i>Clinical Interventions in Aging</i> , 2014, 9, 829.	1.3	33
160	Exercise in people with comorbidity or multimorbidity.. <i>Health Psychology</i> , 2019, 38, 822-830.	1.3	33
161	DOING THE RIGHT THING AND DOING IT RIGHT: TOWARD A FRAMEWORK FOR ASSESSING THE POLICY RELEVANCE OF HEALTH SERVICES RESEARCH. <i>International Journal of Technology Assessment in Health Care</i> , 2003, 19, 604-612.	0.2	32
162	The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 809-815.	0.5	32

#	ARTICLE	IF	CITATIONS
163	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. PLoS ONE, 2015, 10, e0134094.	1.1	32
164	Effect of Soft Braces on Pain and Physical Function in Patients With Knee Osteoarthritis: Systematic Review With Meta-Analyses. Archives of Physical Medicine and Rehabilitation, 2018, 99, 153-163.	0.5	32
165	Blended Interventions to Change Behavior in Patients With Chronic Somatic Disorders: Systematic Review. Journal of Medical Internet Research, 2017, 19, e418.	2.1	32
166	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803.	1.5	31
167	Physical activity and incident clinical knee osteoarthritis in older adults. Arthritis and Rheumatism, 2009, 61, 152-157.	6.7	31
168	Is the Severity of Knee Osteoarthritis on Magnetic Resonance Imaging Associated With Outcome of Exercise Therapy?. Arthritis Care and Research, 2014, 66, 63-68.	1.5	31
169	Distress, problems and supportive care needs of patients treated with auto- or allo-SCT. Bone Marrow Transplantation, 2014, 49, 292-298.	1.3	31
170	Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. Physiotherapy, 2015, 101, 171-177.	0.2	31
171	Psychological determinants of sexual arousal: A review. Behaviour Research and Therapy, 1989, 27, 353-364.	1.6	30
172	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. International Archives of Occupational and Environmental Health, 2007, 80, 733-741.	1.1	30
173	Varus- and valgus motion and functional ability in patients with knee osteoarthritis. Annals of the Rheumatic Diseases, 2008, 67, 471-477.	0.5	30
174	Active involvement and long-term goals influence long-term adherence to behavioural graded activity in patients with osteoarthritis: a qualitative study. Australian Journal of Physiotherapy, 2006, 52, 273-278.	0.9	29
175	Moving instead of asking? Performance-based tests and BASFI-questionnaire measure different aspects of physical function in ankylosing spondylitis. Arthritis Research and Therapy, 2012, 14, R52.	1.6	29
176	A Comparison of Sex Therapy and Communication Therapy: Couples Complaining of Orgasmic Dysfunction. Journal of Sex and Marital Therapy, 1981, 7, 278-289.	1.0	28
177	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. Arthritis and Rheumatism, 2001, 45, 56-61.	6.7	28
178	Reproducibility of performance measures of physical function based on the BASFI, in ankylosing spondylitis. Rheumatology, 2009, 48, 1254-1260.	0.9	28
179	The association between reduced knee joint proprioception and medial meniscal abnormalities using MRI in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. Osteoarthritis and Cartilage, 2013, 21, 676-681.	0.6	28
180	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. PLoS ONE, 2015, 10, e0133730.	1.1	28

#	ARTICLE	IF	CITATIONS
181	Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 831-835.	0.8	28
182	The Dutchâ€Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017, 87, 47-58.	2.4	28
183	Does severe toxicity affect global quality of life in patients with metastatic colorectal cancer during palliative systemic treatment? A systematic review. <i>Annals of Oncology</i> , 2017, 28, 478-486.	0.6	28
184	Which patients with osteoarthritis of hip and/or knee benefit most from behavioral graded activity?. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 86-91.	0.8	27
185	Factors predicting the outcome of customised foot orthoses in patients with rheumatoid arthritis: a prospective cohort study. <i>Journal of Foot and Ankle Research</i> , 2011, 4, 8.	0.7	27
186	Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. <i>Pain</i> , 2012, 153, 893-899.	2.0	27
187	Association of Somatic Comorbidities and Comorbid Depression With Mortality in Patients With Rheumatoid Arthritis: A 14â€Year Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1055-1060.	1.5	27
188	Treatment of secondary orgasmic dysfunction: A comparison of systematic desensitization and sex therapy. <i>Behaviour Research and Therapy</i> , 1982, 20, 269-274.	1.6	26
189	Disease characteristics as determinants of the labour market position of adolescents and young adults with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 203-209.	0.8	26
190	Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: A study using rasch analysis. <i>Acta Dermato-Venereologica</i> , 2007, 39, 163-169.	0.6	26
191	Adherence to physiotherapy clinical guideline acute ankle injury and determinants of adherence: a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 45.	0.8	26
192	Effects of a progressive aquatic resistance exercise program on the biochemical composition and morphology of cartilage in women with mild knee osteoarthritis: protocol for a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 82.	0.8	26
193	Effectiveness and cost-effectiveness of a blended exercise intervention for patients with hip and/or knee osteoarthritis: study protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 269.	0.8	26
194	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016, 12, 174480691664678.	1.0	26
195	Treatment of male sexual dysfunction: Sex therapy compared with systematic desensitization and rational emotive therapy. <i>Behaviour Research and Therapy</i> , 1985, 23, 13-25.	1.6	25
196	Influence of various recruitment strategies on the study population and outcome of a randomized controlled trial involving patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , 2005, 53, 375-382.	6.7	25
197	Reproducibility of instrumented knee joint laxity measurement in healthy subjects. <i>Rheumatology</i> , 2006, 45, 595-599.	0.9	25
198	Comparison of international guideline programs to evaluate and update the Dutch program for clinical guideline development in physical therapy. <i>BMC Health Services Research</i> , 2007, 7, 191.	0.9	25

#	ARTICLE	IF	CITATIONS
199	Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: Results of a cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 98-106.	1.4	25
200	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 581-588.	0.6	25
201	Factors associated with upper leg muscle strength in knee osteoarthritis: A scoping review. <i>Journal of Rehabilitation Medicine</i> , 2018, 50, 140-150.	0.8	25
202	Physiotherapists' experiences with a blended osteoarthritis intervention: a mixed methods study. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 572-579.	0.6	25
203	A Blended Intervention for Patients With Knee and Hip Osteoarthritis in the Physical Therapy Practice: Development and a Pilot Study. <i>JMIR Research Protocols</i> , 2016, 5, e32.	0.5	25
204	Reliability of the assessment of impairments and disabilities in survey research in the field of physical therapy. <i>International Disability Studies</i> , 1990, 12, 61-65.	0.4	24
205	Application of the ICDH in survey research on rehabilitation: the emergence of the functional diagnosis. <i>Disability and Rehabilitation</i> , 1995, 17, 195-201.	0.9	24
206	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1999, 12, 19-25.	6.7	24
207	Sensitivity of different ADL measures to apraxia and motor impairments. <i>Clinical Rehabilitation</i> , 2002, 16, 299-305.	1.0	24
208	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 3.	0.8	24
209	The association of body-mass index and depressed mood with knee pain and activity limitations in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 296.	0.8	24
210	Patient reported barriers and facilitators to using a self-management booklet for hip and knee osteoarthritis in primary care: results of a qualitative interview study. <i>BMC Family Practice</i> , 2013, 14, 181.	2.9	24
211	Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2013, 18, 101-111.	0.3	24
212	Elevated C-reactive protein is associated with lower increase in knee muscle strength in patients with knee osteoarthritis: a 2-year follow-up study in the Amsterdam Osteoarthritis (AMS-OA) cohort. <i>Arthritis Research and Therapy</i> , 2014, 16, R123.	1.6	24
213	Predictors and Outcome of Pain-Related Avoidance of Activities in Persons With Early Symptomatic Knee Osteoarthritis: A Five-Year Followup Study. <i>Arthritis Care and Research</i> , 2015, 67, 48-57.	1.5	24
214	Cognitive behavioural therapy for MS-related fatigue explained: A longitudinal mediation analysis. <i>Journal of Psychosomatic Research</i> , 2018, 106, 13-24.	1.2	24
215	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012, 64, 1209-1216.	1.5	23
216	A cluster randomised controlled trial on the efficacy of client-centred occupational therapy in multiple sclerosis: good process, poor outcome. <i>Disability and Rehabilitation</i> , 2013, 35, 1636-1646.	0.9	23

#	ARTICLE	IF	CITATIONS
217	Long-Term Physical Functioning and Its Association With Somatic Comorbidity and Comorbid Depression in Patients With Established Rheumatoid Arthritis: A Longitudinal Study. <i>Arthritis Care and Research</i> , 2013, 65, 1157-1165.	1.5	23
218	Increased knee muscle strength is associated with decreased activity limitations in established knee osteoarthritis: Two-year follow-up study in the Amsterdam osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 647-654.	0.8	23
219	Assessment of Disabilities in Stroke Patients with Apraxia: Internal Consistency and Inter-Observer Reliability. <i>Occupation Participation and Health</i> , 1999, 19, 55-70.	0.9	22
220	Reasons of drop-out from rehabilitation in patients of Turkish and Moroccan origin with chronic low back pain in The Netherlands: A qualitative study. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 566-573.	0.8	22
221	Association of serum C-reactive protein and erythrocyte sedimentation rate with muscle strength in patients with knee osteoarthritis. <i>Rheumatology</i> , 2013, 52, 727-732.	0.9	22
222	Measurement of scapular dyskinesis using wireless inertial and magnetic sensors: Importance of scapula calibration. <i>Journal of Biomechanics</i> , 2015, 48, 3460-3468.	0.9	22
223	Clinical and functional correlates of foot pain in diabetic patients. <i>Disability and Rehabilitation</i> , 1998, 20, 330-336.	0.9	21
224	A Survey of Physical Therapy Goals and Interventions for Patients With Back and Knee Pain. <i>Physical Therapy</i> , 1998, 78, 33-42.	1.1	21
225	Respiratory muscle performance as a possible determinant of exercise capacity in patients with ankylosing spondylitis. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 41-45.	0.9	21
226	Dimensional structure of the SF-36 in neurological patients. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 541-543.	2.4	21
227	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. <i>BMC Cancer</i> , 2010, 10, 361.	1.1	21
228	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 137.	1.1	21
229	Agreement of general practitioners with the guideline-based stepped-care strategy for patients with osteoarthritis of the hip or knee: a cross-sectional study. <i>BMC Family Practice</i> , 2013, 14, 33.	2.9	21
230	Effects of unilateral leg muscle fatigue on balance control in perturbed and unperturbed gait in healthy elderly. <i>Gait and Posture</i> , 2014, 40, 215-219.	0.6	21
231	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014, 26, 490-498.	0.9	21
232	Exercise therapy in patients with rheumatoid arthritis and osteoarthritis: A review. <i>Advances in Behaviour Research and Therapy</i> , 1993, 15, 211-238.	3.0	20
233	Occupational therapy for patients with chronic diseases: CVA, rheumatoid arthritis and progressive diseases of the central nervous system. <i>Disability and Rehabilitation</i> , 1997, 19, 198-204.	0.9	20
234	Occupational Therapy at Home for Older Individuals with Mild to Moderate Cognitive Impairments and Their Primary Caregivers: A Pilot Study. <i>OTJR Occupation, Participation and Health</i> , 2003, 23, 155-164.	0.4	20

#	ARTICLE	IF	CITATIONS
235	Randomized controlled trial of postoperative exercise rehabilitation program after lumbar spine fusion: study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 123.	0.8	20
236	Validity and responsiveness of the ankle function score after acute ankle injury. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 170-174.	1.3	20
237	The PROSPECTS study: Design of a prospective cohort study on prognosis and perpetuating factors of medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2014, 76, 200-206.	1.2	20
238	Multidisciplinary recommendations for diagnosis and treatment of foot problems in people with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 37.	0.7	20
239	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 914-919.e2.	2.4	19
240	Cognitive mechanisms of change in multidisciplinary treatment of patients with chronic widespread pain: A prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 173-180.	0.8	19
241	Real-Time Assessment of Fatigue in Patients With Multiple Sclerosis: How Does It Relate to Commonly Used Self-Report Fatigue Questionnaires?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1887-1894.e1.	0.5	19
242	Development of a Computerized Adaptive Test for Anxiety Based on the Dutch/Flemish Version of the PROMIS Item Bank. <i>Assessment</i> , 2019, 26, 1362-1374.	1.9	19
243	A long-term follow-up study of couples treated for sexual dysfunctions. <i>Journal of Sex and Marital Therapy</i> , 1983, 9, 99-113.	1.0	18
244	Lateral Trunk Motion and Knee Pain in Osteoarthritis of the Knee: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 141.	0.8	18
245	Proprioception, laxity, muscle strength and activity limitations in early symptomatic knee osteoarthritis: Results from the CHECK cohort. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 862-868.	0.8	18
246	Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: A pilot study. <i>Journal of the Neurological Sciences</i> , 2012, 315, 104-109.	0.3	18
247	Ambulatory measurement of the knee adduction moment in patients with osteoarthritis of the knee. <i>Journal of Biomechanics</i> , 2013, 46, 43-49.	0.9	18
248	The Working Mechanism of Manual Therapy in Participants With Chronic Tension-Type Headache. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 693-699.	1.7	18
249	High prevalence of hand- and wrist-related symptoms, impairments, activity limitations and participation restrictions in children with juvenile idiopathic arthritis. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 991-996.	0.8	18
250	Knee joint stabilization therapy in patients with osteoarthritis of the knee and knee instability: Subgroup analyses in a randomized, controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 703-707.	0.8	18
251	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015, 15, 302.	1.1	18
252	Calibration of the Dutch/Flemish PROMIS Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016, 20, 284-296.	1.4	18

#	ARTICLE	IF	CITATIONS
253	The longitudinal association of cognitive appraisals and coping strategies with physical functioning in older adults with joint pain and comorbidity: a cohort study. <i>BMC Geriatrics</i> , 2016, 16, 29.	1.1	18
254	Proposal for an Update of the Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 1-4.	0.8	18
255	The 2-year course of Medically Unexplained Physical Symptoms (MUPS) in terms of symptom severity and functional status: results of the PROSPECTS cohort study. <i>Journal of Psychosomatic Research</i> , 2018, 104, 76-87.	1.2	18
256	A study suggesting two kinds of information processing of the sexual response. <i>Archives of Sexual Behavior</i> , 1989, 18, 435-447.	1.2	17
257	The availability of allied health care in nursing homes. <i>Disability and Rehabilitation</i> , 2007, 29, 665-670.	0.9	17
258	Theories in behavioral medicine. <i>International Journal of Behavioral Medicine</i> , 2008, 15, 1-3.	0.8	17
259	Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or Knee After Implementation of a Steppedâ€¢Care Strategy. <i>Arthritis Care and Research</i> , 2017, 69, 216-225.	1.5	17
260	Recruitment problems in psychosocial oncology research. <i>Psycho-Oncology</i> , 2018, 27, 2296-2298.	1.0	17
261	Decreased Pain and Improved Dynamic Knee Instability Mediate the Beneficial Effect of Wearing a Soft Knee Brace on Activity Limitations in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2019, 71, 1036-1043.	1.5	17
262	Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2019, 12, 32.	0.7	17
263	A comparison of the OARSI response criteria with patient's global assessment in patients with osteoarthritis of the hip treated with a non-pharmacological intervention. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 77-81.	0.6	16
264	Coping in adolescents and young adults with chronic digestive disorders: Impact on school and leisure activities. <i>Psychology and Health</i> , 2006, 21, 447-462.	1.2	16
265	Influence of the instrumented force shoe on gait pattern in patients with osteoarthritis of the knee. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 1381-1392.	1.6	16
266	A multidisciplinary and multidimensional intervention for patients with hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2012, 26, 99-110.	1.0	16
267	Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. <i>Journal of Shoulder and Elbow Surgery</i> , 2013, 22, 165-170.	1.2	16
268	Treatment of hip/knee osteoarthritis in Dutch general practice and physical therapy practice: an observational study. <i>BMC Family Practice</i> , 2015, 16, 75.	2.9	16
269	Global meaning in people with spinal cord injury: Content and changes. <i>Journal of Spinal Cord Medicine</i> , 2016, 39, 197-205.	0.7	16
270	Proprioception mediates the association between systemic inflammation and muscle weakness in patients with knee osteoarthritis: Results from the Amsterdam Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2018, 50, 67-72.	0.8	16

#	ARTICLE	IF	CITATIONS
271	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. <i>Annals of Thoracic Surgery</i> , 2019, 107, 1639-1646.	0.7	16
272	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 911-920.	2.3	16
273	High-intensity versus low-intensity resistance training in patients with knee osteoarthritis: A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2022, 36, 952-967.	1.0	16
274	The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006, 31, 297-308.	1.7	15
275	The knee adduction moment measured with an instrumented force shoe in patients with knee osteoarthritis. <i>Journal of Biomechanics</i> , 2012, 45, 281-288.	0.9	15
276	Comment on "Psychological distress in patients with cancer: is screening the effective solution?". <i>British Journal of Cancer</i> , 2013, 108, 2628-2630.	2.9	15
277	Physical and Mental Functioning in Patients with Established Rheumatoid Arthritis over an 11-year Followup Period: The Role of Specific Comorbidities. <i>Journal of Rheumatology</i> , 2016, 43, 307-314.	1.0	15
278	In-shoe plantar pressure measurements for the evaluation and adaptation of foot orthoses in patients with rheumatoid arthritis: A proof of concept study. <i>Gait and Posture</i> , 2016, 45, 45-50.	0.6	15
279	Quality of life and disability: can they be improved by active postoperative rehabilitation after spinal fusion surgery in patients with spondylolisthesis? A randomised controlled trial with 12-month follow-up. <i>European Spine Journal</i> , 2017, 26, 777-784.	1.0	15
280	The immediate effect of a soft knee brace on pain, activity limitations, self-reported knee instability, and self-reported knee confidence in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 260.	1.6	15
281	Self-perceived care needs in older adults with joint pain and comorbidity. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 449-455.	1.4	15
282	Treatment of homosexual and heterosexual sexual dysfunction in male-only groups of mixed sexual orientation. <i>Archives of Sexual Behavior</i> , 1982, 11, 1-10.	1.2	14
283	Physiotherapy for Patients with Lateral Ankle Sprains. <i>Physiotherapy</i> , 1998, 84, 421-432.	0.2	14
284	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 241.	0.8	14
285	Disability and health-related quality of life in patients undergoing spinal fusion: a comparison with a general population sample. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 211.	0.8	14
286	Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). <i>Journal of Orthopaedic Science</i> , 2014, 19, 242-249.	0.5	14
287	Objective Evaluation of Physical Functioning after Tumor Necrosis Factor Inhibitory Therapy in Patients with Ankylosing Spondylitis: A Selection of 3 Feasible Performance-based Tests. <i>Journal of Rheumatology</i> , 2015, 42, 623-629.	1.0	14
288	No associations between self-reported knee joint instability and radiographic features in knee osteoarthritis patients prior to Total Knee Arthroplasty: A cross-sectional analysis of the Longitudinal Leiden Orthopaedics Outcomes of Osteo-Arthritis study (LOAS) data. <i>Knee</i> , 2017, 24, 816-823.	0.8	14

#	ARTICLE	IF	CITATIONS
289	Analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: a cross-sectional study within the Amsterdam Osteoarthritis Cohort. <i>Rheumatology International</i> , 2017, 37, 1747-1755.	1.5	14
290	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1112-1122.	1.4	14
291	Utilization of health care by patients with multiple sclerosis is based on professional and patient-defined health needs. <i>Multiple Sclerosis Journal</i> , 2008, 14, 1269-1279.	1.4	13
292	First rehabilitation consultation in patients of non-native origin: Factors that lead to tension in the patient-physician interaction. <i>Disability and Rehabilitation</i> , 2009, 31, 1853-1861.	0.9	13
293	Higher dropout rate in non-native patients than in native patients in rehabilitation in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2009, 32, 232-237.	0.7	13
294	Overlap of cognitive concepts in chronic widespread pain: An exploratory study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 218.	0.8	13
295	Foot-related health care use in patients with rheumatoid arthritis in an outpatient secondary care center for rheumatology and rehabilitation in The Netherlands: A cohort study with a maximum of fifteen years of followup. <i>Arthritis Care and Research</i> , 2013, 65, 220-226.	1.5	13
296	Osteoarthritis of the knee: multicompartmental or compartmental disease?. <i>Rheumatology</i> , 2014, 53, 540-546.	0.9	13
297	Developing a Risk Prediction Model for Long-Term Physical and Psychological Functioning after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 549-556.	2.0	13
298	Exercise and comorbidity: the i3-S strategy for developing comorbidity-related adaptations to exercise therapy. <i>Disability and Rehabilitation</i> , 2016, 38, 905-909.	0.9	13
299	Impact of Patient- and Clinician-Reported Cumulative Toxicity on Quality of Life in Patients With Metastatic Castration-Resistant Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 1481-1488.	2.3	13
300	Dietary protein intake and upper leg muscle strength in subjects with knee osteoarthritis: data from the osteoarthritis initiative. <i>Rheumatology International</i> , 2019, 39, 277-284.	1.5	13
301	Forefoot pathology in relation to plantar pressure distribution in patients with rheumatoid arthritis: A cross-sectional study in the Amsterdam Foot cohort. <i>Gait and Posture</i> , 2019, 68, 317-322.	0.6	13
302	Trend in and predictors for cardiovascular mortality in patients with rheumatoid arthritis over a period of 15 years: a prospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 813-819.	0.4	13
303	Reliability of the diagnosis of impairments in survey research in the field of chiropody. <i>Disability and Rehabilitation</i> , 1993, 15, 76-82.	0.9	12
304	One-Time Physical Therapist Consultation in Primary Health Care. <i>Physical Therapy</i> , 2003, 83, 918-931.	1.1	12
305	Vitality and the course of limitations in activities in osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 269.	0.8	12
306	Client-centred therapy in multiple sclerosis: More intensive diagnostic evaluation and less intensive treatment. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 527-531.	0.8	12

#	ARTICLE	IF	CITATIONS
307	The Association Between Serum 25-hydroxy Vitamin D Level and Upper Leg Strength in Patients with Knee Osteoarthritis: Results of the Amsterdam Osteoarthritis Cohort. <i>Journal of Rheumatology</i> , 2016, 43, 1400-1405.	1.0	12
308	Effectiveness of postoperative home-exercise compared with usual care on kinesiophobia and physical activity in spondylolisthesis: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 751-757.	0.8	12
309	Predictors for use of psychosocial services in patients with metastatic colorectal cancer receiving first line systemic treatment. <i>BMC Cancer</i> , 2019, 19, 115.	1.1	12
310	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared to two reference standards.. <i>Journal of Clinical Oncology</i> , 2017, 35, 24-24.	0.8	12
311	Management of Distress in Patients with Cancer—Are We Doing the Right Thing?. <i>Annals of Behavioral Medicine</i> , 2020, 54, 978-984.	1.7	12
312	Gender difference in varus—valgus laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 157-159.	0.6	11
313	Prediction of walking disability by disease-related factors in patients with rheumatoid arthritis. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 506-510.	0.8	11
314	The effect of shoe lacing on plantar pressure distribution and in-shoe displacement of the foot in healthy participants. <i>Gait and Posture</i> , 2011, 33, 396-400.	0.6	11
315	Social participation in older adults with joint pain and comorbidity; testing the measurement properties of the Dutch Keele Assessment of Participation. <i>BMJ Open</i> , 2013, 3, e003181.	0.8	11
316	What do we miss? ASAS non-responders on anti-TNF therapy show improvement in performance-based physical function. <i>Rheumatology</i> , 2013, 52, 1884-1889.	0.9	11
317	Feasibility and Safety of Cardiopulmonary Exercise Testing in Multiple Sclerosis: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2055-2066.	0.5	11
318	Measurement strategy and statistical power in studies assessing gait stability and variability in older adults. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 257-265.	1.4	11
319	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017, 18, 155-165.	0.7	11
320	The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2018, 38, 749-762.	1.5	11
321	Predicting the course of persistent physical symptoms: Development and internal validation of prediction models for symptom severity and functional status during 2—years of follow-up. <i>Journal of Psychosomatic Research</i> , 2018, 108, 1-13.	1.2	11
322	Self—reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2671-2678.	1.2	11
323	The immediate effect of a soft knee brace on dynamic knee instability in persons with knee osteoarthritis. <i>Rheumatology</i> , 2018, 57, 1735-1742.	0.9	11
324	Are changes in pain, cognitive appraisals and coping strategies associated with changes in physical functioning in older adults with joint pain and chronic diseases?. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 377-383.	1.4	11

#	ARTICLE	IF	CITATIONS
325	The minimal clinically important difference re-considered. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1403-1404.	0.6	11
326	Definition and Characteristics of Behavioral Medicine, and Main Tasks and Goals of the International Society of Behavioral Medicine—an International Delphi Study. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 268-276.	0.8	11
327	Treatment of Sexual Dysfunctions in Male-Only Groups: Predicting Outcome. <i>Journal of Sex and Marital Therapy</i> , 1985, 11, 80-90.	1.0	10
328	A step forward for exercise in the management of osteoarthritis. <i>British Journal of Rheumatology</i> , 2005, 44, 5-6.	2.5	10
329	Physical therapy management of low back pain has changed. <i>Health Policy</i> , 2007, 80, 492-499.	1.4	10
330	Exploring the aggregation of four functional measures in a population of older adults with joint pain and comorbidity. <i>BMC Geriatrics</i> , 2013, 13, 119.	1.1	10
331	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014, 64, e538-e544.	0.7	10
332	Optimization of Analgesics for Greater Exercise Therapy Participation Among Patients With Knee Osteoarthritis and Severe Pain: A Feasibility Study. <i>Arthritis Care and Research</i> , 2016, 68, 332-340.	1.5	10
333	Continuous Improvement of Physical Functioning in Ankylosing Spondylitis Patients by Tumor Necrosis Factor Inhibitors: Three-Year Followup and Predictors. <i>Arthritis Care and Research</i> , 2016, 68, 1522-1529.	1.5	10
334	The importance of “global meaning” for people rehabilitating from spinal cord injury. <i>Spinal Cord</i> , 2016, 54, 1047-1052.	0.9	10
335	Predictors of self-reported knee instability among patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2016, 35, 3007-3013.	1.0	10
336	The predictive value of cumulative toxicity for quality of life in patients with metastatic colorectal cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018, Volume 10, 3015-3021.	0.9	10
337	Objective parameters to measure (in)stability of the knee joint during gait: A review of literature. <i>Gait and Posture</i> , 2019, 70, 235-253.	0.6	10
338	Impact of symptom focusing and somatosensory amplification on persistent physical symptoms: A three-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110131.	1.2	10
339	Podiatric care for diabetic patients with foot problems. <i>International Journal of Rehabilitation Research</i> , 1999, 22, 181-188.	0.7	9
340	Short-term changes in hormonal profiles after laparoscopic ovarian laser evaporation compared with diagnostic laparoscopy for PCOS. <i>Human Reproduction</i> , 2014, 29, 2544-2552.	0.4	9
341	One in Three Patients With Cancer Meets the Criteria for Mental Disorders: What Does That Mean?. <i>Journal of Clinical Oncology</i> , 2015, 33, 2826-2828.	0.8	9
342	The role of appraisal and coping style in relation with societal participation in fatigued patients with multiple sclerosis: a cross-sectional multiple mediator analysis. <i>Journal of Behavioral Medicine</i> , 2016, 39, 855-865.	1.1	9

#	ARTICLE	IF	CITATIONS
343	Availability and use of neighborhood resources by older people with osteoarthritis: Results from the European Project on OSTeoArthritis. <i>Health and Place</i> , 2016, 37, 1-7.	1.5	9
344	Nonlinear relationship between isokinetic muscle strength and activity limitations in patients with knee osteoarthritis: Results of the Amsterdam-Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 598-605.	0.8	9
345	Psychosocial complaints and physical therapy. <i>Physiotherapy Theory and Practice</i> , 1995, 11, 175-186.	0.6	8
346	Diagnoses and interventions in podiatry. <i>Disability and Rehabilitation</i> , 1996, 18, 27-34.	0.9	8
347	The possession of technical aids among persons with a somatic chronic disease. <i>Disability and Rehabilitation</i> , 2003, 25, 393-398.	0.9	8
348	Percutaneous Nerve Stimulation in Chronic Neuropathic Pain Patients due to Spinal Cord Injury: A Pilot Study. <i>Pain Practice</i> , 2014, 14, 252-259.	0.9	8
349	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. <i>Physical Therapy Reviews</i> , 2014, 19, 1-14.	0.3	8
350	Fatigue in patients with chronic widespread pain participating in multidisciplinary rehabilitation treatment: a prospective cohort study. <i>Disability and Rehabilitation</i> , 2015, 37, 490-498.	0.9	8
351	Global meaning in people with stroke: Content and changes. <i>Health Psychology Open</i> , 2016, 3, 205510291668175.	0.7	8
352	Prevalence, Course, and Associated Factors of Pain in the Temporomandibular Joint in Early Rheumatoid Arthritis: Results of a Longitudinal Cohort Study. <i>Journal of Oral and Facial Pain and Headache</i> , 2017, 31, 233-239.	0.7	8
353	Depressive mood and low social support are not associated with arthritis development in patients with seropositive arthralgia, although they predict increased musculoskeletal symptoms. <i>RMD Open</i> , 2018, 4, e000653.	1.8	8
354	Structured clinical reasoning for exercise prescription in patients with comorbidity. <i>Disability and Rehabilitation</i> , 2020, 42, 1474-1479.	0.9	8
355	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020, 34, 934-945.	1.3	8
356	Clinical management of emotions in patients with cancer: introducing the approach "emotional support and case finding". <i>Translational Behavioral Medicine</i> , 2020, 10, 1399-1405.	1.2	8
357	Healing care? Rehabilitation of female immigrant patients with chronic pain from a family perspective. <i>Disability and Rehabilitation</i> , 2007, 29, 323-332.	0.9	7
358	Applicability of the Ottawa Ankle Rules in primary care: results from a pilot study. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 1246-1248.	0.9	7
359	Biomechanical factors associated with the development of tibiofemoral knee osteoarthritis: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e011066.	0.8	7
360	Help-seeking behaviour of patients with haematological malignancies treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2017, 26, e12454.	0.7	7

#	ARTICLE	IF	CITATIONS
361	Study protocol of the CORRECT multicenter trial: the efficacy of blended cognitive behavioral therapy for reducing psychological distress in colorectal cancer survivors. <i>BMC Cancer</i> , 2018, 18, 748.	1.1	7
362	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). <i>Physiotherapy Research International</i> , 2020, 25, e1819.	0.7	7
363	Effectiveness of a 12-month home-based exercise program on trunk muscle strength and spine function after lumbar spine fusion surgery: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2022, 44, 549-557.	0.9	7
364	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020, 80, 101882.	6.0	7
365	Muscle weakness is associated with non-contractile muscle tissue of the vastus medialis muscle in knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 91.	0.8	7
366	Stratified exercise therapy does not improve outcomes compared with usual exercise therapy in people with knee osteoarthritis (OCTOPuS study): a cluster randomised trial. <i>Journal of Physiotherapy</i> , 2022, 68, 182-190.	0.7	7
367	Reliability of the Assessment of Impairments, Disabilities and Handicaps in Survey Research on Speech Therapy. <i>Folia Phoniatrica Et Logopaedica</i> , 1995, 47, 199-209.	0.5	6
368	Inter-Rater and Intra-Rater Reliability of the Occupational Therapy Diagnosis. <i>Occupation Participation and Health</i> , 1995, 15, 259-274.	0.9	6
369	Diagnostic Assessment and Treatment Goals in Logopedics: Impairments, Disabilities and Handicaps. <i>Folia Phoniatrica Et Logopaedica</i> , 1998, 50, 71-79.	0.5	6
370	Referral patterns and utilization of physiotherapy services following a one-time physiotherapist consultation in general practice. <i>Physiotherapy Theory and Practice</i> , 2003, 19, 5-21.	0.6	6
371	Interobserver Reliability of the Amsterdam Severity Scale in Stenosing Tenosynovitis (ASSIST). <i>Journal of Hand Therapy</i> , 2009, 22, 355-360.	0.7	6
372	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2016, 24, 2883-92.	1.0	6
373	Is a model of stratified exercise therapy by physical therapists in primary care feasible in patients with knee osteoarthritis? : a mixed methods study. <i>Physiotherapy</i> , 2020, 106, 101-110.	0.2	6
374	Patients'™ experiences with fluctuations in persistent physical symptoms: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035833.	0.8	6
375	Potentially traumatic events, social support and burden of persistent somatic symptoms: A longitudinal study. <i>Journal of Psychosomatic Research</i> , 2022, 159, 110945.	1.2	6
376	Patients'™ and clinicians'™ experiences with stratified exercise therapy in knee osteoarthritis: a qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	6
377	Diffusion of a quality improvement programme among allied health Professionals. <i>International Journal for Quality in Health Care</i> , 1999, 11, 337-344.	0.9	5
378	Predictors of Stenosing Tenosynovitis in the Hand and Hand-Related Activity Limitations in Patients With Rheumatoid Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 96-100.	0.5	5

#	ARTICLE	IF	CITATIONS
379	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 232.	0.8	5
380	Exploring Fatigue Trajectories in Early Symptomatic Knee and Hip Osteoarthritis: 6-year Results from the CHECK Study. <i>Journal of Rheumatology</i> , 2016, 43, 1413-1420.	1.0	5
381	Treatment course and its predictors in patients with somatoform disorders: A routine outcome monitoring study in secondary psychiatric care. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 550-564.	1.4	5
382	Outcomes and potential mechanism of a protocol to optimize foot orthoses in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 348.	0.8	5
383	Evaluation of an educational course for primary care physiotherapists on comorbidity-adapted exercise therapy in knee osteoarthritis: an observational study. <i>Musculoskeletal Care</i> , 2020, 18, 122-133.	0.6	5
384	Distinguishing four components underlying physical activity: a new approach to using physical activity questionnaire data in old age. <i>BMC Geriatrics</i> , 2010, 10, 20.	1.1	4
385	Adaptations to pain rehabilitation programmes for non-native patients with chronic pain. <i>Disability and Rehabilitation</i> , 2011, 33, 1324-1329.	0.9	4
386	WOMAC-pf as a measure of physical function in patients with Parkinson's disease and late-onset sequels of poliomyelitis: unidimensionality and item behaviour. <i>Disability and Rehabilitation</i> , 2012, 34, 1423-1430.	0.9	4
387	Trajectories of physical functioning and their prognostic indicators: A prospective cohort study in older adults with joint pain and comorbidity. <i>Maturitas</i> , 2014, 78, 316-322.	1.0	4
388	Biomechanical and neuromuscular adaptations during the landing phase of a stepping-down task in patients with early or established knee osteoarthritis. <i>Knee</i> , 2016, 23, 367-375.	0.8	4
389	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared with two reference standards. <i>Psycho-Oncology</i> , 2020, 29, 775-780.	1.0	4
390	Clinical guidance for podiatrists in the management of foot problems in rheumatic disorders: evaluation of an educational programme for podiatrists using a mixed methods design. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 15.	0.7	4
391	Trunk Muscle Strength After Lumbar Spine Fusion: A 12-Month Follow-up. <i>Neurospine</i> , 2019, 16, 332-338.	1.1	4
392	Setting meaningful goals in rehabilitation: A qualitative study on the experiences of clients and clinicians in working with a practical tool. <i>Clinical Rehabilitation</i> , 2022, 36, 415-428.	1.0	4
393	Categories of pain behaviour in osteoarthritis patients. <i>Physiotherapy Theory and Practice</i> , 1993, 9, 157-163.	0.6	3
394	Experiences with physiotherapists' consultation: Results of a feasibility study. <i>Physiotherapy Theory and Practice</i> , 1996, 12, 211-220.	0.6	3
395	Medical and Educational Fields in Logopedics in The Netherlands: A Comparison in Historical and European Perspective. <i>Folia Phoniatrica Et Logopaedica</i> , 1998, 50, 80-91.	0.5	3
396	The pros and cons of muscle co-contraction in osteoarthritis of the knee: Comment on the article by Lewek et al. <i>Arthritis and Rheumatism</i> , 2006, 54, 1354-1354.	6.7	3

#	ARTICLE	IF	CITATIONS
397	Measurement Instruments in Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 89-90.	0.8	3
398	Promoting exercise for OA in ambivalent older adults. <i>Nature Reviews Rheumatology</i> , 2012, 8, 442-444.	3.5	3
399	The cross-sectional relation between medically unexplained physical symptoms (MUPS) and the Cortisol Awakening Response. <i>Journal of Psychosomatic Research</i> , 2017, 99, 130-136.	1.2	3
400	Global Meaning and Rehabilitation in People with Stroke. <i>Brain Impairment</i> , 2018, 19, 183-192.	0.5	3
401	Factors Associated With Sleep Quality in Patients With Chronic Widespread Pain Attending Multidisciplinary Treatment. <i>Pain Practice</i> , 2020, 20, 471-479.	0.9	3
402	Screening and stepped care targeting psychological distress in patients with metastatic colorectal cancer: The TES cluster randomized trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 3560-3560.	0.8	3
403	A Computer-Based Screening Method for Distress in Patients With Multiple Sclerosis: A Feasibility Study. <i>JMIR Research Protocols</i> , 2014, 3, e29.	0.5	3
404	Imagery and sexual arousal. <i>Sexual and Relationship Therapy</i> , 1993, 8, 283-285.	0.2	2
405	Adapted cardiac rehabilitation programme to improve uptake in patients of Moroccan and Turkish origin in The Netherlands: a qualitative study. <i>Journal of Clinical Nursing</i> , 2012, 21, 2823-2831.	1.4	2
406	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017, 103, 70-76.	1.2	2
407	Manual therapy as a prophylactic treatment for migraine: design of a randomized controlled trial. <i>Trials</i> , 2019, 20, 785.	0.7	2
408	Construct validity of the OCTOPuS stratification algorithm for allocating patients with knee osteoarthritis into subgroups. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 633.	0.8	2
409	Systemic reviews are inevitably out of date. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 195.	0.9	1
410	Author reply: criteria for good measurement properties. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1315-1316.	2.4	1
411	The Authors Respond: Toward Consensus on the Definition of Participation for Adult and Pediatric Populations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 2096-2097.	0.5	1
412	In whom and when to look for causal pathways of osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1041-1042.	0.6	1
413	Reply to the letter to the editor "Specific QOL scales that reflect toxicity-induced impairment are needed in RCTs". <i>Annals of Oncology</i> , 2017, 28, 2033-2034.	0.6	1
414	Defining the Field of Behavioral Medicine: A Collaborative Endeavor. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 21-24.	0.8	1

#	ARTICLE	IF	CITATIONS
415	Theory in Behavioral Medicine. , 2018, , 181-214.		1
416	Inner posture as aspect of global meaning in healthcare: a conceptual analysis. Medicine, Health Care and Philosophy, 2019, 22, 201-209.	0.9	1
417	RE: Deficit Accumulation Frailty Trajectories of Older Breast Cancer Survivors and Non-Cancer Controls: The Thinking and Living With Cancer Study. Journal of the National Cancer Institute, 2021, 113, 1434-1435.	3.0	1
418	Risk Factors for Functional Decline in Osteoarthritis of the Knee or Hip. , 2014, , 39-48.		1
419	Neuromuscular Mechanisms Explaining Functional Decline. , 2014, , 49-67.		1
420	Behavioral Mechanisms Explaining Functional Decline. , 2014, , 69-85.		1
421	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). Trials, 2021, 22, 696.	0.7	1
422	9 Reumatische aandoeningen. , 2012, , 125-141.		1
423	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. Journal of Cancer Survivorship, 2021, , 1.	1.5	1
424	The Number of Therapeutic Sessions in Logopedic Care: A Description and Analysis. Folia Phoniatica Et Logopaedica, 2000, 52, 239-250.	0.5	0
425	Prescription of technical aids by general practitioners in the Netherlands. Health Policy, 2004, 67, 107-113.	1.4	0
426	Heralding the New Publisher: Strategic Alliance and Improved Service. International Journal of Behavioral Medicine, 2009, 16, 1-2.	0.8	0
427	IJBM â€” Interdisciplinary, International, and Outstanding Research on Factors Relevant to Health and Illness. International Journal of Behavioral Medicine, 2011, 18, 285-287.	0.8	0
428	Revalidatie en artrose*. Bijblijven (Amsterdam, Netherlands), 2012, 28, 42-49.	0.0	0
429	Performance-based tests to assess physical function in osteoarthritis of the hip or knee: comment and proposal. Osteoarthritis and Cartilage, 2013, 21, 1623-1624.	0.6	0
430	Response to commentary on: â€”Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidityâ€™. Physical Therapy Reviews, 2013, 18, 232-233.	0.3	0
431	SAT0229â€”...Depression in systemic lupus erythematosus, dependent or independent of severity of disease?. Annals of the Rheumatic Diseases, 2013, 71, 549.2-549.	0.5	0
432	OP0075-HPRâ€”...A multidisciplinary and multidimensional program for hand osteoarthritis is not effective: Results of a randomized controlled study:. Annals of the Rheumatic Diseases, 2013, 71, 78.3-79.	0.5	0

#	ARTICLE	IF	CITATIONS
433	SAT0593-HPRâ€¦Patientsâ€™ Perceptions of a Self-Management Booklet for Hip or Knee Osteoarthritis: a Qualitative Interview Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A783.2-A783.	0.5	0
434	OP0201-PCâ€¦Agreement of General Practitioners with the Guideline-Based Stepped-Care Strategy for Patients with Osteoarthritis of the Hip or Knee: A Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A120.2-A120.	0.5	0
435	OP0210-HPRâ€¦Increase in Knee Muscle Strength is Associated with A Decrease in Activity Limitations in Patients with Established Knee Osteoarthritis: A 2 Years Follow-Up Study in the AMS-OA Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 142.1-142.	0.5	0
436	AB0779â€¦7 Years of Follow-Up of Early Symptomatic Oa: Characteristics of CHECK (Cohort HIP & Tj ETQq0,0,0 rgBT /O	0.5	0
437	Response to commentary on: â€œRestrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidityâ€™. <i>Physical Therapy Reviews</i> , 2014, 19, 44-45.	0.3	0
438	Behavioral Medicine in China. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 571-573.	0.8	0
439	THU0563â€¦Validation of the Dutch-Flemish PROMIS Pain Behavior and Pain Interference Item Banks in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 377.2-377.	0.5	0
440	THU0564â€¦Validation of the Dutch-Flemish PROMIS Physical Functioning Item Bank in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 377.3-378.	0.5	0
441	THU0204â€¦Factors Associated with the Setting and Content of Care in Patients with Osteoarthritis of the Hip or Knee. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 252.1-252.	0.5	0
442	FRI0581-HPRâ€¦Falls Associated with Muscle Strength and Pain in Knee Osteoarthritis Patients with Self-Reported Knee Instability. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1205.2-1205.	0.5	0
443	AB1256-HPRâ€¦In-Shoe Plantar Pressure Measurements for the Evaluation and Adaptation of Foot Orthoses in Patients with Rheumatoid Arthritis: A Proof of Concept Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1354.3-1355.	0.5	0
444	AB0857â€¦Standardized Optimization of Analgesics in Patients with Knee Osteoarthritis and Severe Pain â€œ a Feasibility Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1187.1-1187.	0.5	0
445	THU0599â€¦Validation of the Dutch-Flemish Promis Pain Behavior and Pain Interference Item Banks in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 418.1-418.	0.5	0
446	THU0311â€¦Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 308.2-308.	0.5	0
447	THU0651-HPRâ€¦Structure, Process and Outcome of Primary Care Rheumatology Networks for Patients with Rheumatic and Musculoskeletal Diseases in The Netherlands. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1274.2-1275.	0.5	0
448	Dr. Koeckhoven, <i>et al</i> reply. <i>Journal of Rheumatology</i> , 2016, 43, 2079.1-2079.	1.0	0
449	Reply. <i>Arthritis Care and Research</i> , 2017, 69, 763-764.	1.5	0
450	THU0712â€¦Dutch norm scores for four dutch-flemish promis item banks important for patients with rheumatoid arthritis. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
451	SAT0517â€¦Factors related to analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: results from the amsterdam osteoarthritis cohort. , 2017, , .		0
452	OPO159â€¦THE EFFECT OF HIGH-INTENSITY RESISTANCE TRAINING AND VITAMIN D SUPPLEMENTATION ON MUSCLE STRENGTH IN PATIENTS WITH KNEE OSTEOARTHRITIS: A RANDOMIZED CONTROLLED TRIAL. , 2019, , .		0
453	Course and predictors of upper leg muscle strength over 48 months in subjects with knee osteoarthritis: Data from the osteoarthritis initiative. Osteoarthritis and Cartilage Open, 2020, 2, 100038.	0.9	0
454	Regular Exercises in Knee and Hip Osteoarthritis. , 2014, , 89-94.		0
455	Summary and Future Directions. , 2014, , 127-132.		0
456	Exercise Aiming at Behavioral Mechanisms. , 2014, , 109-118.		0
457	Comorbidity, Obesity, and Exercise Therapy in Patients with Knee and Hip Osteoarthritis. , 2014, , 119-126.		0
458	Exercise Therapy Targeting Neuromuscular Mechanisms. , 2014, , 95-107.		0
459	Therapeutic Options in Osteoarthritis of the Hip or Knee. , 2014, , 27-35.		0
460	Epidemiology, Pathogenesis, and Clinical Aspects of Knee and Hip Osteoarthritis. , 2014, , 13-25.		0
461	FRIO744-HPRâ€¦The association of local disease activity and forefoot deformities with plantar pressure in patients with rheumatoid arthritis and forefoot symptoms: a cross-sectional study in the amsterdam foot cohort. , 2018, , .		0
462	Dekker, Joost. , 2020, , 614-617.		0
463	Implementation of recommended non-pharmacotherapy in rheumatology practice: need for improvement. Clinical and Experimental Rheumatology, 2016, 34, S15-7.	0.4	0