

Joost Dekker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268061/publications.pdf>

Version: 2024-02-01

463
papers

27,741
citations

10351

72
h-index

7931

149
g-index

472
all docs

472
docs citations

472
times ranked

27243
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of a 12-month home-based exercise program on trunk muscle strength and spine function after lumbar spine fusion surgery: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2022, 44, 549-557.	0.9	7
2	Setting meaningful goals in rehabilitation: A qualitative study on the experiences of clients and clinicians in working with a practical tool. <i>Clinical Rehabilitation</i> , 2022, 36, 415-428.	1.0	4
3	Muscle weakness is associated with non-contractile muscle tissue of the vastus medialis muscle in knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 91.	0.8	7
4	High-intensity versus low-intensity resistance training in patients with knee osteoarthritis: A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2022, 36, 952-967.	1.0	16
5	Potentially traumatic events, social support and burden of persistent somatic symptoms: A longitudinal study. <i>Journal of Psychosomatic Research</i> , 2022, 159, 110945.	1.2	6
6	Patients' and clinicians' experiences with stratified exercise therapy in knee osteoarthritis: a qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	6
7	Stratified exercise therapy does not improve outcomes compared with usual exercise therapy in people with knee osteoarthritis (OCTOPuS study): a cluster randomised trial. <i>Journal of Physiotherapy</i> , 2022, 68, 182-190.	0.7	7
8	Definition and Characteristics of Behavioral Medicine, and Main Tasks and Goals of the International Society of Behavioral Medicine – an International Delphi Study. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 268-276.	0.8	11
9	Clinical guidance for podiatrists in the management of foot problems in rheumatic disorders: evaluation of an educational programme for podiatrists using a mixed methods design. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 15.	0.7	4
10	RE: Deficit Accumulation Frailty Trajectories of Older Breast Cancer Survivors and Non-Cancer Controls: The Thinking and Living With Cancer Study. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1434-1435.	3.0	1
11	Construct validity of the OCTOPuS stratification algorithm for allocating patients with knee osteoarthritis into subgroups. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 633.	0.8	2
12	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). <i>Trials</i> , 2021, 22, 696.	0.7	1
13	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	1.5	1
14	Structured clinical reasoning for exercise prescription in patients with comorbidity. <i>Disability and Rehabilitation</i> , 2020, 42, 1474-1479.	0.9	8
15	Is a model of stratified exercise therapy by physical therapists in primary care feasible in patients with knee osteoarthritis? : a mixed methods study. <i>Physiotherapy</i> , 2020, 106, 101-110.	0.2	6
16	Physiotherapists' experiences with a blended osteoarthritis intervention: a mixed methods study. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 572-579.	0.6	25
17	Setting meaningful goals in rehabilitation: rationale and practical tool. <i>Clinical Rehabilitation</i> , 2020, 34, 3-12.	1.0	48
18	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). <i>Physiotherapy Research International</i> , 2020, 25, e1819.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Factors Associated With Sleep Quality in Patients With Chronic Widespread Pain Attending Multidisciplinary Treatment. <i>Pain Practice</i> , 2020, 20, 471-479.	0.9	3
20	Patients'™ experiences with fluctuations in persistent physical symptoms: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035833.	0.8	6
21	Impact of symptom focusing and somatosensory amplification on persistent physical symptoms: A three-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110131.	1.2	10
22	Outcomes and potential mechanism of a protocol to optimize foot orthoses in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 348.	0.8	5
23	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020, 80, 101882.	6.0	7
24	Evaluation of an educational course for primary care physiotherapists on comorbidity-adapted exercise therapy in knee osteoarthritis: an observational study. <i>Musculoskeletal Care</i> , 2020, 18, 122-133.	0.6	5
25	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared with two reference standards. <i>Psycho-Oncology</i> , 2020, 29, 775-780.	1.0	4
26	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020, 34, 934-945.	1.3	8
27	Course and predictors of upper leg muscle strength over 48 months in subjects with knee osteoarthritis: Data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100038.	0.9	0
28	Management of Distress in Patients with Cancer"Are We Doing the Right Thing?. <i>Annals of Behavioral Medicine</i> , 2020, 54, 978-984.	1.7	12
29	Dekker, Joost. , 2020, , 614-617.		0
30	Clinical management of emotions in patients with cancer: introducing the approach "emotional support and case finding". <i>Translational Behavioral Medicine</i> , 2020, 10, 1399-1405.	1.2	8
31	Are changes in pain, cognitive appraisals and coping strategies associated with changes in physical functioning in older adults with joint pain and chronic diseases?. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 377-383.	1.4	11
32	Inner posture as aspect of global meaning in healthcare: a conceptual analysis. <i>Medicine, Health Care and Philosophy</i> , 2019, 22, 201-209.	0.9	1
33	Decreased Pain and Improved Dynamic Knee Instability Mediate the Beneficial Effect of Wearing a Soft Knee Brace on Activity Limitations in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2019, 71, 1036-1043.	1.5	17
34	Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2019, 12, 32.	0.7	17
35	The minimal clinically important difference re-considered. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1403-1404.	0.6	11
36	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. <i>Annals of Thoracic Surgery</i> , 2019, 107, 1639-1646.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Objective parameters to measure (in)stability of the knee joint during gait: A review of literature. <i>Gait and Posture</i> , 2019, 70, 235-253.	0.6	10
38	Predictors for use of psychosocial services in patients with metastatic colorectal cancer receiving first line systemic treatment. <i>BMC Cancer</i> , 2019, 19, 115.	1.1	12
39	OP0159â€¦..THE EFFECT OF HIGH-INTENSITY RESISTANCE TRAINING AND VITAMIN D SUPPLEMENTATION ON MUSCLE STRENGTH IN PATIENTS WITH KNEE OSTEOARTHRITIS: A RANDOMIZED CONTROLLED TRIAL. , 2019, , ,		0
40	Manual therapy as a prophylactic treatment for migraine: design of a randomized controlled trial. <i>Trials</i> , 2019, 20, 785.	0.7	2
41	Dietary protein intake and upper leg muscle strength in subjects with knee osteoarthritis: data from the osteoarthritis initiative. <i>Rheumatology International</i> , 2019, 39, 277-284.	1.5	13
42	Forefoot pathology in relation to plantar pressure distribution in patients with rheumatoid arthritis: A cross-sectional study in the Amsterdam Foot cohort. <i>Gait and Posture</i> , 2019, 68, 317-322.	0.6	13
43	Development of a Computerized Adaptive Test for Anxiety Based on the Dutchâ€œFlemish Version of the PROMIS Item Bank. <i>Assessment</i> , 2019, 26, 1362-1374.	1.9	19
44	Exercise in people with comorbidity or multimorbidity.. <i>Health Psychology</i> , 2019, 38, 822-830.	1.3	33
45	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 911-920.	2.3	16
46	Trunk Muscle Strength After Lumbar Spine Fusion: A 12-Month Follow-up. <i>Neurospine</i> , 2019, 16, 332-338.	1.1	4
47	Treatment course and its predictors in patients with somatoform disorders: A routine outcome monitoring study in secondary psychiatric care. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 550-564.	1.4	5
48	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data metaâ€œanalysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018, 27, 1150-1161.	1.0	74
49	Cognitive behavioural therapy for MS-related fatigue explained: A longitudinal mediation analysis. <i>Journal of Psychosomatic Research</i> , 2018, 106, 13-24.	1.2	24
50	The 2-year course of Medically Unexplained Physical Symptoms (MUPS) in terms of symptom severity and functional status: results of the PROSPECTS cohort study. <i>Journal of Psychosomatic Research</i> , 2018, 104, 76-87.	1.2	18
51	The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2018, 38, 749-762.	1.5	11
52	Predicting the course of persistent physical symptoms: Development and internal validation of prediction models for symptom severity and functional status during 2â€œ years of follow-up. <i>Journal of Psychosomatic Research</i> , 2018, 108, 1-13.	1.2	11
53	Psychological adjustment to chronic disease and rehabilitation <i>â€œ</i> an exploration. <i>Disability and Rehabilitation</i> , 2018, 40, 116-120.	0.9	39
54	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. <i>Disability and Rehabilitation</i> , 2018, 40, 486-496.	0.9	43

#	ARTICLE	IF	CITATIONS
55	Effect of Soft Braces on Pain and Physical Function in Patients With Knee Osteoarthritis: Systematic Review With Meta-Analyses. Archives of Physical Medicine and Rehabilitation, 2018, 99, 153-163.	0.5	32
56	Self-perceived care needs in older adults with joint pain and comorbidity. Aging Clinical and Experimental Research, 2018, 30, 449-455.	1.4	15
57	Depressive mood and low social support are not associated with arthritis development in patients with seropositive arthralgia, although they predict increased musculoskeletal symptoms. RMD Open, 2018, 4, e000653.	1.8	8
58	Impact of Patient- and Clinician-Reported Cumulative Toxicity on Quality of Life in Patients With Metastatic Castration-Naïve Prostate Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2018, 16, 1481-1488.	2.3	13
59	Theory in Behavioral Medicine. , 2018, , 181-214.		1
60	The predictive value of cumulative toxicity for quality of life in patients with metastatic colorectal cancer during first-line palliative chemotherapy. Cancer Management and Research, 2018, Volume 10, 3015-3021.	0.9	10
61	Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. BMC Public Health, 2018, 18, 1082.	1.2	62
62	Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. Physical Therapy, 2018, 98, 560-570.	1.1	87
63	Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. Journal of Orthopaedic Research, 2018, 36, 2671-2678.	1.2	11
64	The immediate effect of a soft knee brace on dynamic knee instability in persons with knee osteoarthritis. Rheumatology, 2018, 57, 1735-1742.	0.9	11
65	Association of malalignment, muscular dysfunction, proprioception, laxity and abnormal joint loading with tibiofemoral knee osteoarthritis - a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2018, 19, 273.	0.8	52
66	Multidisciplinary recommendations for diagnosis and treatment of foot problems in people with rheumatoid arthritis. Journal of Foot and Ankle Research, 2018, 11, 37.	0.7	20
67	Study protocol of the CORRECT multicenter trial: the efficacy of blended cognitive behavioral therapy for reducing psychological distress in colorectal cancer survivors. BMC Cancer, 2018, 18, 748.	1.1	7
68	Factors associated with upper leg muscle strength in knee osteoarthritis: A scoping review. Journal of Rehabilitation Medicine, 2018, 50, 140-150.	0.8	25
69	Global Meaning and Rehabilitation in People with Stroke. Brain Impairment, 2018, 19, 183-192.	0.5	3
70	Proprioception mediates the association between systemic inflammation and muscle weakness in patients with knee osteoarthritis: Results from the Amsterdam Osteoarthritis cohort. Journal of Rehabilitation Medicine, 2018, 50, 67-72.	0.8	16
71	Recruitment problems in psychosocial oncology research. Psycho-Oncology, 2018, 27, 2296-2298.	1.0	17
72	Screening and stepped care targeting psychological distress in patients with metastatic colorectal cancer: The TES cluster randomized trial.. Journal of Clinical Oncology, 2018, 36, 3560-3560.	0.8	3

#	ARTICLE	IF	CITATIONS
73	FRI0744-HPRâ€¦The association of local disease activity and forefoot deformities with plantar pressure in patients with rheumatoid arthritis and forefoot symptoms: a cross-sectional study in the amsterdam foot cohort. , 2018, , .		0
74	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017, 40, .	0.6	53
75	Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or Knee After Implementation of a Steppedâ€¢Care Strategy. <i>Arthritis Care and Research</i> , 2017, 69, 216-225.	1.5	17
76	Help-seeking behaviour of patients with haematological malignancies treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2017, 26, e12454.	0.7	7
77	Distress in patients with cancer â€œ on the need to distinguish between adaptive and maladaptive emotional responses. <i>Acta OncolÃ³gica</i> , 2017, 56, 1026-1029.	0.8	36
78	Development of a Computer Adaptive Test for Depression Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Evaluation and the Health Professions</i> , 2017, 40, 79-105.	0.9	41
79	The Dutchâ€¢Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017, 87, 47-58.	2.4	28
80	No associations between self-reported knee joint instability and radiographic features in knee osteoarthritis patients prior to Total Knee Arthroplasty: A cross-sectional analysis of the Longitudinal Leiden Orthopaedics Outcomes of Osteo-Arthritis study (LOAS) data. <i>Knee</i> , 2017, 24, 816-823.	0.8	14
81	Determinants of Adherence to the Online Component of a Blended Intervention for Patients with Hip and/or Knee Osteoarthritis: A Mixed Methods Study Embedded in the e-Exercise Trial. <i>Telemedicine Journal and E-Health</i> , 2017, 23, 1002-1010.	1.6	34
82	Cognitive behavioral therapy positively affects fatigue in patients with multiple sclerosis: Results of a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1542-1553.	1.4	47
83	Does severe toxicity affect global quality of life in patients with metastatic colorectal cancer during palliative systemic treatment? A systematic review. <i>Annals of Oncology</i> , 2017, 28, 478-486.	0.6	28
84	Mortality in patients with rheumatoid arthritis: a 15-year prospective cohort study. <i>Rheumatology International</i> , 2017, 37, 487-493.	1.5	146
85	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2017, 372, 331-341.	0.3	433
86	Analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: a cross-sectional study within the Amsterdam Osteoarthritis Cohort. <i>Rheumatology International</i> , 2017, 37, 1747-1755.	1.5	14
87	The cross-sectional relation between medically unexplained physical symptoms (MUPS) and the Cortisol Awakening Response. <i>Journal of Psychosomatic Research</i> , 2017, 99, 130-136.	1.2	3
88	Reply. <i>Arthritis Care and Research</i> , 2017, 69, 763-764.	1.5	0
89	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017, 103, 70-76.	1.2	2
90	Reply to the letter to the editor â€œSpecific QOL scales that reflect toxicity-induced impairment are needed in RCTsâ€™. <i>Annals of Oncology</i> , 2017, 28, 2033-2034.	0.6	1

#	ARTICLE	IF	CITATIONS
91	Proposal for an Update of the Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 1-4.	0.8	18
92	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017, 18, 155-165.	0.7	11
93	Gait Retraining With Real-Time Biofeedback to Reduce Knee Adduction Moment: Systematic Review of Effects and Methods Used. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 137-150.	0.5	78
94	Efficacy of Tailored Exercise Therapy on Physical Functioning in Patients With Knee Osteoarthritis and Comorbidity: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017, 69, 807-816.	1.5	86
95	Quality of life and disability: can they be improved by active postoperative rehabilitation after spinal fusion surgery in patients with spondylolisthesis? A randomised controlled trial with 12-month follow-up. <i>European Spine Journal</i> , 2017, 26, 777-784.	1.0	15
96	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1112-1122.	1.4	14
97	Defining the Field of Behavioral Medicine: A Collaborative Endeavor. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 21-24.	0.8	1
98	THU0712â€¦Dutch norm scores for four dutch-flemish promis item banks important for patients with rheumatoid arthritis. , 2017, , .		0
99	SAT0517â€¦Factors related to analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: results from the amsterdam osteoarthritis cohort. , 2017, , .		0
100	Nonlinear relationship between isokinetic muscle strength and activity limitations in patients with knee osteoarthritis: Results of the Amsterdam-Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 598-605.	0.8	9
101	Prevalence, Course, and Associated Factors of Pain in the Temporomandibular Joint in Early Rheumatoid Arthritis: Results of a Longitudinal Cohort Study. <i>Journal of Oral and Facial Pain and Headache</i> , 2017, 31, 233-239.	0.7	8
102	Effectiveness of postoperative home-exercise compared with usual care on kinesiophobia and physical activity in spondylolisthesis: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 751-757.	0.8	12
103	The immediate effect of a soft knee brace on pain, activity limitations, self-reported knee instability, and self-reported knee confidence in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 260.	1.6	15
104	Blended Interventions to Change Behavior in Patients With Chronic Somatic Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2017, 19, e418.	2.1	32
105	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared to two reference standards.. <i>Journal of Clinical Oncology</i> , 2017, 35, 24-24.	0.8	12
106	Course and predictors of pain and physical functioning in patients with hip osteoarthritis: Systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 245-252.	0.8	34
107	THU0651-HPRâ€¦Structure, Process and Outcome of Primary Care Rheumatology Networks for Patients with Rheumatic and Musculoskeletal Diseases in The Netherlands. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1274.2-1275.	0.5	0
108	Physical Activity Patterns Among Older Adults With and Without Knee Osteoarthritis in Six European Countries. <i>Arthritis Care and Research</i> , 2016, 68, 228-236.	1.5	58

#	ARTICLE	IF	CITATIONS
109	The role of appraisal and coping style in relation with societal participation in fatigued patients with multiple sclerosis: a cross-sectional multiple mediator analysis. <i>Journal of Behavioral Medicine</i> , 2016, 39, 855-865.	1.1	9
110	Calibration of the Dutchâ€Flemish <sc>PROMIS</sc> Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016, 20, 284-296.	1.4	18
111	Optimization of Analgesics for Greater Exercise Therapy Participation Among Patients With Knee Osteoarthritis and Severe Pain: A Feasibility Study. <i>Arthritis Care and Research</i> , 2016, 68, 332-340.	1.5	10
112	Prognosis of Pain and Physical Functioning in Patients With Knee Osteoarthritis: A Systematic Review and Metaâ€Analysis. <i>Arthritis Care and Research</i> , 2016, 68, 481-492.	1.5	110
113	Association of Somatic Comorbidities and Comorbid Depression With Mortality in Patients With Rheumatoid Arthritis: A 14â€Year Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1055-1060.	1.5	27
114	Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 831-835.	0.8	28
115	Continuous Improvement of Physical Functioning in Ankylosing Spondylitis Patients by Tumor Necrosis Factor Inhibitors: Threeâ€Year Followup and Predictors. <i>Arthritis Care and Research</i> , 2016, 68, 1522-1529.	1.5	10
116	Biomechanical factors associated with the development of tibiofemoral knee osteoarthritis: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e011066.	0.8	7
117	Real-Time Assessment of Fatigue in Patients With Multiple Sclerosis: How Does It Relate to Commonly Used Self-Report Fatigue Questionnaires?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1887-1894.e1.	0.5	19
118	The importance of â€global meaningâ€™ for people rehabilitating from spinal cord injury. <i>Spinal Cord</i> , 2016, 54, 1047-1052.	0.9	10
119	Predictors of self-reported knee instability among patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2016, 35, 3007-3013.	1.0	10
120	Effectiveness of cognitive behavioral therapy for the treatment of fatigue in patients with multiple sclerosis: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2016, 90, 33-42.	1.2	84
121	The Association Between Serum 25-hydroxy Vitamin D Level and Upper Leg Strength in Patients with Knee Osteoarthritis: Results of the Amsterdam Osteoarthritis Cohort. <i>Journal of Rheumatology</i> , 2016, 43, 1400-1405.	1.0	12
122	Dr. Koeckhoven, <i>et al</i> reply. <i>Journal of Rheumatology</i> , 2016, 43, 2079.1-2079.	1.0	0
123	Global meaning in people with stroke: Content and changes. <i>Health Psychology Open</i> , 2016, 3, 205510291668175.	0.7	8
124	Developing a Risk Prediction Model for Long-Term Physical and Psychological Functioning after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 549-556.	2.0	13
125	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2016, 24, 2883-92.	1.0	6
126	The longitudinal association of cognitive appraisals and coping strategies with physical functioning in older adults with joint pain and comorbidity: a cohort study. <i>BMC Geriatrics</i> , 2016, 16, 29.	1.1	18

#	ARTICLE	IF	CITATIONS
127	A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. <i>Annals of Hematology</i> , 2016, 95, 105-114.	0.8	37
128	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016, 12, 174480691664678.	1.0	26
129	Exploring Fatigue Trajectories in Early Symptomatic Knee and Hip Osteoarthritis: 6-year Results from the CHECK Study. <i>Journal of Rheumatology</i> , 2016, 43, 1413-1420.	1.0	5
130	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 847-854.	0.5	44
131	Clinical value of DSM IV and DSM 5 criteria for diagnosing the most prevalent somatoform disorders in patients with medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2016, 82, 4-10.	1.2	53
132	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 581-588.	0.6	25
133	Cohort Profile: Cohort Hip and Cohort Knee (CHECK) study. <i>International Journal of Epidemiology</i> , 2016, 45, 36-44.	0.9	59
134	Physical and Mental Functioning in Patients with Established Rheumatoid Arthritis over an 11-year Followup Period: The Role of Specific Comorbidities. <i>Journal of Rheumatology</i> , 2016, 43, 307-314.	1.0	15
135	Availability and use of neighborhood resources by older people with osteoarthritis: Results from the European Project on OSteoArthritis. <i>Health and Place</i> , 2016, 37, 1-7.	1.5	9
136	Global meaning in people with spinal cord injury: Content and changes. <i>Journal of Spinal Cord Medicine</i> , 2016, 39, 197-205.	0.7	16
137	Biomechanical and neuromuscular adaptations during the landing phase of a stepping-down task in patients with early or established knee osteoarthritis. <i>Knee</i> , 2016, 23, 367-375.	0.8	4
138	In-shoe plantar pressure measurements for the evaluation and adaptation of foot orthoses in patients with rheumatoid arthritis: A proof of concept study. <i>Gait and Posture</i> , 2016, 45, 45-50.	0.6	15
139	Early enforced mobilisation following surgery for gastrointestinal cancer: feasibility and outcomes. <i>Physiotherapy</i> , 2016, 102, 103-110.	0.2	55
140	Measurement strategy and statistical power in studies assessing gait stability and variability in older adults. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 257-265.	1.4	11
141	Exercise and comorbidity: the i3-S strategy for developing comorbidity-related adaptations to exercise therapy. <i>Disability and Rehabilitation</i> , 2016, 38, 905-909.	0.9	13
142	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 82-90.	0.6	34
143	A Blended Intervention for Patients With Knee and Hip Osteoarthritis in the Physical Therapy Practice: Development and a Pilot Study. <i>JMIR Research Protocols</i> , 2016, 5, e32.	0.5	25
144	Implementation of recommended non-pharmacotherapy in rheumatology practice: need for improvement. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S15-7.	0.4	0

#	ARTICLE	IF	CITATIONS
145	Trend in and predictors for cardiovascular mortality in patients with rheumatoid arthritis over a period of 15 years: a prospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 813-819.	0.4	13
146	Predictors and Outcome of Pain-Related Avoidance of Activities in Persons With Early Symptomatic Knee Osteoarthritis: A Five-Year Followup Study. <i>Arthritis Care and Research</i> , 2015, 67, 48-57.	1.5	24
147	AB1256-HPR...In-Shoe Plantar Pressure Measurements for the Evaluation and Adaptation of Foot Orthoses in Patients with Rheumatoid Arthritis: A Proof of Concept Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1354.3-1355.	0.5	0
148	AB0857...Standardized Optimization of Analgesics in Patients with Knee Osteoarthritis and Severe Pain " a Feasibility Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1187.1-1187.	0.5	0
149	Increased knee muscle strength is associated with decreased activity limitations in established knee osteoarthritis: Two-year follow-up study in the Amsterdam osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 647-654.	0.8	23
150	THU0599...Validation of the Dutch-Flemish Promis Pain Behavior and Pain Interference Item Banks in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 418.1-418.	0.5	0
151	THU0311...Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 308.2-308.	0.5	0
152	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. <i>PLoS ONE</i> , 2015, 10, e0133730.	1.1	28
153	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015, 10, e0134094.	1.1	32
154	Fatigue in patients with chronic widespread pain participating in multidisciplinary rehabilitation treatment: a prospective cohort study. <i>Disability and Rehabilitation</i> , 2015, 37, 490-498.	0.9	8
155	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015, 15, 302.	1.1	18
156	Clinical phenotypes in patients with knee osteoarthritis: a study in the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 544-549.	0.6	82
157	The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. <i>Rheumatology International</i> , 2015, 35, 1233-1241.	1.5	69
158	In whom and when to look for causal pathways of osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1041-1042.	0.6	1
159	Measurement of scapular dyskinesis using wireless inertial and magnetic sensors: Importance of scapula calibration. <i>Journal of Biomechanics</i> , 2015, 48, 3460-3468.	0.9	22
160	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1071-1082.	0.6	80
161	Falls Associated with Muscle Strength in Patients with Knee Osteoarthritis and Self-reported Knee Instability. <i>Journal of Rheumatology</i> , 2015, 42, 1218-1223.	1.0	45
162	Objective Evaluation of Physical Functioning after Tumor Necrosis Factor Inhibitory Therapy in Patients with Ankylosing Spondylitis: A Selection of 3 Feasible Performance-based Tests. <i>Journal of Rheumatology</i> , 2015, 42, 623-629.	1.0	14

#	ARTICLE	IF	CITATIONS
163	Feasibility and Safety of Cardiopulmonary Exercise Testing in Multiple Sclerosis: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2055-2066.	0.5	11
164	Treatment of hip/knee osteoarthritis in Dutch general practice and physical therapy practice: an observational study. BMC Family Practice, 2015, 16, 75.	2.9	16
165	One in Three Patients With Cancer Meets the Criteria for Mental Disorders: What Does That Mean?. Journal of Clinical Oncology, 2015, 33, 2826-2828.	0.8	9
166	Associations between measures of gait stability, leg strength and fear of falling. Gait and Posture, 2015, 41, 76-80.	0.6	44
167	Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. Physiotherapy, 2015, 101, 171-177.	0.2	31
168	OPO210-HPRâ€¦Increase in Knee Muscle Strength is Associated with A Decrease in Activity Limitations in Patients with Established Knee Osteoarthritis: A 2 Years Follow-Up Study in the AMS-OA Cohort. Annals of the Rheumatic Diseases, 2014, 73, 142.1-142.	0.5	0
169	AB0779â€¦7 Years of Follow-Up of Early Symptomatic Oa: Characteristics of CHECK (Cohort HIP & Tj ETQq1 1 0.784314 rgBT / 0,5	0.5	0
170	High prevalence of hand- and wrist-related symptoms, impairments, activity limitations and participation restrictions in children with juvenile idiopathic arthritis. Journal of Rehabilitation Medicine, 2014, 46, 991-996.	0.8	18
171	Knee joint stabilization therapy in patients with osteoarthritis of the knee and knee instability: Subgroup analyses in a randomized, controlled trial. Journal of Rehabilitation Medicine, 2014, 46, 703-707.	0.8	18
172	Client-centred therapy in multiple sclerosis: More intensive diagnostic evaluation and less intensive treatment. Journal of Rehabilitation Medicine, 2014, 46, 527-531.	0.8	12
173	Cognitive mechanisms of change in multidisciplinary treatment of patients with chronic widespread pain: A prospective cohort study. Journal of Rehabilitation Medicine, 2014, 46, 173-180.	0.8	19
174	Reliability and precision of 3D wireless measurement of scapular kinematics. Medical and Biological Engineering and Computing, 2014, 52, 921-931.	1.6	48
175	Success or failure of chronic pain rehabilitation: the importance of good interaction â€“ a qualitative study under patients and professionals. Disability and Rehabilitation, 2014, 36, 1903-1910.	0.9	43
176	Response to commentary on: â€“Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidityâ€™. Physical Therapy Reviews, 2014, 19, 44-45.	0.3	0
177	Percutaneous Nerve Stimulation in Chronic Neuropathic Pain Patients due to Spinal Cord Injury: A Pilot Study. Pain Practice, 2014, 14, 252-259.	0.9	8
178	Health Care Use of Patients With Osteoarthritis of the Hip or Knee After Implementation of a Steppedâ€“Care Strategy: An Observational Study. Arthritis Care and Research, 2014, 66, 817-827.	1.5	42
179	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. Physical Therapy Reviews, 2014, 19, 1-14.	0.3	8
180	Is the Severity of Knee Osteoarthritis on Magnetic Resonance Imaging Associated With Outcome of Exercise Therapy?. Arthritis Care and Research, 2014, 66, 63-68.	1.5	31

#	ARTICLE	IF	CITATIONS
181	Effects of unilateral leg muscle fatigue on balance control in perturbed and unperturbed gait in healthy elderly. <i>Gait and Posture</i> , 2014, 40, 215-219.	0.6	21
182	The prevalence of depressive symptoms before and after surgery and its association with disability in patients undergoing lumbar spinal fusion. <i>European Spine Journal</i> , 2014, 23, 129-134.	1.0	42
183	Dutchâ€Flemish translation of 17 item banks from the Patient-Reported Outcomes Measurement Information System (PROMIS). <i>Quality of Life Research</i> , 2014, 23, 1733-41.	1.5	102
184	Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: Results of a cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 98-106.	1.4	25
185	Osteoarthritis of the knee: multicompartmental or compartmental disease?. <i>Rheumatology</i> , 2014, 53, 540-546.	0.9	13
186	Distress, problems and supportive care needs of patients treated with auto- or allo-SCT. <i>Bone Marrow Transplantation</i> , 2014, 49, 292-298.	1.3	31
187	Short-term changes in hormonal profiles after laparoscopic ovarian laser evaporation compared with diagnostic laparoscopy for PCOS. <i>Human Reproduction</i> , 2014, 29, 2544-2552.	0.4	9
188	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014, 26, 490-498.	0.9	21
189	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 227.	0.8	56
190	Effectiveness and cost-effectiveness of a blended exercise intervention for patients with hip and/or knee osteoarthritis: study protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 269.	0.8	26
191	Elevated C-reactive protein is associated with lower increase in knee muscle strength in patients with knee osteoarthritis: a 2-year follow-up study in the Amsterdam Osteoarthritis (AMS-OA) cohort. <i>Arthritis Research and Therapy</i> , 2014, 16, R123.	1.6	24
192	Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). <i>Journal of Orthopaedic Science</i> , 2014, 19, 242-249.	0.5	14
193	The avoidance model in knee and hip osteoarthritis: a systematic review of the evidence. <i>Journal of Behavioral Medicine</i> , 2014, 37, 1226-1241.	1.1	40
194	Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 171-177.	0.6	51
195	Behavioral Medicine in China. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 571-573.	0.8	0
196	Decrease of Muscle Strength Is Associated With Increase of Activity Limitations in Early Knee Osteoarthritis: 3-Year Results From the Cohort Hip and Cohort Knee Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1962-1968.	0.5	50
197	Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1369-1375.	0.5	88
198	The PROSPECTS study: Design of a prospective cohort study on prognosis and perpetuating factors of medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2014, 76, 200-206.	1.2	20

#	ARTICLE	IF	CITATIONS
199	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014, 155, 1605-1612.	2.0	51
200	Trajectories of physical functioning and their prognostic indicators: A prospective cohort study in older adults with joint pain and comorbidity. <i>Maturitas</i> , 2014, 78, 316-322.	1.0	4
201	Development of comorbidity-adapted exercise protocols for patients with knee osteoarthritis. <i>Clinical Interventions in Aging</i> , 2014, 9, 829.	1.3	33
202	THU0563â€¦Validation of the Dutch-Flemish PROMIS Pain Behavior and Pain Interference Item Banks in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 377.2-377.	0.5	0
203	THU0564â€¦Validation of the Dutch-Flemish PROMIS Physical Functioning Item Bank in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 377.3-378.	0.5	0
204	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014, 64, e538-e544.	0.7	10
205	The Effectiveness of Self-Guided Web-Based Physical Activity Interventions Among Patients With a Chronic Disease: A Systematic Review. <i>Journal of Physical Activity and Health</i> , 2014, 11, 665-677.	1.0	41
206	THU0204â€¦Factors Associated with the Setting and Content of Care in Patients with Osteoarthritis of the Hip or Knee. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 252.1-252.	0.5	0
207	FRI0581-HPRâ€¦Falls Associated with Muscle Strength and Pain in Knee Osteoarthritis Patients with Self-Reported Knee Instability. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1205.2-1205.	0.5	0
208	Risk Factors for Functional Decline in Osteoarthritis of the Knee or Hip. , 2014, , 39-48.		1
209	Neuromuscular Mechanisms Explaining Functional Decline. , 2014, , 49-67.		1
210	Behavioral Mechanisms Explaining Functional Decline. , 2014, , 69-85.		1
211	A Computer-Based Screening Method for Distress in Patients With Multiple Sclerosis: A Feasibility Study. <i>JMIR Research Protocols</i> , 2014, 3, e29.	0.5	3
212	Regular Exercises in Knee and Hip Osteoarthritis. , 2014, , 89-94.		0
213	Summary and Future Directions. , 2014, , 127-132.		0
214	Exercise Aiming at Behavioral Mechanisms. , 2014, , 109-118.		0
215	Comorbidity, Obesity, and Exercise Therapy in Patients with Knee and Hip Osteoarthritis. , 2014, , 119-126.		0
216	Exercise Therapy Targeting Neuromuscular Mechanisms. , 2014, , 95-107.		0

#	ARTICLE	IF	CITATIONS
217	Therapeutic Options in Osteoarthritis of the Hip or Knee. , 2014, , 27-35.		0
218	Epidemiology, Pathogenesis, and Clinical Aspects of Knee and Hip Osteoarthritis. , 2014, , 13-25.		0
219	Agreement of general practitioners with the guideline-based stepped-care strategy for patients with osteoarthritis of the hip or knee: a cross-sectional study. BMC Family Practice, 2013, 14, 33.	2.9	21
220	Disability and health-related quality of life in patients undergoing spinal fusion: a comparison with a general population sample. BMC Musculoskeletal Disorders, 2013, 14, 211.	0.8	14
221	Predictors of outcome of multidisciplinary treatment in chronic widespread pain: an observational study. BMC Musculoskeletal Disorders, 2013, 14, 133.	0.8	42
222	The usability and preliminary effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis. BMC Medical Informatics and Decision Making, 2013, 13, 61.	1.5	44
223	The association between reduced knee joint proprioception and medial meniscal abnormalities using MRI in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. Osteoarthritis and Cartilage, 2013, 21, 676-681.	0.6	28
224	The association of body-mass index and depressed mood with knee pain and activity limitations in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. BMC Musculoskeletal Disorders, 2013, 14, 296.	0.8	24
225	Patient reported barriers and facilitators to using a self-management booklet for hip and knee osteoarthritis in primary care: results of a qualitative interview study. BMC Family Practice, 2013, 14, 181.	2.9	24
226	Exploring the aggregation of four functional measures in a population of older adults with joint pain and comorbidity. BMC Geriatrics, 2013, 13, 119.	1.1	10
227	Ambulatory measurement of the knee adduction moment in patients with osteoarthritis of the knee. Journal of Biomechanics, 2013, 46, 43-49.	0.9	18
228	Foot-related health care use in patients with rheumatoid arthritis in an outpatient secondary care center for rheumatology and rehabilitation in The Netherlands: A cohort study with a maximum of fifteen years of followup. Arthritis Care and Research, 2013, 65, 220-226.	1.5	13
229	Performance-based tests to assess physical function in osteoarthritis of the hip or knee: comment and proposal. Osteoarthritis and Cartilage, 2013, 21, 1623-1624.	0.6	0
230	Predictors of multidisciplinary treatment outcome in fibromyalgia:a systematic review. Disability and Rehabilitation, 2013, 35, 437-449.	0.9	64
231	Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. Journal of Shoulder and Elbow Surgery, 2013, 22, 165-170.	1.2	16
232	No evidence for the effectiveness of a multidisciplinary group based treatment program in patients with osteoarthritis of hands on the short term; results of a randomized controlled trial. Osteoarthritis and Cartilage, 2013, 21, 901-910.	0.6	36
233	Association of postural control with muscle strength, proprioception, self-reported knee instability and activity limitations in patients with knee osteoarthritis. Journal of Rehabilitation Medicine, 2013, 45, 192-197.	0.8	48
234	Knee joint stabilization therapy in patients with osteoarthritis of the knee: a randomized, controlled trial. Osteoarthritis and Cartilage, 2013, 21, 1025-1034.	0.6	97

#	ARTICLE	IF	CITATIONS
235	The Working Mechanism of Manual Therapy in Participants With Chronic Tension-Type Headache. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 693-699.	1.7	18
236	Social participation in older adults with joint pain and comorbidity; testing the measurement properties of the Dutch Keele Assessment of Participation. <i>BMJ Open</i> , 2013, 3, e003181.	0.8	11
237	Association of serum C-reactive protein and erythrocyte sedimentation rate with muscle strength in patients with knee osteoarthritis. <i>Rheumatology</i> , 2013, 52, 727-732.	0.9	22
238	Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2013, 18, 101-111.	0.3	24
239	Response to commentary on: "Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity". <i>Physical Therapy Reviews</i> , 2013, 18, 232-233.	0.3	0
240	A cluster randomised controlled trial on the efficacy of client-centred occupational therapy in multiple sclerosis: good process, poor outcome. <i>Disability and Rehabilitation</i> , 2013, 35, 1636-1646.	0.9	23
241	What do we miss? ASAS non-responders on anti-TNF therapy show improvement in performance-based physical function. <i>Rheumatology</i> , 2013, 52, 1884-1889.	0.9	11
242	Impact of self-reported comorbidity on physical and mental health status in early symptomatic osteoarthritis: the CHECK (Cohort Hip and Cohort Knee) study. <i>Rheumatology</i> , 2013, 52, 180-188.	0.9	51
243	Long-Term Physical Functioning and Its Association With Somatic Comorbidity and Comorbid Depression in Patients With Established Rheumatoid Arthritis: A Longitudinal Study. <i>Arthritis Care and Research</i> , 2013, 65, 1157-1165.	1.5	23
244	Comment on "Psychological distress in patients with cancer: is screening the effective solution?". <i>British Journal of Cancer</i> , 2013, 108, 2628-2630.	2.9	15
245	SAT0229...Depression in systemic lupus erythematosus, dependent or independent of severity of disease?. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 549.2-549.	0.5	0
246	Effects of a progressive aquatic resistance exercise program on the biochemical composition and morphology of cartilage in women with mild knee osteoarthritis: protocol for a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 82.	0.8	26
247	OP0075-HPR...A multidisciplinary and multidimensional program for hand osteoarthritis is not effective: Results of a randomized controlled study. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 78.3-79.	0.5	0
248	SAT0593-HPR...Patients' Perceptions of a Self-Management Booklet for Hip or Knee Osteoarthritis: a Qualitative Interview Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A783.2-A783.	0.5	0
249	OP0201-PC...Agreement of General Practitioners with the Guideline-Based Stepped-Care Strategy for Patients with Osteoarthritis of the Hip or Knee: A Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A120.2-A120.	0.5	0
250	Effectiveness of a Web-Based Physical Activity Intervention in Patients With Knee and/or Hip Osteoarthritis: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e257.	2.1	167
251	Adherence to a Web-Based Physical Activity Intervention for Patients With Knee and/or Hip Osteoarthritis: A Mixed Method Study. <i>Journal of Medical Internet Research</i> , 2013, 15, e223.	2.1	69
252	Promoting exercise for OA in ambivalent older adults. <i>Nature Reviews Rheumatology</i> , 2012, 8, 442-444.	3.5	3

#	ARTICLE	IF	CITATIONS
253	WOMAC-pf as a measure of physical function in patients with Parkinson's disease and late-onset sequels of poliomyelitis: unidimensionality and item behaviour. <i>Disability and Rehabilitation</i> , 2012, 34, 1423-1430.	0.9	4
254	Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. <i>Bone Marrow Transplantation</i> , 2012, 47, 757-769.	1.3	77
255	A multidisciplinary and multidimensional intervention for patients with hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2012, 26, 99-110.	1.0	16
256	Proprioception, laxity, muscle strength and activity limitations in early symptomatic knee osteoarthritis: Results from the CHECK cohort. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 862-868.	0.8	18
257	Self-reported knee instability and activity limitations in patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2012, 31, 1505-1510.	1.0	58
258	Revalidatie en artrose*. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2012, 28, 42-49.	0.0	0
259	Minimal clinically important change on the Headache Impact Test-6 questionnaire in patients with chronic tension-type headache. <i>Cephalalgia</i> , 2012, 32, 710-714.	1.8	56
260	The knee adduction moment measured with an instrumented force shoe in patients with knee osteoarthritis. <i>Journal of Biomechanics</i> , 2012, 45, 281-288.	0.9	15
261	Randomized controlled trial of postoperative exercise rehabilitation program after lumbar spine fusion: study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 123.	0.8	20
262	Local dynamic stability and variability of gait are associated with fall history in elderly subjects. <i>Gait and Posture</i> , 2012, 36, 527-531.	0.6	248
263	Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: A pilot study. <i>Journal of the Neurological Sciences</i> , 2012, 315, 104-109.	0.3	18
264	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 137.	1.1	21
265	Biomechanical factors and physical examination findings in osteoarthritis of the knee: associations with tissue abnormalities assessed by conventional radiography and high-resolution 3.0 Tesla magnetic resonance imaging. <i>Arthritis Research and Therapy</i> , 2012, 14, R212.	1.6	33
266	Moving instead of asking? Performance-based tests and BASFI-questionnaire measure different aspects of physical function in ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2012, 14, R52.	1.6	29
267	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012, 64, 1209-1216.	1.5	23
268	Avoidance of Activities in Early Symptomatic Knee Osteoarthritis: Results from the CHECK Cohort. <i>Annals of Behavioral Medicine</i> , 2012, 44, 33-42.	1.7	46
269	Validity and responsiveness of the ankle function score after acute ankle injury. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 170-174.	1.3	20
270	Adapted cardiac rehabilitation programme to improve uptake in patients of Moroccan and Turkish origin in The Netherlands: a qualitative study. <i>Journal of Clinical Nursing</i> , 2012, 21, 2823-2831.	1.4	2

#	ARTICLE	IF	CITATIONS
271	The course of limitations in activities over 5 years in patients with knee and hip osteoarthritis with moderate functional limitations: risk factors for future functional decline. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 503-510.	0.6	86
272	Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. <i>Pain</i> , 2012, 153, 893-899.	2.0	27
273	Association of lower muscle strength with self-reported knee instability in osteoarthritis of the knee: Results from the Amsterdam Osteoarthritis Cohort. <i>Arthritis Care and Research</i> , 2012, 64, 38-45.	1.5	92
274	Diagnostic accuracy of range of motion measurements in early symptomatic hip and/or knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012, 64, 59-65.	1.5	42
275	9 Reumatische aandoeningen. , 2012, , 125-141.		1
276	Adaptations to pain rehabilitation programmes for non-native patients with chronic pain. <i>Disability and Rehabilitation</i> , 2011, 33, 1324-1329.	0.9	4
277	Effectiveness of manual therapy for chronic tension-type headache: A pragmatic, randomised, clinical trial. <i>Cephalalgia</i> , 2011, 31, 133-143.	1.8	92
278	Predictors of Stenosing Tenosynovitis in the Hand and Hand-Related Activity Limitations in Patients With Rheumatoid Arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 96-100.	0.5	5
279	A Systematic Review of Instruments Assessing Participation: Challenges in Defining Participation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 983-997.	0.5	126
280	The Authors Respond: Toward Consensus on the Definition of Participation for Adult and Pediatric Populations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 2096-2097.	0.5	1
281	The effect of shoe lacing on plantar pressure distribution and in-shoe displacement of the foot in healthy participants. <i>Gait and Posture</i> , 2011, 33, 396-400.	0.6	11
282	Applicability of the Ottawa Ankle Rules in primary care: results from a pilot study. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 1246-1248.	0.9	7
283	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 620-633.	0.6	158
284	Proprioception in knee osteoarthritis: a narrative review. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 381-388.	0.6	193
285	Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 411-419.	0.6	64
286	Beating osteoARthritis: Development of a stepped care strategy to optimize utilization and timing of non-surgical treatment modalities for patients with hip or knee osteoarthritis. <i>Clinical Rheumatology</i> , 2011, 30, 1623-1629.	1.0	102
287	IJBM " Interdisciplinary, International, and Outstanding Research on Factors Relevant to Health and Illness. <i>International Journal of Behavioral Medicine</i> , 2011, 18, 285-287.	0.8	0
288	Influence of the instrumented force shoe on gait pattern in patients with osteoarthritis of the knee. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 1381-1392.	1.6	16

#	ARTICLE	IF	CITATIONS
289	Lateral Trunk Motion and Knee Pain in Osteoarthritis of the Knee: a cross-sectional study. BMC Musculoskeletal Disorders, 2011, 12, 141.	0.8	18
290	Overlap of cognitive concepts in chronic widespread pain: An exploratory study. BMC Musculoskeletal Disorders, 2011, 12, 218.	0.8	13
291	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. BMC Musculoskeletal Disorders, 2011, 12, 232.	0.8	5
292	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. BMC Musculoskeletal Disorders, 2011, 12, 241.	0.8	14
293	Vitality and the course of limitations in activities in osteoarthritis of the hip or knee. BMC Musculoskeletal Disorders, 2011, 12, 269.	0.8	12
294	Factors predicting the outcome of customised foot orthoses in patients with rheumatoid arthritis: a prospective cohort study. Journal of Foot and Ankle Research, 2011, 4, 8.	0.7	27
295	Identification of phenotypes with different clinical outcomes in knee osteoarthritis: Data from the osteoarthritis initiative. Arthritis Care and Research, 2011, 63, 1535-1542.	1.5	115
296	Responsiveness of the Canadian Occupational Performance Measure. Journal of Rehabilitation Research and Development, 2011, 48, 517.	1.6	109
297	Osteoarthritis of the hip or knee: which coexisting disorders are disabling?. Clinical Rheumatology, 2010, 29, 739-747.	1.0	76
298	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a randomized controlled trial comparing two different physical therapy interventions. Osteoarthritis and Cartilage, 2010, 18, 1019-1026.	0.6	72
299	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. BMC Cancer, 2010, 10, 361.	1.1	21
300	Exercise adherence improving long-term patient outcome in patients with osteoarthritis of the hip and/or knee. Arthritis Care and Research, 2010, 62, 1087-1094.	1.5	186
301	Prognostic factors for the two-year course of activity limitations in early osteoarthritis of the hip and/or knee. Arthritis Care and Research, 2010, 62, 1415-1425.	1.5	54
302	Distinguishing four components underlying physical activity: a new approach to using physical activity questionnaire data in old age. BMC Geriatrics, 2010, 10, 20.	1.1	4
303	Reasons of drop-out from rehabilitation in patients of Turkish and Moroccan origin with chronic low back pain in The Netherlands: A qualitative study. Journal of Rehabilitation Medicine, 2010, 42, 566-573.	0.8	22
304	Prevalence of hand symptoms, impairments and activity limitations in rheumatoid arthritis in relation to disease duration. Journal of Rehabilitation Medicine, 2010, 42, 916-921.	0.8	64
305	Prediction of walking disability by disease-related factors in patients with rheumatoid arthritis. Journal of Rehabilitation Medicine, 2010, 42, 506-510.	0.8	11
306	Behavioural graded activity results in better exercise adherence and more physical activity than usual care in people with osteoarthritis: a cluster-randomised trial. Journal of Physiotherapy, 2010, 56, 41-47.	0.7	84

#	ARTICLE	IF	CITATIONS
307	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 524-534.	2.4	245
308	Prognosis of Limitations in Activities in Osteoarthritis of the Hip or Knee: A 3-Year Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 58-66.	0.5	114
309	Forefoot disease activity in rheumatoid arthritis patients in remission: results of a cohort study. <i>Arthritis Research and Therapy</i> , 2010, 12, R3.	1.6	61
310	Long-term effect of comorbidity on the course of physical functioning in patients after stroke and with multiple sclerosis. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 322-326.	0.8	35
311	Limitations in activities in patients with osteoarthritis of the hip or knee: The relationship with body functions, comorbidity and cognitive functioning. <i>Disability and Rehabilitation</i> , 2009, 31, 1685-1691.	0.9	55
312	Reproducibility of performance measures of physical function based on the BASFI, in ankylosing spondylitis. <i>Rheumatology</i> , 2009, 48, 1254-1260.	0.9	28
313	First rehabilitation consultation in patients of non-native origin: Factors that lead to tension in the patient-physician interaction. <i>Disability and Rehabilitation</i> , 2009, 31, 1853-1861.	0.9	13
314	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1413-1419.	0.5	112
315	Interobserver Reliability of the Amsterdam Severity Scale in Stenosing Tenosynovitis (ASSIST). <i>Journal of Hand Therapy</i> , 2009, 22, 355-360.	0.7	6
316	Effectiveness of manual therapy compared to usual care by the general practitioner for chronic tension-type headache: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 21.	0.8	36
317	Physical activity and incident clinical knee osteoarthritis in older adults. <i>Arthritis and Rheumatism</i> , 2009, 61, 152-157.	6.7	31
318	Heralding the New Publisher: Strategic Alliance and Improved Service. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 1-2.	0.8	0
319	Measurement Instruments in Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 89-90.	0.8	3
320	Higher dropout rate in non-native patients than in native patients in rehabilitation in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2009, 32, 232-237.	0.7	13
321	Risk factors for functional decline in osteoarthritis of the hip or knee. <i>Current Opinion in Rheumatology</i> , 2009, 21, 520-524.	2.0	136
322	Theories in behavioral medicine. <i>International Journal of Behavioral Medicine</i> , 2008, 15, 1-3.	0.8	17
323	A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1257-1269.	6.7	63
324	Prevalence and course of forefoot impairments and walking disability in the first eight years of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1596-1602.	6.7	109

#	ARTICLE	IF	CITATIONS
325	Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 95.	0.8	192
326	Knee varusâ€“valgus motion during gait â€“ a measure of joint stability in patients with osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 522-525.	0.6	34
327	Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 233-241.	0.9	106
328	Utilization of health care by patients with multiple sclerosis is based on professional and patient-defined health needs. <i>Multiple Sclerosis Journal</i> , 2008, 14, 1269-1279.	1.4	13
329	Varusâ€“valgus motion and functional ability in patients with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 471-477.	0.5	30
330	Community occupational therapy for older patients with dementia and their care givers: cost effectiveness study. <i>BMJ: British Medical Journal</i> , 2008, 336, 134-138.	2.4	218
331	The availability of allied health care in nursing homes. <i>Disability and Rehabilitation</i> , 2007, 29, 665-670.	0.9	17
332	Effects of Community Occupational Therapy on Quality of Life, Mood, and Health Status in Dementia Patients and Their Caregivers: A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 1002-1009.	1.7	212
333	Clinical databases in physical therapy. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 153-167.	0.6	77
334	Physical therapy management of low back pain has changed. <i>Health Policy</i> , 2007, 80, 492-499.	1.4	10
335	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 34-42.	2.4	7,331
336	Author reply: criteria for good measurement properties. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1315-1316.	2.4	1
337	Healing care? Rehabilitation of female immigrant patients with chronic pain from a family perspective. <i>Disability and Rehabilitation</i> , 2007, 29, 323-332.	0.9	7
338	Gender difference in varusâ€“valgus laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 157-159.	0.6	11
339	Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: A study using rasch analysis. <i>Acta Dermato-Venereologica</i> , 2007, 39, 163-169.	0.6	26
340	Joint proprioception, muscle strength, and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 57, 787-793.	6.7	135
341	Longâ€“Term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: A systematic review. <i>Arthritis and Rheumatism</i> , 2007, 57, 1245-1253.	6.7	210
342	Reproducibility of the measurement of knee joint proprioception in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007, 57, 1398-1403.	6.7	36

#	ARTICLE	IF	CITATIONS
343	Factors associated with physiotherapy provision in a population of elderly nursing home residents; a cross sectional study. <i>BMC Geriatrics</i> , 2007, 7, 7.	1.1	33
344	Adherence to physiotherapy clinical guideline acute ankle injury and determinants of adherence: a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 45.	0.8	26
345	Comparison of international guideline programs to evaluate and update the Dutch program for clinical guideline development in physical therapy. <i>BMC Health Services Research</i> , 2007, 7, 191.	0.9	25
346	Which patients with osteoarthritis of hip and/or knee benefit most from behavioral graded activity?. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 86-91.	0.8	27
347	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 733-741.	1.1	30
348	Responsiveness of functional health status measures frequently used in stroke research. <i>Disability and Rehabilitation</i> , 2006, 28, 1035-1040.	0.9	45
349	Active involvement and long-term goals influence long-term adherence to behavioural graded activity in patients with osteoarthritis: a qualitative study. <i>Australian Journal of Physiotherapy</i> , 2006, 52, 273-278.	0.9	29
350	Effectiveness of exercise therapy and manual mobilisation in acute ankle sprain and functional instability: A systematic review. <i>Australian Journal of Physiotherapy</i> , 2006, 52, 27-37.	0.9	134
351	Dimensional structure of the SF-36 in neurological patients. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 541-543.	2.4	21
352	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 914-919.e2.	2.4	19
353	Disease characteristics as determinants of the labour market position of adolescents and young adults with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 203-209.	0.8	26
354	The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006, 31, 297-308.	1.7	15
355	School and leisure activities in adolescents and young adults with chronic digestive disorders: Impact of burden of disease. <i>International Journal of Behavioral Medicine</i> , 2006, 13, 121-130.	0.8	40
356	A comparison of the OARSI response criteria with patient's global assessment in patients with osteoarthritis of the hip treated with a non-pharmacological intervention. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 77-81.	0.6	16
357	The pros and cons of muscle co-contraction in osteoarthritis of the knee: Comment on the article by Lewek et al. <i>Arthritis and Rheumatism</i> , 2006, 54, 1354-1354.	6.7	3
358	Psychometric evaluation of osteoarthritis questionnaires: A systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006, 55, 480-492.	6.7	121
359	Course of functional status and pain in osteoarthritis of the hip or knee: A systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006, 55, 779-785.	6.7	211
360	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2006, 55, 925-934.	6.7	106

#	ARTICLE	IF	CITATIONS
361	Joint laxity and the relationship between muscle strength and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2006, 55, 953-959.	6.7	64
362	Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Rheumatology</i> , 2006, 45, 890-902.	0.9	128
363	The course of apraxia and ADL functioning in left hemisphere stroke patients treated in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2006, 20, 1085-1093.	1.0	64
364	Forefoot joint damage, pain and disability in rheumatoid arthritis patients with foot complaints: the role of plantar pressure and gait characteristics. <i>Rheumatology</i> , 2006, 45, 465-469.	0.9	135
365	Reproducibility of instrumented knee joint laxity measurement in healthy subjects. <i>Rheumatology</i> , 2006, 45, 595-599.	0.9	25
366	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 215-221.	0.5	44
367	Potential barriers to the use of health services among ethnic minorities: a review. <i>Family Practice</i> , 2006, 23, 325-348.	0.8	545
368	Coping in adolescents and young adults with chronic digestive disorders: Impact on school and leisure activities. <i>Psychology and Health</i> , 2006, 21, 447-462.	1.2	16
369	The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 809-815.	0.5	32
370	How can occupational therapy improve the daily performance and communication of an older patient with dementia and his primary caregiver?. <i>Dementia</i> , 2006, 5, 503-532.	1.0	66
371	Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 1196.	2.4	389
372	What factors explain the number of physical therapy treatment sessions in patients referred with low back pain; a multilevel analysis. <i>BMC Health Services Research</i> , 2005, 5, 74.	0.9	46
373	Influence of various recruitment strategies on the study population and outcome of a randomized controlled trial involving patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , 2005, 53, 375-382.	6.7	25
374	Course and prognosis of knee complaints in general practice. <i>Arthritis and Rheumatism</i> , 2005, 53, 920-930.	6.7	42
375	Comorbidity of chronic diseases. <i>Quality of Life Research</i> , 2005, 14, 45-55.	1.5	206
376	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005, 14, 795-803.	1.5	31
377	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005, 14, 1141-1155.	1.5	72
378	Differential item functioning of the functional independence measure in higher performing neurological patients. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 346-352.	0.8	36

#	ARTICLE	IF	CITATIONS
379	Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 118-123.	0.5	282
380	A step forward for exercise in the management of osteoarthritis. <i>British Journal of Rheumatology</i> , 2005, 44, 5-6.	2.5	10
381	Manual therapy in osteoarthritis of the hip: outcome in subgroups of patients. <i>British Journal of Rheumatology</i> , 2005, 44, 461-464.	2.5	35
382	Course and prognosis of elbow complaints: a cohort study in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1331-1336.	0.5	88
383	Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. <i>Clinical Rehabilitation</i> , 2005, 19, 247-254.	1.0	91
384	The reproducibility of the Canadian Occupational Performance Measure. <i>Clinical Rehabilitation</i> , 2005, 19, 888-894.	1.0	95
385	Clinimetrics in rehabilitation medicine: current issues in developing and applying measurement instruments 1. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 193-201.	0.8	62
386	Systemic reviews are inevitably out of date. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 195.	0.9	1
387	Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 71-85.	0.9	240
388	Physiotherapy management of low back pain: Does practice match the Dutch guidelines?. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 35-41.	0.9	75
389	Structural joint changes, malalignment, and laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2005, 34, 298-301.	0.6	47
390	Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004, 33, 453-460.	0.7	147
391	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341.	0.5	457
392	Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2004, 51, 722-729.	6.7	235
393	Internal consistency and validity of a new physical workload questionnaire. <i>Occupational and Environmental Medicine</i> , 2004, 61, 980-986.	1.3	50
394	Validity of the Canadian Occupational Performance Measure: a client-centred outcome measurement. <i>Clinical Rehabilitation</i> , 2004, 18, 660-667.	1.0	233
395	The impact of physical therapy on functional outcomes after stroke: what's the evidence?. <i>Clinical Rehabilitation</i> , 2004, 18, 833-862.	1.0	787
396	Occupational therapy for children with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2004, 18, 1-14.	1.0	71

#	ARTICLE	IF	CITATIONS
397	Respiratory muscle performance as a possible determinant of exercise capacity in patients with ankylosing spondylitis. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 41-45.	0.9	21
398	Prescription of technical aids by general practitioners in the Netherlands. <i>Health Policy</i> , 2004, 67, 107-113.	1.4	0
399	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 3.	0.8	24
400	Factors contributing to possession and use of walking aids among persons with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , 2003, 49, 838-842.	6.7	62
401	Occupational Therapy for Stroke Patients. <i>Stroke</i> , 2003, 34, 676-687.	1.0	194
402	The possession of technical aids among persons with a somatic chronic disease. <i>Disability and Rehabilitation</i> , 2003, 25, 393-398.	0.9	8
403	Occupational Therapy at Home for Older Individuals with Mild to Moderate Cognitive Impairments and Their Primary Caregivers: A Pilot Study. <i>OTJR Occupation, Participation and Health</i> , 2003, 23, 155-164.	0.4	20
404	DOING THE RIGHT THING AND DOING IT RIGHT: TOWARD A FRAMEWORK FOR ASSESSING THE POLICY RELEVANCE OF HEALTH SERVICES RESEARCH. <i>International Journal of Technology Assessment in Health Care</i> , 2003, 19, 604-612.	0.2	32
405	Referral patterns and utilization of physiotherapy services following a one-time physiotherapist consultation in general practice. <i>Physiotherapy Theory and Practice</i> , 2003, 19, 5-21.	0.6	6
406	One-Time Physical Therapist Consultation in Primary Health Care. <i>Physical Therapy</i> , 2003, 83, 918-931.	1.1	12
407	Sensitivity of different ADL measures to apraxia and motor impairments. <i>Clinical Rehabilitation</i> , 2002, 16, 299-305.	1.0	24
408	Social position of adolescents with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 543-549.	0.8	59
409	Avoidance of activity and disability in patients with osteoarthritis of the knee: The mediating role of muscle strength. <i>Arthritis and Rheumatism</i> , 2002, 46, 1784-1788.	6.7	70
410	Occupational therapy for rheumatoid arthritis: A systematic review. <i>Arthritis and Rheumatism</i> , 2002, 47, 672-685.	6.7	77
411	Work adjustments among the chronically ill. <i>International Journal of Rehabilitation Research</i> , 2001, 24, 7-14.	0.7	35
412	The internal consistency and validity of the Self-assessment Parkinson's Disease Disability Scale. <i>Clinical Rehabilitation</i> , 2001, 15, 221-228.	1.0	42
413	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 2001, 45, 56-61.	6.7	28
414	Muscle strength, pain and disability in patients with osteoarthritis. <i>Clinical Rehabilitation</i> , 2001, 15, 331-341.	1.0	112

#	ARTICLE	IF	CITATIONS
415	Efficacy of strategy training in left hemisphere stroke patients with apraxia: A randomised clinical trial. <i>Neuropsychological Rehabilitation</i> , 2001, 11, 549-566.	1.0	107
416	Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine months' follow up. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 1123-1130.	0.5	211
417	The Number of Therapeutic Sessions in Logopedic Care: A Description and Analysis. <i>Folia Phoniatica Et Logopaedica</i> , 2000, 52, 239-250.	0.5	0
418	Range of joint motion and disability in patients with osteoarthritis of the knee or hip. <i>Rheumatology</i> , 2000, 39, 955-961.	0.9	244
419	Rehabilitation of stroke patients with apraxia: the role of additional cognitive and motor impairments. <i>Disability and Rehabilitation</i> , 2000, 22, 547-554.	0.9	41
420	Measuring disabilities in stroke patients with apraxia: A validation study of an observational method. <i>Neuropsychological Rehabilitation</i> , 2000, 10, 401-414.	1.0	37
421	Prevalence of apraxia among patients with a first left hemisphere stroke in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2000, 14, 130-136.	1.0	91
422	Assessment of Disabilities in Stroke Patients with Apraxia: Internal Consistency and Inter-Observer Reliability. <i>Occupation Participation and Health</i> , 1999, 19, 55-70.	0.9	22
423	A Diagnostic Test for Apraxia in Stroke Patients: Internal Consistency and Diagnostic Value. <i>Clinical Neuropsychologist</i> , 1999, 13, 182-192.	1.5	50
424	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1999, 12, 19-25.	6.7	24
425	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: A systematic review of randomized clinical trials. <i>Arthritis and Rheumatism</i> , 1999, 42, 1361-1369.	6.7	397
426	Diffusion of a quality improvement programme among allied health Professionals. <i>International Journal for Quality in Health Care</i> , 1999, 11, 337-344.	0.9	5
427	Podiatric care for diabetic patients with foot problems. <i>International Journal of Rehabilitation Research</i> , 1999, 22, 181-188.	0.7	9
428	Physiotherapy for Patients with Lateral Ankle Sprains. <i>Physiotherapy</i> , 1998, 84, 421-432.	0.2	14
429	Prevalence of chronic benign pain disorder among adults: a review of the literature. <i>Pain</i> , 1998, 77, 231-239.	2.0	585
430	Clinical and functional correlates of foot pain in diabetic patients. <i>Disability and Rehabilitation</i> , 1998, 20, 330-336.	0.9	21
431	Validity of Cyriax's Concept Capsular Pattern for the Diagnosis of Osteoarthritis of Hip and/or Knee. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 347-351.	0.6	39
432	Outcome of strategy training in stroke patients with apraxia: a phase II study. <i>Clinical Rehabilitation</i> , 1998, 12, 294-303.	1.0	75

#	ARTICLE	IF	CITATIONS
433	Clinical experience of rehabilitation therapists with chronic diseases: a quantitative approach. <i>Clinical Rehabilitation</i> , 1998, 12, 143-150.	1.0	44
434	The Use of Therapeutic Ultrasound by Physical Therapists in Dutch Primary Health Care. <i>Physical Therapy</i> , 1998, 78, 470-478.	1.1	35
435	Medical and Educational Fields in Logopedics in The Netherlands:A Comparison in Historical and European Perspective. <i>Folia Phoniatica Et Logopaedica</i> , 1998, 50, 80-91.	0.5	3
436	Diagnostic Assessment and Treatment Goals in Logopedics: Impairments, Disabilities and Handicaps. <i>Folia Phoniatica Et Logopaedica</i> , 1998, 50, 71-79.	0.5	6
437	A Survey of Physical Therapy Goals and Interventions for Patients With Back and Knee Pain. <i>Physical Therapy</i> , 1998, 78, 33-42.	1.1	21
438	Occupational therapy for patients with chronic diseases: CVA, rheumatoid arthritis and progressive diseases of the central nervous system. <i>Disability and Rehabilitation</i> , 1997, 19, 198-204.	0.9	20
439	Diagnoses and interventions in podiatry. <i>Disability and Rehabilitation</i> , 1996, 18, 27-34.	0.9	8
440	Experiences with physiotherapistsâ€™ consultation: Results of a feasibility study. <i>Physiotherapy Theory and Practice</i> , 1996, 12, 211-220.	0.6	3
441	Reliability of the Assessment of Impairments, Disabilities and Handicaps in Survey Research on Speech Therapy. <i>Folia Phoniatica Et Logopaedica</i> , 1995, 47, 199-209.	0.5	6
442	Physical Therapy for Patients with Back Pain. <i>Physiotherapy</i> , 1995, 81, 345-351.	0.2	47
443	Application of the ICDH in survey research on rehabilitation: the emergence of the functional diagnosis. <i>Disability and Rehabilitation</i> , 1995, 17, 195-201.	0.9	24
444	Inter-Rater and Intra-Rater Reliability of the Occupational Therapy Diagnosis. <i>Occupation Participation and Health</i> , 1995, 15, 259-274.	0.9	6
445	Psychosocial complaints and physical therapy. <i>Physiotherapy Theory and Practice</i> , 1995, 11, 175-186.	0.6	8
446	Exercise therapy in patients with rheumatoid arthritis and osteoarthritis: A review. <i>Advances in Behaviour Research and Therapy</i> , 1993, 15, 211-238.	3.0	20
447	Negative affect, pain and disability in osteoarthritis patients: the mediating role of muscle weakness. <i>Behaviour Research and Therapy</i> , 1993, 31, 203-206.	1.6	101
448	Reliability of the diagnosis of impairments in survey research in the field of chiropody. <i>Disability and Rehabilitation</i> , 1993, 15, 76-82.	0.9	12
449	Categories of pain behaviour in osteoarthritis patients. <i>Physiotherapy Theory and Practice</i> , 1993, 9, 157-163.	0.6	3
450	Imagery and sexual arousal. <i>Sexual and Relationship Therapy</i> , 1993, 8, 283-285.	0.2	2

#	ARTICLE	IF	CITATIONS
451	Diagnosis and Treatment in Physical Therapy: An Investigation of Their Relationship. <i>Physical Therapy</i> , 1993, 73, 568-577.	1.1	43
452	Pain and disability in osteoarthritis: A review of biobehavioral mechanisms. <i>Journal of Behavioral Medicine</i> , 1992, 15, 189-214.	1.1	183
453	Reliability of the assessment of impairments and disabilities in survey research in the field of physical therapy. <i>International Disability Studies</i> , 1990, 12, 61-65.	0.4	24
454	A study suggesting two kinds of information processing of the sexual response. <i>Archives of Sexual Behavior</i> , 1989, 18, 435-447.	1.2	17
455	Psychological determinants of sexual arousal: A review. <i>Behaviour Research and Therapy</i> , 1989, 27, 353-364.	1.6	30
456	Attentional Effects on Sexual Arousal. <i>Psychophysiology</i> , 1988, 25, 45-54.	1.2	67
457	Treatment of Sexual Dysfunctions in Male-Only Groups: Predicting Outcome. <i>Journal of Sex and Marital Therapy</i> , 1985, 11, 80-90.	1.0	10
458	Attending to stimuli or to images of sexual feelings: Effects on sexual arousal. <i>Behaviour Research and Therapy</i> , 1985, 23, 139-149.	1.6	39
459	Treatment of male sexual dysfunction: Sex therapy compared with systematic desensitization and rational emotive therapy. <i>Behaviour Research and Therapy</i> , 1985, 23, 13-25.	1.6	25
460	A long-term follow-up study of couples treated for sexual dysfunctions. <i>Journal of Sex and Marital Therapy</i> , 1983, 9, 99-113.	1.0	18
461	Treatment of secondary orgasmic dysfunction: A comparison of systematic desensitization and sex therapy. <i>Behaviour Research and Therapy</i> , 1982, 20, 269-274.	1.6	26
462	Treatment of homosexual and heterosexual sexual dysfunction in male-only groups of mixed sexual orientation. <i>Archives of Sexual Behavior</i> , 1982, 11, 1-10.	1.2	14
463	A Comparison of Sex Therapy and Communication Therapy: Couples Complaining of Orgasmic Dysfunction. <i>Journal of Sex and Marital Therapy</i> , 1981, 7, 278-289.	1.0	28