Domenico Franco Merlo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3272939/publications.pdf

Version: 2024-02-01

148 papers 6,062 citations

38 h-index 79698 73 g-index

152 all docs

152 docs citations

152 times ranked

9531 citing authors

#	Article	IF	CITATIONS
1	IPCS guidelines for the monitoring of genotoxic effects of carcinogens in humans. Mutation Research - Reviews in Mutation Research, 2000, 463, 111-172.	5.5	626
2	Effect of Tocilizumab vs Standard Care on Clinical Worsening in Patients Hospitalized With COVID-19 Pneumonia. JAMA Internal Medicine, 2021, 181, 24.	5.1	593
3	Histotype-tailored neoadjuvant chemotherapy versus standard chemotherapy in patients with high-risk soft-tissue sarcomas (ISG-STS 1001): an international, open-label, randomised, controlled, phase 3, multicentre trial. Lancet Oncology, The, 2017, 18, 812-822.	10.7	370
4	Cancer Incidence in Pet Dogs: Findings of the Animal Tumor Registry of Genoa, Italy. Journal of Veterinary Internal Medicine, 2008, 22, 976-984.	1.6	260
5	Neoadjuvant Chemotherapy in High-Risk Soft Tissue Sarcomas: Final Results of a Randomized Trial From Italian (ISG), Spanish (GEIS), French (FSG), and Polish (PSG) Sarcoma Groups. Journal of Clinical Oncology, 2020, 38, 2178-2186.	1.6	145
6	Children's exposure to environmental pollutants and biomarkers of genetic damagell. Results of a comprehensive literature search and meta-analysis. Mutation Research - Reviews in Mutation Research, 2006, 612, 14-39.	5 . 5	137
7	Risk for Secondary Thyroid Carcinoma After Hematopoietic Stem-Cell Transplantation: An EBMT Late Effects Working Party Study. Journal of Clinical Oncology, 2007, 25, 2449-2454.	1.6	125
8	Evaluation of CTLA-4 expression and relevance as a novel prognostic factor in patients with non-small cell lung cancer. Cancer Immunology, Immunotherapy, 2012, 61, 1463-1472.	4.2	110
9	Bladder cancer and occupational exposure to polycyclic aromatic hydrocarbons. International Journal of Cancer, 1989, 44, 648-651.	5.1	108
10	Monitoring Low Benzene Exposure: Comparative Evaluation of Urinary Biomarkers, Influence of Cigarette Smoking, and Genetic Polymorphisms. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2237-2244.	2.5	104
11	Micronuclei frequency in children exposed to environmental mutagens: a review. Mutation Research - Reviews in Mutation Research, 2003, 544, 243-254.	5 . 5	99
12	Increased Mitochondrial DNA Copy Number in Occupations Associated with Low-Dose Benzene Exposure. Environmental Health Perspectives, 2012, 120, 210-215.	6.0	99
13	Birth Weight, Head Circumference, and Prenatal Exposure to Acrylamide from Maternal Diet: The European Prospective Mother–Child Study (NewGeneris). Environmental Health Perspectives, 2012, 120, 1739-1745.	6.0	95
14	Environmental exposure to xenoestrogens and oestrogen related cancers: reproductive system, breast, lung, kidney, pancreas, and brain. Environmental Health, 2012, 11, S8.	4.0	90
15	Guidelines for Economic Evaluations in Italy: Recommendations from The Italian Group of Pharmacoeconomic Studies. Drug Information Journal, 2001, 35, 189-201.	0.5	84
16	Breast cancer incidence trends in European women aged 20–39Âyears at diagnosis. Breast Cancer Research and Treatment, 2012, 134, 363-370.	2.5	81
17	Preoperative chemo-radiation therapy for localised retroperitoneal sarcoma: A phase l–Il study from the Italian Sarcoma Group. European Journal of Cancer, 2014, 50, 784-792.	2.8	80
18	Diagnosis and prognosis disclosure among cancer patients. Results from an Italian mortality follow-back survey. Annals of Oncology, 2006, 17, 853-859.	1.2	75

#	Article	IF	CITATIONS
19	The Postoperative Analgesic Efficacy of Preperitoneal Continuous Wound Infusion Compared to Epidural Continuous Infusion with Local Anesthetics After Colorectal Cancer Surgery. Anesthesia and Analgesia, 2012, 115, 1442-1450.	2.2	75
20	Micronuclei in neonates and children: effects of environmental, genetic, demographic and disease variables. Mutagenesis, 2011, 26, 51-56.	2.6	71
21	Is Letrozole needed for controlled ovarian stimulation in patients with estrogen receptor-positive breast cancer?. Gynecological Endocrinology, 2013, 29, 993-996.	1.7	69
22	The last three months of life of Italian cancer patients. Methods, sample characteristics and response rate of the Italian Survey of the Dying of Cancer (ISDOC). Palliative Medicine, 2005, 19, 628-638.	3.1	67
23	Inequity in the provision of and access to palliative care for cancer patients. Results from the Italian survey of the dying of cancer (ISDOC). BMC Public Health, 2007, 7, 66.	2.9	66
24	Baseline Micronuclei Frequency in Children: Estimates from Meta- and Pooled Analyses. Environmental Health Perspectives, 2005, 113, 1226-1229.	6.0	64
25	Children's exposure to environmental pollutants and biomarkers of genetic damagel. Overview and critical issues. Mutation Research - Reviews in Mutation Research, 2006, 612, 1-13.	5.5	64
26	Biomonitoring human exposure to environmental carcinogenic chemicals. Mutagenesis, 1996, 11, 363-381.	2.6	58
27	The effect of high doses of folic acid and iron supplementation in early-to-mid pregnancy on prematurity and fetal growth retardation: the mother–child cohort study in Crete, Greece (Rhea) Tj ETQq1 1 0.	.78 49 14 rg	gB 5 \$Overlo <mark>c</mark> k
28	A historical cohort mortality study among shipyard workers in Genoa, Italy. American Journal of Industrial Medicine, 2001, 40, 363-370.	2.1	56
29	Genomic damage in children accidentally exposed to ionizing radiation: A review of the literature. Mutation Research - Reviews in Mutation Research, 2008, 658, 111-123.	5.5	56
30	Follow-up of subjects who developed chloracne following TCDD exposure at seveso. American Journal of Industrial Medicine, 1989, 16, 119-125.	2.1	54
31	NewGeneris: A European Study on Maternal Diet during Pregnancy and Child Health. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 5-10.	2.5	53
32	Lung Cancer Risk among Refractory Brick Workers Exposed to Crystalline Silica. Epidemiology, 1991, 2, 299-304.	2.7	51
33	Urinary t,t-muconic acid, S-phenylmercapturic acid and benzene as biomarkers of low benzene exposure. Chemico-Biological Interactions, 2005, 153-154, 253-256.	4.0	50
34	Urinary Benzene Biomarkers and DNA Methylation in Bulgarian Petrochemical Workers: Study Findings and Comparison of Linear and Beta Regression Models. PLoS ONE, 2012, 7, e50471.	2.5	50
35	Cytogenetic effects in children and mothers exposed to air pollution assessed by the frequency of micronuclei and fluorescence in situ hybridization (FISH): A family pilot study in the Czech Republic. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 608, 112-120.	1.7	48
36	The influence of environmental exposure to complex mixtures including PAHs and lead on genotoxic effects in children living in Upper Silesia, Poland. Mutagenesis, 2006, 21, 295-304.	2.6	46

#	Article	lF	Citations
37	Neoadjuvant chemotherapy in highâ€risk soft tissue sarcomas: A Sarculatorâ€based risk stratification analysis of the ISGâ€STS 1001 randomized trial. Cancer, 2022, 128, 85-93.	4.1	46
38	Risk of childhood leukaemia and non-Hodgkin's lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. Occupational and Environmental Medicine, 2013, 70, 648-655.	2.8	44
39	CTLA-4 in mesothelioma patients: tissue expression, body fluid levels and possible relevance as a prognostic factor. Cancer Immunology, Immunotherapy, 2016, 65, 909-917.	4.2	44
40	Occupational Exposure to Carbon Black and Risk of Cancer. Cancer Causes and Control, 2004, 15, 511-516.	1.8	39
41	Specific K-ras2 Mutations in Human Sporadic Colorectal Adenomas Are Associated with DNA Near-Diploid Aneuploidy and Inhibition of Proliferation. American Journal of Pathology, 1998, 153, 1201-1209.	3.8	37
42	Quantitative methylation analysis of HOXA3, 7, 9, and 10 genes in glioma: association with tumor WHO grade and clinical outcome. Journal of Cancer Research and Clinical Oncology, 2012, 138, 35-47.	2.5	37
43	HOXA7, 9, and 10 are methylation targets associated with aggressive behavior in meningiomas. Translational Research, 2012, 160, 355-362.	5.0	34
44	Maternal diet, prenatal exposure to dioxin-like compounds and birth outcomes in a European prospective mother–child study (NewGeneris). Science of the Total Environment, 2014, 484, 121-128.	8.0	34
45	Lung Cancer and Environmental Chemical Exposure: A Review of Our Current State of Knowledge With Reference to the Role of Hormones and Hormone Receptors as an Increased Risk Factor for Developing Lung Cancer in Man. Toxicologic Pathology, 2010, 38, 849-855.	1.8	33
46	Bulky DNA Adducts in Cord Blood, Maternal Fruit-and-Vegetable Consumption, and Birth Weight in a European Mother–Child Study (NewGeneris). Environmental Health Perspectives, 2013, 121, 1200-1206.	6.0	33
47	Multiple regression analysis of cytogenetic human data. Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology, 1994, 313, 69-80.	0.4	32
48	Dying of cancer in Italy: impact on family and caregiver. The Italian Survey of Dying of Cancer. Journal of Epidemiology and Community Health, 2007, 61, 547-554.	3.7	32
49	Maternal and Gestational Factors and Micronucleus Frequencies in Umbilical Blood: The NewGeneris Rhea Cohort in Crete. Environmental Health Perspectives, 2011, 119, 1460-1465.	6.0	31
50	A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. Occupational and Environmental Medicine, 2010, 67, 611-619.	2.8	30
51	Outdoor air pollution exposures and micronuclei frequencies in lymphocytes from pregnant women and newborns in Crete, Greece (Rhea cohort). Environmental Research, 2015, 143, 170-176.	7.5	30
52	The PREgnancy and FERtility (PREFER) study: an Italian multicenter prospective cohort study on fertility preservation and pregnancy issues in young breast cancer patients. BMC Cancer, 2017, 17, 346.	2.6	30
53	Genome-wide profiling identifies the THYT1 signature as a distinctive feature of widely metastatic Papillary Thyroid Carcinomas. Oncotarget, 2018, 9, 1813-1825.	1.8	30
54	Endâ€ofâ€life care in Italy: personal experience of family caregivers. A content analysis of open questions from the Italian Survey of the Dying of Cancer (ISDOC). Psycho-Oncology, 2008, 17, 1073-1080.	2.3	29

#	Article	IF	Citations
55	Combining Shapley value and statistics to the analysis of gene expression data in children exposed to air pollution. BMC Bioinformatics, 2008, 9, 361.	2.6	29
56	Pre-filled normal saline syringes to reduce totally implantable venous access device-associated bloodstream infection: a single institution pilot study. Journal of Hospital Infection, 2013, 84, 85-88.	2.9	29
57	Prognostic significance of nuclear DNA content in human neuroepithelial tumors. International Journal of Cancer, 1991, 48, 663-667.	5.1	28
58	The use of S-phenylmercapturic acid as a biomarker in molecular epidemiology studies of benzene. Chemico-Biological Interactions, 2005, 153-154, 97-102.	4.0	28
59	Prevalence of human papillomavirus cervical infection in an Italian asymptomatic population. BMC Infectious Diseases, 2005, 5, 77.	2.9	28
60	Downregulation of miR-99a/let-7c/miR-125b miRNA cluster predicts clinical outcome in patients with unresected malignant pleural mesothelioma. Oncotarget, 2017, 8, 68627-68640.	1.8	27
61	Ethics in studies on children and environmental health. Journal of Medical Ethics, 2007, 33, 408-413.	1.8	26
62	Expression of Ribonucleotide Reductase Subunit-2 and Thymidylate Synthase Correlates with Poor Prognosis in Patients with Resected Stages Iâ€''lll Non-Small Cell Lung Cancer. Disease Markers, 2015, 2015, 1-18.	1.3	26
63	Improved Therapeutic Index of Cisplatin by Procaine Hydrochloride. Journal of the National Cancer Institute, 1990, 82, 677-684.	6.3	25
64	Regional pharmacokinetic selectivity of intrapleural cisplatin. European Journal of Cancer & Clinical Oncology, 1991, 27, 839-842.	0.7	25
65	Frequency of micronuclei in lymphocytes from a group of floriculturists exposed to pesticides. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1993, 40, 405-411.	2.3	25
66	Micronuclei in Cord Blood Lymphocytes and Associations with Biomarkers of Exposure to Carcinogens and Hormonally Active Factors, Gene Polymorphisms, and Gene Expression: The NewGeneris Cohort. Environmental Health Perspectives, 2014, 122, 193-200.	6.0	25
67	Body Image Disorders and Surgical Timing in Patients Affected by Poland Syndrome. Plastic and Reconstructive Surgery, 2016, 137, 1273-1282.	1.4	25
68	Risk of neuroblastoma, maternal characteristics and perinatal exposures: The SETIL study. Cancer Epidemiology, 2014, 38, 686-694.	1.9	24
69	Effect of the Antiarrhythmic Drug Procainamide on the Toxicity and Antitumor Activity ofcis-Diamminedichloroplatinum(II). Toxicology and Applied Pharmacology, 1996, 140, 370-377.	2.8	23
70	Sister chromatid exchange induction in peripheral blood lymphocytes of traffic police workers. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1997, 394, 37-44.	1.7	23
71	Fetal exposure to dietary carcinogens and risk of childhood cancer: what the NewGeneris project tells us: Table 1Â. BMJ, The, 2015, 351, h4501.	6.0	23
72	Biomonitoring of workers exposed to pesticides. International Archives of Occupational and Environmental Health, 1993, 65, S185-S188.	2.3	22

#	Article	IF	Citations
7 3	The treatment of melanoma brain metastases before the advent of targeted therapies. Melanoma Research, 2014, 24, 61-67.	1.2	22
74	Serum LAIR-2 Is Increased in Autoimmune Thyroid Diseases. PLoS ONE, 2013, 8, e63282.	2.5	22
7 5	Univariate and multivariate analyses of the relationship between adenocarcinoma and solitary and multiple adenomas in colorectal adenoma patients. International Journal of Cancer, 1991, 49, 509-512.	5.1	21
76	Genetic Susceptibility to Benzene Toxicity in Humans. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 1482-1489.	2.3	21
77	In Utero Exposure to Compounds with Dioxin-like Activity and Birth Outcomes. Epidemiology, 2014, 25, 215-224.	2.7	21
78	Factors Affecting Symmetrization of the Contralateral Breast: A 7-Year Unilateral Postmastectomy Breast Reconstruction Experience. Aesthetic Plastic Surgery, 2011, 35, 446-451.	0.9	20
79	A mortality cohort study among workers in a graphite electrode production plant in Italy. Occupational and Environmental Medicine, 2004, 61, 9e-9.	2.8	19
80	Randomised phase 3 open-label trial of first-line treatment with gemcitabine in association with docetaxel or paclitaxel in women with metastatic breast cancer: a comparison of different schedules and treatments. BMC Cancer, 2013, 13, 164.	2.6	19
81	SOFT TISSUE SARCOMAS IN SEVESO. Lancet, The, 1986, 328, 525.	13.7	18
82	Baseline chromosome aberrations in children. Toxicology Letters, 2007, 172, 60-67.	0.8	18
83	Survival of high grade glioma patients depends on their age at diagnosis. Cancer Biology and Therapy, 2009, 8, 1719-1721.	3.4	18
84	Spontaneous abortions in female populations occupationally exposed to ionizing radiation. International Archives of Occupational and Environmental Health, 2008, 81, 873-879.	2.3	17
85	Is Soluble Mesothelin-Related Protein an Upfront Predictive Marker of Pleural Mesothelioma? A Prospective Study on Italian Workers Exposed to Asbestos. Oncology, 2014, 86, 33-43.	1.9	16
86	Gonadotropin Releasing Hormone Agonists Have an Anti-apoptotic Effect on Cumulus Cells. International Journal of Molecular Sciences, 2019, 20, 6045.	4.1	15
87	Clinical ethics consultation among Italian ethics committee: AÂmixed method study. PLoS ONE, 2019, 14, e0226710.	2.5	15
88	Retrospective mortality cohort study of Italian workers compensated for silicosis. Occupational and Environmental Medicine, 2006, 63, 762-765.	2.8	14
89	Ethical issues related to biomonitoring studies on children. International Journal of Hygiene and Environmental Health, 2007, 210, 479-482.	4.3	14
90	Biomarkers of exposure and effect in Bulgarian petrochemical workers exposed to benzene. Chemico-Biological Interactions, 2005, 153-154, 247-251.	4.0	13

#	Article	IF	CITATIONS
91	Coffee and tea consumption and risk of leukaemia in an adult population: A reanalysis of the Italian multicentre case-control study. Cancer Epidemiology, 2017, 47, 81-87.	1.9	13
92	Maternal diet during pregnancy and micronuclei frequency in peripheral blood T lymphocytes in mothers and newborns (Rhea cohort, Crete). European Journal of Nutrition, 2018, 57, 209-218.	3.9	13
93	Cancer risk and the complexity of the interactions between environmental and host factors: HENVINET interactive diagrams as simple tools for exploring and understanding the scientific evidence. Environmental Health, 2012, 11, S9.	4.0	12
94	Environmental, Dietary, Maternal, and Fetal Predictors of Bulky DNA Adducts in Cord Blood: A European Mother–Child Study (NewGeneris). Environmental Health Perspectives, 2015, 123, 374-380.	6.0	12
95	Mortality among workers exposed to asbestos at the shipyard of Genoa, Italy: a 55 years follow-up. Environmental Health, 2018, 17, 94.	4.0	12
96	Para-aminobenzoic acid suppression of cis-diamminedichloroplatinum(II) nephrotoxicity. Carcinogenesis, 1993, 14, 2595-2599.	2.8	11
97	Occupational exposure to carbon black and risk of bladder cancer. Lancet, The, 2001, 358, 562.	13.7	11
98	Scientific integrity: critical issues in environmental health research. Environmental Health, 2008, 7, S9.	4.0	11
99	Individual predictors of increased serum mesothelin in asbestos-exposed workers. Medical Oncology, 2013, 30, 422.	2.5	11
100	The effect of dietary estimates calculated using food frequency questionnaires on micronuclei formation in European pregnant women: a NewGeneris study. Mutagenesis, 2014, 29, 393-400.	2.6	11
101	Combined vemurafenib and fotemustine in patients with BRAF V600 melanoma progressing on vemurafenib. Oncotarget, 2018, 9, 12408-12417.	1.8	11
102	Clinical Potentials of Methylator Phenotype in Stage 4 High-Risk Neuroblastoma: An Open Challenge. PLoS ONE, 2013, 8, e63253.	2.5	10
103	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. Archives of Medical Research, 2016, 47, 694-705.	3.3	10
104	Increased incidence of cutaneous malignant melanoma among longshoremen in Genoa, Italy: the role of sunlight and occupational exposure. Occupational and Environmental Medicine, 2005, 62, 270-271.	2.8	9
105	The responses of lymphocytes from Asian and Caucasian diabetic patients and non-diabetics to hydrogen peroxide and sodium nitrite in the Comet assay. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 609, 154-164.	1.7	9
106	Duration of exposure to environmental carcinogens affects DNA-adduct level in human lymphocytes. Biomarkers, 2010, 15, 575-582.	1.9	9
107	SETIL: Italian multicentric epidemiological case–control study on risk factors for childhood leukaemia, non hodgkin lymphoma and neuroblastoma: study population and prevalence of risk factors in Italy. Italian Journal of Pediatrics, 2014, 40, 103.	2.6	9
108	PUREAIR protocol: randomized controlled trial of intensive pulmonary rehabilitation versus standard care in patients undergoing surgical resection for lung cancer. BMC Cancer, 2017, 17, 508.	2.6	9

#	Article	IF	Citations
109	Blood levels of reduced and oxidized glutathione in malignant and non-malignant human colorectal lesions. European Journal of Cancer & Clinical Oncology, 1990, 26, 89-91.	0.7	8
110	Phase II study of the pure non-steroidal antiandrogen nilutamide in prostatic cancer. European Journal of Cancer & Clinical Oncology, 1991, 27, 1100-1104.	0.7	8
111	Cisplatin combined with the new cisplatin-procaine complex dpr: In vitro and in vivo studies. European Journal of Cancer, 1996, 32, 2327-2333.	2.8	8
112	Second-Line Treatment with Intravenous Gemcitabine and Oral Etoposide in Platinum-Resistant Advanced Ovarian Cancer Patients: Results of a Phase II Study. Oncology, 2011, 80, 238-246.	1.9	8
113	Molecular epidemiology: New rules for new tools?. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2006, 600, 3-11.	1.0	6
114	Searching PubMed for molecular epidemiology studies: The case of chromosome aberrations. Environmental and Molecular Mutagenesis, 2006, 47, 227-229.	2.2	6
115	Coffee consumption and risk of non-Hodgkin's lymphoma: evidence from the Italian multicentre case–control study. Cancer Causes and Control, 2017, 28, 867-876.	1.8	6
116	SOFT-TISSUE SARCOMAS, MALIGNANT LYMPHOMAS, AND 2,3,7,8-TCDD EXPOSURE IN SEVESO. Lancet, The, 1986, 328, 1455.	13.7	5
117	A method to evaluate the contribution of building material to indoor gamma dose rate through outdoor measurements: preliminary results. Radiation Protection Dosimetry, 2004, 111, 413-416.	0.8	5
118	Workshop on ethics and communication in Copenhagen 11–13.3.2007. Environmental Health, 2008, 7, S1.	4.0	5
119	About the "surprise question― Cmaj, 2017, 189, E807-E807.	2.0	5
120	Vitamin D insufficient levels during pregnancy and micronuclei frequency in peripheral blood T lymphocytes mothers and newborns (Rhea cohort, Crete). Clinical Nutrition, 2017, 36, 1029-1035.	5.0	5
121	Plasma and tissue levels of some lanthanide elements in human colorectal lesions. Journal of Radioanalytical and Nuclear Chemistry, 1993, 174, 23-27.	1.5	4
122	Tumour kinetics, response to chemotherapy and survival in primary ovarian cancer. European Journal of Cancer, 1994, 30, 449-452.	2.8	4
123	Clinical Ethics Consultation and Research Ethics Consultation: A Call for Italy. American Journal of Bioethics, 2018, 18, 63-64.	0.9	4
124	The Seveso episode: The validity of epidemiological inquires in relation with the definition of population at risk. Chemosphere, 1986, 15, 1777-1786.	8.2	3
125	Medical Monitoring of Dioxin Clean-Up Workers. AlHA Journal, 1989, 50, 586-592.	0.4	3
126	Prediction of survival by thymidine labelling index in patients with resistant ovarian carcinoma. European Journal of Cancer, 1992, 28, 1079-1080.	2.8	3

#	Article	IF	Citations
127	Protective effect on cisplatin hematotoxicity by procaine hydrochloride. Cancer Letters, 1992, 64, 55-60.	7.2	2
128	Predictive Value of MRP-1 in Localized High-Risk Soft Tissue Sarcomas: A Translational Research Associated to ISG-STS 1001 Randomized Phase III Trial. Molecular Cancer Therapeutics, 2021, 20, 2539-2552.	4.1	2
129	An Unconventional Cancer Treatment Lacking Clinical Efficacy Remains Available to Italian Cancer Patients. Tumori, 2008, 94, 830-832.	1.1	1
130	Ribonucleotide reductase subunit 2 (RRM2) predicts shorter survival in resected stage l–III non-small cell lung cancer (NSCLC) patients. Lung Cancer, 2012, 77, S23.	2.0	1
131	ERA-Net TRANSCAN JTC 2011: Critical aspects of the startup procedures of an International Academic Clinical trial (ET-FES), funded by the European Community (EC) and coordinated by an Italian Institution Annals of Oncology, 2016, 27, iv113.	1.2	1
132	Abstract 3450: Changes in mitochondrial DNA copy number in subjects exposed to low-dose benzene. , 2010, , .		1
133	The assessment of exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the Seveso area: a novel approach. Chemosphere, 1989, 18, 913-920.	8.2	O
134	Occupation and cancer. European Journal of Cancer Prevention, 1992, 1, 283-284.	1.3	0
135	1446 POSTER Evaluation of CTL Antigen 4 (CTLA-4) Expression as Prognostic Factor in Non-small Cell Lung Cancer (NSCLC). European Journal of Cancer, 2011, 47, S183.	2.8	O
136	Ribonucleotide Reductase Subunit 2 (RRM2) Predicts Shorter Survival in Resected Stage I-III Non-Small Cell Lung Cancer (NSCLC) Patients. Annals of Oncology, 2012, 23, ix79.	1.2	O
137	3346 BeyPro1: a Phase II single-arm study for the treatment after recurrence of advanced melanoma patients harboring the V600BRAF mutation and pretreated with Vemurafenib, with the association of Vemurafenib plus Fotemustine. European Journal of Cancer, 2015, 51, S683.	2.8	O
138	MA10.09 Comparison between CT Scan Evaluation Criteria and PERCIST for Evaluation of Immune Check-Point Inhibitors Response. Journal of Thoracic Oncology, 2017, 12, S401-S402.	1.1	0
139	ERCC1, BRCA1, thymidylate synthase (TS), class III beta tubulin (bTubIII), p53R2, RRM2 immunohistochemical expression in stage I-III non-small cell lung cancer (NSCLC): A tissue microarray (TMA) study Journal of Clinical Oncology, 2010, 28, e21094-e21094.	1.6	O
140	Abstract OT3-03-03: Challenges faced across borders to open European academic multicentre projects: The ET-FES program part of the ERA-Net TRANSCAN JTC 2011., 2017, , .		0
141	An unconventional cancer treatment lacking clinical efficacy remains available to Italian cancer patients. Tumori, 2008, 94, 830-2.	1.1	O
142	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		O
143	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		O
144	Clinical ethics consultation among Italian ethics committee: A mixed method study., 2019, 14, e0226710.		0

#	Article	IF	CITATIONS
145	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		O
146	Clinical ethics consultation among Italian ethics committee: A mixed method study., 2019, 14, e0226710.		0
147	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		O
148	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0