

Domenico Franco Merlo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3272939/publications.pdf>

Version: 2024-02-01

148
papers

6,062
citations

87888

38
h-index

79698

73
g-index

152
all docs

152
docs citations

152
times ranked

9531
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant chemotherapy in high-risk soft tissue sarcomas: A Sarculator-based risk stratification analysis of the ISG-STS 1001 randomized trial. <i>Cancer</i> , 2022, 128, 85-93.	4.1	46
2	Effect of Tocilizumab vs Standard Care on Clinical Worsening in Patients Hospitalized With COVID-19 Pneumonia. <i>JAMA Internal Medicine</i> , 2021, 181, 24.	5.1	593
3	Predictive Value of MRP-1 in Localized High-Risk Soft Tissue Sarcomas: A Translational Research Associated to ISG-STS 1001 Randomized Phase III Trial. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 2539-2552.	4.1	2
4	Neoadjuvant Chemotherapy in High-Risk Soft Tissue Sarcomas: Final Results of a Randomized Trial From Italian (ISG), Spanish (GEIS), French (FSG), and Polish (PSG) Sarcoma Groups. <i>Journal of Clinical Oncology</i> , 2020, 38, 2178-2186.	1.6	145
5	Gonadotropin Releasing Hormone Agonists Have an Anti-apoptotic Effect on Cumulus Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6045.	4.1	15
6	Clinical ethics consultation among Italian ethics committee: A mixed method study. <i>PLoS ONE</i> , 2019, 14, e0226710.	2.5	15
7	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
8	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
9	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
10	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
11	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
12	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
13	Clinical ethics consultation among Italian ethics committee: A mixed method study. , 2019, 14, e0226710.		0
14	Clinical Ethics Consultation and Research Ethics Consultation: A Call for Italy. <i>American Journal of Bioethics</i> , 2018, 18, 63-64.	0.9	4
15	Maternal diet during pregnancy and micronuclei frequency in peripheral blood T lymphocytes in mothers and newborns (Rhea cohort, Crete). <i>European Journal of Nutrition</i> , 2018, 57, 209-218.	3.9	13
16	Mortality among workers exposed to asbestos at the shipyard of Genoa, Italy: a 55 years follow-up. <i>Environmental Health</i> , 2018, 17, 94.	4.0	12
17	Combined vemurafenib and fotemustine in patients with BRAF V600 melanoma progressing on vemurafenib. <i>Oncotarget</i> , 2018, 9, 12408-12417.	1.8	11
18	Genome-wide profiling identifies the THYT1 signature as a distinctive feature of widely metastatic Papillary Thyroid Carcinomas. <i>Oncotarget</i> , 2018, 9, 1813-1825.	1.8	30

#	ARTICLE	IF	CITATIONS
19	Coffee and tea consumption and risk of leukaemia in an adult population: A reanalysis of the Italian multicentre case-control study. <i>Cancer Epidemiology</i> , 2017, 47, 81-87.	1.9	13
20	Histotype-tailored neoadjuvant chemotherapy versus standard chemotherapy in patients with high-risk soft-tissue sarcomas (ISG-ST5 1001): an international, open-label, randomised, controlled, phase 3, multicentre trial. <i>Lancet Oncology</i> , 2017, 18, 812-822.	10.7	370
21	About the "surprise question". <i>Cmaj</i> , 2017, 189, E807-E807.	2.0	5
22	Coffee consumption and risk of non-Hodgkin's lymphoma: evidence from the Italian multicentre case-control study. <i>Cancer Causes and Control</i> , 2017, 28, 867-876.	1.8	6
23	MA10.09 Comparison between CT Scan Evaluation Criteria and PERCIST for Evaluation of Immune Check-Point Inhibitors Response. <i>Journal of Thoracic Oncology</i> , 2017, 12, S401-S402.	1.1	0
24	The PREgnancy and FERtility (PREFER) study: an Italian multicenter prospective cohort study on fertility preservation and pregnancy issues in young breast cancer patients. <i>BMC Cancer</i> , 2017, 17, 346.	2.6	30
25	Vitamin D insufficient levels during pregnancy and micronuclei frequency in peripheral blood T lymphocytes mothers and newborns (Rhea cohort, Crete). <i>Clinical Nutrition</i> , 2017, 36, 1029-1035.	5.0	5
26	PUREAIR protocol: randomized controlled trial of intensive pulmonary rehabilitation versus standard care in patients undergoing surgical resection for lung cancer. <i>BMC Cancer</i> , 2017, 17, 508.	2.6	9
27	Downregulation of miR-99a/let-7c/miR-125b miRNA cluster predicts clinical outcome in patients with unresected malignant pleural mesothelioma. <i>Oncotarget</i> , 2017, 8, 68627-68640.	1.8	27
28	Abstract OT3-03-03: Challenges faced across borders to open European academic multicentre projects: The ET-FES program part of the ERA-Net TRANSCAN JTC 2011. , 2017, , .		0
29	Body Image Disorders and Surgical Timing in Patients Affected by Poland Syndrome. <i>Plastic and Reconstructive Surgery</i> , 2016, 137, 1273-1282.	1.4	25
30	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. <i>Archives of Medical Research</i> , 2016, 47, 694-705.	3.3	10
31	CTLA-4 in mesothelioma patients: tissue expression, body fluid levels and possible relevance as a prognostic factor. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 909-917.	4.2	44
32	ERA-Net TRANSCAN JTC 2011: Critical aspects of the startup procedures of an International Academic Clinical trial (ET-FES), funded by the European Community (EC) and coordinated by an Italian Institution.. <i>Annals of Oncology</i> , 2016, 27, iv113.	1.2	1
33	3346 BeyPro1: a Phase II single-arm study for the treatment after recurrence of advanced melanoma patients harboring the V600BRAF mutation and pretreated with Vemurafenib, with the association of Vemurafenib plus Fotemustine. <i>European Journal of Cancer</i> , 2015, 51, S683.	2.8	0
34	Expression of Ribonucleotide Reductase Subunit-2 and Thymidylate Synthase Correlates with Poor Prognosis in Patients with Resected Stages III Non-Small Cell Lung Cancer. <i>Disease Markers</i> , 2015, 2015, 1-18.	1.3	26
35	Environmental, Dietary, Maternal, and Fetal Predictors of Bulky DNA Adducts in Cord Blood: A European Mother-Child Study (NewGeneris). <i>Environmental Health Perspectives</i> , 2015, 123, 374-380.	6.0	12
36	Outdoor air pollution exposures and micronuclei frequencies in lymphocytes from pregnant women and newborns in Crete, Greece (Rhea cohort). <i>Environmental Research</i> , 2015, 143, 170-176.	7.5	30

#	ARTICLE	IF	CITATIONS
37	Fetal exposure to dietary carcinogens and risk of childhood cancer: what the NewGeneris project tells us: Table 1A. <i>BMJ, The</i> , 2015, 351, h4501.	6.0	23
38	Micronuclei in Cord Blood Lymphocytes and Associations with Biomarkers of Exposure to Carcinogens and Hormonally Active Factors, Gene Polymorphisms, and Gene Expression: The NewGeneris Cohort. <i>Environmental Health Perspectives</i> , 2014, 122, 193-200.	6.0	25
39	SETIL: Italian multicentric epidemiological case-control study on risk factors for childhood leukaemia, non hodgkin lymphoma and neuroblastoma: study population and prevalence of risk factors in Italy. <i>Italian Journal of Pediatrics</i> , 2014, 40, 103.	2.6	9
40	Is Soluble Mesothelin-Related Protein an Upfront Predictive Marker of Pleural Mesothelioma? A Prospective Study on Italian Workers Exposed to Asbestos. <i>Oncology</i> , 2014, 86, 33-43.	1.9	16
41	The effect of dietary estimates calculated using food frequency questionnaires on micronuclei formation in European pregnant women: a NewGeneris study. <i>Mutagenesis</i> , 2014, 29, 393-400.	2.6	11
42	The treatment of melanoma brain metastases before the advent of targeted therapies. <i>Melanoma Research</i> , 2014, 24, 61-67.	1.2	22
43	In Utero Exposure to Compounds with Dioxin-like Activity and Birth Outcomes. <i>Epidemiology</i> , 2014, 25, 215-224.	2.7	21
44	Risk of neuroblastoma, maternal characteristics and perinatal exposures: The SETIL study. <i>Cancer Epidemiology</i> , 2014, 38, 686-694.	1.9	24
45	Preoperative chemo-radiation therapy for localised retroperitoneal sarcoma: A phase II study from the Italian Sarcoma Group. <i>European Journal of Cancer</i> , 2014, 50, 784-792.	2.8	80
46	Maternal diet, prenatal exposure to dioxin-like compounds and birth outcomes in a European prospective mother-child study (NewGeneris). <i>Science of the Total Environment</i> , 2014, 484, 121-128.	8.0	34
47	Randomised phase 3 open-label trial of first-line treatment with gemcitabine in association with docetaxel or paclitaxel in women with metastatic breast cancer: a comparison of different schedules and treatments. <i>BMC Cancer</i> , 2013, 13, 164.	2.6	19
48	The effect of high doses of folic acid and iron supplementation in early-to-mid pregnancy on prematurity and fetal growth retardation: the mother-child cohort study in Crete, Greece (Rhea) <i>Tj ETQq0 0 0 rgB5/Overlook 10 Tf 50</i>	1.9	38
49	Is Letrozole needed for controlled ovarian stimulation in patients with estrogen receptor-positive breast cancer?. <i>Gynecological Endocrinology</i> , 2013, 29, 993-996.	1.7	69
50	Risk of childhood leukaemia and non-Hodgkin's lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 648-655.	2.8	44
51	Pre-filled normal saline syringes to reduce totally implantable venous access device-associated bloodstream infection: a single institution pilot study. <i>Journal of Hospital Infection</i> , 2013, 84, 85-88.	2.9	29
52	Individual predictors of increased serum mesothelin in asbestos-exposed workers. <i>Medical Oncology</i> , 2013, 30, 422.	2.5	11
53	Bulky DNA Adducts in Cord Blood, Maternal Fruit-and-Vegetable Consumption, and Birth Weight in a European Mother-child Study (NewGeneris). <i>Environmental Health Perspectives</i> , 2013, 121, 1200-1206.	6.0	33
54	Clinical Potentials of Methylator Phenotype in Stage 4 High-Risk Neuroblastoma: An Open Challenge. <i>PLoS ONE</i> , 2013, 8, e63253.	2.5	10

#	ARTICLE	IF	CITATIONS
55	Serum LAIR-2 Is Increased in Autoimmune Thyroid Diseases. PLoS ONE, 2013, 8, e63282.	2.5	22
56	Birth Weight, Head Circumference, and Prenatal Exposure to Acrylamide from Maternal Diet: The European Prospective Motherâ€“Child Study (NewGeneris). Environmental Health Perspectives, 2012, 120, 1739-1745.	6.0	95
57	Increased Mitochondrial DNA Copy Number in Occupations Associated with Low-Dose Benzene Exposure. Environmental Health Perspectives, 2012, 120, 210-215.	6.0	99
58	The Postoperative Analgesic Efficacy of Preperitoneal Continuous Wound Infusion Compared to Epidural Continuous Infusion with Local Anesthetics After Colorectal Cancer Surgery. Anesthesia and Analgesia, 2012, 115, 1442-1450.	2.2	75
59	Evaluation of CTLA-4 expression and relevance as a novel prognostic factor in patients with non-small cell lung cancer. Cancer Immunology, Immunotherapy, 2012, 61, 1463-1472.	4.2	110
60	HOXA7, 9, and 10 are methylation targets associated with aggressive behavior in meningiomas. Translational Research, 2012, 160, 355-362.	5.0	34
61	Ribonucleotide reductase subunit 2 (RRM2) predicts shorter survival in resected stage Iâ€“III non-small cell lung cancer (NSCLC) patients. Lung Cancer, 2012, 77, S23.	2.0	1
62	Ribonucleotide Reductase Subunit 2 (RRM2) Predicts Shorter Survival in Resected Stage I-III Non-Small Cell Lung Cancer (NSCLC) Patients. Annals of Oncology, 2012, 23, ix79.	1.2	0
63	Breast cancer incidence trends in European women aged 20â€“39 years at diagnosis. Breast Cancer Research and Treatment, 2012, 134, 363-370.	2.5	81
64	Environmental exposure to xenoestrogens and oestrogen related cancers: reproductive system, breast, lung, kidney, pancreas, and brain. Environmental Health, 2012, 11, S8.	4.0	90
65	Cancer risk and the complexity of the interactions between environmental and host factors: HENVINET interactive diagrams as simple tools for exploring and understanding the scientific evidence. Environmental Health, 2012, 11, S9.	4.0	12
66	Quantitative methylation analysis of HOXA3, 7, 9, and 10 genes in glioma: association with tumor WHO grade and clinical outcome. Journal of Cancer Research and Clinical Oncology, 2012, 138, 35-47.	2.5	37
67	Urinary Benzene Biomarkers and DNA Methylation in Bulgarian Petrochemical Workers: Study Findings and Comparison of Linear and Beta Regression Models. PLoS ONE, 2012, 7, e50471.	2.5	50
68	1446 POSTER Evaluation of CTL Antigen 4 (CTLA-4) Expression as Prognostic Factor in Non-small Cell Lung Cancer (NSCLC). European Journal of Cancer, 2011, 47, S183.	2.8	0
69	Micronuclei in neonates and children: effects of environmental, genetic, demographic and disease variables. Mutagenesis, 2011, 26, 51-56.	2.6	71
70	Second-Line Treatment with Intravenous Gemcitabine and Oral Etoposide in Platinum-Resistant Advanced Ovarian Cancer Patients: Results of a Phase II Study. Oncology, 2011, 80, 238-246.	1.9	8
71	Maternal and Gestational Factors and Micronucleus Frequencies in Umbilical Blood: The NewGeneris Rhea Cohort in Crete. Environmental Health Perspectives, 2011, 119, 1460-1465.	6.0	31
72	Factors Affecting Symmetrization of the Contralateral Breast: A 7-Year Unilateral Postmastectomy Breast Reconstruction Experience. Aesthetic Plastic Surgery, 2011, 35, 446-451.	0.9	20

#	ARTICLE	IF	CITATIONS
73	Lung Cancer and Environmental Chemical Exposure: A Review of Our Current State of Knowledge With Reference to the Role of Hormones and Hormone Receptors as an Increased Risk Factor for Developing Lung Cancer in Man. <i>Toxicologic Pathology</i> , 2010, 38, 849-855.	1.8	33
74	A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. <i>Occupational and Environmental Medicine</i> , 2010, 67, 611-619.	2.8	30
75	Duration of exposure to environmental carcinogens affects DNA-adduct level in human lymphocytes. <i>Biomarkers</i> , 2010, 15, 575-582.	1.9	9
76	Abstract 3450: Changes in mitochondrial DNA copy number in subjects exposed to low-dose benzene. , 2010, , .		1
77	ERCC1, BRCA1, thymidylate synthase (TS), class III beta tubulin (bTubIII), p53R2, RRM2 immunohistochemical expression in stage I-III non-small cell lung cancer (NSCLC): A tissue microarray (TMA) study.. <i>Journal of Clinical Oncology</i> , 2010, 28, e21094-e21094.	1.6	0
78	Survival of high grade glioma patients depends on their age at diagnosis. <i>Cancer Biology and Therapy</i> , 2009, 8, 1719-1721.	3.4	18
79	NewGeneris: A European Study on Maternal Diet during Pregnancy and Child Health. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 5-10.	2.5	53
80	Spontaneous abortions in female populations occupationally exposed to ionizing radiation. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 873-879.	2.3	17
81	End-of-life care in Italy: personal experience of family caregivers. A content analysis of open questions from the Italian Survey of the Dying of Cancer (ISDOC). <i>Psycho-Oncology</i> , 2008, 17, 1073-1080.	2.3	29
82	Combining Shapley value and statistics to the analysis of gene expression data in children exposed to air pollution. <i>BMC Bioinformatics</i> , 2008, 9, 361.	2.6	29
83	Genetic Susceptibility to Benzene Toxicity in Humans. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2008, 71, 1482-1489.	2.3	21
84	Workshop on ethics and communication in Copenhagen 11-13.3.2007. <i>Environmental Health</i> , 2008, 7, S1.	4.0	5
85	Scientific integrity: critical issues in environmental health research. <i>Environmental Health</i> , 2008, 7, S9.	4.0	11
86	Genomic damage in children accidentally exposed to ionizing radiation: A review of the literature. <i>Mutation Research - Reviews in Mutation Research</i> , 2008, 658, 111-123.	5.5	56
87	Cancer Incidence in Pet Dogs: Findings of the Animal Tumor Registry of Genoa, Italy. <i>Journal of Veterinary Internal Medicine</i> , 2008, 22, 976-984.	1.6	260
88	An Unconventional Cancer Treatment Lacking Clinical Efficacy Remains Available to Italian Cancer Patients. <i>Tumori</i> , 2008, 94, 830-832.	1.1	1
89	An unconventional cancer treatment lacking clinical efficacy remains available to Italian cancer patients. <i>Tumori</i> , 2008, 94, 830-2.	1.1	0
90	Risk for Secondary Thyroid Carcinoma After Hematopoietic Stem-Cell Transplantation: An EBMT Late Effects Working Party Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 2449-2454.	1.6	125

#	ARTICLE	IF	CITATIONS
91	Dying of cancer in Italy: impact on family and caregiver. The Italian Survey of Dying of Cancer. Journal of Epidemiology and Community Health, 2007, 61, 547-554.	3.7	32
92	Ethics in studies on children and environmental health. Journal of Medical Ethics, 2007, 33, 408-413.	1.8	26
93	Baseline chromosome aberrations in children. Toxicology Letters, 2007, 172, 60-67.	0.8	18
94	Inequity in the provision of and access to palliative care for cancer patients. Results from the Italian survey of the dying of cancer (ISDOC). BMC Public Health, 2007, 7, 66.	2.9	66
95	Ethical issues related to biomonitoring studies on children. International Journal of Hygiene and Environmental Health, 2007, 210, 479-482.	4.3	14
96	Cytogenetic effects in children and mothers exposed to air pollution assessed by the frequency of micronuclei and fluorescence in situ hybridization (FISH): A family pilot study in the Czech Republic. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 608, 112-120.	1.7	48
97	The responses of lymphocytes from Asian and Caucasian diabetic patients and non-diabetics to hydrogen peroxide and sodium nitrite in the Comet assay. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 609, 154-164.	1.7	9
98	Children's exposure to environmental pollutants and biomarkers of genetic damage. Overview and critical issues. Mutation Research - Reviews in Mutation Research, 2006, 612, 1-13.	5.5	64
99	Children's exposure to environmental pollutants and biomarkers of genetic damage. Results of a comprehensive literature search and meta-analysis. Mutation Research - Reviews in Mutation Research, 2006, 612, 14-39.	5.5	137
100	Molecular epidemiology: New rules for new tools?. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2006, 600, 3-11.	1.0	6
101	Searching PubMed for molecular epidemiology studies: The case of chromosome aberrations. Environmental and Molecular Mutagenesis, 2006, 47, 227-229.	2.2	6
102	Retrospective mortality cohort study of Italian workers compensated for silicosis. Occupational and Environmental Medicine, 2006, 63, 762-765.	2.8	14
103	The influence of environmental exposure to complex mixtures including PAHs and lead on genotoxic effects in children living in Upper Silesia, Poland. Mutagenesis, 2006, 21, 295-304.	2.6	46
104	Diagnosis and prognosis disclosure among cancer patients. Results from an Italian mortality follow-back survey. Annals of Oncology, 2006, 17, 853-859.	1.2	75
105	The use of S-phenylmercapturic acid as a biomarker in molecular epidemiology studies of benzene. Chemico-Biological Interactions, 2005, 153-154, 97-102.	4.0	28
106	Biomarkers of exposure and effect in Bulgarian petrochemical workers exposed to benzene. Chemico-Biological Interactions, 2005, 153-154, 247-251.	4.0	13
107	Urinary t,t-muconic acid, S-phenylmercapturic acid and benzene as biomarkers of low benzene exposure. Chemico-Biological Interactions, 2005, 153-154, 253-256.	4.0	50
108	Prevalence of human papillomavirus cervical infection in an Italian asymptomatic population. BMC Infectious Diseases, 2005, 5, 77.	2.9	28

#	ARTICLE	IF	CITATIONS
109	Monitoring Low Benzene Exposure: Comparative Evaluation of Urinary Biomarkers, Influence of Cigarette Smoking, and Genetic Polymorphisms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2237-2244.	2.5	104
110	Increased incidence of cutaneous malignant melanoma among longshoremen in Genoa, Italy: the role of sunlight and occupational exposure. <i>Occupational and Environmental Medicine</i> , 2005, 62, 270-271.	2.8	9
111	The last three months of life of Italian cancer patients. Methods, sample characteristics and response rate of the Italian Survey of the Dying of Cancer (ISDOC). <i>Palliative Medicine</i> , 2005, 19, 628-638.	3.1	67
112	Baseline Micronuclei Frequency in Children: Estimates from Meta- and Pooled Analyses. <i>Environmental Health Perspectives</i> , 2005, 113, 1226-1229.	6.0	64
113	A method to evaluate the contribution of building material to indoor gamma dose rate through outdoor measurements: preliminary results. <i>Radiation Protection Dosimetry</i> , 2004, 111, 413-416.	0.8	5
114	A mortality cohort study among workers in a graphite electrode production plant in Italy. <i>Occupational and Environmental Medicine</i> , 2004, 61, 9e-9.	2.8	19
115	Occupational Exposure to Carbon Black and Risk of Cancer. <i>Cancer Causes and Control</i> , 2004, 15, 511-516.	1.8	39
116	Micronuclei frequency in children exposed to environmental mutagens: a review. <i>Mutation Research - Reviews in Mutation Research</i> , 2003, 544, 243-254.	5.5	99
117	Occupational exposure to carbon black and risk of bladder cancer. <i>Lancet, The</i> , 2001, 358, 562.	13.7	11
118	A historical cohort mortality study among shipyard workers in Genoa, Italy. <i>American Journal of Industrial Medicine</i> , 2001, 40, 363-370.	2.1	56
119	Guidelines for Economic Evaluations in Italy: Recommendations from The Italian Group of Pharmacoeconomic Studies. <i>Drug Information Journal</i> , 2001, 35, 189-201.	0.5	84
120	IPCS guidelines for the monitoring of genotoxic effects of carcinogens in humans. <i>Mutation Research - Reviews in Mutation Research</i> , 2000, 463, 111-172.	5.5	626
121	Specific K-ras2 Mutations in Human Sporadic Colorectal Adenomas Are Associated with DNA Near-Diploid Aneuploidy and Inhibition of Proliferation. <i>American Journal of Pathology</i> , 1998, 153, 1201-1209.	3.8	37
122	Sister chromatid exchange induction in peripheral blood lymphocytes of traffic police workers. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1997, 394, 37-44.	1.7	23
123	Cisplatin combined with the new cisplatin-procaine complex dpr: In vitro and in vivo studies. <i>European Journal of Cancer</i> , 1996, 32, 2327-2333.	2.8	8
124	Effect of the Antiarrhythmic Drug Procainamide on the Toxicity and Antitumor Activity of cis-Diamminedichloroplatinum(II). <i>Toxicology and Applied Pharmacology</i> , 1996, 140, 370-377.	2.8	23
125	Biomonitoring human exposure to environmental carcinogenic chemicals. <i>Mutagenesis</i> , 1996, 11, 363-381.	2.6	58
126	Multiple regression analysis of cytogenetic human data. <i>Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology</i> , 1994, 313, 69-80.	0.4	32

#	ARTICLE	IF	CITATIONS
127	Tumour kinetics, response to chemotherapy and survival in primary ovarian cancer. <i>European Journal of Cancer</i> , 1994, 30, 449-452.	2.8	4
128	Biomonitoring of workers exposed to pesticides. <i>International Archives of Occupational and Environmental Health</i> , 1993, 65, S185-S188.	2.3	22
129	Plasma and tissue levels of some lanthanide elements in human colorectal lesions. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1993, 174, 23-27.	1.5	4
130	Para-aminobenzoic acid suppression of cis-diamminedichloroplatinum(II) nephrotoxicity. <i>Carcinogenesis</i> , 1993, 14, 2595-2599.	2.8	11
131	Frequency of micronuclei in lymphocytes from a group of floriculturists exposed to pesticides. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1993, 40, 405-411.	2.3	25
132	Occupation and cancer. <i>European Journal of Cancer Prevention</i> , 1992, 1, 283-284.	1.3	0
133	Protective effect on cisplatin hematotoxicity by procaine hydrochloride. <i>Cancer Letters</i> , 1992, 64, 55-60.	7.2	2
134	Prediction of survival by thymidine labelling index in patients with resistant ovarian carcinoma. <i>European Journal of Cancer</i> , 1992, 28, 1079-1080.	2.8	3
135	Regional pharmacokinetic selectivity of intrapleural cisplatin. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 839-842.	0.7	25
136	Phase II study of the pure non-steroidal antiandrogen nilutamide in prostatic cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1100-1104.	0.7	8
137	Lung Cancer Risk among Refractory Brick Workers Exposed to Crystalline Silica. <i>Epidemiology</i> , 1991, 2, 299-304.	2.7	51
138	Prognostic significance of nuclear DNA content in human neuroepithelial tumors. <i>International Journal of Cancer</i> , 1991, 48, 663-667.	5.1	28
139	Univariate and multivariate analyses of the relationship between adenocarcinoma and solitary and multiple adenomas in colorectal adenoma patients. <i>International Journal of Cancer</i> , 1991, 49, 509-512.	5.1	21
140	Improved Therapeutic Index of Cisplatin by Procaine Hydrochloride. <i>Journal of the National Cancer Institute</i> , 1990, 82, 677-684.	6.3	25
141	Blood levels of reduced and oxidized glutathione in malignant and non-malignant human colorectal lesions. <i>European Journal of Cancer & Clinical Oncology</i> , 1990, 26, 89-91.	0.7	8
142	Medical Monitoring of Dioxin Clean-Up Workers. <i>AIHA Journal</i> , 1989, 50, 586-592.	0.4	3
143	Bladder cancer and occupational exposure to polycyclic aromatic hydrocarbons. <i>International Journal of Cancer</i> , 1989, 44, 648-651.	5.1	108
144	Follow-up of subjects who developed chloracne following TCDD exposure at seveso. <i>American Journal of Industrial Medicine</i> , 1989, 16, 119-125.	2.1	54

#	ARTICLE	IF	CITATIONS
145	The assessment of exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in the Seveso area: a novel approach. Chemosphere, 1989, 18, 913-920.	8.2	0
146	SOFT TISSUE SARCOMAS IN SEVESO. Lancet, The, 1986, 328, 525.	13.7	18
147	SOFT-TISSUE SARCOMAS, MALIGNANT LYMPHOMAS, AND 2,3,7,8-TCDD EXPOSURE IN SEVESO. Lancet, The, 1986, 328, 1455.	13.7	5
148	The Seveso episode: The validity of epidemiological inquires in relation with the definition of population at risk. Chemosphere, 1986, 15, 1777-1786.	8.2	3