

# Theo Brock

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3277570/publications.pdf>

Version: 2024-02-01

59  
papers

3,349  
citations

136950

32  
h-index

144013

57  
g-index

60  
all docs

60  
docs citations

60  
times ranked

2468  
citing authors

#	ARTICLE	IF	CITATIONS
1	Species Sensitivity Distributions of Benthic Macroinvertebrates in Fludioxonil-Spiked Sediment Toxicity Tests. Archives of Environmental Contamination and Toxicology, 2022, 82, 569-580.	4.1	1
2	Application of General Unified Threshold Models of Survival Models for Regulatory Aquatic Pesticide Risk Assessment Illustrated with an Example for the Insecticide Chlorpyrifos. Integrated Environmental Assessment and Management, 2021, 17, 243-258.	2.9	9
3	Open Science in regulatory environmental risk assessment. Integrated Environmental Assessment and Management, 2021, 17, 1229-1242.	2.9	4
4	Response of a nematode community to the fungicide fludioxonil in sediments of outdoor freshwater microcosms compared to a single species toxicity test. Science of the Total Environment, 2020, 710, 135627.	8.0	7
5	Sediment toxicity of the fungicide fludioxonil to benthic macroinvertebrates -evaluation of the tiered effect assessment procedure. Ecotoxicology and Environmental Safety, 2020, 195, 110504.	6.0	6
6	Exposure pattern-specific species sensitivity distributions for the ecological risk assessments of insecticides.. Ecotoxicology and Environmental Safety, 2019, 180, 252-258.	6.0	8
7	Is the Effect Assessment Approach for Fungicides as Laid Down in the European Food Safety Authority Aquatic Guidance Document Sufficiently Protective for Freshwater Ecosystems?. Environmental Toxicology and Chemistry, 2019, 38, 2279-2293.	4.3	20
8	Improving environmental risk assessments of chemicals: Steps towards evidence-based ecotoxicology. Environment International, 2019, 128, 210-217.	10.0	24
9	Toxicity of sediment-bound lufenuron to benthic arthropods in laboratory bioassays. Aquatic Toxicology, 2018, 198, 118-128.	4.0	9
10	Exposure and effects of sediment-spiked fludioxonil on macroinvertebrates and zooplankton in outdoor aquatic microcosms. Science of the Total Environment, 2018, 610-611, 1222-1238.	8.0	21
11	Ecological Recovery and Resilience in Environmental Risk Assessments at the European Food Safety Authority. Integrated Environmental Assessment and Management, 2018, 14, 586-591.	2.9	17
12	Assessing the relevance of ecotoxicological studies for regulatory decision making. Integrated Environmental Assessment and Management, 2017, 13, 652-663.	2.9	47
13	Is the chronic Tier-1 effect assessment approach for insecticides protective for aquatic ecosystems?. Integrated Environmental Assessment and Management, 2016, 12, 747-758.	2.9	16
14	Prospective Environmental Risk Assessment for Sediment-Bound Organic Chemicals: A Proposal for Tiered Effect Assessment. Reviews of Environmental Contamination and Toxicology, 2016, 239, 1-77.	1.3	13
15	Effects of sediment-spiked lufenuron on benthic macroinvertebrates in outdoor microcosms and single-species toxicity tests. Aquatic Toxicology, 2016, 177, 464-475.	4.0	12
16	Developing ecological scenarios for the prospective aquatic risk assessment of pesticides. Integrated Environmental Assessment and Management, 2016, 12, 510-521.	2.9	54
17	Ecological Recovery Potential of Freshwater Organisms: Consequences for Environmental Risk Assessment of Chemicals. Reviews of Environmental Contamination and Toxicology, 2016, 236, 259-294.	1.3	17
18	Acute tier-1 and tier-2 effect assessment approaches in the EFSA Aquatic Guidance Document: are they sufficiently protective for insecticides?. Pest Management Science, 2015, 71, 1059-1067.	3.4	33

#	ARTICLE	IF	CITATIONS
19	Optimising environmental risk assessments. <i>EMBO Reports</i> , 2015, 16, 1060-1063.	4.5	51
20	The minimum detectable difference (MDD) and the interpretation of treatment-related effects of pesticides in experimental ecosystems. <i>Environmental Science and Pollution Research</i> , 2015, 22, 1160-1174.	5.3	67
21	Sediment Toxicity Testing of Organic Chemicals in the Context of Prospective Risk Assessment: A Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2014, 44, 255-302.	12.8	47
22	Assessing effects of the fungicide tebuconazole to heterotrophic microbes in aquatic microcosms. <i>Science of the Total Environment</i> , 2014, 490, 1002-1011.	8.0	55
23	Priorities to improve the ecological risk assessment and management for pesticides in surface water. <i>Integrated Environmental Assessment and Management</i> , 2013, 9, e64-74.	2.9	31
24	Acute toxicity tests with <i>Daphnia magna</i> , <i>Americamysis bahia</i> , <i>Chironomus riparius</i> and <i>Gammarus pulex</i> and implications of new EU requirements for the aquatic effect assessment of insecticides. <i>Environmental Science and Pollution Research</i> , 2012, 19, 3610-3618.	5.3	41
25	Effects of the fungicide metiram in outdoor freshwater microcosms: responses of invertebrates, primary producers and microbes. <i>Ecotoxicology</i> , 2012, 21, 1550-1569.	2.4	26
26	Development of a framework based on an ecosystem services approach for deriving specific protection goals for environmental risk assessment of pesticides. <i>Science of the Total Environment</i> , 2012, 415, 31-38.	8.0	150
27	Can time-weighted average concentrations be used to assess the risks of metsulfuron-methyl to <i>Myriophyllum spicatum</i> under different timeâ€‘variable exposure regimes?. <i>Chemosphere</i> , 2011, 85, 1017-1025.	8.2	22
28	Is it possible to extrapolate results of aquatic microcosm and mesocosm experiments with pesticides between climate zones in Europe?. <i>Environmental Science and Pollution Research</i> , 2011, 18, 123-126.	5.3	18
29	Macroinvertebrate responses to insecticide application between sprayed and adjacent nonsprayed ditch sections of different sizes. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 1994-2008.	4.3	28
30	The species sensitivity distribution approach compared to a microcosm study: A case study with the fungicide fluazinam. <i>Ecotoxicology and Environmental Safety</i> , 2010, 73, 109-122.	6.0	27
31	Effects of the pyrethroid insecticide gamma-cyhalothrin on aquatic invertebrates in laboratory and outdoor microcosm tests. <i>Ecotoxicology</i> , 2009, 18, 211-224.	2.4	25
32	Impact of a benzoyl urea insecticide on aquatic macroinvertebrates in ditch mesocosms with and without nonâ€‘sprayed sections. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 2191-2205.	4.3	39
33	Fungicide Risk Assessment for Aquatic Ecosystems: Importance of Interspecific Variation, Toxic Mode of Action, and Exposure Regime. <i>Environmental Science &amp; Technology</i> , 2009, 43, 7556-7563.	10.0	188
34	Effects of a herbicideâ€‘insecticide mixture in freshwater microcosms: Risk assessment and ecological effect chain. <i>Environmental Pollution</i> , 2009, 157, 237-249.	7.5	50
35	RESPONSES OF ZOOPLANKTON IN LUFENURON-STRESSED EXPERIMENTAL DITCHES IN THE PRESENCE OR ABSENCE OF UNCONTAMINATED REFUGES. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1317.	4.3	18
36	Interactions between nutrients and organic micro-pollutants in shallow freshwater model ecosystems. <i>Science of the Total Environment</i> , 2008, 406, 436-442.	8.0	19

#	ARTICLE	IF	CITATIONS
37	Aquatic Fate and Effects of $\lambda$ -Cyhalothrin in Model Ecosystem Experiments. ACS Symposium Series, 2008, , 335-354.	0.5	6
38	Mixture Extrapolation Approaches. , 2008, , 187-222.		7
39	Spatial Extrapolation in Ecological Effect Assessment of Chemicals. , 2008, , 223-256.		6
40	Conceptual model for improving the link between exposure and effects in the aquatic risk assessment of pesticides. Ecotoxicology and Environmental Safety, 2007, 66, 291-308.	6.0	65
41	Predictive Value of Species Sensitivity Distributions for Effects of Herbicides in Freshwater Ecosystems. Human and Ecological Risk Assessment (HERA), 2006, 12, 645-674.	3.4	132
42	Ecological impact in ditch mesocosms of simulated spray drift from a crop protection program for potatoes. Integrated Environmental Assessment and Management, 2006, 2, 105-125.	2.9	51
43	Aquatic risks of pesticides, ecological protection goals, and common aims in european union legislation. Integrated Environmental Assessment and Management, 2006, 2, e20.	2.9	141
44	INSECTICIDE SPECIES SENSITIVITY DISTRIBUTIONS: IMPORTANCE OF TEST SPECIES SELECTION AND RELEVANCE TO AQUATIC ECOSYSTEMS. Environmental Toxicology and Chemistry, 2005, 24, 379.	4.3	358
45	EFFECTS OF LAMBDA-CYHALOTHRIN IN TWO DITCH MICROCOSM SYSTEMS OF DIFFERENT TROPHIC STATUS. Environmental Toxicology and Chemistry, 2005, 24, 1684.	4.3	63
46	Threshold Levels for Effects of Insecticides in Freshwater Ecosystems: A Review. Ecotoxicology, 2005, 14, 355-380.	2.4	160
47	Effects of chlorpyrifos in freshwater model ecosystems: the influence of experimental conditions on ecotoxicological thresholds. Pest Management Science, 2005, 61, 923-935.	3.4	59
48	A FRESHWATER FOOD WEB MODEL FOR THE COMBINED EFFECTS OF NUTRIENTS AND INSECTICIDE STRESS AND SUBSEQUENT RECOVERY. Environmental Toxicology and Chemistry, 2004, 23, 521.	4.3	61
49	AQUATIC RISK ASSESSMENT OF A REALISTIC EXPOSURE TO PESTICIDES USED IN BULB CROPS: A MICROCOSM STUDY. Environmental Toxicology and Chemistry, 2004, 23, 1479.	4.3	52
50	Comparing aquatic risk assessment methods for the photosynthesis-inhibiting herbicides metribuzin and metamitron. Environmental Pollution, 2004, 130, 403-426.	7.5	46
51	Effects of a mixture of two insecticides in freshwater microcosms: II. Responses of plankton and ecological risk assessment. Ecotoxicology, 2002, 11, 181-197.	2.4	37
52	Impact of the fungicide carbendazim in freshwater microcosms. I. Water quality, breakdown of particulate organic matter and responses of macroinvertebrates. Aquatic Toxicology, 2000, 48, 233-250.	4.0	141
53	Impact of the fungicide carbendazim in freshwater microcosms. II. Zooplankton, primary producers and final conclusions. Aquatic Toxicology, 2000, 48, 251-264.	4.0	185
54	Title is missing!. Aquatic Ecology, 1998, 32, 135-152.	1.5	43

#	ARTICLE	IF	CITATIONS
55	Title is missing!. Aquatic Ecology, 1998, 32, 113-123.	1.5	47
56	Sensitivity of Macrophyte-Dominated Freshwater Microcosms to Chronic Levels of the Herbicide Linuron. Ecotoxicology and Environmental Safety, 1997, 38, 13-24.	6.0	78
57	Effects of the insecticide dursban® 4E (active ingredient chlorpyrifos) in outdoor experimental ditches: I. Comparison of short-term toxicity between the laboratory and the field. Environmental Toxicology and Chemistry, 1996, 15, 1133-1142.	4.3	76
58	Effects of the insecticide dursban® 4E (active ingredient chlorpyrifos) in outdoor experimental ditches: II. Invertebrate community responses and recovery. Environmental Toxicology and Chemistry, 1996, 15, 1143-1153.	4.3	196
59	Effects of chronic low concentrations of the pesticides chlorpyrifos and atrazine in indoor freshwater microcosms. Chemosphere, 1995, 31, 3181-3200.	8.2	74