

Thomas Connolley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3281952/publications.pdf>

Version: 2024-02-01

102
papers

3,589
citations

147801

31
h-index

144013

57
g-index

107
all docs

107
docs citations

107
times ranked

3188
citing authors

#	ARTICLE	IF	CITATIONS
1	I12: the Joint Engineering, Environment and Processing (JEEP) beamline at Diamond Light Source. <i>Journal of Synchrotron Radiation</i> , 2015, 22, 828-838.	2.4	219
2	A synchrotron X-ray radiography study of dendrite fragmentation induced by a pulsed electromagnetic field in an Al-Cu alloy. <i>Acta Materialia</i> , 2014, 70, 228-239.	7.9	174
3	Revealing internal flow behaviour in arc welding and additive manufacturing of metals. <i>Nature Communications</i> , 2018, 9, 5414.	12.8	158
4	GigaFRoST: the gigabit fast readout system for tomography. <i>Journal of Synchrotron Radiation</i> , 2017, 24, 1250-1259.	2.4	139
5	A synchrotron X-radiography study of the fragmentation and refinement of primary intermetallic particles in an Al-35 Cu alloy induced by ultrasonic melt processing. <i>Acta Materialia</i> , 2017, 141, 142-153.	7.9	131
6	Influence of Fe-rich intermetallics on solidification defects in Al-Si-Cu alloys. <i>Acta Materialia</i> , 2014, 68, 42-51.	7.9	127
7	Ultrafast synchrotron X-ray imaging studies of microstructure fragmentation in solidification under ultrasound. <i>Acta Materialia</i> , 2018, 144, 505-515.	7.9	112
8	A refining mechanism of primary Al ₃ Ti intermetallic particles by ultrasonic treatment in the liquid state. <i>Acta Materialia</i> , 2016, 116, 354-363.	7.9	109
9	Assessment of the fatigue crack closure phenomenon in damage-tolerant aluminium alloy by in-situ high-resolution synchrotron X-ray microtomography. <i>Philosophical Magazine</i> , 2003, 83, 2429-2448.	1.6	108
10	Short crack initiation and growth at 600°C in notched specimens of Inconel 718. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 340, 139-154.	5.6	98
11	Revealing the micromechanisms behind semi-solid metal deformation with time-resolved X-ray tomography. <i>Nature Communications</i> , 2014, 5, 4464.	12.8	94
12	Mapping the Inhomogeneous Electrochemical Reaction Through Porous LiFePO ₄ Electrodes in a Standard Coin Cell Battery. <i>Chemistry of Materials</i> , 2015, 27, 2374-2386.	6.7	93
13	A review of deformation and fatigue of metals at small size scales. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2005, 28, 1119-1152.	3.4	87
14	In situ observation of ultrasonic cavitation-induced fragmentation of the primary crystals formed in Al alloys. <i>Ultrasonics Sonochemistry</i> , 2017, 39, 66-76.	8.2	86
15	In situ synchrotron tomographic quantification of granular and intragranular deformation during semi-solid compression of an equiaxed dendritic Al-Cu alloy. <i>Acta Materialia</i> , 2014, 76, 371-380.	7.9	84
16	Region-of-interest tomography using filtered backprojection: assessing the practical limits. <i>Journal of Microscopy</i> , 2011, 241, 69-82.	1.8	83
17	In situ X-ray observation of semi-solid deformation and failure in Al-Cu alloys. <i>Acta Materialia</i> , 2011, 59, 1436-1444.	7.9	72
18	Transgranular liquation cracking of grains in the semi-solid state. <i>Nature Communications</i> , 2015, 6, 8300.	12.8	72

#	ARTICLE	IF	CITATIONS
19	The spatial and temporal distribution of dendrite fragmentation in solidifying Al-Cu alloys under different conditions. <i>Acta Materialia</i> , 2016, 121, 384-395.	7.9	69
20	Residual stresses in Linear Friction Welding of aluminium alloys. <i>Materials & Design</i> , 2013, 50, 360-369.	5.1	60
21	Complete elliptical ring geometry provides energy and instrument calibration for synchrotron-based two-dimensional X-ray diffraction. <i>Journal of Applied Crystallography</i> , 2013, 46, 1249-1260.	4.5	54
22	High-Speed Synchrotron X-ray Imaging Studies of the Ultrasound Shockwave and Enhanced Flow during Metal Solidification Processes. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 2851-2861.	2.2	53
23	Effect of ultrasonic melt treatment on the refinement of primary Al ₃ Ti intermetallic in an Al-0.4Ti alloy. <i>Journal of Crystal Growth</i> , 2016, 435, 24-30.	1.5	53
24	The onset of plasticity of a Zr-based bulk metallic glass. <i>International Journal of Plasticity</i> , 2014, 60, 87-100.	8.8	52
25	3D characterisation of the Fe-rich intermetallic phases in recycled Al alloys by synchrotron X-ray microtomography and skeletonisation. <i>Scripta Materialia</i> , 2018, 146, 321-326.	5.2	52
26	A synchrotron X-ray diffraction study of in situ biaxial deformation. <i>Acta Materialia</i> , 2015, 90, 46-58.	7.9	48
27	Correlative Synchrotron X-ray Imaging and Diffraction of Directed Energy Deposition Additive Manufacturing. <i>Acta Materialia</i> , 2021, 209, 116777.	7.9	47
28	Characterisation of short fatigue cracks in titanium alloy IMI 834 using X-ray microtomography. <i>Acta Materialia</i> , 2015, 99, 49-62.	7.9	44
29	Time-resolved synchrotron tomographic quantification of deformation during indentation of an equiaxed semi-solid granular alloy. <i>Acta Materialia</i> , 2016, 105, 338-346.	7.9	40
30	Synchrotron X-ray imaging and ultrafast tomography in situ study of the fragmentation and growth dynamics of dendritic microstructures in solidification under ultrasound. <i>Acta Materialia</i> , 2021, 209, 116796.	7.9	36
31	Time-resolved synchrotron diffractometry of phase transformations in high strength nickel-based superalloys. <i>Acta Materialia</i> , 2015, 94, 244-256.	7.9	33
32	Residual stresses and microstructure in Powder Bed Direct Laser Deposition (PB DLD) samples. <i>International Journal of Material Forming</i> , 2015, 8, 245-254.	2.0	33
33	In-situ X-ray radiography of primary Fe-rich intermetallic compound formation. <i>Acta Materialia</i> , 2020, 196, 759-769.	7.9	32
34	<i>In-situ</i> Observation of Cracks in Frozen Soil using Synchrotron Tomography. <i>Permafrost and Periglacial Processes</i> , 2012, 23, 170-176.	3.4	31
35	Synchrotron Tomographic Characterization of Damage Evolution During Aluminum Alloy Solidification. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013, 44, 5389-5395.	2.2	31
36	Influence of ultrasonic treatment on formation of primary Al ₃ Zr in Al-0.4Zr alloy. <i>Transactions of Nonferrous Metals Society of China</i> , 2017, 27, 977-985.	4.2	30

#	ARTICLE	IF	CITATIONS
37	A synchrotron X-ray diffraction study of non-proportional strain-path effects. <i>Acta Materialia</i> , 2017, 124, 290-304.	7.9	30
38	Correlative acoustic time-of-flight spectroscopy and X-ray imaging to investigate gas-induced delamination in lithium-ion pouch cells during thermal runaway. <i>Journal of Power Sources</i> , 2020, 470, 228039.	7.8	30
39	In situ X-ray quantification of melt pool behaviour during directed energy deposition additive manufacturing of stainless steel. <i>Materials Letters</i> , 2021, 286, 129205.	2.6	28
40	The effect of cell geometry and trigger method on the risks associated with thermal runaway of lithium-ion batteries. <i>Journal of Power Sources</i> , 2022, 524, 230645.	7.8	28
41	In situ characterization of work hardening and springback in grade 2 $\hat{\pm}$ -titanium under tensile load. <i>Acta Materialia</i> , 2019, 181, 87-98.	7.9	26
42	Time-resolved synchrotron tomographic quantification of deformation-induced flow in a semi-solid equiaxed dendritic Al-Cu alloy. <i>Scripta Materialia</i> , 2015, 103, 69-72.	5.2	23
43	Visualization of membrane protein crystals in lipid cubic phase using X-ray imaging. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013, 69, 1252-1259.	2.5	22
44	The influence of grain size on the ductility of micro-scale stainless steel stent struts. <i>Journal of Materials Science: Materials in Medicine</i> , 2006, 17, 1-6.	3.6	21
45	Data processing methods and data acquisition for samples larger than the field of view in parallel-beam tomography. <i>Optics Express</i> , 2021, 29, 17849.	3.4	21
46	Unifying the effects of in and out-of-plane constraint on the fracture of ductile materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2020, 141, 103956.	4.8	21
47	Finite element comparison of performance related characteristics of balloon expandable stents. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2007, 10, 103-110.	1.6	20
48	On the occurrence of a eutectic-type structure in solidification of Al-Zr alloys. <i>Scripta Materialia</i> , 2017, 133, 75-78.	5.2	20
49	Development of an X-ray imaging system to prevent scintillator degradation for white synchrotron radiation. <i>Journal of Synchrotron Radiation</i> , 2018, 25, 801-807.	2.4	20
50	A combined experimental and computational study of deformation in grains of biomedical grade 316LVM stainless steel. <i>Acta Materialia</i> , 2006, 54, 4825-4840.	7.9	19
51	A new parameter for modelling three-dimensional damage evolution validated by synchrotron tomography. <i>Acta Materialia</i> , 2013, 61, 7616-7623.	7.9	19
52	Dark-field hyperspectral X-ray imaging. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2014, 470, 20130629.	2.1	19
53	In-situ synchrotron X-ray radiography observation of primary Al ₂ Cu intermetallic growth on fragments of aluminium oxide film. <i>Materials Letters</i> , 2018, 213, 303-305.	2.6	19
54	Application of neutron imaging to detect and quantify fatigue cracking. <i>International Journal of Mechanical Sciences</i> , 2019, 159, 182-194.	6.7	19

#	ARTICLE	IF	CITATIONS
55	In situ study of the evolution of atomic strain of bulk metallic glass and its effects on shear band formation. <i>Scripta Materialia</i> , 2013, 69, 207-210.	5.2	18
56	Understanding the deformation mechanism of individual phases of a ZrTi-based bulk metallic glass matrix composite using <i>in situ</i> diffraction and imaging methods. <i>Applied Physics Letters</i> , 2014, 104, 031912.	3.3	18
57	Dynamic contact strain measurement by time-resolved stroboscopic energy dispersive synchrotron X-ray diffraction. <i>Strain</i> , 2017, 53, e12221.	2.4	18
58	Mapping of multi-elements during melting and solidification using synchrotron X-rays and pixel-based spectroscopy. <i>Scientific Reports</i> , 2015, 5, 15988.	3.3	17
59	Polycrystal deformation analysis by high energy synchrotron X-ray diffraction on the I12 JEEP beamline at Diamond Light Source. <i>Materials Letters</i> , 2010, 64, 1724-1727.	2.6	16
60	Pore behaviour during semi-solid alloy compression: Insights into defect creation under pressure. <i>Scripta Materialia</i> , 2014, 89, 73-76.	5.2	16
61	In situ measurement of elastic and total strains during ambient and high temperature deformation of a polygranular graphite. <i>Carbon</i> , 2020, 163, 308-323.	10.3	15
62	X-ray micro-tomography of a coronary stent deployed in a model artery. <i>Medical Engineering and Physics</i> , 2007, 29, 1132-1141.	1.7	14
63	A feasibility study of dynamic stress analysis inside a running internal combustion engine using synchrotron X-ray beams. <i>Journal of Synchrotron Radiation</i> , 2013, 20, 316-323.	2.4	14
64	Nonuniqueness of hydrodynamic dispersion revealed using fast 4D synchrotron x-ray imaging. <i>Science Advances</i> , 2021, 7, eabj0960.	10.3	14
65	Experimental investigation into the size effect on the microscale fatigue behaviour of 316L stainless steel. <i>International Journal of Fatigue</i> , 2017, 95, 1-7.	5.7	11
66	Quantifying Microstructural Evolution in Moving Magma. <i>Frontiers in Earth Science</i> , 2020, 8, .	1.8	11
67	Quantification of passivation layer growth in inert anodes for molten salt electrochemistry by <i>in situ</i> energy-dispersive diffraction. <i>Journal of Applied Crystallography</i> , 2012, 45, 28-37.	4.5	10
68	Mapping of axial plastic zone for roller bearing overloads using neutron transmission imaging. <i>Materials and Design</i> , 2018, 156, 103-112.	7.0	10
69	Measurement of strain evolution in overloaded roller bearings using energy dispersive X-ray diffraction. <i>Tribology International</i> , 2019, 140, 105893.	5.9	8
70	Characterization of Ultrasonic Bubble Clouds in A Liquid Metal by Synchrotron X-ray High Speed Imaging and Statistical Analysis. <i>Materials</i> , 2020, 13, 44.	2.9	8
71	A novel technique combining high-resolution synchrotron x-ray microtomography and x-ray diffraction for characterization of micro particulates. <i>Measurement Science and Technology</i> , 2011, 22, 115703.	2.6	7
72	Quantifying damage accumulation during the hot deformation of free-cutting steels using ultra-fast synchrotron tomography. <i>IOP Conference Series: Materials Science and Engineering</i> , 2012, 33, 012038.	0.6	7

#	ARTICLE	IF	CITATIONS
73	On the possibility of using X-ray Compton scattering to study magnetoelectrical properties of crystals. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2016, 72, 197-205.	0.1	7
74	Measurement of strain evolution in overloaded roller bearings using time-of-flight neutron diffraction. <i>Materials and Design</i> , 2020, 190, 108571.	7.0	7
75	Direct observation of the dynamic evolution of precipitates in aluminium alloy 7021 at high strain rates via high energy synchrotron X-rays. <i>Acta Materialia</i> , 2021, 205, 116532.	7.9	7
76	In situ mapping of normal strains in the field of a growing fatigue crack in a steel weld using digital image correlation and energy dispersive synchrotron X-ray diffraction. <i>International Journal of Fatigue</i> , 2018, 115, 11-19.	5.7	6
77	Obtaining local reciprocal lattice vectors from finite-element analysis. <i>Journal of Synchrotron Radiation</i> , 2008, 15, 584-592.	2.4	5
78	Ray traces of an arbitrarily deformed double-crystal Laue x-ray monochromator. <i>Proceedings of SPIE</i> , 2008, , .	0.8	5
79	A Synchrotron X-Ray Radiography Investigation of Induced Dendrite Fragmentation in Al-15wt%Cu. <i>Materials Science Forum</i> , 0, 765, 210-214.	0.3	5
80	Data and videos for ultrafast synchrotron X-ray imaging studies of metal solidification under ultrasound. <i>Data in Brief</i> , 2018, 17, 837-841.	1.0	5
81	Estimating single-crystal elastic constants of polycrystalline \hat{I}^2 metastable titanium alloy: A Bayesian inference analysis based on high energy X-ray diffraction and micromechanical modeling. <i>Acta Materialia</i> , 2021, 208, 116762.	7.9	5
82	High-Energy Adventures at Diamond Light Source. <i>Synchrotron Radiation News</i> , 2020, 33, 31-36.	0.8	5
83	Bonding of single crystal silicon to Cu and AlN: Trial results. <i>Science and Technology of Welding and Joining</i> , 2009, 14, 1-3.	3.1	4
84	Synchrotron X-ray Tomographic Quantification of Deformation Induced Strain Localisation in Semi-solid Al- 15wt.%Cu. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015, 84, 012079.	0.6	4
85	Localised prior strain-hardening increases the tearing resistance of ductile steel. <i>International Journal of Mechanical Sciences</i> , 2019, 150, 103-111.	6.7	4
86	A novel electromagnetic apparatus for in-situ synchrotron X-ray imaging study of the separation of phases in metal solidification. <i>HardwareX</i> , 2020, 7, e00104.	2.2	4
87	Mechanistic insights into the initial explosion in the deflagration-to-detonation transition. <i>Combustion and Flame</i> , 2022, 242, 112175.	5.2	4
88	Comparison of EM-CCD and scientific CMOS based camera systems for high resolution X-ray imaging and tomography applications. <i>Journal of Instrumentation</i> , 2014, 9, P06017-P06017.	1.2	3
89	Energy dispersive detector for white beam synchrotron x-ray fluorescence imaging. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	3
90	Validating 3D two-parameter fracture mechanics models for structural integrity assessments. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 103, 102281.	4.7	3

#	ARTICLE	IF	CITATIONS
91	Mechanisms controlling ductility loss from abrupt Strain Path Changes in a low carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 843, 143091.	5.6	3
92	Mechanical characterisation of V-4Cr-4Ti alloy: Tensile tests under high energy synchrotron diffraction. <i>Journal of Nuclear Materials</i> , 2022, 569, 153911.	2.7	3
93	An Experimental Procedure to Determine the Interaction between Applied Loads and Residual Stresses. <i>Materials Science Forum</i> , 0, 768-769, 733-740.	0.3	2
94	Development of EMCCD-based X-ray detector for synchrotron applications. <i>Electronics Letters</i> , 2014, 50, 1224-1226.	1.0	2
95	Preliminary paleohistological observations of the StW 573 (â€˜Little Footâ€™) skull. <i>ELife</i> , 2021, 10, .	6.0	2
96	An <i>in operando</i> spatially resolved study of alkaline battery discharge using a novel hyperspectral detector and X-ray tomography. <i>Journal of Applied Crystallography</i> , 2020, 53, 1434-1443.	4.5	2
97	Implementing and evaluating far-field 3D X-ray diffraction at the I12 JEEP beamline, Diamond Light Source. <i>Journal of Synchrotron Radiation</i> , 2022, 29, 1043-1053.	2.4	2
98	Direct Observation of Elastic and Plastic Strain Fields During Ductile Tearing of a Ferritic Steel. , 2016, , .		1
99	The transit to detonation in high explosives. <i>AIP Conference Proceedings</i> , 2020, , .	0.4	1
100	High speed synchrotron X-ray imaging of ultrasonic bubble cloud in liquid metal. <i>Journal of Physics: Conference Series</i> , 2015, 656, 012178.	0.4	0
101	In Situ Observation of Fragmentation of Primary Crystals by Ultrasonic Cavitation in Water. <i>Minerals, Metals and Materials Series</i> , 2017, , 213-219.	0.4	0
102	Understanding the Highly Dynamic Phenomena in Ultrasonic Melt Processing by Ultrafast Synchrotron X-ray Imaging. <i>Minerals, Metals and Materials Series</i> , 2019, , 1539-1544.	0.4	0