Xing-Cong Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3285140/publications.pdf

Version: 2024-02-01

159585 175258 2,823 66 30 52 citations g-index h-index papers 69 69 69 3738 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Molecular Targets of Cannabinoids Associated with Depression. Current Medicinal Chemistry, 2022, 29, 1827-1850.	2.4	2
2	Cytotoxic Diterpenoids from <i>Euphorbia fischeriana</i> . Chemistry and Biodiversity, 2021, 18, e2000919.	2.1	10
3	Synthesis and Antifungal Activity Evaluation of Phloeodictine Analogues. Journal of Natural Products, 2021, 84, 2129-2137.	3.0	1
4	Identification of Antifungal Bisphosphocholines from Medicinal <i>Gentiana</i> Species. Journal of Natural Products, 2020, 83, 3207-3211.	3.0	5
5	Comparison of Chemical Compositions of the Pepper EOs From Different Cultivars and Their AChE Inhibitory Activity. Natural Product Communications, 2020, 15, 1934578X2097146.	0.5	3
6	Chemometrics-Assisted Identification of Anti-Inflammatory Compounds from the Green Alga Klebsormidium flaccidum var. zivo. Molecules, 2020, 25, 1048.	3.8	5
7	Puupehenone, a Marine-Sponge-Derived Sesquiterpene Quinone, Potentiates the Antifungal Drug Caspofungin by Disrupting Hsp90 Activity and the Cell Wall Integrity Pathway. MSphere, 2020, 5, .	2.9	13
8	Pyridine Alkaloids in the Venom of Imported Fire Ants. Journal of Agricultural and Food Chemistry, 2019, 67, 11388-11395.	5.2	17
9	Quantitative determination and pharmacokinetic study of fusaricidin A in mice plasma and tissues using ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2019, 170, 187-192.	2.8	7
10	Identification of fusaricidins from the antifungal microbial strain Paenibacillus sp. MS2379 using ultra-high performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2019, 1586, 91-100.	3.7	8
11	Unequivocal determination of caulamidines A and B: application and validation of new tools in the structure elucidation tool box. Chemical Science, 2018, 9, 307-314.	7.4	55
12	Anti-Leishmanial and Cytotoxic Activities of a Series of Maleimides: Synthesis, Biological Evaluation and Structure-Activity Relationship. Molecules, 2018, 23, 2878.	3.8	22
13	Synthesis and Anti-Inflammatory Activities of Phloroglucinol-Based Derivatives. Molecules, 2018, 23, 3232.	3.8	17
14	Bioactive Penicipyrrodiether A, an Adduct of GKK1032 Analogue and Phenol A Derivative, from a Marine-Sourced Fungus <i>Penicillium</i> sp. ZZ380. Journal of Organic Chemistry, 2018, 83, 13395-13401.	3.2	47
15	Chloramphenicol Derivatives with Antibacterial Activity Identified by Functional Metagenomics. Journal of Natural Products, 2018, 81, 1321-1332.	3.0	28
16	Chemical Composition and Acetylcholinesterase Inhibitory Activity of Essential Oils from <i>Piper</i> Species. Journal of Agricultural and Food Chemistry, 2017, 65, 3702-3710.	5.2	48
17	Biological evaluation of phytoconstituents from <i>Polygonum hydropiper</i> . Natural Product Research, 2017, 31, 2053-2057.	1.8	27
18	Synthesis and Antimicrobial Evaluation of Fire Ant Venom Alkaloid Based 2-Methyl-6-alkyl-Î" < sup > 1,6 < /sup > -piperideines. Journal of Natural Products, 2017, 80, 2795-2798.	3.0	10

#	Article	IF	Citations
19	Protocol for Identifying Natural Agents That Selectively Affect Adhesion, Thickness, Architecture, Cellular Phenotypes, Extracellular Matrix, and Human White Blood Cell Impenetrability of Candida albicans Biofilms. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	8
20	Antifungal Amide Alkaloids from the Aerial Parts of Piper flaviflorum and Piper sarmentosum. Planta Medica, 2017, 83, 143-150.	1.3	19
21	Synthesis of Natural Acylphloroglucinol-Based Antifungal Compounds against Cryptococcus Species. Journal of Natural Products, 2016, 79, 2195-2201.	3.0	13
22	Chemical constituents from <i>Piper hainanense</i> and their cytotoxicities. Journal of Asian Natural Products Research, 2016, 18, 730-736.	1.4	4
23	Asymmetric synthesis of N-protected 3-methylpiperidin-2-one and its diastereoisomer. Journal of Zhejiang University: Science A, 2016, 17, 163-170.	2.4	1
24	Lignans and aromatic glycosides from Piper wallichii and their antithrombotic activities. Journal of Ethnopharmacology, 2015, 162, 87-96.	4.1	36
25	Chemical and Biological Study of Flueggea virosa Native to Saudi Arabia. Chemistry of Natural Compounds, 2015, 51, 187-188.	0.8	9
26	LC-MS- and ¹ H NMR Spectroscopy-Guided Identification of Antifungal Diterpenoids from <i>Sagittaria latifolia</i> . Journal of Natural Products, 2015, 78, 2255-2259.	3.0	13
27	UPLC-MS-ELSD-PDA as a Powerful Dereplication Tool to Facilitate Compound Identification from Small-Molecule Natural Product Libraries. Journal of Natural Products, 2014, 77, 902-909.	3.0	41
28	Eucalmaidials A and B, phloroglucinol-coupled sesquiterpenoids from the juvenile leaves of Eucalyptus maideni. RSC Advances, 2014, 4, 21373-21378.	3.6	23
29	Synthesis and antifungal activities of miltefosine analogs. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 4828-4831.	2.2	20
30	A Potent Plant-Derived Antifungal Acetylenic Acid Mediates Its Activity by Interfering with Fatty Acid Homeostasis. Antimicrobial Agents and Chemotherapy, 2012, 56, 2894-2907.	3.2	20
31	Incarviatone A, a structurally unique natural product hybrid with a new carbon skeleton from Incarvillea delavayi, and its absolute configuration via calculated electronic circular dichroic spectra. RSC Advances, 2012, 2, 4175.	3.6	17
32	Natural Product-Based 6-Hydroxy-2,3,4,6-tetrahydropyrrolo[1,2- <i>a</i>)]pyrimidinium Scaffold as a New Antifungal Template. ACS Medicinal Chemistry Letters, 2011, 2, 391-395.	2.8	18
33	Synthesis and Antifungal Activity of Natural Product-Based 6-Alkyl-2,3,4,5-tetrahydropyridines. Journal of Natural Products, 2011, 74, 2023-2026.	3.0	17
34	Antifungal Compounds from Piper Species. Current Bioactive Compounds, 2011, 7, 262-267.	0.5	21
35	Determination of Absolute Configuration of Natural Products: Theoretical Calculation of Electronic Circular Dichroism as a Tool. Current Organic Chemistry, 2010, 14, 1678-1697.	1.6	250
36	Intramolecular Transacetylation in Salvinorins D and E. Journal of Natural Products, 2010, 73, 707-708.	3.0	17

#	Article	IF	Citations
37	4-Arylflavan-3-ols as Proanthocyanidin Models: Absolute Configuration via Density Functional Calculation of Electronic Circular Dichroism. Journal of Natural Products, 2010, 73, 435-440.	3.0	41
38	Automated High-Throughput System to Fractionate Plant Natural Products for Drug Discovery. Journal of Natural Products, 2010, 73, 751-754.	3.0	79
39	Pregnane glycosides from Hoodia gordonii. Phytochemistry, 2009, 70, 675-683.	2.9	41
40	Puupehanol, a sesquiterpene-dihydroquinone derivative from the marine sponge Hyrtios sp Bioorganic and Medicinal Chemistry Letters, 2009, 19, 6140-6143.	2,2	28
41	Verbesinosides Aâ^'F, 15,27-Cyclooleanane Saponins from the American Native Plant Verbesina virginica. Journal of Natural Products, 2009, 72, 1022-1027.	3.0	6
42	Beyond Polymaxenolide: Cembrane-Africanane Terpenoids from the Hybrid Soft Coral <i>Sinularia maxima</i> × <i>S. polydactyla</i> Journal of Natural Products, 2009, 72, 900-905.	3.0	30
43	Antioxidant Activity of the Dihydrochalcones Aspalathin and Nothofagin and Their Corresponding Flavones in Relation to Other Rooibos (Aspalathus linearis) Flavonoids, Epigallocatechin Gallate, and Trolox. Journal of Agricultural and Food Chemistry, 2009, 57, 6678-6684.	5.2	123
44	Theoretical Calculation of Electronic Circular Dichroism of a Hexahydroxydiphenoyl-Containing Flavanone Glycoside. Journal of Natural Products, 2009, 72, 327-335.	3.0	48
45	Cycloabiesesquine A, a unique sesquiterpenoid from Abies delavayi. Chemical Communications, 2009, , 3771 .	4.1	32
46	Sorocenols G and H, Anti-MRSA Oxygen Heterocyclic Dielsâ^'Alder-Type Adducts from Sorocea muriculata Roots. Journal of Natural Products, 2008, 71, 1764-1767.	3.0	16
47	Cycloartane Glycosides from <i>Sutherlandia frutescens</i> . Journal of Natural Products, 2008, 71, 1749-1753.	3.0	58
48	Potent In Vitro Antifungal Activities of Naturally Occurring Acetylenic Acids. Antimicrobial Agents and Chemotherapy, 2008, 52, 2442-2448.	3.2	64
49	Enantiomeric Discorhabdin Alkaloids and Establishment of Their Absolute Configurations Using Theoretical Calculations of Electronic Circular Dichroism Spectra. Journal of Organic Chemistry, 2008, 73, 9133-9136.	3.2	48
50	Structure and Biosynthesis of Heat-Stable Antifungal Factor (HSAF), a Broad-Spectrum Antimycotic with a Novel Mode of Action. Antimicrobial Agents and Chemotherapy, 2007, 51, 64-72.	3.2	246
51	Theoretical Calculation of Electronic Circular Dichroism of the Rotationally Restricted 3,8â€~〉â€~-Biflavonoid Morelloflavone. Journal of Organic Chemistry, 2007, 72, 9010-9017.	3.2	108
52	Synthesis, Antifungal Activity, and Structureâ^'Activity Relationships of Coruscanone A Analogues. Journal of Medicinal Chemistry, 2006, 49, 7877-7886.	6.4	65
53	Capisterones A and B, which Enhance Fluconazole Activity in Saccharomyces cerevisiae, from the Marine Green Alga Penicillus capitatus. Journal of Natural Products, 2006, 69, 542-546.	3.0	33
54	Antifungal Activity of C-27 Steroidal Saponins. Antimicrobial Agents and Chemotherapy, 2006, 50, 1710-1714.	3.2	181

#	Article	IF	CITATIONS
55	Phenolic Glycosides fromPotalia amara. Planta Medica, 2005, 71, 977-979.	1.3	14
56	Antifungal Cyclopentenediones from Piper coruscans. Journal of the American Chemical Society, 2004, 126, 6872-6873.	13.7	49
57	Hypoxia-Inducible Factor-1 Activation by (â^')-Epicatechin Gallate:Â Potential Adverse Effects of Cancer Chemoprevention with High-Dose Green Tea Extracts. Journal of Natural Products, 2004, 67, 2063-2069.	3.0	90
58	Antimicrobial and Antiparasitic (+)-trans-Hexahydrodibenzopyrans and Analogues fromMachaeriummultiflorum. Journal of Natural Products, 2003, 66, 804-809.	3.0	88
59	Acetylenic Acids Inhibiting Azole-ResistantCandidaalbicansfromPentagoniagigantifolia. Journal of Natural Products, 2003, 66, 1132-1135.	3.0	31
60	Fatty Acid Synthase Inhibitors from Plants:Â Isolation, Structure Elucidation, and SAR Studies. Journal of Natural Products, 2002, 65, 1909-1914.	3.0	88
61	Absolute configuration, conformation, and chiral properties of flavanone-(3→8″)-flavone biflavonoids from Rheedia acuminata. Tetrahedron, 2002, 58, 8709-8717.	1.9	62
62	A New Naphthopyrone Derivative from Cassia quinquangulata and Structural Revision of Quinquangulin and Its Glycosides. Journal of Natural Products, 2001, 64, 1153-1156.	3.0	18
63	Oligomeric proanthocyanidins: naturally occurring O-heterocycles (January 1996 to December 1998). Natural Product Reports, 2000, 17, 193-212.	10.3	77
64	Two Auronols fromPseudolarixamabilis. Journal of Natural Products, 1999, 62, 767-769.	3.0	35
65	Antimicrobial compounds from Ceanothus americanus against oral pathogens. Phytochemistry, 1997, 46, 97-102.	2.9	98
66	Triterpenoid saponins from Pulsatilla campanella. Phytochemistry, 1990, 29, 595-599.	2.9	54