

Odimar Zanuzo Zanardi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3291908/publications.pdf>

Version: 2024-02-01

44

papers

830

citations

471509

17

h-index

552781

26

g-index

44

all docs

44

docs citations

44

times ranked

836

citing authors

#	ARTICLE	IF	CITATIONS
1	Bioactivity of a matrine-based biopesticide against four pest species of agricultural importance. <i>Crop Protection</i> , 2015, 67, 160-167.	2.1	85
2	The impact of four widely used neonicotinoid insecticides on <i>Tetragonisca angustula</i> (Latreille) (Hymenoptera: Apidae). <i>Chemosphere</i> , 2019, 224, 65-70.	8.2	45
3	Comparative toxicity of an acetogenin-based extract and commercial pesticides against citrus red mite. <i>Experimental and Applied Acarology</i> , 2014, 64, 87-98.	1.6	41
4	Orange jasmine as a trap crop to control <i>Diaphorina citri</i> . <i>Scientific Reports</i> , 2019, 9, 2070.	3.3	40
5	Putative sex pheromone of the Asian citrus psyllid, <i>Diaphorina citri</i> , breaks down into an attractant. <i>Scientific Reports</i> , 2018, 8, 455.	3.3	37
6	Susceptibility of <i>Ceraeochrysa cubana</i> larvae and adults to six insect growth-regulator insecticides. <i>Chemosphere</i> , 2017, 168, 49-57.	8.2	34
7	Toxicities and Residual Effects of Toxic Baits Containing Spinosad or Malathion to Control the Adult <i>Anastrepha fraterculus</i> (Diptera: Tephritidae). <i>Florida Entomologist</i> , 2015, 98, 202-208.	0.5	31
8	Impact of insect growth regulators on the predator <i>Ceraeochrysa cincta</i> (Schneider) (Neuroptera: Chrysopidae). <i>Entomophaga</i> , 2014, 59, 24-29.	2.4	29
9	Oral acute toxicity and impact of neonicotinoids on <i>Apis mellifera</i> L. and <i>Scaptotrigona postica</i> Latreille (Hymenoptera: Apidae). <i>Ecotoxicology</i> , 2019, 28, 744-753.	2.4	29
10	Are the Pupae and Eggs of the Lacewing <i>Ceraeochrysa cubana</i> (Neuroptera: Chrysopidae) Tolerant to Insecticides?. <i>Journal of Economic Entomology</i> , 2015, 108, 2630-2639.	1.8	26
11	Comportamento vegetativo e produtivo de videiras 'Cabernet sauvignon' cultivadas sob cobertura plástica. <i>Revista Brasileira De Fruticultura</i> , 2008, 30, 148-153.	0.5	26
12	Disponibilidade de luz em macieiras 'Fuji' cobertas com telas antigranizo e seus efeitos sobre a fotossíntese, o rendimento e a qualidade dos frutos. <i>Revista Brasileira De Fruticultura</i> , 2009, 31, 664-670.	0.5	23
13	The impact of six insecticides commonly used in control of agricultural pests on the generalist predator <i>Hippodamia convergens</i> (Coleoptera: Coccinellidae). <i>Chemosphere</i> , 2017, 186, 218-226.	8.2	23
14	Processed kaolin affects the probing and settling behavior of <i>Diaphorina citri</i> (Hemiptera: Liviidae). <i>Pest Management Science</i> , 2018, 74, 1964-1972.	3.4	23
15	Toxicity of an azadirachtin-based biopesticide on <i>Diaphorina citri</i> Kuwayama (Hemiptera: Liviidae) and its ectoparasitoid <i>Tamarixia radiata</i> (Waterston) (Hymenoptera: Eulophidae). <i>Crop Protection</i> , 2015, 74, 116-123.	2.1	22
16	Impact of five insecticides used to control citrus pests on the parasitoid <i>Ageniaspis citricola</i> Longvinovskaya (Hymenoptera: Encyrtidae). <i>Ecotoxicology</i> , 2016, 25, 1011-1020.	2.4	22
17	Selection of <i>Bacillus thuringiensis</i> strains in citrus and their pathogenicity to <i>Diaphorina citri</i> (Hemiptera: Liviidae) nymphs. <i>Insect Science</i> , 2020, 27, 519-530.	3.0	20
18	Quantificação da destrutiva de clorofilas em folhas através de módulo colorimétrico. <i>Horticultura Brasileira</i> , 2008, 26, 471-475.	0.5	20

#	ARTICLE	IF	CITATIONS
19	Lethal and Sublethal Impacts of Acaricides on <i>Tamarixia radiata</i> (Hemiptera: Eulophidae), an Important Ectoparasitoid of <i>Diaphorina citri</i> (Hemiptera: Liviidae). Journal of Economic Entomology, 2015, 108, 2278-2288.	1.8	17
20	Sublethal effects of pyrethroid and neonicotinoid insecticides on <i>Iphiseiodes zuluagai</i> Denmark and Muma (Mesostigmata: Phytoseiidae). Ecotoxicology, 2017, 26, 1188-1198.	2.4	17
21	Leaf age affects the efficacy of insecticides to control Asian citrus psyllid, <i>Diaphorina citri</i> (Hemiptera: Liviidae). Journal of Applied Entomology, 2018, 142, 689-695.	1.8	17
22	Lethal and Sublethal Toxicity of Insecticides to the Lacewing <i>Ceraeochrysa Cubana</i> . Neotropical Entomology, 2019, 48, 162-170.	1.2	16
23	Laboratory and field evaluation of acetic acid-based lures for male Asian citrus psyllid, <i>Diaphorina citri</i> . Scientific Reports, 2019, 9, 12920.	3.3	15
24	Quantificação da área e do teor de clorofilas em folhas de plantas jovens de videira 'Cabernet Sauvignon' mediante mês de todos os níveis de destrutivos. Revista Brasileira De Fruticultura, 2009, 31, 680-686.	0.5	15
25	Development of a Methodology and Evaluation of Pesticides Against <i>Aceria litchii</i> and Its Predator <i>Phytoseius intermedium</i> (Acar: Eriophyidae, Phytoseiidae). Journal of Economic Entomology, 2013, 106, 2183-2189.	1.8	14
26	Development and reproduction of <i>Panonychus citri</i> (Prostigmata: Tetranychidae) on different species and varieties of citrus plants. Experimental and Applied Acarology, 2015, 67, 565-581.	1.6	14
27	Spraying pyrethroid and neonicotinoid insecticides can induce outbreaks of <i>Panonychus citri</i> (Trombidiformes: Tetranychidae) in citrus groves. Experimental and Applied Acarology, 2018, 76, 339-354.	1.6	14
28	Burrknots as Food Source for Larval Development of <i>Grapholita molesta</i> (Lepidoptera: Tortricidae). Ecotoxicology and Environmental Safety, 2019, 176, 339-345.	1.4	13
29	Impacts of seven insecticides on <i>Cotesia flavipes</i> (Cameron) (Hymenoptera: Braconidae). Ecotoxicology, 2019, 28, 1210-1219.	2.4	13
30	Bioactivity of an oxymatrine-based commercial formulation against <i>Brevipalpus yothersi</i> Baker and its effects on predatory mites in citrus groves. Ecotoxicology and Environmental Safety, 2019, 176, 339-345.	6.0	13
31	Desenvolvimento e reprodução da mosca-do-mediterrâneo em caqui, macieira, pêssego e videira. Pesquisa Agropecuária Brasileira, 2011, 46, 682-688.	0.9	12
32	Behavioral responses of <i>Diaphorina citri</i> to host plant volatiles in multiple-choice olfactometers are affected in interpretable ways by effects of background colors and airflows. PLoS ONE, 2020, 15, e0235630.	2.5	12
33	Spray volumes and frequencies of insecticide applications for suppressing <i>Diaphorina citri</i> populations in orchards. Crop Protection, 2021, 140, 105406.	2.1	11
34	O tratamento pós-colheita com aminoetoxivinilglicina ou ácido giberelílico preserva a qualidade pós-colheita de ameixas 'Laetitia'. Bragantia, 2011, 70, 222-227.	1.3	10
35	Quantificação de clorofilas em folhas de macieiras 'Royal Gala' e 'Fuji' com mês de todos os níveis de destrutivos. Revista Brasileira De Fruticultura, 2008, 30, 590-595.	0.5	6
36	Toxicity of an Annonin-Based Commercial Bioinsecticide Against Three Primary Pest Species of Stored Products. Neotropical Entomology, 2018, 47, 145-151.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Controle químico da forma galácola da filoxera <i>Daktulosphaira vitifoliae</i> (Fitch, 1856) (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 0.5		
38	Amadurecimento de kiwis 'bruno' submetidos ao dano mecânico de impacto e ao tratamento com 1-metilciclopropeno. Bragantia, 2010, 69, 753-758.	1.3	3
39	Susceptibility of <i>Euseius concordis</i> (Mesostigmata: Phytoseiidae) to pesticides used in citrus production systems. Experimental and Applied Acarology, 2017, 73, 61-77.	1.6	3
40	Oxymatrine-based bioacaricide as a management tool against <i>Oligonychus ilicis</i> (McGregor) (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.1	
41	Lethal and sublethal effects of insecticides on the survival and reproduction of <i>Brevipalpus yothersi</i> (Acari: Tenuipalpidae). Experimental and Applied Acarology, 2021, 85, 191-204.	1.6	3
42	Qualidade de maçãs 'Fuji Suprema' submetidas a diferentes tipos de dano mecânico. Revista Brasileira De Fruticultura, 2011, 33, 671-675.	0.5	2
43	Biological and demographic parameters of <i>Tegolophus brunneus</i> (Acari: Eriophyidae) in citrus. Experimental and Applied Acarology, 2019, 79, 35-46.	1.6	2
44	Controle químico da <i>Argyrotaenia sphaleropa</i> (Meyrick) (Lepidoptera: Tortricidae) e da <i>Hypocala andremona</i> (Stoll) (Lepidoptera: Noctuidae) em laboratório. Ciencia Rural, 2006, 36, 717-724.	0.5	1