

Kiyohide Fushimi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3302506/publications.pdf>

Version: 2024-02-01

306
papers

10,751
citations

109321

35
h-index

40979

93
g-index

317
all docs

317
docs citations

317
times ranked

13418
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between pre-hospitalization home-based medical care of elderly patients who died from pneumonia and inpatient aggressive therapy in Japan. <i>Progress in Palliative Care</i> , 2022, 30, 29-36.	1.2	0
2	Treatments and outcomes of generalized pustular psoriasis: A cohort of 1516 patients in a nationwide inpatient database in Japan. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 1266-1274.	1.2	57
3	Effect of Branched-Chain Amino Acid Infusion on In-Hospital Mortality of Patients With Hepatic Encephalopathy and End-Stage Kidney Disease: A Retrospective Cohort Study Using a National Inpatient Database. , 2022, 32, 432-440.		2
4	New machine learning scoring system for predicting postoperative mortality in gastroduodenal ulcer perforation: A study using a Japanese nationwide inpatient database. <i>Surgery</i> , 2022, 171, 1036-1042.	1.9	5
5	Association of ambient temperature and sun exposure with hip fractures in Japan: A time-series analysis using nationwide inpatient database. <i>Science of the Total Environment</i> , 2022, 807, 150774.	8.0	5
6	Associations of Government-issued Intensive Care Unit Admission Criteria with Clinical Practices, Outcomes, and Intensive Care Unit Bed Occupancy. <i>Annals of the American Thoracic Society</i> , 2022, 19, 1013-1021.	3.2	5
7	Association Between Diabetes and Major Bleeding Complications of Renal Biopsy. <i>Kidney International Reports</i> , 2022, 7, 232-240.	0.8	7
8	Association of body mass index with <i>Clostridioides difficile</i> infection among older patients with pneumonia in Japan. <i>Geriatrics and Gerontology International</i> , 2022, 22, 63-67.	1.5	3
9	Development of Deep Learning Models for Predicting In-Hospital Mortality Using an Administrative Claims Database: Retrospective Cohort Study. <i>JMIR Medical Informatics</i> , 2022, 10, e27936.	2.6	2
10	Use of naldemedine is associated with reduced incidence of hyperactive delirium in cancer patients with opioid-induced constipation: A nationwide retrospective cohort study in Japan. <i>Pharmacotherapy</i> , 2022, 42, 241-249.	2.6	4
11	Impact of orthogeriatric care management by orthopedic surgeons and physicians on in-hospital clinical outcomes: A difference-in-difference analysis. <i>Geriatrics and Gerontology International</i> , 2022, 22, 138-144.	1.5	1
12	Trends in complications after functional endoscopic sinus surgery in Japan: A comparison with a previous study(2007-2013 vs. 2013-2017). <i>Nihon Jibi Inkoka Tokeibu Geka Gakkai Kaiho</i> , 2022, 125, 325-327.	0.1	0
13	Epidemiologic evaluation of pleurisy diagnosed by surgical pleural biopsy using data from a nationwide administrative database. <i>Thoracic Cancer</i> , 2022, 13, 1136-1142.	1.9	2
14	Effects of additive corticosteroid therapy on 90-day survival in patients with community-onset pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 496-503.	1.7	1
15	Direct oral anticoagulants versus warfarin for secondary prevention of cerebral infarction and bleeding in older adults with atrial fibrillation. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2029-2039.	2.6	4
16	Risk factors for in-hospital mortality in patients with advanced lung cancer with interstitial pneumonia undergoing systemic chemotherapy: A retrospective and observational study using a nationwide administrative database in Japan. <i>Thoracic Cancer</i> , 2022, 13, 236-246.	1.9	4
17	Analysis of the disease activity of ulcerative colitis with and without concomitant primary sclerosing cholangitis: An investigation using a nationwide database in Japan. <i>JGH Open</i> , 2022, 6, 50-56.	1.6	5
18	Effectiveness of colonic stent placement for obstructive colorectal cancers: An analysis of short-term results using a nationwide database in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1316-1325.	2.8	8

#	ARTICLE	IF	CITATIONS
19	Gabapentinoid Use Is Associated With Reduced Occurrence of Hyperactive Delirium in Older Cancer Patients Undergoing Chemotherapy: A Nationwide Retrospective Cohort Study in Japan. <i>Anesthesia and Analgesia</i> , 2022, 135, 362-369.	2.2	1
20	Hospital-onset sepsis and community-onset sepsis in critical care units in Japan: a retrospective cohort study based on a Japanese administrative claims database. <i>Critical Care</i> , 2022, 26, 136.	5.8	14
21	Acute Pancreatitis in Japan. <i>Pancreas</i> , 2022, 51, 261-268.	1.1	4
22	Association between early diagnosis of and inpatient mortality from invasive pulmonary aspergillosis among patients without immunocompromised host factors: a nationwide observational study. <i>International Journal of Infectious Diseases</i> , 2022, 122, 279-284.	3.3	2
23	Cost of postoperative complications of lower anterior resection for rectal cancer: a nationwide registry study of 15,187 patients. <i>Surgery Today</i> , 2022, 52, 1766-1774.	1.5	2
24	Fractures within 2 years of an obstetric hospitalization: analysis of nationwide administrative data in Japan. <i>Journal of Bone and Mineral Metabolism</i> , 2022, 40, 748-754.	2.7	3
25	Temporal trends in clinical characteristics and in-hospital mortality among patients with COVID-19 in Japan for waves 1, 2, and 3: A retrospective cohort study. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 1393-1401.	1.7	4
26	Temporal trends of medical cost and cost-effectiveness in sepsis patients: a Japanese nationwide medical claims database. <i>Journal of Intensive Care</i> , 2022, 10, .	2.9	8
27	Laparoscopic versus open distal pancreatectomy with or without splenectomy: A propensity score analysis in Japan. <i>International Journal of Surgery</i> , 2022, 104, 106765.	2.7	3
28	Dexmedetomidine and Mortality From Sepsis Requiring Mechanical Ventilation: A Japanese Nationwide Retrospective Cohort Study. <i>Journal of Intensive Care Medicine</i> , 2021, 36, 1036-1043.	2.8	16
29	Type of bone graft and primary diagnosis were associated with nosocomial surgical site infection after high tibial osteotomy: analysis of a national database. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 429-436.	4.2	16
30	Association between rehabilitation during hospitalization and perinatal outcomes among pregnant women with threatened preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1028-1033.	1.5	12
31	Seasonal impact on surgical site infections in hip fracture surgery: Analysis of 330,803 cases using a nationwide inpatient database. <i>Injury</i> , 2021, 52, 898-904.	1.7	12
32	Factors affecting in-hospital mortality of diabetic ketoacidosis patients: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108588.	2.8	8
33	Association between parenteral nutrition in the early phase and outcomes in patients with abdominal trauma undergoing emergency laparotomy: A retrospective nationwide study. <i>Clinical Nutrition ESPEN</i> , 2021, 41, 371-376.	1.2	1
34	Efficacy of urgent colonoscopy for colonic diverticular bleeding: A propensity score-matched analysis using a nationwide database in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1598-1604.	2.8	11
35	Effect of tranexamic acid in patients with colonic diverticular bleeding: A nationwide inpatient database study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 999-1005.	2.8	5
36	Improvement in Activities of Daily Living after Cataract Surgery in the Very Old. <i>Annals of Clinical Epidemiology</i> , 2021, 3, 109-115.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Safety and effectiveness of intracardiac echocardiography in ventricular tachycardia ablation: a nationwide observational study. <i>Heart and Vessels</i> , 2021, 36, 1009-1015.	1.2	6
38	Unicompartmental knee arthroplasty is associated with lower proportions of surgical site infection compared with total knee arthroplasty: A retrospective nationwide database study. <i>Knee</i> , 2021, 28, 124-130.	1.6	10
39	History and Profile of Diagnosis Procedure Combination (DPC): Development of a Real Data Collection System for Acute Inpatient Care in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 1-11.	2.4	144
40	Outcomes of a financial incentive scheme for dementia care by dementia specialist teams in acute-care hospitals: A difference-in-differences analysis of a nationwide retrospective cohort study in Japan. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1386-1397.	2.7	2
41	Risk factors leading to trabeculectomy surgery of glaucoma patient using Japanese nationwide administrative claims data: a retrospective non-interventional cohort study. <i>BMC Ophthalmology</i> , 2021, 21, 153.	1.4	5
42	Clinical Trajectories of Suicide Attempts and Self-harm in Patients Admitted to Acute-care Hospitals in Japan: A Nationwide Inpatient Database Study. <i>Journal of Epidemiology</i> , 2021, 31, 231-236.	2.4	7
43	Efficacy of Prophylactic Antibiotics during Extracorporeal Membrane Oxygenation: A Nationwide Cohort Study. <i>Annals of the American Thoracic Society</i> , 2021, 18, 1861-1867.	3.2	12
44	Seasonality of mortality and in-hospital complications in hip fracture surgery: Retrospective cohort research using a nationwide inpatient database. <i>Geriatrics and Gerontology International</i> , 2021, 21, 398-403.	1.5	8
45	Association between hospital surgical volume and complications after total hip arthroplasty in femoral neck fracture: A propensity score-matched cohort study. <i>Injury</i> , 2021, 52, 3002-3010.	1.7	5
46	The clinical practice of ulcerative colitis in elderly patients: An investigation using a nationwide database in Japan. <i>JGH Open</i> , 2021, 5, 842-848.	1.6	11
47	Dementia and patient outcomes after hip surgery in older patients: A retrospective observational study using nationwide administrative data in Japan. <i>PLoS ONE</i> , 2021, 16, e0249364.	2.5	3
48	Interrupted time-series analyses of routine vaccination program for elderly pneumonia patients in Japan; an ecological study using aggregated nationwide inpatient data. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 2661-2669.	3.3	0
49	Factors associated with the occurrence of stomal stenosis after tracheostomy in adults. <i>Auris Nasus Larynx</i> , 2021, 48, 973-977.	1.2	4
50	Consultation-liaison psychiatry in Japan: a nationwide retrospective observational study. <i>BMC Psychiatry</i> , 2021, 21, 235.	2.6	4
51	Sodium-containing versus sodium-trace preparations of IVIG for children with Kawasaki disease in the acute phase. <i>European Journal of Pediatrics</i> , 2021, 180, 3279-3286.	2.7	3
52	Effects of polymyxin B hemoperfusion in patients with sepsis requiring continuous hemodiafiltration: Analysis of a nationwide administrative database in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 384-389.	0.9	5
53	Small-bore feeding tube versus large-bore sump tube for early enteral nutrition in mechanically ventilated patients: A nationwide inpatient database study. <i>Clinical Nutrition</i> , 2021, 40, 4113-4119.	5.0	1
54	Associations between early parenteral nutrition and in-hospital outcomes in underweight patients with gastrointestinal surgery. <i>Clinical Nutrition ESPEN</i> , 2021, 43, 464-470.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Current status of intensive end-of-life care in children with hematologic malignancy: a population-based study. <i>BMC Palliative Care</i> , 2021, 20, 82.	1.8	4
56	Age and clinical outcomes after hip fracture surgery: do octogenarian, nonagenarian and centenarian classifications matter?. <i>Age and Ageing</i> , 2021, 50, 1952-1960.	1.6	13
57	Trends in the incidence and outcome of sepsis using data from a Japanese nationwide medical claims database-the Japan Sepsis Alliance (JaSA) study group-. <i>Critical Care</i> , 2021, 25, 338.	5.8	29
58	Trends and safety of robot-assisted partial nephrectomy during the initial 2-year period after government approval in Japan: A nationwide database study from 2016 to 2018. <i>International Journal of Urology</i> , 2021, 28, 1268-1272.	1.0	5
59	Individual and Nationwide Costs for Cancer Care During the First Year After Diagnosis Among Children, Adolescents, and Young Adults in Japan. <i>JCO Oncology Practice</i> , 2021, , OP.21.00364.	2.9	2
60	Consideration on the analysis of the secondary medical sphere of patient residence and the secondary medical sphere of the corresponding facility in patients with subarachnoid hemorrhage. <i>Nosotchu</i> , 2021, 43, 1-7.	0.1	0
61	Association between ambulance use and hospitalization costs among heart failure patients. <i>Heart and Vessels</i> , 2021, 36, 654-658.	1.2	5
62	Potassium Concentration in Initial Fluid Therapy and In-Hospital Mortality of Patients with Diabetic Ketoacidosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2162-e2175.	3.6	4
63	Dose-response association between nurse staffing and patient outcomes following major cancer surgeries using a nationwide inpatient database in Japan. <i>Journal of Clinical Nursing</i> , 2021, , .	3.0	1
64	Burden of kidney disease on the discrepancy between reasons for hospital admission and death: An observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0258846.	2.5	4
65	Hospitalization for ischemic stroke was affected more in independent cases than in dependent cases during the COVID-19 pandemic: An interrupted time series analysis. <i>PLoS ONE</i> , 2021, 16, e0261587.	2.5	6
66	Impact of the COVID-19 pandemic on emergency admission for patients with stroke: a time series study in Japan. <i>Neurological Research and Practice</i> , 2021, 3, 64.	2.0	6
67	Incidence and Age Distribution of Hospitalized Presumptive and Possible Abusive Head Trauma of Children Under 12 Months Old in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 91-97.	2.4	21
68	Hyperbaric oxygen therapy and mortality from carbon monoxide poisoning: A nationwide observational study. <i>American Journal of Emergency Medicine</i> , 2020, 38, 225-230.	1.6	8
69	Effectiveness of regional clinical pathways on postoperative length of stay for hip fracture patients: A retrospective observational study using the Japanese Diagnosis Procedure Combination database. <i>Journal of Orthopaedic Science</i> , 2020, 25, 127-131.	1.1	15
70	Nationwide in-hospital mortality following major fractures among hemodialysis patients and the general population: An observational cohort study. <i>Bone</i> , 2020, 130, 115122.	2.9	11
71	The off-hour effect in severe trauma and the structure of care delivery among Japanese emergency and critical care centers: A retrospective cohort study. <i>Surgery</i> , 2020, 167, 653-660.	1.9	6
72	Early enteral nutrition in patients with severe traumatic brain injury: a propensity score-matched analysis using a nationwide inpatient database in Japan. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 378-384.	4.7	15

#	ARTICLE	IF	CITATIONS
73	Response to the Letter to Editor: “Do Inter-Country Differences in the Frequency of Abusive Head Trauma Reflect Different Proportions of Overdiagnosis of Abuse or True Differences in Abuse?” Journal of Epidemiology, 2020, 30, 278-279.	2.4	1
74	An analysis of equity in treatment of hip fractures for older patients with dementia in acute care hospitals: observational study using nationwide hospital claims data in Japan. BMC Health Services Research, 2020, 20, 830.	2.2	7
75	Association between Hemiarthroplasty vs. Total Hip Arthroplasty and Major Surgical Complications among Patients with Femoral Neck Fracture. Journal of Clinical Medicine, 2020, 9, 3203.	2.4	11
76	Early Arterial Embolization and Mortality in Mechanically Ventilated Patients With Hemoptysis: A Nationwide Retrospective Cohort Study. Critical Care Medicine, 2020, 48, 1480-1486.	0.9	5
77	In-hospital cardiac rehabilitation and clinical outcomes in patients with acute myocardial infarction after percutaneous coronary intervention: a retrospective cohort study. BMJ Open, 2020, 10, e039096.	1.9	8
78	Incidences and risk factors for post-dural puncture headache after neuraxial anaesthesia: A national inpatient database study in Japan. Anaesthesia and Intensive Care, 2020, 48, 381-388.	0.7	10
79	Risk factors related to perioperative systemic complications and mortality in elderly patients with osteoporotic vertebral fractures—analysis of a large national inpatient database. Journal of Orthopaedic Surgery and Research, 2020, 15, 518.	2.3	7
80	Early administration of glucocorticoid for thyroid storm: analysis of a national administrative database. Critical Care, 2020, 24, 470.	5.8	9
81	Proton pump inhibitors versus histamine-2 receptor antagonists for stress ulcer prophylaxis during extracorporeal membrane oxygenation: a propensity score-matched analysis. BMJ Open, 2020, 10, e037534.	1.9	5
82	High-dose versus low-dose intravenous immunoglobulin for treatment of children with Kawasaki disease weighing 25 kg or more. European Journal of Pediatrics, 2020, 179, 1901-1907.	2.7	11
83	Age-dependent influence of premorbid underweight status on mortality in severe burn patients: An administrative database study. Burns, 2020, 47, 1314-1321.	1.9	1
84	Vasodilator Therapy and Mortality in Nonocclusive Mesenteric Ischemia: A Nationwide Observational Study. Critical Care Medicine, 2020, 48, e356-e361.	0.9	15
85	Treatment pattern and outcome of spontaneous coronary artery dissection in Japan. International Journal of Cardiology, 2020, 316, 13-18.	1.7	11
86	Early Versus Late Rib Fixation in Patients With Traumatic Rib Fractures: A Nationwide Study. Annals of Thoracic Surgery, 2020, 110, 988-992.	1.3	17
87	Phenytoin versus fosphenytoin for second-line treatment of status epilepticus: propensity score matching analysis using a nationwide inpatient database. Seizure: the Journal of the British Epilepsy Association, 2020, 80, 124-130.	2.0	5
88	Trends in complications after functional endoscopic sinus surgery in Japan: A comparison with a previous study (2007–2013 vs. 2013–2017). Auris Nasus Larynx, 2020, 47, 814-819.	1.2	11
89	Stress ulcer prophylaxis plus enteral nutrition versus enteral nutrition alone in critically ill patients at risk for gastrointestinal bleeding: a propensity-matched analysis. Intensive Care Medicine, 2020, 46, 1948-1949.	8.2	3
90	Vasopressin versus epinephrine as adjunct vasopressors for septic shock. Intensive Care Medicine, 2020, 46, 1484-1485.	8.2	5

#	ARTICLE	IF	CITATIONS
91	Pituitary surgery's epidemiology using a national inpatient database in Japan. <i>Acta Neurochirurgica</i> , 2020, 162, 1317-1323.	1.7	15
92	Patient characteristics, procedure details including catheter devices, and complications of catheter ablation for ventricular tachycardia: a nationwide observational study. <i>Journal of Arrhythmia</i> , 2020, 36, 464-470.	1.2	4
93	Levetiracetam vs. Fosphenytoin for Second-Line Treatment of Status Epilepticus: Propensity Score Matching Analysis Using a Nationwide Inpatient Database. <i>Frontiers in Neurology</i> , 2020, 11, 615.	2.4	3
94	Optimal use of biologics with endoscopic balloon dilatation for repeated intestinal strictures in Crohn's disease. <i>JGH Open</i> , 2020, 4, 532-540.	1.6	3
95	Association between clinic physician workforce and avoidable readmission: a retrospective database research. <i>BMC Health Services Research</i> , 2020, 20, 125.	2.2	1
96	Outcomes of lactulose plus branched-chain amino acid infusion and lactulose alone for hepatic encephalopathy: A retrospective cohort study using a national inpatient database. <i>Hepatology Research</i> , 2020, 50, 693-703.	3.4	5
97	Mortality and risk assessment for anorexia nervosa in acute-care hospitals: a nationwide administrative database analysis. <i>BMC Psychiatry</i> , 2020, 20, 19.	2.6	35
98	Association between pressure injury status and hospital discharge to home: a retrospective observational cohort study using a national inpatient database. <i>Annals of Clinical Epidemiology</i> , 2020, 2, 38-50.	1.2	7
99	Developing and validating a multivariable prediction model for in-hospital mortality of pneumonia with advanced chronic kidney disease patients: a retrospective analysis using a nationwide database in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 715-724.	1.6	5
100	Effect of Early Tracheostomy on Mortality of Mechanically Ventilated Patients with Guillain-Barré Syndrome: A Nationwide Observational Study. <i>Neurocritical Care</i> , 2020, 33, 759-768.	2.4	5
101	Association between Preventive Administration of Fasudil Hydrochloride and Post-interventional Neurological Outcomes in Patients with Aneurysmal Subarachnoid Hemorrhage. <i>Annals of Clinical Epidemiology</i> , 2020, 2, 107-112.	1.2	1
102	Comparing outcomes after peripheral nerve block versus general anesthesia for lower extremity amputation: a nationwide exploratory retrospective cohort study in Japan. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 399-404.	2.3	9
103	Safety of Laparoscopic Surgery for Benign Diseases during Pregnancy: A Nationwide Retrospective Cohort Study. <i>Journal of Minimally Invasive Gynecology</i> , 2019, 26, 501-506.	0.6	32
104	Disaster-related carbon monoxide poisoning after the Great East Japan Earthquake, 2011: a nationwide observational study. <i>Acute Medicine & Surgery</i> , 2019, 6, 294-300.	1.2	5
105	Volume-outcome relationship in severe operative trauma surgery: A retrospective cohort study using a Japanese nationwide administrative database. <i>Surgery</i> , 2019, 166, 1105-1110.	1.9	3
106	Analysis of concordance with antiemetic guidelines in pediatric, adolescent, and young adult patients with cancer using a large-scale administrative database. <i>Cancer Medicine</i> , 2019, 8, 6243-6249.	2.8	6
107	Machine Learning-Based Prediction Models for 30-Day Readmission after Hospitalization for Chronic Obstructive Pulmonary Disease. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 338-343.	1.6	29
108	Association between Angiotensin-Converting Enzyme Inhibitors and Post-Stroke Aspiration Pneumonia. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 104444.	1.6	7

#	ARTICLE	IF	CITATIONS
109	Association between intravenous contrast media exposure and non-recovery from dialysis-requiring septic acute kidney injury: a nationwide observational study. <i>Intensive Care Medicine</i> , 2019, 45, 1570-1579.	8.2	14
110	Incidence and In-Hospital Mortality of Neonatal Disseminated Intravascular Coagulation in Japan: An Observational Study of a Nationwide Hospital Claims Database. <i>Journal of UOEH</i> , 2019, 41, 295-302.	0.6	8
111	Association of Early Systemic Corticosteroid Therapy with Mortality in Patients with Stevensâ€™Johnson Syndrome or Toxic Epidermal Necrolysis: A Retrospective Cohort Study Using a Nationwide Claims Database. <i>American Journal of Clinical Dermatology</i> , 2019, 20, 579-592.	6.7	19
112	Previously-initiated hemodialysis as prognostic factor for in-hospital mortality in pneumonia patients with stage 5 chronic kidney disease: Retrospective database study of Japanese hospitals. <i>PLoS ONE</i> , 2019, 14, e0213105.	2.5	4
113	Risk factors for early unplanned readmission in patients with bipolar disorder: A retrospective observational study. <i>General Hospital Psychiatry</i> , 2019, 58, 51-58.	2.4	4
114	In-hospital Takotsubo syndrome versus in-hospital acute myocardial infarction among patients admitted for non-cardiac diseases: a nationwide inpatient database study. <i>Heart and Vessels</i> , 2019, 34, 1479-1490.	1.2	4
115	Volume-outcome relationship on survival and cost benefits in severe burn injury: a retrospective analysis of a Japanese nationwide administrative database. <i>Journal of Intensive Care</i> , 2019, 7, 7.	2.9	15
116	Volume effect in paediatric brain tumour resection surgery: analysis of data from the Japanese national inpatient database. <i>European Journal of Cancer</i> , 2019, 109, 111-119.	2.8	14
117	Patient characteristics and in-hospital complications of subcutaneous implantable cardioverter-defibrillator for Brugada syndrome in Japan. <i>Journal of Arrhythmia</i> , 2019, 35, 842-847.	1.2	2
118	Intensive In-Hospital Rehabilitation After Hip Fracture Surgery and Activities of Daily Living in Patients With Dementia: Retrospective Analysis of a Nationwide Inpatient Database. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 2301-2307.	0.9	20
119	Establishing a hospital transfusion management system promotes appropriate clinical use of human albumin in Japan: a nationwide retrospective study. <i>BMC Health Services Research</i> , 2019, 19, 999.	2.2	6
120	Effect of high-dose vitamin C therapy on severe burn patients: a nationwide cohort study. <i>Critical Care</i> , 2019, 23, 407.	5.8	23
121	Effects of preoperative oral management by dentists on postoperative outcomes following esophagectomy. <i>Medicine (United States)</i> , 2019, 98, e15376.	1.0	18
122	Comparison of the association of risperidone and quetiapine with deteriorating performance in walking and dressing in subjects with Parkinsonâ€™s disease. <i>International Clinical Psychopharmacology</i> , 2019, 34, 234-240.	1.7	3
123	Tranexamic acid and post-tonsillectomy hemorrhage: propensity score and instrumental variable analyses. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 249-254.	1.6	14
124	Mortality and morbidity after pancreatoduodenectomy in patients undergoing hemodialysis: Analysis using a national inpatient database. <i>Surgery</i> , 2019, 165, 747-750.	1.9	15
125	Adjunctive Corticosteroids decreased the risk of mortality of non-HIV Pneumocystis Pneumonia. <i>International Journal of Infectious Diseases</i> , 2019, 79, 109-115.	3.3	21
126	Effect of neurologic specialist staffing on 30-day in-hospital mortality after cerebral infarction. <i>Annals of Clinical Epidemiology</i> , 2019, 1, 86-94.	1.2	2

#	ARTICLE	IF	CITATIONS
127	Activity of daily living improvement after cataract surgery for patients in nursing care facilities. <i>Annals of Clinical Epidemiology</i> , 2019, 1, 80-85.	1.2	0
128	Haptoglobin use and acute kidney injury requiring renal replacement therapy among patients with severe burn injury: a nationwide database study. <i>Annals of Clinical Epidemiology</i> , 2019, 1, 69-75.	1.2	1
129	Factors associated with severe postoperative acute respiratory failure requiring high dose corticosteroid therapy. <i>Annals of Clinical Epidemiology</i> , 2019, 1, 31-44.	1.2	0
130	Factors affecting successful atropine therapy for infantile hypertrophic pyloric stenosis: a retrospective analysis using a nationwide database in Japan. <i>Annals of Clinical Epidemiology</i> , 2019, 1, 4-10.	1.2	1
131	Clinical features and peripartum outcomes in pregnant women with cardiac disease: a nationwide retrospective cohort study in Japan. <i>Heart and Vessels</i> , 2018, 33, 918-930.	1.2	8
132	Dementia and Risk of 30-Day Readmission in Older Adults After Discharge from Acute Care Hospitals. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 871-878.	2.6	38
133	Early Rehabilitation and In-Hospital Mortality in Intensive Care Patients With Community-Acquired Pneumonia. <i>American Journal of Critical Care</i> , 2018, 27, 97-103.	1.6	12
134	Influence of Parkinsonism on outcomes of elderly pneumonia patients. <i>Parkinsonism and Related Disorders</i> , 2018, 54, 25-29.	2.2	22
135	Trend in otolaryngological surgeries in an era of super-aging: Descriptive statistics using a Japanese inpatient database. <i>Auris Nasus Larynx</i> , 2018, 45, 1239-1244.	1.2	1
136	Short-Term Outcomes following Hepatectomy in Elderly Patients with Hepatocellular Carcinoma: An Analysis of 10,805 Septuagenarians and 2,381 Octo- and Nonagenarians in Japan. <i>Liver Cancer</i> , 2018, 7, 55-64.	7.7	32
137	Dialysis Case Volume Associated With In-Hospital Mortality in Maintenance Dialysis Patients. <i>Kidney International Reports</i> , 2018, 3, 356-363.	0.8	7
138	Development and validation of an ICD-10-based disability predictive index for patients admitted to hospitals with trauma. <i>Injury</i> , 2018, 49, 556-563.	1.7	5
139	Clinical features and outcomes of tetanus: Analysis using a National Inpatient Database in Japan. <i>Journal of Critical Care</i> , 2018, 44, 388-391.	2.2	34
140	Variation in Patient Backgrounds, Practice Patterns, and Outcomes of High-Risk Pulmonary Embolism in Japan. <i>International Heart Journal</i> , 2018, 59, 367-371.	1.0	4
141	Mortality and morbidity after hepatic resection in patients undergoing hemodialysis: analysis of a national inpatient database in Japan. <i>Surgery</i> , 2018, 163, 1234-1237.	1.9	4
142	Present epidemiology of chronic subdural hematoma in Japan: analysis of 63,358 cases recorded in a national administrative database. <i>Journal of Neurosurgery</i> , 2018, 128, 222-228.	1.6	102
143	Increased Severe Trauma Patient Volume is Associated With Survival Benefit and Reduced Total Health Care Costs. <i>Annals of Surgery</i> , 2018, 268, 1091-1096.	4.2	11
144	Impact of hospital volume on mortality in patients with severe torso injury. <i>Journal of Surgical Research</i> , 2018, 222, 1-9.	1.6	6

#	ARTICLE	IF	CITATIONS
145	Clinical characteristics of patients with Takotsubo syndrome diagnosed without coronary artery evaluation: A retrospective nationwide study. <i>Journal of Cardiology</i> , 2018, 71, 268-276.	1.9	6
146	In-hospital Mortality for Hepatic Portal Venous Gas: Analysis of 1590 Patients Using a Japanese National Inpatient Database. <i>World Journal of Surgery</i> , 2018, 42, 816-822.	1.6	21
147	Mortality and Morbidity After Hartmann's Procedure Versus Primary Anastomosis Without a Diverting Stoma for Colorectal Perforation: A Nationwide Observational Study. <i>World Journal of Surgery</i> , 2018, 42, 866-875.	1.6	17
148	Therapeutic endoscopy-related GI bleeding and thromboembolic events in patients using warfarin or direct oral anticoagulants: results from a large nationwide database analysis. <i>Gut</i> , 2018, 67, 1805-1812.	12.1	66
149	Donepezil is associated with decreased in-hospital mortality as a result of pneumonia among older patients with dementia: A retrospective cohort study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 269-275.	1.5	10
150	Comparison of In-hospital Outcomes Between Transcatheter and Surgical Aortic Valve Replacement in Patients with Aortic Valve Stenosis: A Retrospective Cohort Study Using Administrative Data. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 1281-1288.	1.3	5
151	Comparison of surgical and conservative treatment outcomes for type a aortic dissection in elderly patients. <i>Journal of Cardiothoracic Surgery</i> , 2018, 13, 129.	1.1	13
152	Short-term prognosis of emergently hospitalized dialysis-independent chronic kidney disease patients: A nationwide retrospective cohort study in Japan. <i>PLoS ONE</i> , 2018, 13, e0208258.	2.5	2
153	Effect of Hangeshashin-To (Japanese Herbal Medicine Tj-14) on Tolerability of Irinotecan: Propensity Score and Instrumental Variable Analyses. <i>Journal of Clinical Medicine</i> , 2018, 7, 246.	2.4	9
154	Clinical features and practice patterns of gastroschisis: a retrospective analysis using a Japanese national inpatient database. <i>Pediatric Surgery International</i> , 2018, 34, 727-733.	1.4	1
155	Impact of new efficacy information on sales of antihypertensive medicines in Japan and Sweden. <i>Health Policy and Technology</i> , 2018, 7, 194-199.	2.5	3
156	Annual trends in arthroscopic meniscus surgery: Analysis of a national database in Japan. <i>PLoS ONE</i> , 2018, 13, e0194854.	2.5	19
157	Japanese Herbal Kampo Hochu-Ekki-To or Juzen-Taiho-To after Surgery for Hip Fracture Does Not Reduce Infectious Complications. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-6.	1.2	2
158	Prevention of surgical site infection via antibiotic administration according to guidelines after gynecological surgery. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1800-1807.	1.3	3
159	Effect of plasma exchange on in-hospital mortality in patients with pulmonary hemorrhage secondary to antineutrophil cytoplasmic antibody-associated vasculitis: A propensity-matched analysis using a nationwide administrative database. <i>PLoS ONE</i> , 2018, 13, e0196009.	2.5	13
160	Tracheostomy and mortality in patients with severe burns: A nationwide observational study. <i>Burns</i> , 2018, 44, 1954-1961.	1.9	18
161	Predictors associated with unplanned hospital readmission of medical and surgical intensive care unit survivors within 30 days of discharge. <i>Journal of Intensive Care</i> , 2018, 6, 14.	2.9	6
162	Atopic dermatitis is a novel demographic risk factor for surgical site infection after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3699-3705.	4.2	18

#	ARTICLE	IF	CITATIONS
163	Effects of night-time and weekend admissions on in-hospital mortality in acute myocardial infarction patients in Japan. PLoS ONE, 2018, 13, e0191460.	2.5	15
164	Early prophylactic antibiotics for severe acute pancreatitis: A population-based cohort study using a nationwide database in Japan. Journal of Infection and Chemotherapy, 2018, 24, 753-758.	1.7	24
165	Factors affecting in-hospital mortality and likelihood of undergoing surgical resection in patients with primary cardiac tumors. Journal of Cardiology, 2017, 69, 287-292.	1.9	23
166	The ADOPT-CLC score: a novel predictive index of in-hospital mortality of cirrhotic patients following surgical procedures, based on a national survey. Hepatology Research, 2017, 47, E35-E43.	3.4	16
167	Impact of end-stage renal disease on hospital outcomes among patients admitted to intensive care units: A retrospective matched-pair cohort study. Nephrology, 2017, 22, 617-623.	1.6	17
168	Impact of Rehabilitation on Outcomes in Patients With Ischemic Stroke. Stroke, 2017, 48, 740-746.	2.0	124
169	Treatments and in-hospital mortality in acute myocardial infarction patients with rheumatoid arthritis: a nationwide retrospective cohort study in Japan. Clinical Rheumatology, 2017, 36, 995-1004.	2.2	7
170	Accessibility to surgical robot technology and prostate-cancer patient behavior for prostatectomy. Japanese Journal of Clinical Oncology, 2017, 47, 647-651.	1.3	10
171	In-hospital complications after implantation of cardiac implantable electronic devices: Analysis of a national inpatient database in Japan. Journal of Cardiology, 2017, 70, 405-410.	1.9	13
172	In-hospital management and outcomes in patients with peripartum cardiomyopathy: a descriptive study using a national inpatient database in Japan. Heart and Vessels, 2017, 32, 944-951.	1.2	13
173	Relationship between hospital volume and outcomes in patients with traumatic brain injury: A retrospective observational study using a national inpatient database in Japan. Injury, 2017, 48, 1423-1431.	1.7	12
174	Seasonal variation in patient characteristics and in-hospital outcomes of Takotsubo syndrome: a nationwide retrospective cohort study in Japan. Heart and Vessels, 2017, 32, 1271-1276.	1.2	10
175	Association between advanced practice nursing and 30-day mortality in mechanically ventilated critically ill patients: A retrospective cohort study. Journal of Critical Care, 2017, 41, 209-215.	2.2	15
176	Coexisting infectious diseases on admission as a risk factor for mechanical ventilation in patients with Guillain-Barré syndrome. Journal of Epidemiology, 2017, 27, 311-316.	2.4	15
177	Validity of diagnoses, procedures, and laboratory data in Japanese administrative data. Journal of Epidemiology, 2017, 27, 476-482.	2.4	514
178	Factors affecting prolonged length of stay in psychiatric patients in Japan: A retrospective observational study. Psychiatry and Clinical Neurosciences, 2017, 71, 542-553.	1.8	19
179	Pediatric urolithiasis associated with acute gastroenteritis: an inpatient database study in Japan. European Journal of Pediatrics, 2017, 176, 501-507.	2.7	1
180	Hospital volume and adverse events following esophageal endoscopic submucosal dissection in Japan. Endoscopy, 2017, 49, 321-326.	1.8	25

#	ARTICLE	IF	CITATIONS
181	The degree of severity and trends in hospital standardized mortality ratios in Japan between 2008 and 2012: a retrospective observational study. <i>International Journal for Quality in Health Care</i> , 2017, 29, 705-712.	1.8	6
182	Annual trends in knee arthroplasty and tibial osteotomy: Analysis of a national database in Japan. <i>Knee</i> , 2017, 24, 1198-1205.	1.6	30
183	Increase in avoidable hospital admissions after the Great East Japan Earthquake. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 248-252.	3.7	10
184	Association between Nurse Staffing and In-Hospital Bone Fractures: A Retrospective Cohort Study. <i>Health Services Research</i> , 2017, 52, 1005-1023.	2.0	10
185	Outcomes after early and delayed rehabilitation for exacerbation of chronic obstructive pulmonary disease: a nationwide retrospective cohort study in Japan. <i>Respiratory Research</i> , 2017, 18, 68.	3.6	28
186	Antithrombin use and 28-day in-hospital mortality among severe-burn patients: an observational nationwide study. <i>Annals of Intensive Care</i> , 2017, 7, 18.	4.6	19
187	Hospitalization with hypoglycemia in patients without diabetes mellitus. <i>Medicine (United States)</i> , 2017, 96, e7271.	1.0	25
188	Guidelines-concordant empiric antimicrobial therapy and mortality in patients with severe community-acquired pneumonia requiring mechanical ventilation. <i>Respiratory Investigation</i> , 2017, 55, 39-44.	1.8	9
189	Mortality and morbidity after spinal surgery in patients with Parkinson's disease: a retrospective matched-pair cohort study. <i>Spine Journal</i> , 2017, 17, 531-537.	1.3	42
190	Comparison of Efficacy of Antimicrobial Agents Among Hospitalized Patients With Mycoplasma pneumoniae Pneumonia in Japan During Large Epidemics of Macrolide-Resistant M. pneumoniae Infections: A Nationwide Observational Study. <i>Clinical Infectious Diseases</i> , 2017, 65, 1837-1842.	5.8	6
191	Development and validation of a new ICD-10-based trauma mortality prediction scoring system using a Japanese national inpatient database. <i>Injury Prevention</i> , 2017, 23, 263-267.	2.4	17
192	Development of a nomogram for predicting in-hospital mortality of patients with exacerbation of chronic obstructive pulmonary disease. <i>International Journal of COPD</i> , 2017, Volume 12, 1605-1611.	2.3	18
193	Estimating the disease burden of methicillin-resistant Staphylococcus aureus in Japan: Retrospective database study of Japanese hospitals. <i>PLoS ONE</i> , 2017, 12, e0179767.	2.5	33
194	Adjuvant chemotherapy versus chemoradiotherapy for small cell lung cancer with lymph node metastasis: a retrospective observational study with use of a national database in Japan. <i>BMC Cancer</i> , 2017, 17, 613.	2.6	8
195	Association between dementia and discharge status in patients hospitalized with pneumonia. <i>BMC Pulmonary Medicine</i> , 2017, 17, 128.	2.0	5
196	Adjunctive corticosteroid therapy for inpatients with Mycoplasma pneumoniae pneumonia. <i>BMC Pulmonary Medicine</i> , 2017, 17, 219.	2.0	11
197	Development and Validation of a Medicationbased Comorbidity Index for Use with an Administrative Database in Japan. <i>Iryo To Shakai</i> , 2017, 27, 251-259.	0.1	0
198	Effect of outpatient therapy with inhaled corticosteroids on decreasing in-hospital mortality from pneumonia in patients with COPD. <i>International Journal of COPD</i> , 2016, 11, 1403.	2.3	7

#	ARTICLE	IF	CITATIONS
199	De-escalation versus continuation of empirical antimicrobial therapy in community-acquired pneumonia. <i>Journal of Infection</i> , 2016, 73, 314-325.	3.3	33
200	Interstitial lung disease associated with gemcitabine: A Japanese retrospective cohort study. <i>Respirology</i> , 2016, 21, 338-343.	2.3	25
201	Impact of weekend admission on in-hospital mortality in severe community-acquired pneumonia patients in Japan. <i>Respirology</i> , 2016, 21, 905-910.	2.3	14
202	The Effect of Intraaortic Balloon Pumping Under Venoarterial Extracorporeal Membrane Oxygenation on Mortality of Cardiogenic Patients: An Analysis Using a Nationwide Inpatient Database. <i>Critical Care Medicine</i> , 2016, 44, 1974-1979.	0.9	142
203	Factors predicting adverse events associated with therapeutic colonoscopy for colorectal neoplasia: a retrospective nationwide study in Japan. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 971-982.e6.	1.0	50
204	Amiodarone or nifekalant upon hospital arrival for refractory ventricular fibrillation after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016, 109, 127-132.	3.0	21
205	Ozagrel for Patients With Noncardioembolic Ischemic Stroke: A Propensity Score-Matched Analysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2828-2837.	1.6	9
206	Amiodarone Compared with Lidocaine for Out-Of-Hospital Cardiac Arrest with Refractory Ventricular Fibrillation on Hospital Arrival: a Nationwide Database Study. <i>Cardiovascular Drugs and Therapy</i> , 2016, 30, 485-491.	2.6	12
207	The economic burden of methicillin-resistant <i>Staphylococcus aureus</i> in community-onset pneumonia inpatients. <i>American Journal of Infection Control</i> , 2016, 44, 1628-1633.	2.3	13
208	Atrial natriuretic peptide therapy and in-hospital mortality in acute myocardial infarction patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016, 222, 163-170.	1.7	11
209	Epidemiological study of adult-onset Still's disease using a Japanese administrative database. <i>Rheumatology International</i> , 2016, 36, 1399-1405.	3.0	34
210	Comparison of Procedure-Based and Diagnosis-Based Identifications of Severe Sepsis and Disseminated Intravascular Coagulation in Administrative Data. <i>Journal of Epidemiology</i> , 2016, 26, 530-537.	2.4	30
211	In-hospital mortality and treatment patterns in acute myocardial infarction patients admitted during national cardiology meeting dates. <i>International Journal of Cardiology</i> , 2016, 220, 929-936.	1.7	8
212	Early antibiotics administration during targeted temperature management after out-of-hospital cardiac arrest: a nationwide database study. <i>BMC Anesthesiology</i> , 2016, 16, 89.	1.8	20
213	Hospital mortality of patients aged 80 and older after surgical repair for type A acute aortic dissection in Japan. <i>Medicine (United States)</i> , 2016, 95, e4408.	1.0	9
214	Hospital Volume and Mortality in Mechanically Ventilated Children. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 1041-1044.	0.5	5
215	Mortality-Reducing Effect of Rehabilitation for COPD: Observational Propensity-Matched Cohort Study Using a Nationwide Database. <i>Respiratory Care</i> , 2016, 61, 1497-1504.	1.6	5
216	Early β -blocker use and in-hospital mortality in patients with Takotsubo cardiomyopathy. <i>Heart</i> , 2016, 102, 1029-1035.	2.9	98

#	ARTICLE	IF	CITATIONS
217	No weekend effect on outcomes of severe acute pancreatitis in Japan: data from the diagnosis procedure combination database. <i>Journal of Gastroenterology</i> , 2016, 51, 1063-1072.	5.1	12
218	Association Between Colorectal Cancer and Atherosclerotic Diseases: A Study Using a National Inpatient Database in Japan. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1677-1685.	2.3	4
219	Differences in cancer stage, treatment and in-hospital mortality between patients with and without schizophrenia: retrospective matched-pair cohort study. <i>British Journal of Psychiatry</i> , 2016, 208, 239-244.	2.8	38
220	A mortality prediction rule for non-elderly patients with community-acquired pneumonia. <i>BMC Pulmonary Medicine</i> , 2016, 16, 39.	2.0	6
221	Comparison of pharmaceutical policies to stimulate use of generics in Japan and Sweden. <i>Health Policy and Technology</i> , 2016, 5, 189-195.	2.5	3
222	Outcomes of Argatroban Treatment in Patients With Atherothrombotic Stroke. <i>Stroke</i> , 2016, 47, 471-476.	2.0	30
223	Relationship between hospital volume and major cardiac complications of rotational atherectomy: A nationwide retrospective cohort study in Japan. <i>Journal of Cardiology</i> , 2016, 67, 442-448.	1.9	7
224	Reducing Length of Hospital Stay Does Not Increase Readmission Rates in Early-Stage Gastric, Colon, and Lung Cancer Surgical Cases in Japanese Acute Care Hospitals. <i>PLoS ONE</i> , 2016, 11, e0166269.	2.5	21
225	Weekend versus Weekday Admission and In-Hospital Mortality from Ischemic Stroke in Japan. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2787-2792.	1.6	13
226	Clinical Practice Patterns in Constrictive Pericarditis Patients With Heart Failure: A Retrospective Cohort Study Using a National Inpatient Database in Japan. <i>Clinical Cardiology</i> , 2015, 38, 740-746.	1.8	8
227	Preoperative factors affecting cost and length of stay for isolated off-pump coronary artery bypass grafting: hierarchical linear model analysis. <i>BMJ Open</i> , 2015, 5, e008750-e008750.	1.9	12
228	Factors associated with 30-day readmission of patients with heart failure from a Japanese administrative database. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 134.	1.7	32
229	Clinical Epidemiology and Health Services Research using the Diagnosis Procedure Combination Database in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2015, 7, 19-24.	0.3	72
230	The Volume-Outcome Relationship in Critically Ill Patients in Relation to the ICU-to-Hospital Bed Ratio*. <i>Critical Care Medicine</i> , 2015, 43, 1239-1245.	0.9	45
231	Medical procedures and outcomes of Japanese patients with trisomy 18 or trisomy 13: Analysis of a nationwide administrative database of hospitalized patients. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 1816-1821.	1.2	27
232	Hospitalization for Hypoglycemia in Japanese Diabetic Patients. <i>Medicine (United States)</i> , 2015, 94, e1029.	1.0	18
233	Use of Recombinant Human Soluble Thrombomodulin in Patients with Sepsis-Induced Disseminated Intravascular Coagulation after Intestinal Perforation. <i>Frontiers in Medicine</i> , 2015, 2, 7.	2.6	18
234	The Impact of Opportunistic Infections on Clinical Outcome and Healthcare Resource Uses for Adult T Cell Leukaemia. <i>PLoS ONE</i> , 2015, 10, e0135042.	2.5	13

#	ARTICLE	IF	CITATIONS
235	Supplemental dose of antithrombin use in disseminated intravascular coagulation patients after abdominal sepsis. <i>Thrombosis and Haemostasis</i> , 2015, 114, 537-545.	3.4	43
236	Low-dose corticosteroid treatment and mortality in refractory abdominal septic shock after emergency laparotomy. <i>Annals of Intensive Care</i> , 2015, 5, 32.	4.6	15
237	Factors affecting in-hospital mortality in patients with lower gastrointestinal tract bleeding: a retrospective study using a national database in Japan. <i>Journal of Gastroenterology</i> , 2015, 50, 533-540.	5.1	37
238	Effectiveness of Inferior Vena Cava Filters on Mortality as an Adjuvant to Antithrombotic Therapy. <i>American Journal of Medicine</i> , 2015, 128, 312.e23-312.e31.	1.5	24
239	Perioperative Outcome Comparisons Between Open and Laparoscopic Nephroureterectomy Among a Population-Based Cohort from 2010 to 2012. <i>Journal of Endourology</i> , 2015, 29, 770-776.	2.1	17
240	Intravenous immunoglobulin use in septic shock patients after emergency laparotomy. <i>Journal of Infection</i> , 2015, 71, 158-166.	3.3	15
241	Effect of Intravenous Immunoglobulin for Fulminant Myocarditis on In-Hospital Mortality: Propensity Score Analyses. <i>Journal of Cardiac Failure</i> , 2015, 21, 391-397.	1.7	22
242	Intravenous Immunoglobulin and Mortality in Pneumonia Patients With Septic Shock: An Observational Nationwide Study. <i>Clinical Infectious Diseases</i> , 2015, 61, 385-392.	5.8	46
243	Guideline-Concordant Treatment of Kawasaki Disease With Immunoglobulin and Aspirin and the Incidence of Coronary Artery Aneurysm. <i>Clinical Pediatrics</i> , 2015, 54, 1076-1080.	0.8	8
244	Bleeding after endoscopic sphincterotomy or papillary balloon dilation among users of antithrombotic agents. <i>Endoscopy</i> , 2015, 47, 997-1004.	1.8	45
245	Validation of the prognostic burn index: A nationwide retrospective study. <i>Burns</i> , 2015, 41, 1169-1175.	1.9	58
246	Procedure-based severity index for inpatients: development and validation using administrative database. <i>BMC Health Services Research</i> , 2015, 15, 261.	2.2	20
247	Effectiveness of surgical rib fixation on prolonged mechanical ventilation in patients with traumatic rib fractures: A propensity score-matched analysis. <i>Journal of Critical Care</i> , 2015, 30, 1227-1231.	2.2	37
248	Categorized diagnoses and procedure records in an administrative database improved mortality prediction. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1028-1035.	5.0	40
249	Comparison of clinical characteristics and outcomes between aspiration pneumonia and community-acquired pneumonia in patients with chronic obstructive pulmonary disease. <i>BMC Pulmonary Medicine</i> , 2015, 15, 69.	2.0	21
250	Effect of weekend admission for acute myocardial infarction on in-hospital mortality: A retrospective cohort study. <i>International Journal of Cardiology</i> , 2015, 179, 315-320.	1.7	51
251	Low-dose corticosteroid use and mortality in severe community-acquired pneumonia patients. <i>European Respiratory Journal</i> , 2015, 45, 463-472.	6.7	77
252	Paradoxical association between body mass index and in-hospital mortality in elderly patients with chronic obstructive pulmonary disease in Japan. <i>International Journal of COPD</i> , 2014, 9, 1337.	2.3	77

#	ARTICLE	IF	CITATIONS
253	Factors affecting mortality following emergency admission for chronic obstructive pulmonary disease. <i>BMC Pulmonary Medicine</i> , 2014, 14, 151.	2.0	48
254	The relationship between the number of cardiologists and clinical practice patterns in acute heart failure: a cross-sectional observational study. <i>BMJ Open</i> , 2014, 4, e005988.	1.9	8
255	Comparison between enteral nutrition and intravenous hyperalimentation in patients with eating disorders: results from the Japanese diagnosis procedure combination database. <i>Eating and Weight Disorders</i> , 2014, 19, 473-478.	2.5	10
256	Body Mass Index Influences the Outcome of Acute Pancreatitis. <i>Pancreas</i> , 2014, 43, 863-866.	1.1	30
257	Postoperative Polymyxin B Hemoperfusion and Mortality in Patients With Abdominal Septic Shock. <i>Critical Care Medicine</i> , 2014, 42, 1187-1193.	0.9	97
258	Perioperative factors affecting the occurrence of acute complex regional pain syndrome following limb bone fracture surgery: data from the Japanese Diagnosis Procedure Combination database. <i>Rheumatology</i> , 2014, 53, 1186-1193.	1.9	13
259	Prevalence and in-hospital mortality of gastrostomy and jejunostomy in Japan: a retrospective study with a national administrative database. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 88-96.	1.0	20
260	Out-of-hospital versus in-hospital Takotsubo cardiomyopathy: Analysis of 3719 patients in the Diagnosis Procedure Combination database in Japan. <i>International Journal of Cardiology</i> , 2014, 176, 413-417.	1.7	82
261	Effects of edaravone on early outcomes in acute ischemic stroke patients treated with recombinant tissue plasminogen activator. <i>Journal of the Neurological Sciences</i> , 2014, 345, 106-111.	0.6	35
262	Relationship between peri-operative outcomes and hospital surgical volume of total hip arthroplasty in Japan. <i>Health Policy</i> , 2014, 117, 48-53.	3.0	27
263	Ischemic stroke after cervical spine injury: analysis of 11,005 patients using the Japanese Diagnosis Procedure Combination database. <i>Spine Journal</i> , 2014, 14, 2275-2280.	1.3	30
264	Supplier-induced demand for newborn treatment: Evidence from Japan. <i>Journal of Health Economics</i> , 2014, 35, 162-178.	2.7	49
265	Mortality and morbidity after high-dose methylprednisolone treatment in patients with acute cervical spinal cord injury: a propensity-matched analysis using a nationwide administrative database. <i>Emergency Medicine Journal</i> , 2014, 31, 201-206.	1.0	89
266	Comparison of Perioperative Outcomes including Severe Bladder Injury between Monopolar and Bipolar Transurethral Resection of Bladder Tumors: A Population Based Comparison. <i>Journal of Urology</i> , 2014, 192, 1355-1359.	0.4	40
267	Thoracic Aortic Injury in Japan. <i>Circulation Journal</i> , 2014, 79, 55-60.	1.6	12
268	The Diagnosis Procedure Combination based situation analysis of surgical intervention for pituitary tumor in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2014, 7, 1-5.	0.3	0
269	Influence of Municipality-Level Mean Income on Access to Aortic Valve Surgery: A Cross-Sectional Observational Study under Japan's Universal Health-Care Coverage. <i>PLoS ONE</i> , 2014, 9, e111071.	2.5	6
270	Impact of age and comorbidity burden on mortality and major complications in older adults undergoing orthopaedic surgery: an analysis using the Japanese diagnosis procedure combination database. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 173.	1.9	54

#	ARTICLE	IF	CITATIONS
271	An in-hospital mortality equation for mechanically ventilated patients in intensive care units. <i>Journal of Anesthesia</i> , 2013, 27, 541-549.	1.7	5
272	A community-based comparison of trauma patient outcomes between d- and l-lactate fluids. <i>American Journal of Emergency Medicine</i> , 2013, 31, 206-214.	1.6	5
273	Stroke Care Units Versus General Medical Wards for Acute Management of Stroke in Japan. <i>Stroke</i> , 2013, 44, 3142-3147.	2.0	21
274	Rarity of Severe Bleeding and Perforation in Endoscopic Ultrasound-Guided Fine Needle Aspiration for Submucosal Tumors. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2634-2638.	2.3	27
275	Outcomes After Laparoscopic or Open Distal Gastrectomy for Early-Stage Gastric Cancer. <i>Annals of Surgery</i> , 2013, 257, 640-646.	4.2	126
276	Impact of teaching intensity and academic status on medical resource utilization by teaching hospitals in Japan. <i>Health Policy</i> , 2012, 108, 86-92.	3.0	7
277	Factors associated with the use of institutional long-term care in Japan. <i>Geriatrics and Gerontology International</i> , 2012, 12, 72-79.	1.5	15
278	Relationship between hospital volume and operative mortality for liver resection: Data from the Japanese Diagnosis Procedure Combination database. <i>Hepatology Research</i> , 2012, 42, 1073-1080.	3.4	40
279	Diagnosis Procedure Combination as an Infrastructure for the Clinical Study. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 81-87.	0.3	61
280	Quantitative Assessment of the Advantages of Laparoscopic Gastrectomy and the Impact of Volume-Related Hospital Characteristics on Resource Use and Outcomes of Gastrectomy Patients in Japan. <i>Annals of Surgery</i> , 2011, 253, 64-70.	4.2	23
281	Factors associated with a protracted hospital stay after hip fracture surgery in Japan. <i>Geriatrics and Gerontology International</i> , 2011, 11, 474-481.	1.5	10
282	Contribution of case-mix classification to profiling hospital characteristics and productivity. <i>International Journal of Health Planning and Management</i> , 2011, 26, e138-150.	1.7	6
283	Updating and Validating the Charlson Comorbidity Index and Score for Risk Adjustment in Hospital Discharge Abstracts Using Data From 6 Countries. <i>American Journal of Epidemiology</i> , 2011, 173, 676-682.	3.4	3,941
284	Do the Japanese Cancer Patients Receive an Appropriate Psychiatric Support at the Acute Care Hospitals?. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 13-17.	0.3	2
285	How Does the Accuracy of ICD Coding Influence for Resource Consumption Under the Casemix Based Evaluation. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 19-22.	0.3	1
286	DPC Based Situation Analysis of Generic Antibiotics Use among the Japanese Acute Care Hospitals. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 1-4.	0.3	0
287	Analysis of Transfer Distance of Emergency Stroke Cases in Kumamoto, Japan. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 89-74.	0.3	0
288	Community-Based Appraisal of the Effects of Parenteral Nutrition Versus Enteral Nutrition on the Quality of Care for Patients With Acute Pancreatitis. <i>Gastroenterology Research</i> , 2011, 4, 1-8.	1.3	0

#	ARTICLE	IF	CITATIONS
289	Description of Treatment of Uterus Cancer Based on the Japanese DPC Database. Asian Pacific Journal of Disease Management, 2011, 5, 101-105.	0.3	0
290	Situation Analysis of Emergency Department of the Japanese Acute Care Hospitals. Asian Pacific Journal of Disease Management, 2011, 5, 95-100.	0.3	0
291	Injury Severity Score, Resource Use, and Outcome for Trauma Patients Within a Japanese Administrative Database. Journal of Trauma, 2010, 68, 463-470.	2.3	34
292	Assessment of hospital performance with a case-mix standardized mortality model using an existing administrative database in Japan. BMC Health Services Research, 2010, 10, 130.	2.2	7
293	Development of Casemix Based Evaluation System in Japan. Asian Pacific Journal of Disease Management, 2010, 4, 55-66.	0.3	28
294	Effect of Hospital Characteristics on the Quality of Laparoscopic Gastrectomy in Japan. Gastroenterology Research, 2010, 3, 65-73.	1.3	2
295	Development and analysis of a nationwide cost database of acute care hospitals in Japan. Journal of Evaluation in Clinical Practice, 2009, 15, 626-633.	1.8	27
296	Travel of patients to distant hospitals for elective surgery in Japan: A cross-sectional analysis of a nationally representative sample. Surgery Today, 2009, 39, 758-763.	1.5	9
297	The impact of a new payment system with case-mix measurement on hospital practices for breast cancer patients in Japan. Health Policy, 2009, 92, 65-72.	3.0	15
298	DPC Based Health Service Planning for Cancer Medicine. Asian Pacific Journal of Disease Management, 2009, 3, 11-19.	0.3	2
299	The association of the number of comorbidities and complications with length of stay, hospital mortality and LOS high outlier, based on administrative data. Environmental Health and Preventive Medicine, 2008, 13, 130-137.	3.4	24
300	Cross-National Comparative Performance of Three Versions of the ICD-10 Charlson Index. Medical Care, 2007, 45, 1210-1215.	2.4	207
301	Functional mapping of hospitals by diagnosis-dominant case-mix analysis. BMC Health Services Research, 2007, 7, 50.	2.2	51
302	Induction of aquaporin 3 by corticosteroid in a human airway epithelial cell line. American Journal of Physiology - Lung Cellular and Molecular Physiology, 1997, 273, L1090-L1095.	2.9	20
303	Isolation of a gene encoding nodulin-like intrinsic protein of Escherichia coli. IUBMB Life, 1997, 41, 995-1003.	3.4	1
304	Cloning and expression of apical membrane water channel of rat kidney collecting tubule. Nature, 1993, 361, 549-552.	27.8	978
305	Existing Data Sources for Clinical Epidemiology: Database of the National Hospital Organization in Japan. Clinical Epidemiology, 0, Volume 14, 689-698.	3.0	11
306	<sc>Pandemic resilient</sc> target setting in colorectal cancer screening for vulnerable older population. Cancer Medicine, 0, , .	2.8	0