
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3305980/publications.pdf Version: 2024-02-01



SHIH-YILIN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Characteristics and Outcome Determinants of Hospitalized Older Patients with Cognitive Dysfunction. International Journal of Environmental Research and Public Health, 2022, 19, 584. | 2.6 | 4 |
| 2 | Kidney Function and Risk of Physical and Cognitive Impairment in Older Persons with Type 2 Diabetes at an Outpatient Clinic with Geriatric Assessment Implementation. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2022, Volume 15, 79-91. | 2.4 | 5 |
| 3 | Respiratory Muscle Training Can Improve Cognition, Lung Function, and Diaphragmatic Thickness Fraction in Male and Non-Obese Patients with Chronic Obstructive Pulmonary Disease: A Prospective Study. Journal of Personalized Medicine, 2022, 12, 475. | 2.5 | 5 |
| 4 | The impact of heavy alcohol consumption on cognitive impairment in young old and middle old persons. Journal of Translational Medicine, 2022, 20, 155. | 4.4 | 8 |
| 5 | Improved outcomes and reduced medical costs through multidisciplinary co-management protocol for geriatric proximal femur fractures: a one-year retrospective study. BMC Geriatrics, 2022, 22, 318. | 2.7 | 9 |
| 6 | 18β-Glycyrrhetinic Acid Protects against Cholestatic Liver Injury in Bile Duct-Ligated Rats. Antioxidants, 2022, 11, 961. | 5.1 | 4 |
| 7 | Comparison of the Therapeutic Effects Between Isokinetic and Isotonic Strength Training in Patients After Total Knee Replacement: A Prospective, Randomized Controlled Trial. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211058. | 1.7 | 3 |
| 8 | Prediction of Mortality in Older Hospitalized Patients after Discharge as Determined by Comprehensive Geriatric Assessment. International Journal of Environmental Research and Public Health, 2022, 19, 7768. | 2.6 | 0 |
| 9 | The dawn phenomenon in type 2 diabetes: its association with glucose excursions and changes after oral glucose-lowering drugs. Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110336. | 2.5 | 4 |
| 10 | Exosomal HMGB1 Promoted Cancer Malignancy. Cancers, 2021, 13, 877. | 3.7 | 12 |
| 11 | Indoxyl sulfate caused behavioral abnormality and neurodegeneration in mice with unilateral nephrectomy. Aging, 2021, 13, 6681-6701. | 3.1 | 31 |
| 12 | Physical frailty and long-term mortality in older people with chronic heart failure with preserved and reduced ejection fraction: a retrospective longitudinal study. BMC Geriatrics, 2021, 21, 92. | 2.7 | 14 |
| 13 | Postchallenge glucose increment was associated with hemoglobin glycation index in subjects with no history of diabetes. Journal of Investigative Medicine, 2021, 69, 1044-1049. | 1.6 | 2 |
| 14 | Metformin as a potential protective therapy against tuberculosis in patients with diabetes mellitus: A retrospective cohort study in a single teaching hospital. Journal of Diabetes Investigation, 2021, 12, 1603-1609. | 2.4 | 3 |
| 15 | Sex differences in longâ€term cardiovascular outcomes among patients with acute myocardial infarction: A populationâ€based retrospective cohort study. International Journal of Clinical Practice, 2021, 75, e14066. | 1.7 | 5 |
| 16 | DHA attenuated Japanese Encephalitis virus infection-induced neuroinflammation and neuronal cell death in cultured rat Neuron/glia. Brain, Behavior, and Immunity, 2021, 93, 194-205. | 4.1 | 13 |
| 17 | TNF-α Receptor Inhibitor Alleviates Metabolic and Inflammatory Changes in a Rat Model of Ischemic Stroke. Antioxidants, 2021, 10, 851. | 5.1 | 22 |
| 18 | The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860. | 21.4 | 341 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Impact of day care services on physical and cognitive functions in old people with dementia in a medical center in central Taiwan. Health and Quality of Life Outcomes, 2021, 19, 170. | 2.4 | 8 |
| 20 | Impacts of Heart Failure and Physical Performance on Long-Term Mortality in Old Patients With Chronic Kidney Disease. Frontiers in Cardiovascular Medicine, 2021, 8, 680098. | 2.4 | 10 |
| 21 | Comprehensive Geriatric Assessment and Clinical Outcomes in the Older People at the Emergency Department. International Journal of Environmental Research and Public Health, 2021, 18, 6164. | 2.6 | 4 |
| 22 | Increased risk of stroke in patients with diffuse idiopathic skeletal hyperostosis: a nationwide population-based cohort study. Scientific Reports, 2021, 11, 21349. | 3.3 | 1 |
| 23 | Subtypes of Premorbid Metabolic Syndrome and Associated Clinical Outcomes in Older Adults. Frontiers in Medicine, 2021, 8, 698728. | 2.6 | 1 |
| 24 | The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679. | 27.8 | 353 |
| 25 | Jak2 Inhibitor AG490 Improved Poststroke Central and Peripheral Inflammation and Metabolic Abnormalities in a Rat Model of Ischemic Stroke. Antioxidants, 2021, 10, 1958. | 5.1 | 6 |
| 26 | Risk of Urticaria in Children with Type 1 Diabetes Mellitus: A Nationwide Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 176. | 2.6 | 5 |
| 27 | Effects of kidney function, serum albumin and hemoglobin on dementia severity in the oldest old people with newly diagnosed Alzheimer's disease in a residential aged care facility: a cross-sectional study. BMC Geriatrics, 2020, 20, 391. | 2.7 | 22 |
| 28 | Propofol Improved Glucose Tolerance Associated with Increased FGF-21 and GLP-1 Production in Male Sprague-Dawley Rats. Molecules, 2020, 25, 3229. | 3.8 | 0 |
| 29 | Endoplasmic reticulum stress and autophagy contributed to cadmium nephrotoxicity in HK-2 cells and Sprague-Dawley rats. Food and Chemical Toxicology, 2020, 146, 111828. | 3.6 | 17 |
| 30 | Health-Related Quality of Life Measured by EQ-5D in Relation to Hospital Stay and Readmission in Elderly Patients Hospitalized for Acute Illness. International Journal of Environmental Research and Public Health, 2020, 17, 5333. | 2.6 | 10 |
| 31 | p-Cresol Sulfate Caused Behavior Disorders and Neurodegeneration in Mice with Unilateral Nephrectomy Involving Oxidative Stress and Neuroinflammation. International Journal of Molecular Sciences, 2020, 21, 6687. | 4.1 | 35 |
| 32 | Quercetin protects against cerebral ischemia/reperfusion and oxygen glucose deprivation/reoxygenation neurotoxicity. Journal of Nutritional Biochemistry, 2020, 83, 108436. | 4.2 | 55 |
| 33 | β-Funaltrexamine Displayed Anti-Inflammatory and Neuroprotective Effects in Cells and Rat Model of Stroke. International Journal of Molecular Sciences, 2020, 21, 3866. | 4.1 | 12 |
| 34 | Effects of β-Adrenergic Blockade on Metabolic and Inflammatory Responses in a Rat Model of Ischemic Stroke. Cells, 2020, 9, 1373. | 4.1 | 25 |
| 35 | Aspirin Mitigated Tumor Growth in Obese Mice Involving Metabolic Inhibition. Cells, 2020, 9, 569. | 4.1 | 7 |
| 36 | Leptin protects brain from ischemia/reperfusionâ€induced infarction by stabilizing the blood–brain barrier to block brain infiltration by the bloodâ€borne neutrophils. European Journal of Neuroscience, 2020, 52, 4890-4907. | 2.6 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Interleukin-4 Improves Metabolic Abnormalities in Leptin-Deficient and High-Fat Diet Mice. International Journal of Molecular Sciences, 2020, 21, 4451. | 4.1 | 9 |
| 38 | The Relationship Between Abdominal Body Composition and Metabolic Syndrome After a Weight Reduction Program in Adult Men with Obesity. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 1-8. | 2.4 | 7 |
| 39 | Air pollutants and subsequent risk of chronic kidney disease and end-stage renal disease: A population-based cohort study. Environmental Pollution, 2020, 261, 114154. | 7.5 | 54 |
| 40 | Therapeutic Effects of Exercise Training on Elderly Patients With Dementia: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2020, 101, 762-769. | 0.9 | 27 |
| 41 | Reconfirmation of newly discovered risk factors of diabetic peripheral neuropathy in patients with type 2 diabetes: A case-control study. PLoS ONE, 2019, 14, e0220175. | 2.5 | 9 |
| 42 | Trends in antidiabetic medical treatment from 2005 to 2014 in Taiwan. Journal of the Formosan Medical Association, 2019, 118, S74-S82. | 1.7 | 11 |
| 43 | Predictors of Mortality in the Oldest Old Patients with Newly Diagnosed Alzheimer Disease in a Residential Aged Care Facility. Dementia and Geriatric Cognitive Disorders, 2019, 48, 93-104. | 1.5 | 8 |
| 44 | Pay-for-performance for shared care of diabetes in Taiwan. Journal of the Formosan Medical Association, 2019, 118, S122-S129. | 1.7 | 27 |
| 45 | Association Between Serum Adipsin Levels and Insulin Resistance in Subjects With Various Degrees of Glucose Intolerance. Journal of the Endocrine Society, 2019, 3, 403-410. | 0.2 | 28 |
| 46 | Olanzapine Induced Dysmetabolic Changes Involving Tissue Chromium Mobilization in Female Rats. International Journal of Molecular Sciences, 2019, 20, 640. | 4.1 | 7 |
| 47 | Ischemic preconditioning improved renal ischemia/reperfusion injury and hyperglycemia. IUBMB Life, 2019, 71, 321-329. | 3.4 | 10 |
| 48 | Effects of statins on all-cause mortality at different low-density-lipoprotein cholesterol levels in Asian patients with type 2 diabetes. Current Medical Research and Opinion, 2018, 34, 1885-1892. | 1.9 | 7 |
| 49 | 2018 consensus of the Taiwan Society of Cardiology and the Diabetes Association of Republic of China (Taiwan) on the pharmacological management of patients with type 2 diabetes and cardiovascular diseases. Journal of the Chinese Medical Association, 2018, 81, 189-222. | 1.4 | 19 |
| 50 | Effect of an increased dosage of statins on spinal degenerative joint disease: a retrospective cohort study. BMJ Open, 2018, 8, e017442. | 1.9 | 11 |
| 51 | Levels of serum high mobility group box 1 were independently associated with cardiovascular risk in patients undergoing coronary angiography. Clinica Chimica Acta, 2018, 483, 130-134. | 1.1 | 4 |
| 52 | Testing for HbA1c, in addition to the oral glucose tolerance test, in screening for abnormal glucose regulation helps to reveal patients with early β-cell function impairment. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1345-1352. | 2.3 | 3 |
| 53 | Good glycaemic control is associated with a better prognosis in breast cancer patients with type 2 diabetes mellitus. Clinical and Experimental Medicine, 2018, 18, 383-390. | 3.6 | 18 |
| 54 | Trajectories of fasting plasma glucose variability and mortality in type 2 diabetes. Diabetes and Metabolism, 2018, 44, 121-128. | 2.9 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The association between brain-derived neurotrophic factor and central pulse pressure after an oral glucose tolerance test. Clinica Chimica Acta, 2018, 476, 1-8. | 1.1 | 6 |
| 56 | Negative association between serum aryl hydrocarbon receptor concentrations and β ell function in patients with no history of diabetes undergoing coronary angiography. Journal of Diabetes, 2018, 10, 958-964. | 1.8 | 4 |
| 57 | Age and sex differences in the relationship between neutrophil-to-lymphocyte ratio and chronic kidney disease among an adult population in Taiwan. Clinica Chimica Acta, 2018, 486, 98-103. | 1.1 | 10 |
| 58 | Two-hour post-challenge hyperglycemia, but not fasting plasma glucose, associated with severity of coronary artery disease in patients with angina. PLoS ONE, 2018, 13, e0202280. | 2.5 | 4 |
| 59 | Glycemic excursions are positively associated with HbA1c reduction from baseline after treatment with acarbose in patients with type 2 diabetes on metformin monotherapy. Journal of Diabetes, 2017, 9, 248-255. | 1.8 | 3 |
| 60 | Susceptibility of naÃ⁻ve and differentiated PC12 cells to Japanese encephalitis virus infection. IUBMB Life, 2017, 69, 79-87. | 3.4 | 1 |
| 61 | The synergistic effect of vascular cell adhesion molecule-1 and coronary artery disease on brain-derived neurotrophic factor. Clinica Chimica Acta, 2017, 466, 194-200. | 1.1 | 11 |
| 62 | Hospitalization and associated factors in people with Alzheimer's disease residing in a longâ€ŧerm care facility in southern Taiwan. Geriatrics and Gerontology International, 2017, 17, 50-56. | 1.5 | 5 |
| 63 | Delaying cognitive and physical decline through multidomain interventions for residents with mildâ€toâ€moderate dementia in dementia care units in Taiwan: A prospective cohort study. Geriatrics and Gerontology International, 2017, 17, 36-43. | 1.5 | 11 |
| 64 | Glechoma hederacea extracts attenuate cholestatic liver injury in a bile duct-ligated rat model. Journal of Ethnopharmacology, 2017, 204, 58-66. | 4.1 | 34 |
| 65 | Inpatient screening for albuminuria and retinopathy to predict long-term mortality in type 2 diabetic patients: a retrospective cohort study. Diabetology and Metabolic Syndrome, 2017, 9, 29. | 2.7 | 10 |
| 66 | Odd Chain Fatty Acids; New Insights of the Relationship Between the Gut Microbiota, Dietary Intake, Biosynthesis and Glucose Intolerance. Scientific Reports, 2017, 7, 44845. | 3.3 | 90 |
| 67 | Treadmill exercise alleviated prenatal buprenorphine exposure-induced depression in rats. Neurochemistry International, 2017, 110, 91-100. | 3.8 | 22 |
| 68 | Associations of fibroblast growth factor 21 with cardiovascular risk and β-cell function in patients who had no history of diabetes. Clinica Chimica Acta, 2017, 472, 80-85. | 1.1 | 5 |
| 69 | Hepatoprotective activities of rosmarinic acid against extrahepatic cholestasis in rats. Food and Chemical Toxicology, 2017, 108, 214-223. | 3.6 | 55 |
| 70 | Interplay of inflammatory gene expression in pericytes following Japanese encephalitis virus infection. Brain, Behavior, and Immunity, 2017, 66, 230-243. | 4.1 | 26 |
| 71 | Downregulation of nuclear and cytoplasmic Chibby is associated with advanced cervical cancer. Oncology Letters, 2017, 14, 6632-6644. | 1.8 | 0 |
| 72 | Hemoglobin glycation index as a useful predictor of therapeutic responses to dipeptidyl peptidase-4 inhibitors in patients with type 2 diabetes. PLoS ONE, 2017, 12, e0171753. | 2.5 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Relationship between percentage of mean arterial pressure at the ankle and mortality in participants with normal ankle-brachial index: an observational study. BMJ Open, 2016, 6, e010540. | 1.9 | 8 |
| 74 | Physical activity and albuminuria were associated with painful diabetic polyneuropathy in type 2 diabetes in an ethnic Chinese population. Clinica Chimica Acta, 2016, 462, 55-59. | 1.1 | 6 |
| 75 | Fine-mapping of lipid regions in global populations discovers ethnic-specific signals and refines previously identified lipid loci. Human Molecular Genetics, 2016, 25, 5500-5512. | 2.9 | 29 |
| 76 | Statin treatment is associated with a negative correlation between NT-proBNP and insulin resistance in patients without history of heart failure. Clinica Chimica Acta, 2016, 459, 84-88. | 1.1 | 2 |
| 77 | Glycemic excursions are positively associated with changes in duration of asymptomatic hypoglycemia after treatment intensification in patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2016, 113, 108-115. | 2.8 | 15 |
| 78 | Association of MMP-9 to TIMP-1 ratio with long-term body weight and waist circumference after dietary weight reduction in men with metabolic syndrome. Clinica Chimica Acta, 2016, 452, 182-184. | 1.1 | 0 |
| 79 | Aryl Hydrocarbon Receptor Deficiency Attenuates Oxidative Stress-Related Mesangial Cell Activation and Macrophage Infiltration and Extracellular Matrix Accumulation in Diabetic Nephropathy. Antioxidants and Redox Signaling, 2016, 24, 217-231. | 5.4 | 37 |
| 80 | Factors associated with fibroblast growth factor 19 increment after oral glucose loading in patients who were previously admitted for coronary angiography. Clinica Chimica Acta, 2015, 450, 237-242. | 1.1 | 4 |
| 81 | Yang Deficiency Body Constitution Acts as a Predictor of Diabetic Retinopathy in Patients with Type 2 Diabetes: Taichung Diabetic Body Constitution Study. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-8. | 1.2 | 13 |
| 82 | Association between Albuminuria and Different Body Constitution in Type 2 Diabetes Patients: Taichung Diabetic Body Constitution Study. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-8. | 1.2 | 11 |
| 83 | Serum total bilirubin concentrations are inversely associated with total white blood cell counts in an adult population. Annals of Clinical Biochemistry, 2015, 52, 251-258. | 1.6 | 12 |
| 84 | Higher serum total bilirubin concentration is associated with lower risk of renal insufficiency in an adult population. International Journal of Clinical and Experimental Medicine, 2015, 8, 19212-22. | 1.3 | 6 |
| 85 | Insulinoma in a Young Female Patient With Systemic Lupus Erythematosus: A Case Report. Endocrine Practice, 2014, 20, e256-e259. | 2.1 | 1 |
| 86 | Correlation between reduction of superior interventricular groove epicardial fat thickness and improvement of insulin resistance after weight loss in obese men. Diabetology and Metabolic Syndrome, 2014, 6, 115. | 2.7 | 10 |
| 87 | Reduced Health-Related Quality of Life in Body Constitutions of Yin-Xu, and Yang-Xu, Stasis in Patients with Type 2 Diabetes: Taichung Diabetic Body Constitution Study. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10. | 1.2 | 17 |
| 88 | Nε-carboxymethyllysine-mediated endoplasmic reticulum stress promotes endothelial cell injury through Nox4/MKP-3 interaction. Free Radical Biology and Medicine, 2014, 74, 294-306. | 2.9 | 14 |
| 89 | Beneficial effect of quercetin on cholestatic liver injury. Journal of Nutritional Biochemistry, 2014, 25, 1183-1195. | 4.2 | 65 |
| 90 | Activation of Hepatic Inflammatory Pathways by Catecholamines Is Associated With Hepatic Insulin Resistance in Male Ischemic Stroke Rats. Endocrinology, 2014, 155, 1235-1246. | 2.8 | 47 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Post-meal β-cell function predicts the efficacy of glycemic control in patients with type 2 diabetes inadequately controlled by metformin monotherapy after addition of glibenclamide or acarbose. Diabetology and Metabolic Syndrome, 2014, 6, 68. | 2.7 | 9 |
| 92 | Protective effects of rutin on liver injury induced by biliary obstruction in rats. Free Radical Biology and Medicine, 2014, 73, 106-116. | 2.9 | 67 |
| 93 | Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283. | 21.4 | 2,641 |
| 94 | The effect of removing plugs and adding arch support to foam based insoles on plantar pressures in people with diabetic peripheral neuropathy. Journal of Foot and Ankle Research, 2013, 6, 29. | 1.9 | 23 |
| 95 | Hyperglycemia is associated with enhanced gluconeogenesis in a rat model of permanent cerebral ischemia. Molecular and Cellular Endocrinology, 2013, 367, 50-56. | 3.2 | 28 |
| 96 | Beneficial effect of docosahexaenoic acid on cholestatic liver injury in rats. Journal of Nutritional Biochemistry, 2012, 23, 252-264. | 4.2 | 61 |
| 97 | Adipose proinflammatory cytokine expression through sympathetic system is associated with hyperglycemia and insulin resistance in a rat ischemic stroke model. American Journal of Physiology - Endocrinology and Metabolism, 2011, 300, E155-E163. | 3.5 | 65 |
| 98 | Circulating adiponectin concentrations were related to free thyroxine levels in thyroid cancer patients after thyroid hormone withdrawal. Metabolism: Clinical and Experimental, 2010, 59, 195-199. | 3.4 | 24 |
| 99 | Activation of ubiquitin-proteasome pathway is involved in skeletal muscle wasting in a rat model with biliary cirrhosis: potential role of TNF-α. American Journal of Physiology - Endocrinology and Metabolism, 2005, 288, E493-E501. | 3.5 | 51 |
| 100 | Stimulated resistin expression in white adipose of rats with bile duct ligation-induced liver cirrhosis: relationship to cirrhotic hyperinsulinemia and increased tumor necrosis factor-alpha. Molecular and Cellular Endocrinology, 2005, 232, 1-8. | 3.2 | 18 |
| 101 | Lower serum free thyroxine levels are associated with metabolic syndrome in a Chinese population. Metabolism: Clinical and Experimental, 2005, 54, 1524-1528. | 3.4 | 56 |
| 102 | Diagnosis of thyroid metastasis in cancer patients with thyroid mass by fine needle aspiration cytology and ultrasonography. Zhonghua Yi Xue Za Zhi = Chinese Medical Journal; Free China Ed, 2002, 65, 101-5. | 0.0 | 2 |
| 103 | Combined Functional Assessment for Predicting Clinical Outcomes in Stroke Patients After Post-acute Care: A Retrospective Multi-Center Cohort in Central Taiwan. Frontiers in Aging Neuroscience, 0, 14, . | 3.4 | 5 |