

Johannes Brug

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3307649/publications.pdf>

Version: 2024-02-01

533
papers

38,799
citations

2440

100
h-index

6024

165
g-index

546
all docs

546
docs citations

546
times ranked

33720
citing authors

#	ARTICLE	IF	CITATIONS
1	Intervention Fidelity of Telephone Motivational Interviewing On Physical Activity, Fruit Intake, and Vegetable Consumption in Dutch Outpatients With and Without Hypertension. <i>International Journal of Behavioral Medicine</i> , 2023, 30, 108-121.	0.8	2
2	Development of a neighborhood drivability index and its association with transportation behavior in Toronto. <i>Environment International</i> , 2022, 163, 107182.	4.8	7
3	Ultra-processed food consumption patterns among older adults in the Netherlands and the role of the food environment. <i>European Journal of Nutrition</i> , 2021, 60, 2567-2580.	1.8	9
4	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021, 5, 113-122.	6.2	193
5	Psychosocial and cultural determinants of dietary intake in community-dwelling older adults: A Determinants of Diet and Physical Activity systematic literature review. <i>Nutrition</i> , 2021, 85, 111131.	1.1	15
6	A randomized controlled trial comparing community lifestyle interventions to improve adherence to diet and physical activity recommendations: the VitalUM study. <i>European Journal of Epidemiology</i> , 2021, 36, 345-360.	2.5	5
7	From accelerometer output to physical activity intensities in breast cancer patients. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 176-181.	0.6	2
8	Adherence to a food group-based dietary guideline and incidence of prediabetes and type 2 diabetes. <i>European Journal of Nutrition</i> , 2020, 59, 2159-2169.	1.8	7
9	Dietary intake of heme iron is associated with ferritin and hemoglobin levels in Dutch blood donors: results from Donor InSight. <i>Haematologica</i> , 2020, 105, 2400-2406.	1.7	15
10	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 303-314.	0.2	50
11	School- and Leisure Time Factors Are Associated With Sitting Time of German and Irish Children and Adolescents During School: Results of a DEDIPAC Feasibility Study. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 93.	0.9	1
12	Associations of self-reported physical activity and anxiety symptoms and status among 7,874 Irish adults across harmonised datasets: a DEDIPAC-study. <i>BMC Public Health</i> , 2020, 20, 365.	1.2	11
13	Recent changes in the Dutch foodscape: socioeconomic and urban-rural differences. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 43.	2.0	37
14	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020, 80, 101882.	6.0	7
15	The Use and Effects of an App-Based Physical Activity Intervention ‘Active2Gether’ in Young Adults: Quasi-Experimental Trial. <i>JMIR Formative Research</i> , 2020, 4, e12538.	0.7	12
16	Neighbourhood drivability: environmental and individual characteristics associated with car use across Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 8.	2.0	18
17	Lifestyle behaviours are not associated with haemolysis: results from Donor InSight. <i>Blood Transfusion</i> , 2020, 18, 86-95.	0.3	4
18	Comparing Different Residential Neighborhood Definitions and the Association Between Density of Restaurants and Home Cooking Among Dutch Adults. <i>Nutrients</i> , 2019, 11, 1796.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. <i>Journal of Cancer Survivorship</i> , 2019, 13, 558-569.	1.5	31
20	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109746.	1.2	20
21	Factors influencing sedentary behaviour: A system based analysis using Bayesian networks within DEDIPAC. <i>PLoS ONE</i> , 2019, 14, e0211546.	1.1	27
22	Urban-rural differences in the association between blood lipids and characteristics of the built environment: a systematic review and meta-analysis. <i>BMJ Global Health</i> , 2019, 4, e001017.	2.0	27
23	Development and use of a flexible data harmonization platform to facilitate the harmonization of individual patient data for meta-analyses. <i>BMC Research Notes</i> , 2019, 12, 164.	0.6	12
24	The association between population density and blood lipid levels in Dutch blood donors. <i>International Journal of Health Geographics</i> , 2019, 18, 3.	1.2	0
25	How Does a Supervised Exercise Program Improve Quality of Life in Patients with Cancer? A Concept Mapping Study Examining Patients' Perspectives. <i>Oncologist</i> , 2019, 24, e374-e383.	1.9	10
26	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , 2019, 53, 812-812.	3.1	67
27	Exploring absolute and relative measures of exposure to food environments in relation to dietary patterns among European adults. <i>Public Health Nutrition</i> , 2019, 22, 1037-1047.	1.1	31
28	Exploring the Relation of Spatial Access to Fast Food Outlets With Body Weight: A Mediation Analysis. <i>Environment and Behavior</i> , 2019, 51, 401-430.	2.1	24
29	Relationship Between Accelerometer Output And Oxygen Consumption In Patients With Breast Cancer After Chemotherapy Treatment. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 880-880.	0.2	0
30	Long-term effectiveness and cost-effectiveness of high versus low-to-moderate intensity resistance and endurance exercise interventions among cancer survivors. <i>Journal of Cancer Survivorship</i> , 2018, 12, 417-429.	1.5	43
31	Functional determinants of dietary intake in community-dwelling older adults: a DEDIPAC (DEterminants of Diet and Physical ACTivity) systematic literature review. <i>Public Health Nutrition</i> , 2018, 21, 1886-1903.	1.1	32
32	Spatial access to restaurants and grocery stores in relation to frequency of home cooking. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 6.	2.0	7
33	Lessons learnt from a process evaluation of an exercise intervention in patients treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2018, 27, e12779.	0.7	9
34	Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2018, 52, 505-513.	3.1	177
35	Patient-reported physical activity and the association with health-related quality of life in head and neck cancer survivors. <i>Supportive Care in Cancer</i> , 2018, 26, 1087-1095.	1.0	15
36	Recent trends in population levels and correlates of occupational and leisure sitting time in full-time employed Australian adults. <i>PLoS ONE</i> , 2018, 13, e0195177.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1190-1200.	3.0	72
38	Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1406.	1.2	8
39	Changes in children's television and computer time according to parental education, parental income and ethnicity: A 6-year longitudinal EYHS study. <i>PLoS ONE</i> , 2018, 13, e0203592.	1.1	15
40	Improving cardiometabolic health through nudging dietary behaviours and physical activity in low SES adults: design of the Supreme Nudge project. <i>BMC Public Health</i> , 2018, 18, 899.	1.2	25
41	Associations of self-reported physical activity and depression in 10,000 Irish adults across harmonised datasets: a DEDIPAC-study. <i>BMC Public Health</i> , 2018, 18, 779.	1.2	21
42	Effect and moderators of exercise on fatigue in patients with cancer: Meta-analysis of individual patient data.. <i>Journal of Clinical Oncology</i> , 2018, 36, 104-104.	0.8	3
43	Contextual correlates of happiness in European adults. <i>PLoS ONE</i> , 2018, 13, e0190387.	1.1	26
44	App-Based Intervention Combining Evidence-Based Behavior Change Techniques With a Model-Based Reasoning System to Promote Physical Activity Among Young Adults (Active2Gether): Descriptive Study of the Development and Content. <i>JMIR Research Protocols</i> , 2018, 7, e185.	0.5	15
45	The mediating role of social capital in the association between neighbourhood income inequality and body mass index. <i>European Journal of Public Health</i> , 2017, 27, ckw157.	0.1	9
46	Built environmental correlates of cycling for transport across Europe. <i>Health and Place</i> , 2017, 44, 35-42.	1.5	94
47	Exploring health education with midwives, as perceived by pregnant women in primary care: A qualitative study in the Netherlands. <i>Midwifery</i> , 2017, 46, 37-44.	1.0	23
48	Measurement of availability and accessibility of food among youth: a systematic review of methodological studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 22.	2.0	38
49	Patterns of objectively measured sedentary time in 10- to 12-year-old Belgian children: an observational study within the ENERGY-project. <i>BMC Pediatrics</i> , 2017, 17, 147.	0.7	15
50	Sitting too much: A hierarchy of socio-demographic correlates. <i>Preventive Medicine</i> , 2017, 101, 77-83.	1.6	48
51	A Validation Study of the Fitbit One in Daily Life Using Different Time Intervals. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1270-1279.	0.2	25
52	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2167-2173.	0.5	15
53	Associations of commuting to school and work with demographic variables and with weight status in eight European countries: The ENERGY-cross sectional study. <i>Preventive Medicine</i> , 2017, 99, 305-312.	1.6	23
54	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , 2017, 52, 91-104.	3.4	398

#	ARTICLE	IF	CITATIONS
55	Sedentary Time and Physical Activity Surveillance Through Accelerometer Pooling in Four European Countries. <i>Sports Medicine</i> , 2017, 47, 1421-1435.	3.1	117
56	Counselor competence for telephone Motivation Interviewing addressing lifestyle change among Dutch older adults. <i>Evaluation and Program Planning</i> , 2017, 65, 47-53.	0.9	10
57	Health behaviour information provided to clients during midwife-led prenatal booking visits: Findings from video analyses. <i>Midwifery</i> , 2017, 54, 7-17.	1.0	14
58	Correlates of irregular family meal patterns among 11-year-old children from the Pro Children study. <i>Food and Nutrition Research</i> , 2017, 61, 1339554.	1.2	8
59	The Relationships of Health Behaviour and Psychological Characteristics with Spontaneous Preterm Birth in Nulliparous Women. <i>Maternal and Child Health Journal</i> , 2017, 21, 873-882.	0.7	20
60	Identifying and sharing data for secondary data analysis of physical activity, sedentary behaviour and their determinants across the life course in Europe: general principles and an example from DEDIPAC. <i>BMJ Open</i> , 2017, 7, e017489.	0.8	10
61	The DONE framework: Creation, evaluation, and updating of an interdisciplinary, dynamic framework 2.0 of determinants of nutrition and eating. <i>PLoS ONE</i> , 2017, 12, e0171077.	1.1	130
62	Do intrapersonal factors mediate the association of social support with physical activity in young women living in socioeconomically disadvantaged neighbourhoods? A longitudinal mediation analysis. <i>PLoS ONE</i> , 2017, 12, e0173231.	1.1	9
63	Views of policy makers and health promotion professionals on factors facilitating implementation and maintenance of interventions and policies promoting physical activity and healthy eating: results of the DEDIPAC project. <i>BMC Public Health</i> , 2017, 17, 932.	1.2	73
64	Determinants of diet and physical activity (DEDIPAC): a summary of findings. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 150.	2.0	59
65	Screen-based sedentary time: Association with soft drink consumption and the moderating effect of parental education in European children: The ENERGY study. <i>PLoS ONE</i> , 2017, 12, e0171537.	1.1	15
66	Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. <i>PLoS ONE</i> , 2017, 12, e0181313.	1.1	64
67	Objectively measured sedentary time among five ethnic groups in Amsterdam: The HELIUS study. <i>PLoS ONE</i> , 2017, 12, e0182077.	1.1	5
68	Chapter 1 Determinants of Dietary Behavior Among Youth: An Umbrella Review. , 2017, , 1-36.		0
69	Participation in and adherence to physical exercise after completion of primary cancer treatment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 100.	2.0	73
70	Regular family breakfast was associated with children's overweight and parental education: Results from the ENERGY cross-sectional study. <i>Preventive Medicine</i> , 2016, 91, 197-203.	1.6	19
71	Variation in population levels of sedentary time in European adults according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 71.	2.0	65
72	Variation in population levels of physical activity in European adults according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 72.	2.0	88

#	ARTICLE	IF	CITATIONS
73	Variation in population levels of physical activity in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 70.	2.0	133
74	Interrater Reliability of the ENERGY Photo-Rating Instrument for School Environments Related to Physical Activity and Eating. <i>Journal of Physical Activity and Health</i> , 2016, 13, 433-439.	1.0	1
75	The SOS-framework (Systems of Sedentary behaviours): an international transdisciplinary consensus framework for the study of determinants, research priorities and policy on sedentary behaviour across the life course: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 83.	2.0	102
76	Lifestyle correlates of overweight in adults: a hierarchical approach (the SPOTLIGHT project). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 114.	2.0	17
77	Do heart failure status and psychosocial variables moderate the relationship between leisure time physical activity and mortality risk among patients with a history of myocardial infarction?. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 196.	0.7	3
78	Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 3333-3342.	1.0	40
79	Barriers and facilitators to the nationwide dissemination of the Dutch school-based obesity prevention programme DOIT. <i>European Journal of Public Health</i> , 2016, 26, 611-616.	0.1	21
80	Implemented or not implemented? Process evaluation of the school-based obesity prevention program DOIT and associations with program effectiveness. <i>Health Education Research</i> , 2016, 31, 220-233.	1.0	24
81	Mediators of Exercise Effects on HRQoL in Cancer Survivors after Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1859-1865.	0.2	24
82	Variation in population levels of sedentary time in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 69.	2.0	99
83	A Randomized Controlled Trial to Examine the Effect of 2-Year Vitamin B12 and Folic Acid Supplementation on Physical Performance, Strength, and Falling: Additional Findings from the B-PROOF Study. <i>Calcified Tissue International</i> , 2016, 98, 18-27.	1.5	33
84	European Sitting Championship: Prevalence and Correlates of Self-Reported Sitting Time in the 28 European Union Member States. <i>PLoS ONE</i> , 2016, 11, e0149320.	1.1	90
85	The UP4FUN Intervention Effect on Breaking Up Sedentary Time in 10- to 12-Year-Old Belgian Children: The ENERGY Project. <i>Pediatric Exercise Science</i> , 2015, 27, 234-242.	0.5	10
86	Obesity-related behaviours and BMI in five urban regions across Europe: sampling design and results from the SPOTLIGHT cross-sectional survey. <i>BMJ Open</i> , 2015, 5, e008505.	0.8	54
87	Socio-demographic inequalities across a range of health status indicators and health behaviours among pregnant women in prenatal primary care: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 261.	0.9	46
88	Determinants of engaging in sedentary behavior across the lifespan; lessons learned from two systematic reviews conducted within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 134.	2.0	29
89	Individual and family environmental correlates of television and computer time in 10- to 12-year-old European children: the ENERGY-project. <i>BMC Public Health</i> , 2015, 15, 912.	1.2	16
90	Implementation conditions for diet and physical activity interventions and policies: an umbrella review. <i>BMC Public Health</i> , 2015, 15, 1250.	1.2	72

#	ARTICLE	IF	CITATIONS
91	Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. BMC Medicine, 2015, 13, 275.	2.3	128
92	Systematic literature review of determinants of sedentary behaviour in older adults: a DEDIPAC study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 127.	2.0	164
93	The effect, moderators, and mediators of resistance and aerobic exercise on health-related quality of life in older long-term survivors of prostate cancer. Cancer, 2015, 121, 2821-2830.	2.0	63
94	Educational differences in the validity of self-reported physical activity. BMC Public Health, 2015, 15, 1299.	1.2	51
95	Large proportions of overweight and obese children, as well as their parents, underestimate children's weight status across Europe. The ENERGY (European Energy balance Research to prevent) Tj ETQq1 1.0.784314rgBT /Ov	1.0	78
96	Maternal efficacy and sedentary behavior rules predict child obesity resilience. BMC Obesity, 2015, 2, 26.	3.1	8
97	Occurrence and duration of various operational definitions of sedentary bouts and cross-sectional associations with cardiometabolic health indicators: The ENERGY-project. Preventive Medicine, 2015, 71, 101-106.	1.6	40
98	Good practice characteristics of diet and physical activity interventions and policies: an umbrella review. BMC Public Health, 2015, 15, 19.	1.2	101
99	Correlates of dietary behavior in adults: an umbrella review. Nutrition Reviews, 2015, 73, 477-499.	2.6	59
100	Moderators of the effects of group-based physical exercise on cancer survivors' quality of life. Supportive Care in Cancer, 2015, 23, 2623-2631.	1.0	19
101	Determinants of dietary behavior among youth: an umbrella review. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 7.	2.0	74
102	What features do Dutch university students prefer in a smartphone application for promotion of physical activity? A qualitative approach. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 31.	2.0	85
103	Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 32.	2.0	9
104	Successful behavior change in obesity interventions in adults: a systematic review of self-regulation mediators. BMC Medicine, 2015, 13, 84.	2.3	472
105	Implementation evaluation of school-based obesity prevention programmes in youth; how, what and why?. Public Health Nutrition, 2015, 18, 1531-1534.	1.1	22
106	Family sociodemographic characteristics as correlates of children's breakfast habits and weight status in eight European countries. The ENERGY (European Energy balance Research to prevent) Tj ETQq0 0 0 rgBT /Ov	1.0	20
107	An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with Familial Hypercholesterolemia. BMC Research Notes, 2015, 8, 317.	0.6	2
108	Parental modeling, education and children's sports and TV time: The ENERGY-project. Preventive Medicine, 2015, 70, 96-101.	1.6	6

#	ARTICLE	IF	CITATIONS
109	The association between health related quality of life and survival in patients with head and neck cancer: A systematic review. <i>Oral Oncology</i> , 2015, 51, 1-11.	0.8	62
110	Sedentary behaviour and health in children – Evaluating the evidence. <i>Preventive Medicine</i> , 2015, 70, 1-2.	1.6	44
111	Evaluation of the UP4FUN Intervention: A Cluster Randomized Trial to Reduce and Break Up Sitting Time in European 10-12-Year-Old Children. <i>PLoS ONE</i> , 2015, 10, e0122612.	1.1	24
112	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , 2015, 10, e0126023.	1.1	28
113	Dutch Young Adults Ratings of Behavior Change Techniques Applied in Mobile Phone Apps to Promote Physical Activity: A Cross-Sectional Survey. <i>JMIR MHealth and UHealth</i> , 2015, 3, e103.	1.8	36
114	Development of Motivate4Change Using the Intervention Mapping Protocol: An Interactive Technology Physical Activity and Medication Adherence Promotion Program for Hospitalized Heart Failure Patients. <i>JMIR Research Protocols</i> , 2015, 4, e88.	0.5	19
115	The Dutch Obesity Intervention in Teenagers (DOIT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 158.	2.0	39
116	The SPOTLIGHT virtual audit tool: a valid and reliable tool to assess obesogenic characteristics of the built environment. <i>International Journal of Health Geographics</i> , 2014, 13, 52.	1.2	91
117	The association of breakfast skipping and television viewing at breakfast with weight status among parents of 10-12-year-olds in eight European countries; the ENERGY (European Energy balance Research) Tj ETQq1 1 0.784314 rgB 17, 906-914.	1.1	24
118	Environmental interventions in low-SES neighbourhoods to promote healthy behaviour: enhancing and impeding factors. <i>European Journal of Public Health</i> , 2014, 24, 390-395.	0.1	4
119	Effect of daily vitamin B-12 and folic acid supplementation on fracture incidence in elderly individuals with an elevated plasma homocysteine concentration: B-PROOF, a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1578-1586.	2.2	76
120	In Preparation of the Nationwide Dissemination of the School-Based Obesity Prevention Program <scp>DOIT</scp>: Stepwise Development Applying the Intervention Mapping Protocol. <i>Journal of School Health</i> , 2014, 84, 481-492.	0.8	7
121	Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 275.	1.2	17
122	Agreement between parent and child report on parental practices regarding dietary, physical activity and sedentary behaviours: the ENERGY cross-sectional survey. <i>BMC Public Health</i> , 2014, 14, 918.	1.2	21
123	Determinants of exercise adherence and maintenance among cancer survivors: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 80.	2.0	149
124	Parents and friends both matter: simultaneous and interactive influences of parents and friends on European schoolchildren's energy balance-related behaviours – the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 82.	2.0	30
125	Towards the integration and development of a cross-European research network and infrastructure: the DEterminants of Diet and Physical ACTivity (DEDIPAC) Knowledge Hub. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 143.	2.0	68
126	Test-retest reliability and construct validity of the DOIT (Dutch Obesity Intervention in Teenagers) questionnaire: measuring energy balance-related behaviours in Dutch adolescents. <i>Public Health Nutrition</i> , 2014, 17, 277-286.	1.1	13

#	ARTICLE	IF	CITATIONS
127	Differential effects of the computer-tailored FATaintPHAT programme on dietary behaviours according to sociodemographic, cognitive and home environmental factors. <i>Public Health Nutrition</i> , 2014, 17, 431-439.	1.1	10
128	From Sedentary Time to Sedentary Patterns: Accelerometer Data Reduction Decisions in Youth. <i>PLoS ONE</i> , 2014, 9, e111205.	1.1	81
129	Comparison of energy balance-related behaviours and measures of body composition between Turkish adolescents in Turkey and Turkish immigrant adolescents in the Netherlands. <i>Public Health Nutrition</i> , 2014, 17, 2692-2699.	1.1	8
130	Using remote sensing to define environmental characteristics related to physical activity and dietary behaviours: A systematic review (the SPOTLIGHT project). <i>Health and Place</i> , 2014, 25, 1-9.	1.5	86
131	Physical activity and the risk of developing lung cancer among smokers: A meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 67-71.	0.6	46
132	Evidence-based physical activity guidelines for cancer survivors: Current guidelines, knowledge gaps and future research directions. <i>Cancer Treatment Reviews</i> , 2014, 40, 327-340.	3.4	201
133	Mediators of the resistance and aerobic exercise intervention effect on physical and general health in men undergoing androgen deprivation therapy for prostate cancer. <i>Cancer</i> , 2014, 120, 294-301.	2.0	38
134	Differences in beliefs and home environments regarding energy balance behaviors according to parental education and ethnicity among schoolchildren in Europe: the ENERGY cross sectional study. <i>BMC Public Health</i> , 2014, 14, 610.	1.2	9
135	The role of family-related factors in the effects of the UP4FUN school-based family-focused intervention targeting screen time in 10- to 12-year-old children: the ENERGY project. <i>BMC Public Health</i> , 2014, 14, 857.	1.2	8
136	Apps to promote physical activity among adults: a review and content analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 97.	2.0	433
137	Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: The ENERGY project. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 201-206.	0.6	94
138	Obesogenic environments: a systematic review of the association between the physical environment and adult weight status, the SPOTLIGHT project. <i>BMC Public Health</i> , 2014, 14, 233.	1.2	281
139	The school nutrition environment and its association with soft drink intakes in seven countries across Europe – the ENERGY project. <i>Health and Place</i> , 2014, 30, 28-35.	1.5	15
140	Active and non-active video gaming among Dutch adolescents: Who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 597-601.	0.6	24
141	Sequential hand hygiene promotion contributes to a reduced nosocomial bloodstream infection rate among very low-birth weight infants: An interrupted time series over a 10-year period. <i>American Journal of Infection Control</i> , 2014, 42, 718-722.	1.1	14
142	Corrigendum to: “Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: The ENERGY project” [J. Sci. Med. Sport 17 (2014) 201–206]. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 450.	0.6	3
143	Daily Variations in Weather and the Relationship With Physical Activity and Sedentary Time in European 10- to 12-Year-Olds: The ENERGY-Project. <i>Journal of Physical Activity and Health</i> , 2014, 11, 419-425.	1.0	17
144	Energy Balance Related Behaviour: Personal, Home- and Friend-Related Factors among Schoolchildren in Europe Studied in the ENERGY-Project. <i>PLoS ONE</i> , 2014, 9, e111775.	1.1	15

#	ARTICLE	IF	CITATIONS
145	Personal, Social, and Game-Related Correlates of Active and Non-Active Gaming Among Dutch Gaming Adolescents: Survey-Based Multivariable, Multilevel Logistic Regression Analyses. <i>JMIR Serious Games</i> , 2014, 2, e4.	1.7	6
146	An Interactive-Technology Health Behavior Promotion Program for Heart Failure Patients: A Pilot Study of Experiences and Needs of Patients and Nurses in the Hospital Setting. <i>JMIR Research Protocols</i> , 2014, 3, e32.	0.5	10
147	Parental education associations with children's body composition: mediation effects of energy balance-related behaviors within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 80.	2.0	28
148	Associations between eating meals, watching TV while eating meals and weight status among children, ages 10-12 years in eight European countries: the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 58.	2.0	60
149	Direct and indirect associations between the family physical activity environment and sports participation among 10-12 year-old European children: testing the EnRC framework in the ENERGY project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 15.	2.0	58
150	Clustering of energy balance-related behaviors and parental education in European children: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 5.	2.0	62
151	Determinants of adherence to heart failure medication: a systematic literature review. <i>Heart Failure Reviews</i> , 2013, 18, 409-427.	1.7	64
152	Fatigue mediates the relationship between physical fitness and quality of life in cancer survivors. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 99-104.	0.6	39
153	Predicting Optimal Cancer Rehabilitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. <i>Systematic Reviews</i> , 2013, 2, 75.	2.5	35
154	Exploring facilitating factors and barriers to the nationwide dissemination of a Dutch school-based obesity prevention program – DOIT – a study protocol. <i>BMC Public Health</i> , 2013, 13, 1201.	1.2	24
155	Associations between home- and family-related factors and fruit juice and soft drink intake among 10- to 12-year old children. The ENERGY project. <i>Appetite</i> , 2013, 61, 59-65.	1.8	44
156	Effects of exercise in patients treated with stem cell transplantation for a hematologic malignancy: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2013, 39, 682-690.	3.4	121
157	Equity-Specific Effects of 26 Dutch Obesity-Related Lifestyle Interventions. <i>American Journal of Preventive Medicine</i> , 2013, 44, e61-e70.	1.6	61
158	Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013, 24, 44-53.	1.5	40
159	Homocysteine and the methylenetetrahydrofolate reductase 677C>T polymorphism in relation to muscle mass and strength, physical performance and postural sway. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 743-748.	1.3	32
160	Self-reported TV and computer time do not represent accelerometer-derived total sedentary time in 10 to 12-year-olds. <i>European Journal of Public Health</i> , 2013, 23, 30-32.	0.1	49
161	Explaining socio-demographic differences in disengagement from sports in adolescence. <i>European Journal of Public Health</i> , 2013, 23, 811-816.	0.1	13
162	Macroenvironmental Factors Including GDP per Capita and Physical Activity in Europe. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 278-285.	0.2	20

#	ARTICLE	IF	CITATIONS
163	Cohort Profile: The Resilience for Eating and Activity Despite Inequality (READI) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1629-1639.	0.9	45
164	Process evaluation of FATaintPHAT, a computer-tailored intervention to prevent excessive weight gain among Dutch adolescents. <i>Health Promotion International</i> , 2013, 28, 26-35.	0.9	20
165	Genetic and Environmental Influences on Individual Differences in Sleep Duration During Adolescence. <i>Twin Research and Human Genetics</i> , 2013, 16, 1015-1025.	0.3	7
166	Role of free school lunch in the associations between family-environmental factors and children's fruit and vegetable intake in four European countries. <i>Public Health Nutrition</i> , 2013, 16, 1109-1117.	1.1	22
167	Predictors and mediators of differences in soft drinks consumption according to gender and plans of further education among Norwegian secondary-school children. <i>Public Health Nutrition</i> , 2013, 16, 1250-1256.	1.1	6
168	Family- and school-based predictors of energy balance-related behaviours in children: a 6-year longitudinal study. <i>Public Health Nutrition</i> , 2013, 16, 202-211.	1.1	21
169	Mediators of longitudinal changes in measures of adiposity in teenagers using parallel process latent growth modeling. <i>Obesity</i> , 2013, 21, 2387-2395.	1.5	14
170	Associations between neighbourhood and household environmental variables and fruit consumption: exploration of mediation by individual cognitions and habit strength in the GLOBE study. <i>Public Health Nutrition</i> , 2013, 16, 505-514.	1.1	11
171	Longer Sleep â€“ Slimmer Kids: The ENERGY-Project. <i>PLoS ONE</i> , 2013, 8, e59522.	1.1	17
172	Can Ethnic Background Differences in Childrenâ€™s Body Composition Be Explained by Differences in Energy Balance-Related Behaviors? A Mediation Analysis within the Energy-Project. <i>PLoS ONE</i> , 2013, 8, e71848.	1.1	5
173	Associations between Family-Related Factors, Breakfast Consumption and BMI among 10- to 12-Year-Old European Children: The Cross-Sectional ENERGY-Study. <i>PLoS ONE</i> , 2013, 8, e79550.	1.1	27
174	Socio-Demographic and Lifestyle-Related Characteristics Associated with Self-Reported Any, Daily and Occasional Smoking during Pregnancy. <i>PLoS ONE</i> , 2013, 8, e74197.	1.1	26
175	Genetic and Environmental Influences on Individual Differences in Sedentary Behavior During Adolescence. <i>JAMA Pediatrics</i> , 2012, 166, 509-14.	3.6	11
176	Mediating effects of home-related factors on fat intake from snacks in a school-based nutrition intervention among adolescents. <i>Health Education Research</i> , 2012, 27, 36-45.	1.0	10
177	Effectiveness of workplace interventions in Europe promoting healthy eating: a systematic review. <i>European Journal of Public Health</i> , 2012, 22, 677-683.	0.1	153
178	Methodological quality of front-of-pack labeling studies: a review plus identification of research challenges. <i>Nutrition Reviews</i> , 2012, 70, 709-720.	2.6	43
179	Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , 2012, 1, 211-218.	1.1	24
180	Resilience to obesity among socioeconomically disadvantaged women: the READI study. <i>International Journal of Obesity</i> , 2012, 36, 855-865.	1.6	50

#	ARTICLE	IF	CITATIONS
181	Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , 2012, 107, 1028-1036.	1.2	30
182	Consuming a diet complying with front-of-pack label criteria may reduce cholesterol levels: a modeling study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 510-516.	1.3	17
183	Associations between Safety from Crime, Cycling, and Obesity in a Dutch Elderly Population: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Environmental and Public Health</i> , 2012, 2012, 1-6.	0.4	9
184	Predictors of the Intention to Prevent Excessive Weight Gain in Youth. <i>American Journal of Health Behavior</i> , 2012, 36, 472-482.	0.6	2
185	Evaluation of the Web-Based Computer-Tailored FATaintPHAT Intervention to Promote Energy Balance Among Adolescents. <i>JAMA Pediatrics</i> , 2012, 166, 248.	3.6	97
186	Explaining socio-economic inequalities in daily smoking: a socialâ€œecological approach. <i>European Journal of Public Health</i> , 2012, 22, 238-243.	0.1	19
187	Family- and school-based correlates of energy balance-related behaviours in 10â€œ12-year-old children: a systematic review within the ENERGY (European Energy balance Research to prevent excessive weight) Tj ETQq1 1 11784314ingBT /Over		
188	Associations of parental education and parental physical activity (PA) with children's PA: The ENERGY crossâ€œsectional study. <i>Preventive Medicine</i> , 2012, 55, 310-314.	1.6	32
189	Hand disinfection in a neonatal intensive care unit: continuous electronic monitoring over a one-year period. <i>BMC Infectious Diseases</i> , 2012, 12, 248.	1.3	20
190	Is the process of delivery of an individually tailored lifestyle intervention associated with improvements in LDL cholesterol and multiple lifestyle behaviours in people with Familial Hypercholesterolemia?. <i>BMC Public Health</i> , 2012, 12, 348.	1.2	19
191	Sustainable prevention of obesity through integrated strategies: The SPOTLIGHT projectâ€™s conceptual framework and design. <i>BMC Public Health</i> , 2012, 12, 793.	1.2	66
192	The effect of the UP4FUN pilot intervention on objectively measured sedentary time and physical activity in 10â€œ12 year old children in Belgium: the ENERGY-project. <i>BMC Public Health</i> , 2012, 12, 805.	1.2	34
193	Socioeconomic inequalities in occupational, leisure-time, and transport related physical activity among European adults: A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 116.	2.0	383
194	Micro-level economic factors and incentives in Childrenâ€™s energy balance related behaviours - findings from the ENERGY European cross-section questionnaire survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 136.	2.0	16
195	Differences in weight status and energy-balance related behaviors among schoolchildren in German-speaking Switzerland compared to seven countries in Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 139.	2.0	18
196	Levels of physical activity and sedentary time among 10- to 12-year-old boys and girls across 5 European countries using accelerometers: an observational study within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 34.	2.0	204
197	Are neighbourhood social capital and availability of sports facilities related to sports participation among Dutch adolescents?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 90.	2.0	44
198	No significant improvement of cardiovascular disease risk indicators by a lifestyle intervention in people with Familial Hypercholesterolemia compared to usual care: results of a randomised controlled trial. <i>BMC Research Notes</i> , 2012, 5, 181.	0.6	30

#	ARTICLE	IF	CITATIONS
199	Test-retest reliability and construct validity of the ENERGY-parent questionnaire on parenting practices, energy balance-related behaviours and their potential behavioural determinants: the ENERGY-project. <i>BMC Research Notes</i> , 2012, 5, 434.	0.6	44
200	Exploring the reach and program use of hello world, an email-based health promotion program for pregnant women in the Netherlands. <i>BMC Research Notes</i> , 2012, 5, 514.	0.6	6
201	Computer screen saver hand hygiene information curbs a negative trend in hand hygiene behavior. <i>American Journal of Infection Control</i> , 2012, 40, 951-954.	1.1	31
202	A Systematic Review of Randomized Controlled Trials on the Effectiveness of Computer-Tailored Physical Activity and Dietary Behavior Promotion Programs: an Update. <i>Annals of Behavioral Medicine</i> , 2012, 44, 259-286.	1.7	220
203	Physical and psychosocial benefits of yoga in cancer patients and survivors, a systematic review and meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , 2012, 12, 559.	1.1	263
204	Effectiveness of YouRAction, an Intervention to Promote Adolescent Physical Activity Using Personal and Environmental Feedback: A Cluster RCT. <i>PLoS ONE</i> , 2012, 7, e32682.	1.1	17
205	Self-Reported Physical Activity: Its Correlates and Relationship with Health-Related Quality of Life in a Large Cohort of Colorectal Cancer Survivors. <i>PLoS ONE</i> , 2012, 7, e36164.	1.1	83
206	Objective and Self-Rated Sedentary Time and Indicators of Metabolic Health in Dutch and Hungarian 10-12 Year Olds: The ENERGY-Project. <i>PLoS ONE</i> , 2012, 7, e36657.	1.1	21
207	Can Multiple Lifestyle Behaviours Be Improved in People with Familial Hypercholesterolemia? Results of a Parallel Randomised Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e50032.	1.1	32
208	Does parental involvement make a difference in school-based nutrition and physical activity interventions? A systematic review of randomized controlled trials. <i>International Journal of Public Health</i> , 2012, 57, 673-678.	1.0	91
209	Determinants of heart failure self-care: a systematic literature review. <i>Heart Failure Reviews</i> , 2012, 17, 367-385.	1.7	64
210	Alpe d'AuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 143-156.	0.8	23
211	Neighborhood characteristics and TV viewing in youth: Nothing to do but watch TV?. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 122-128.	0.6	27
212	Predicting nicotine dependence profiles among adolescent smokers: the roles of personal and social-environmental factors in a longitudinal framework. <i>BMC Public Health</i> , 2012, 12, 196.	1.2	20
213	Evaluation of primary care midwifery in the Netherlands: design and rationale of a dynamic cohort study (DELIVER). <i>BMC Health Services Research</i> , 2012, 12, 69.	0.9	52
214	Direction of the association between body fatness and self-reported screen time in Dutch adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 4.	2.0	32
215	Differences in Weight Status and Energy-Balance Related Behaviors among Schoolchildren across Europe: The ENERGY-Project. <i>PLoS ONE</i> , 2012, 7, e34742.	1.1	231
216	Effectiveness of a primary school-based intervention to reduce overweight. <i>Pediatric Obesity</i> , 2011, 6, e70-e77.	3.2	72

#	ARTICLE	IF	CITATIONS
217	Longitudinal associations between cycling to school and weight status. <i>Pediatric Obesity</i> , 2011, 6, 182-187.	3.2	37
218	Differences in fruit and vegetable intake and their determinants among 11-year-old schoolchildren between 2003 and 2009. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 141.	2.0	32
219	The effects of tailored and threatening nutrition information on message attention. Evidence from an event-related potential study. <i>Appetite</i> , 2011, 56, 32-38.	1.8	28
220	The association between home environmental variables and soft drink consumption among adolescents. Exploration of mediation by individual cognitions and habit strength. <i>Appetite</i> , 2011, 56, 503-510.	1.8	44
221	Product samples stimulate choice of unfamiliar healthful food products. <i>Appetite</i> , 2011, 57, 197-201.	1.8	9
222	Strategies to Facilitate Exposure to Internet-Delivered Health Behavior Change Interventions Aimed at Adolescents or Young Adults: A Systematic Review. <i>Health Education and Behavior</i> , 2011, 38, 49-62.	1.3	139
223	More or better: Do the number and specificity of implementation intentions matter in increasing physical activity?. <i>Psychology of Sport and Exercise</i> , 2011, 12, 471-477.	1.1	74
224	School-based interventions promoting both physical activity and healthy eating in Europe: a systematic review within the HOPE project. <i>Obesity Reviews</i> , 2011, 12, 205-216.	3.1	208
225	A systematic review of environmental factors and obesogenic dietary intakes among adults: are we getting closer to understanding obesogenic environments?. <i>Obesity Reviews</i> , 2011, 12, e95-e106.	3.1	341
226	Interventions for the prevention of overweight and obesity in preschool children: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2011, 12, e107-18.	3.1	104
227	Relationship between young peoples' sedentary behaviour and biomedical health indicators: a systematic review of prospective studies. <i>Obesity Reviews</i> , 2011, 12, e621-32.	3.1	203
228	Dairy intake from adolescence into adulthood is not associated with being overweight and metabolic syndrome in adulthood: the Amsterdam Growth and Health Longitudinal Study. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 233-244.	1.3	16
229	Information about the taste stimulates choice of unfamiliar healthful food products. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 603-611.	1.3	6
230	The association between cycling to school and being overweight in Rotterdam (The Netherlands) and Kristiansand (Norway). <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2011, 21, 48-53.	1.3	32
231	What works in school-based energy balance behaviour interventions and what does not? A systematic review of mediating mechanisms. <i>International Journal of Obesity</i> , 2011, 35, 1251-1265.	1.6	113
232	Economic incentives and nutritional behavior of children in the school setting: A systematic review. <i>Nutrition Reviews</i> , 2011, 69, 660-674.	2.6	31
233	Do Trends in Physical Activity, Sedentary, and Dietary Behaviors Support Trends in Obesity Prevalence in 2 Border Regions in Texas?. <i>Journal of Nutrition Education and Behavior</i> , 2011, 43, 210-218.	0.3	9
234	Biomarker Evaluation Does Not Confirm Efficacy of Computer-tailored Nutrition Education. <i>Journal of Nutrition Education and Behavior</i> , 2011, 43, 323-330.	0.3	6

#	ARTICLE	IF	CITATIONS
235	Study protocol of physical activity and sedentary behaviour measurement among schoolchildren by accelerometry - Cross-sectional survey as part of the ENERGY-project. BMC Public Health, 2011, 11, 182.	1.2	51
236	Test-retest reliability and construct validity of the ENERGY-child questionnaire on energy balance-related behaviours and their potential determinants: the ENERGY-project. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 136.	2.0	110
237	Parental and home influences on adolescents'™ TV viewing: A mediation analysis. Pediatric Obesity, 2011, 6, e364-e372.	3.2	22
238	For whom and under what circumstances do school-based energy balance behavior interventions work? Systematic review on moderators. Pediatric Obesity, 2011, 6, e46-e57.	3.2	72
239	Influence of Placement of a Nutrition Logo on Cafeteria Menu Items on Lunchtime Food Choices at Dutch Work Sites. Journal of the American Dietetic Association, 2011, 111, 131-136.	1.3	75
240	Associations between availability of facilities within three different neighbourhood buffer sizes and objectively assessed physical activity in adolescents. Health and Place, 2011, 17, 1228-1234.	1.5	34
241	Tailored Print Communication and Telephone Motivational Interviewing Are Equally Successful in Improving Multiple Lifestyle Behaviors in a Randomized Controlled Trial. Annals of Behavioral Medicine, 2011, 41, 104-118.	1.7	65
242	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. BMC Medical Research Methodology, 2011, 11, 30.	1.4	47
243	Rationale and design of the B-PROOF study, a randomized controlled trial on the effect of supplemental intake of vitamin B12 and folic acid on fracture incidence. BMC Geriatrics, 2011, 11, 80.	1.1	83
244	European Energy balance Research to prevent excessive weight Gain among Youth (ENERGY) project: Design and methodology of the ENERGY cross-sectional survey. BMC Public Health, 2011, 11, 65.	1.2	91
245	What do parents think about parental participation in school-based interventions on energy balance-related behaviours? a qualitative study in 4 countries. BMC Public Health, 2011, 11, 881.	1.2	30
246	Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part II: qualitative studies. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 112.	2.0	239
247	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 4.	2.0	2
248	Modeling the long term health outcomes and cost-effectiveness of two interventions promoting fruit and vegetable intake among schoolchildren. Economics and Human Biology, 2011, 9, 14-22.	0.7	22
249	Cohort Profile: The Longitudinal Aging Study Amsterdam. International Journal of Epidemiology, 2011, 40, 868-876.	0.9	378
250	Reduction in sugar-sweetened beverages is not associated with more water or diet drinks. Public Health Nutrition, 2011, 14, 1388-1393.	1.1	19
251	Adolescents risky MP3-player listening and its psychosocial correlates. Health Education Research, 2011, 26, 254-264.	1.0	45
252	Worksite Physical Activity Interventions and Obesity: A Review of European Studies (the HOPE Project). Obesity Facts, 2011, 4, 7-7.	1.6	51

#	ARTICLE	IF	CITATIONS
253	Evaluation of nationwide health promotion campaigns in the Netherlands: an exploration of practices, wishes and opportunities. <i>Health Promotion International</i> , 2011, 26, 244-254.	0.9	19
254	Which Intervention Characteristics are Related to More Exposure to Internet-Delivered Healthy Lifestyle Promotion Interventions? A Systematic Review. <i>Journal of Medical Internet Research</i> , 2011, 13, e2.	2.1	407
255	A systematic review of studies on socioeconomic inequalities in dietary intakes associated with weight gain and overweight/obesity conducted among European adults. <i>Obesity Reviews</i> , 2010, 11, 413-429.	3.1	300
256	Cognitive and home environmental predictors of change in sugar-sweetened beverage consumption among adolescents. <i>British Journal of Nutrition</i> , 2010, 103, 768-774.	1.2	56
257	Estimating Adolescent Risk for Hearing Loss Based on Data From a Large School-Based Survey. <i>American Journal of Public Health</i> , 2010, 100, 1095-1100.	1.5	54
258	Nicotine dependence subtypes among adolescent smokers: Examining the occurrence, development and validity of distinct symptom profiles.. <i>Psychology of Addictive Behaviors</i> , 2010, 24, 61-74.	1.4	16
259	Design of the Resistance and Endurance exercise After ChemoTherapy (REACT) study: A randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. <i>BMC Cancer</i> , 2010, 10, 658.	1.1	23
260	Design of the EXercise Intervention after Stem cell Transplantation (EXIST) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of an individualized high intensity physical exercise program on fitness and fatigue in patients with multiple myeloma or (non-) Hodgkin's lymphoma treated with high dose chemotherapy and autologous stem cell transplantation. <i>BMC Cancer</i> , 2010, 10, 671.	1.1	35
261	Evidence-based development of school-based and family-involved prevention of overweight across Europe: The ENERGY-project's design and conceptual framework. <i>BMC Public Health</i> , 2010, 10, 276.	1.2	92
262	Systematic Development of the YouRAction program, a computer-tailored Physical Activity promotion intervention for Dutch adolescents, targeting personal motivations and environmental opportunities. <i>BMC Public Health</i> , 2010, 10, 474.	1.2	17
263	A tailored lifestyle intervention to reduce the cardiovascular disease risk of individuals with Familial Hypercholesterolemia (FH): design of the PRO-FIT randomised controlled trial. <i>BMC Public Health</i> , 2010, 10, 69.	1.2	27
264	Why do poor people perceive poor neighbourhoods? The role of objective neighbourhood features and psychosocial factors. <i>Health and Place</i> , 2010, 16, 744-754.	1.5	61
265	The impact of an education program on hand hygiene compliance and nosocomial infection incidence in an urban Neonatal Intensive Care Unit: An intervention study with before and after comparison. <i>International Journal of Nursing Studies</i> , 2010, 47, 1245-1252.	2.5	91
266	Monitoring of risk perceptions and correlates of precautionary behaviour related to human avian influenza during 2006 - 2007 in the Netherlands: results of seven consecutive surveys. <i>BMC Infectious Diseases</i> , 2010, 10, 114.	1.3	73
267	Weight status, energy balance behaviours and intentions in 9-12 year old inner city children. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 85-96.	1.3	22
268	The effects of a fruit and vegetable promotion intervention on unhealthy snacks during mid-morning school breaks: results of the Dutch Schoolgruuten Project. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 609-615.	1.3	29
269	Overweight and obesity in infants and pre-school children in the European Union: a review of existing data. <i>Obesity Reviews</i> , 2010, 11, 389-398.	3.1	230
270	Early-life determinants of overweight and obesity: a review of systematic reviews. <i>Obesity Reviews</i> , 2010, 11, 695-708.	3.1	482

#	ARTICLE	IF	CITATIONS
271	Does socio-economic status moderate the associations between psychosocial predictors and fruit intake in schoolchildren? The Pro Children study. <i>Health Education Research</i> , 2010, 25, 121-134.	1.0	38
272	Availability of sports facilities as moderator of the intention-sports participation relationship among adolescents. <i>Health Education Research</i> , 2010, 25, 489-497.	1.0	59
273	Why Do Parents with Toddlers Store Poisonous Products Safely?. <i>International Journal of Pediatrics (United Kingdom)</i> , 2010, 2010, 1-8.	0.2	4
274	Is the term "Mediterranean diet" a misnomer?. <i>Public Health Nutrition</i> , 2010, 13, 2127-2129.	1.1	24
275	Do individual cognitions mediate the association of socio-cultural and physical environmental factors with adolescent sports participation?. <i>Public Health Nutrition</i> , 2010, 13, 1746-1754.	1.1	15
276	Exploring overweight, obesity and their behavioural correlates among children and adolescents: results from the Health-promotion through Obesity Prevention across Europe project. <i>Public Health Nutrition</i> , 2010, 13, 1676-1679.	1.1	19
277	Direct and indirect association between environmental factors and fruit intake, mediation by psychosocial factors: the Pro Children study. <i>Public Health Nutrition</i> , 2010, 13, 1736-1745.	1.1	12
278	Effectiveness of school-based interventions in Europe to promote healthy nutrition in children and adolescents: systematic review of published and "grey" literature. <i>British Journal of Nutrition</i> , 2010, 103, 781-797.	1.2	317
279	Characteristics of visitors and revisitors to an Internet-delivered computer-tailored lifestyle intervention implemented for use by the general public. <i>Health Education Research</i> , 2010, 25, 585-595.	1.0	123
280	Towards evidence-based, quality-controlled health promotion: the Dutch recognition system for health promotion interventions. <i>Health Education Research</i> , 2010, 25, 1100-1106.	1.0	34
281	Family Environmental Factors Do Not Explain Differences in the Behavioral Effect of a Healthy Diet Promotion Program in Lower Vocational Schools among 12- to 14-Year-Old Adolescents. <i>American Journal of Health Promotion</i> , 2010, 24, 182-185.	0.9	6
282	Discotheques and the risk of hearing loss among youth: risky listening behavior and its psychosocial correlates. <i>Health Education Research</i> , 2010, 25, 737-747.	1.0	22
283	Systematic Review of Studies on Compliance with Hand Hygiene Guidelines in Hospital Care. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 283-294.	1.0	824
284	Changes in skinfold thickness and waist circumference after 12 and 24 months resulting from the NHF-NRG In Balance-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 26.	2.0	30
285	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 64.	2.0	32
286	Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 65.	2.0	176
287	Understanding the correlates of adolescents' TV viewing: A social ecological approach. <i>Pediatric Obesity</i> , 2010, 5, 161-168.	3.2	28
288	Young People: Taking Few Precautions Against Hearing Loss in Discotheques. <i>Journal of Adolescent Health</i> , 2010, 46, 499-502.	1.2	8

#	ARTICLE	IF	CITATIONS
289	Actual use of a front-of-pack nutrition logo in the supermarket: consumers' motives in food choice. <i>Public Health Nutrition</i> , 2010, 13, 1882-1889.	1.1	114
290	Neuroticism, conscientiousness and fruit consumption: Exploring mediator and moderator effects in the theory of planned behaviour. <i>Psychology and Health</i> , 2009, 24, 1051-1069.	1.2	35
291	Long-term effects of the Dutch Schoolgruitem Project "promoting fruit and vegetable consumption among primary-school children. <i>Public Health Nutrition</i> , 2009, 12, 1213-1223.	1.1	48
292	Process evaluation of a school-based weight gain prevention program: the Dutch Obesity Intervention in Teenagers (DOiT). <i>Health Education Research</i> , 2009, 24, 772-777.	1.0	30
293	Dutch Obesity Intervention in Teenagers. <i>JAMA Pediatrics</i> , 2009, 163, 309.	3.6	165
294	The obesity pandemic. Is it bad or worse?. <i>European Journal of Public Health</i> , 2009, 19, 570-571.	0.1	6
295	A conceptual framework for understanding and improving adolescents' exposure to Internet-delivered interventions. <i>Health Promotion International</i> , 2009, 24, 277-284.	0.9	55
296	Adolescents and MP3 Players: Too Many Risks, Too Few Precautions. <i>Pediatrics</i> , 2009, 123, e953-e958.	1.0	82
297	Prevention of adolescents' music-induced hearing loss due to discotheque attendance: a Delphi study. <i>Health Education Research</i> , 2009, 24, 1043-1050.	1.0	18
298	Cultural and Social Influences on Food Consumption in Dutch Residents of Turkish and Moroccan Origin: A Qualitative Study. <i>Journal of Nutrition Education and Behavior</i> , 2009, 41, 232-241.	0.3	82
299	Gender, ethnic and school type differences in overweight and energy balance-related behaviours among Dutch adolescents. <i>Pediatric Obesity</i> , 2009, 4, 371-380.	3.2	20
300	Dose-response associations between screen time and overweight among youth. <i>Pediatric Obesity</i> , 2009, 4, 61-64.	3.2	19
301	Risk Perceptions and Behaviour: Towards Pandemic Control of Emerging Infectious Diseases. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 3-6.	0.8	157
302	SARS Knowledge, Perceptions, and Behaviors: a Comparison between Finns and the Dutch during the SARS Outbreak in 2003. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 41-48.	0.8	85
303	The Perceived Threat of SARS and its Impact on Precautionary Actions and Adverse Consequences: A Qualitative Study Among Chinese Communities in the United Kingdom and the Netherlands. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 58-67.	0.8	71
304	Sources of Information and Health Beliefs Related to SARS and Avian Influenza among Chinese Communities in the United Kingdom and The Netherlands, Compared to the General Population in these Countries. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 49-57.	0.8	69
305	Perceived Threat, Risk Perception, and Efficacy Beliefs Related to SARS and Other (Emerging) Infectious Diseases: Results of an International Survey. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 30-40.	0.8	256
306	A Front-of-Pack Nutrition Logo: A Quantitative and Qualitative Process Evaluation in the Netherlands. <i>Journal of Health Communication</i> , 2009, 14, 631-645.	1.2	84

#	ARTICLE	IF	CITATIONS
307	Strategies for the Prevention of MP3-Induced Hearing Loss Among Adolescents: Expert Opinions From a Delphi Study. <i>Pediatrics</i> , 2009, 123, 1257-1262.	1.0	43
308	Mechanisms of adolescent smoking cessation: Roles of readiness to quit, nicotine dependence, and smoking of parents and peers. <i>Drug and Alcohol Dependence</i> , 2009, 99, 204-214.	1.6	61
309	Socioeconomic differences in lack of recreational walking among older adults: the role of neighbourhood and individual factors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 1.	2.0	202
310	Should implementation intentions interventions be implemented in obesity prevention: the impact of if-then plans on daily physical activity in Dutch adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 11.	2.0	52
311	Ethnic differences in BMI among Dutch adolescents: what is the role of screen-viewing, active commuting to school, and consumption of soft drinks and high-caloric snacks?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 23.	2.0	17
312	Objective and perceived availability of physical activity opportunities: differences in associations with physical activity behavior among urban adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 70.	2.0	106
313	Effectiveness of online word of mouth on exposure to an Internet-delivered intervention. <i>Psychology and Health</i> , 2009, 24, 651-661.	1.2	25
314	A Qualitative Exploration of Reasons for Poor Hand Hygiene Among Hospital Workers Lack of Positive Role Models and of Convincing Evidence That Hand Hygiene Prevents Cross-Infection. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 415-419.	1.0	203
315	Music venues and hearing loss: Opportunities for and barriers to improving environmental conditions. <i>International Journal of Audiology</i> , 2009, 48, 531-536.	0.9	13
316	Behavioral and Cognitive Effects of a Worksite-Based Weight Gain Prevention Program: The NHF-NRG In Balance-Project. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 1437-1446.	0.9	13
317	Towards health-promoting and environmentally friendly regional diets – a Nordic example. <i>Public Health Nutrition</i> , 2009, 12, 91-96.	1.1	100
318	General parenting styles are not strongly associated with fruit and vegetable intake and social-environmental correlates among 11-year-old children in four countries in Europe. <i>Public Health Nutrition</i> , 2009, 12, 259-266.	1.1	49
319	Replacing foods high in saturated fat by low-saturated fat alternatives: a computer simulation of the potential effects on reduction of saturated fat consumption. <i>British Journal of Nutrition</i> , 2009, 102, 478-483.	1.2	18
320	Efficacy and Use of an Internet-delivered Computer-tailored Lifestyle Intervention, Targeting Saturated Fat Intake, Physical Activity and Smoking Cessation: A Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2008, 35, 125-135.	1.7	144
321	MP3 Players and Hearing Loss: Adolescents' Perceptions of Loud Music and Hearing Conservation. <i>Journal of Pediatrics</i> , 2008, 152, 400-404.e1.	0.9	92
322	Socioeconomic Position at Different Stages of the Life Course and Its Influence on Body Weight and Weight Gain in Adulthood: A Longitudinal Study With 13-Year Follow-up. <i>Obesity</i> , 2008, 16, 1377-1381.	1.5	77
323	Personal, social and environmental predictors of daily fruit and vegetable intake in 11-year-old children in nine European countries. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 834-841.	1.3	105
324	A systematic review of the evidence regarding efficacy of obesity prevention interventions among adults. <i>Obesity Reviews</i> , 2008, 9, 446-455.	3.1	180

#	ARTICLE	IF	CITATIONS
325	Associations between the transtheoretical processes of change, nicotine dependence and adolescent smokers' transition through the stages of change. <i>Addiction</i> , 2008, 103, 331-338.	1.7	20
326	The ENDORSE study: Research into environmental determinants of obesity related behaviors in Rotterdam schoolchildren. <i>BMC Public Health</i> , 2008, 8, 142.	1.2	66
327	Vitalum study design: RCT evaluating the efficacy of tailored print communication and telephone motivational interviewing on multiple health behaviors. <i>BMC Public Health</i> , 2008, 8, 216.	1.2	37
328	A school-based intervention to reduce overweight and inactivity in children aged 6-12 years: study design of a randomized controlled trial. <i>BMC Public Health</i> , 2008, 8, 257.	1.2	40
329	The Efficacy of Web-based and Print-delivered Computer-tailored Interventions to Reduce Fat Intake: Results of a Randomized, Controlled Trial. <i>Journal of Nutrition Education and Behavior</i> , 2008, 40, 226-236.	0.3	60
330	Are positive changes in potential determinants associated with increased fruit and vegetable intakes among primary schoolchildren? Results of two intervention studies in the Netherlands: the Schoolgruitem Project and the Pro Children Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 21.	2.0	26
331	Why did soft drink consumption decrease but screen time not? Mediating mechanisms in a school-based obesity prevention program. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 41.	2.0	35
332	Mothers' involvement in a school-based fruit and vegetable promotion intervention is associated with increased fruit and vegetable intakes - The Pro Children study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 48.	2.0	14
333	Feeling Fat Rather than Being Fat May Be Associated with Psychological Well-Being in Young Dutch Adolescents. <i>Journal of Adolescent Health</i> , 2008, 42, 128-136.	1.2	81
334	Saturated fat consumption and the Theory of Planned Behaviour: Exploring additive and interactive effects of habit strength. <i>Appetite</i> , 2008, 51, 318-323.	1.8	58
335	The School Food Environment. <i>American Journal of Preventive Medicine</i> , 2008, 35, 217-223.	1.6	112
336	A randomized trial of sequential and simultaneous multiple behavior change interventions for physical activity and fat intake. <i>Preventive Medicine</i> , 2008, 46, 232-237.	1.6	71
337	Socio-demographic factors as correlates of active commuting to school in Rotterdam, the Netherlands. <i>Preventive Medicine</i> , 2008, 47, 412-416.	1.6	61
338	Household and food shopping environments: do they play a role in socioeconomic inequalities in fruit and vegetable consumption? A multilevel study among Dutch adults. <i>Journal of Epidemiology and Community Health</i> , 2008, 63, 113-120.	2.0	58
339	Effects of tailoring health messages on physical activity. <i>Health Education Research</i> , 2008, 23, 402-413.	1.0	64
340	Why do parents' education level and income affect the amount of fruits and vegetables adolescents eat?. <i>European Journal of Public Health</i> , 2008, 18, 611-615.	0.1	75
341	Adolescents' movement towards cessation of smoking: Role and relative value of the processes of change and nicotine dependence. <i>Psychology and Health</i> , 2008, 23, 729-743.	1.2	7
342	Reply to Absinthe and tobacco--a new look at an old problem?. <i>International Journal of Epidemiology</i> , 2008, 37, 219-219.	0.9	0

#	ARTICLE	IF	CITATIONS
343	The Effectiveness of Tailored Feedback and Action Plans in an Intervention Addressing Multiple Health Behaviors. <i>American Journal of Health Promotion</i> , 2008, 22, 417-424.	0.9	180
344	Internet-delivered interventions aimed at adolescents: a Delphi study on dissemination and exposure. <i>Health Education Research</i> , 2008, 23, 427-439.	1.0	81
345	Predictors of Stage Transitions in the Precaution Adoption Process Model. <i>American Journal of Health Promotion</i> , 2008, 22, 282-290.	0.9	19
346	Do the Transtheoretical Processes of Change Predict Transitions in Stages of Change for Fruit Intake?. <i>Health Education and Behavior</i> , 2008, 35, 603-618.	1.3	14
347	Determinants of healthy eating: motivation, abilities and environmental opportunities. <i>Family Practice</i> , 2008, 25, i50-i55.	0.8	189
348	Effects of a comprehensive fruit- and vegetable-promoting school-based intervention in three European countries: the Pro Children Study. <i>British Journal of Nutrition</i> , 2008, 99, 893-903.	1.2	110
349	Taste preferences, liking and other factors related to fruit and vegetable intakes among schoolchildren: results from observational studies. <i>British Journal of Nutrition</i> , 2008, 99, S7-S14.	1.2	195
350	Environmental determinants of healthy eating: in need of theory and evidence. <i>Proceedings of the Nutrition Society</i> , 2008, 67, 307-316.	0.4	110
351	Krachtvoer: effect evaluation of a Dutch healthful diet promotion curriculum for lower vocational schools. <i>Public Health Nutrition</i> , 2008, 11, 271-278.	1.1	40
352	Are the Dutch acquainted with and willing to try healthful food products? The role of food neophobia. <i>Public Health Nutrition</i> , 2008, 11, 493-500.	1.1	56
353	Why do boys eat less fruit and vegetables than girls?. <i>Public Health Nutrition</i> , 2008, 11, 321-325.	1.1	90
354	Qualitative assessment of adolescents' views about improving exposure to internet-delivered interventions. <i>Health Education</i> , 2008, 108, 105-116.	0.4	18
355	Awareness and habit: important factors in physical activity in children. <i>Health Education</i> , 2008, 108, 475-488.	0.4	19
356	Habit Strength of Physical Activity and Sedentary Behavior among Children and Adolescents. <i>Pediatric Exercise Science</i> , 2008, 20, 5-17.	0.5	49
357	Effectiveness of smoking cessation interventions among adults: a systematic review of reviews. <i>European Journal of Cancer Prevention</i> , 2008, 17, 535-544.	0.6	181
358	Socioeconomic Status, Environmental and Individual Factors, and Sports Participation. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 71-81.	0.2	114
359	Comparison of Use and Appreciation of a Print-Delivered Versus CD-ROM-Delivered, Computer-Tailored Intervention Targeting Saturated Fat Intake: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2008, 10, e12.	2.1	17
360	An Exploration of Factors Related to Dissemination of and Exposure to Internet-Delivered Behavior Change Interventions Aimed at Adults: A Delphi Study Approach. <i>Journal of Medical Internet Research</i> , 2008, 10, e10.	2.1	98

#	ARTICLE	IF	CITATIONS
361	Differences in prevalence of overweight and stunting in 11-year olds across Europe: The Pro Children Study. <i>European Journal of Public Health</i> , 2007, 18, 126-130.	0.1	52
362	Aging, Retirement, and Changes in Physical Activity: Prospective Cohort Findings from the GLOBE Study. <i>American Journal of Epidemiology</i> , 2007, 165, 1356-1363.	1.6	137
363	Examining the minimal required elements of a computer-tailored intervention aimed at dietary fat reduction: results of a randomized controlled dismantling study. <i>Health Education Research</i> , 2007, 23, 880-891.	1.0	15
364	Appreciation and implementation of a school-based intervention are associated with changes in fruit and vegetable intake in 10- to 13-year old schoolchildren—the Pro Children study. <i>Health Education Research</i> , 2007, 23, 997-1007.	1.0	59
365	Factorial and convergent validity of nicotine dependence measures in adolescents: Toward a multidimensional approach. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1109-1118.	1.4	27
366	Assessing psychosocial correlates of parental safety behaviour using Protection Motivation Theory: stair gate presence and use among parents of toddlers. <i>Health Education Research</i> , 2007, 23, 723-731.	1.0	17
367	Does habit strength moderate the intention-behaviour relationship in the Theory of Planned Behaviour? The case of fruit consumption. <i>Psychology and Health</i> , 2007, 22, 899-916.	1.2	134
368	A systematic review of associations between environmental factors, energy and fat intakes among adults: is there evidence for environments that encourage obesogenic dietary intakes?. <i>Public Health Nutrition</i> , 2007, 10, 1005-1017.	1.1	93
369	Short-term Effects of School-Based Weight Gain Prevention Among Adolescents. <i>JAMA Pediatrics</i> , 2007, 161, 565.	3.6	83
370	Absinthe is its history relevant for current public health?. <i>International Journal of Epidemiology</i> , 2007, 36, 738-744.	0.9	9
371	Testing the transtheoretical model for fruit intake: comparing web-based tailored stage-matched and stage-mismatched feedback. <i>Health Education Research</i> , 2007, 23, 218-227.	1.0	23
372	Association of Eating Attitudes Between Teenage Girls and Their Parents. <i>International Journal of Social Psychiatry</i> , 2007, 53, 507-513.	1.6	26
373	Psychosocial Predictors of Increases in Fruit and Vegetable Consumption. <i>American Journal of Health Behavior</i> , 2007, 31, 135-145.	0.6	9
374	Ethnic differences in 1-year follow-up effect of the Dutch Schoolgruitem Project – promoting fruit and vegetable consumption among primary-school children. <i>Public Health Nutrition</i> , 2007, 10, 1497-1507.	1.1	31
375	The effects of a middle-school healthy eating intervention on adolescents' fat and fruit intake and soft drinks consumption. <i>Public Health Nutrition</i> , 2007, 10, 443-449.	1.1	78
376	School-based Internet-tailored fruit and vegetable education combined with brief counselling increases children's awareness of intake levels. <i>Public Health Nutrition</i> , 2007, 10, 273-279.	1.1	56
377	What young Dutch adults say they do to keep from gaining weight: self-reported prevalence of overeating, compensatory behaviours and specific weight control behaviours. <i>Public Health Nutrition</i> , 2007, 10, 790-798.	1.1	16
378	Tracking of fruit and vegetable consumption from adolescence into adulthood and its longitudinal association with overweight. <i>British Journal of Nutrition</i> , 2007, 98, 431-438.	1.2	139

#	ARTICLE	IF	CITATIONS
379	Socioeconomic inequalities in food purchasing: The contribution of respondent-perceived and actual (objectively measured) price and availability of foods. <i>Preventive Medicine</i> , 2007, 45, 41-48.	1.6	136
380	A poster-based intervention to promote stair use in blue- and white-collar worksites. <i>Preventive Medicine</i> , 2007, 45, 177-181.	1.6	39
381	Moderators of Environmental Intervention Effects on Diet and Activity in Youth. <i>American Journal of Preventive Medicine</i> , 2007, 32, 163-172.	1.6	79
382	Formation of Implementation Intentions Promotes Stair Use. <i>American Journal of Preventive Medicine</i> , 2007, 32, 254-255.	1.6	23
383	Young People's Exposure to Loud Music. <i>American Journal of Preventive Medicine</i> , 2007, 33, 124-133.	1.6	62
384	Adolescent screen-viewing behaviour is associated with consumption of sugar-sweetened beverages: The role of habit strength and perceived parental norms. <i>Appetite</i> , 2007, 48, 345-350.	1.8	90
385	Measuring physical activity in field studies: Comparison of a questionnaire, 24-hour recall and an accelerometer. <i>European Journal of Sport Science</i> , 2007, 7, 193-201.	1.4	14
386	The European charter for counteracting obesity: A late but important step towards action. Observations on the WHO-Europe ministerial conference, Istanbul, November 15-17, 2006. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 11.	2.0	25
387	ISBNPA 2007: Marketing, serious games and nanny states. Observations from the sixth annual meeting of the International Society of Behavioral Nutrition and Physical Activity, Oslo 2007. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 37.	2.0	0
388	Television viewing and exposure to food-related commercials among European school children, associations with fruit and vegetable intake: a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 46.	2.0	38
389	The application of a social cognition model in explaining fruit intake in Austrian, Norwegian and Spanish schoolchildren using structural equation modelling. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 57.	2.0	16
390	Precautionary Behavior in Response to Perceived Threat of Pandemic Influenza. <i>Emerging Infectious Diseases</i> , 2007, 13, 1307-1313.	2.0	209
391	Avian Influenza Risk Perception, Europe and Asia. <i>Emerging Infectious Diseases</i> , 2007, 13, 290-293.	2.0	120
392	Presence and use of stair gates in homes with toddlers (11-18 months old). <i>Accident Analysis and Prevention</i> , 2007, 39, 964-968.	3.0	10
393	The Evaluation of a Mass Media Campaign Aimed at Weight Gain Prevention Among Young Dutch Adults. <i>Obesity</i> , 2007, 15, 2780-2789.	1.5	29
394	Environmental correlates of physical activity in youth ? a review and update. <i>Obesity Reviews</i> , 2007, 8, 129-154.	3.1	727
395	The NHF-NRG In Balance-project: the application of Intervention Mapping in the development, implementation and evaluation of weight gain prevention at the worksite. <i>Obesity Reviews</i> , 2007, 8, 347-361.	3.1	42
396	Potential environmental determinants of physical activity in adults: a systematic review. <i>Obesity Reviews</i> , 2007, 8, 425-440.	3.1	489

#	ARTICLE	IF	CITATIONS
397	Towards an evidence-based guideline for counselling of chronic hepatitis B virus infected patients. <i>Liver International</i> , 2007, 27, 731-732.	1.9	2
398	Using Intervention Mapping to develop a programme to prevent sexually transmittable infections, including HIV, among heterosexual migrant men. <i>BMC Public Health</i> , 2007, 7, 141.	1.2	37
399	Patterns in sedentary and exercise behaviors and associations with overweight in 9-14-year-old boys and girls - a cross-sectional study. <i>BMC Public Health</i> , 2007, 7, 16.	1.2	142
400	Design and evaluation protocol of "FATaintPHAT", a computer-tailored intervention to prevent excessive weight gain in adolescents. <i>BMC Public Health</i> , 2007, 7, 324.	1.2	23
401	Perceived environmental determinants of physical activity and fruit and vegetable consumption among high and low socioeconomic groups in the Netherlands. <i>Health and Place</i> , 2007, 13, 493-503.	1.5	113
402	Training Dietitians in Basic Motivational Interviewing Skills Results in Changes in Their Counseling Style and in Lower Saturated Fat Intakes in Their Patients. <i>Journal of Nutrition Education and Behavior</i> , 2007, 39, 8-12.	0.3	95
403	Differences Between Parents' and Adolescents' Perceptions of Family Food Rules and Availability. <i>Journal of Nutrition Education and Behavior</i> , 2007, 39, 84-89.	0.3	40
404	Evaluation of an interactive computer-tailored nutrition intervention in a real-life setting. <i>Annals of Behavioral Medicine</i> , 2007, 33, 39-48.	1.7	45
405	A computer-tailored dietary fat intake intervention for adolescents: Results of a randomized controlled trial. <i>Annals of Behavioral Medicine</i> , 2007, 34, 253-262.	1.7	41
406	Effects of tailored feedback on multiple health behaviors. <i>Annals of Behavioral Medicine</i> , 2007, 33, 117-123.	1.7	67
407	Two-year follow-up of sequential and simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , 2007, 33, 213-219.	1.7	56
408	Feasibility, reliability, and validity of adolescent health status measurement by the Child Health Questionnaire Child Form (CHQ-CF): internet administration compared with the standard paper version. <i>Quality of Life Research</i> , 2007, 16, 675-685.	1.5	82
409	Psychosocial predictors of increases in fruit and vegetable consumption. <i>American Journal of Health Behavior</i> , 2007, 31, 135-45.	0.6	5
410	Krachtvoer: process evaluation of a Dutch programme for lower vocational schools to promote healthful diet. <i>Health Education Research</i> , 2006, 21, 695-704.	1.0	43
411	A systematic review of environmental correlates of obesity-related dietary behaviors in youth. <i>Health Education Research</i> , 2006, 22, 203-226.	1.0	453
412	The Transtheoretical model for fruit, vegetable and fish consumption: associations between intakes, stages of change and stage transition determinants. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 13.	2.0	35
413	Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part I: Quantitative studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 22.	2.0	789
414	Order is needed to promote linear or quantum changes in nutrition and physical activity behaviors: a reaction to 'A chaotic view of behavior change' by Resnicow and Vaughan. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 29.	2.0	12

#	ARTICLE	IF	CITATIONS
415	Differences in fruit and vegetable intake and determinants of intakes between children of Dutch origin and non-Western ethnic minority children in the Netherlands - a cross sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 31.	2.0	21
416	Personal, social and environmental correlates of vegetable intake in normal weight and overweight 9 to 13-year old boys. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 37.	2.0	17
417	Title is missing!. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 6.	2.0	0
418	Environmental influences on energy balance-related behaviors: a dual-process view. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 9.	2.0	443
419	Effectiveness of an online computer-tailored physical activity intervention in a real-life setting. Health Education Research, 2006, 22, 385-396.	1.0	159
420	Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. Health Education Research, 2006, 22, 227-237.	1.0	79
421	Modeling Individual and Physical Environmental Factors with Adolescent Physical Activity. American Journal of Preventive Medicine, 2006, 30, 507-512.	1.6	66
422	Revisiting Kurt LewinHow to Gain Insight into Environmental Correlates of Obesogenic Behaviors. American Journal of Preventive Medicine, 2006, 31, 525-529.	1.6	93
423	Excuses to continue smoking: The role of disengagement beliefs in smoking cessation. Addictive Behaviors, 2006, 31, 2223-2237.	1.7	35
424	Using epidemiological models to estimate the health effects of diet behaviour change: the example of tailored fruit and vegetable promotion. Public Health Nutrition, 2006, 9, 415-420.	1.1	13
425	Evaluation of a Dutch Public-Private Partnership to Promote Healthier Diet. American Journal of Health Promotion, 2006, 20, 309-312.	0.9	8
426	Increased attention for computer-tailored health communications: An event-related potential study.. Health Psychology, 2006, 25, 300-306.	1.3	58
427	A multilevel study of socio-economic inequalities in food choice behaviour and dietary intake among the Dutch population: the GLOBE study. Public Health Nutrition, 2006, 9, 75-83.	1.1	77
428	EACH Newspapers. Patient Education and Counseling, 2006, 63, 255-257.	1.0	12
429	Parent and child reports of fruit and vegetable intakes and related family environmental factors show low levels of agreement. Journal of Human Nutrition and Dietetics, 2006, 19, 275-285.	1.3	41
430	Underestimation and overestimation of personal weight status: associations with socio-demographic characteristics and weight maintenance intentions. Journal of Human Nutrition and Dietetics, 2006, 19, 253-262.	1.3	51
431	Unsafe storage of poisons in homes with toddlers. Accident Analysis and Prevention, 2006, 38, 772-776.	3.0	54
432	A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. Annals of Behavioral Medicine, 2006, 31, 205-223.	1.7	481

#	ARTICLE	IF	CITATIONS
433	Do Implementation Intentions Help to Turn Good Intentions into Higher Fruit Intakes?. <i>Journal of Nutrition Education and Behavior</i> , 2006, 38, 25-29.	0.3	59
434	Predicting Fruit Consumption: Cognitions, Intention, and Habits. <i>Journal of Nutrition Education and Behavior</i> , 2006, 38, 73-81.	0.3	143
435	The Reach of a Computer-Tailored Nutrition Education Program in the Dutch Heart Health Community Intervention "Hartslag Limburg". <i>Journal of Nutrition Education and Behavior</i> , 2006, 38, 293-297.	0.3	9
436	Correlates of Fruit and Vegetable Consumption Among 11-Year-Old Belgian-Flemish and Dutch Schoolchildren. <i>Journal of Nutrition Education and Behavior</i> , 2006, 38, 211-221.	0.3	96
437	Design of the Dutch Obesity Intervention in Teenagers (NRG-DOIT): systematic development, implementation and evaluation of a school-based intervention aimed at the prevention of excessive weight gain in adolescents. <i>BMC Public Health</i> , 2006, 6, 304.	1.2	94
438	Parents often do not recognize overweight in their child, regardless of their socio-demographic background. <i>European Journal of Public Health</i> , 2006, 16, 645-647.	0.1	41
439	Smokers living in deprived areas are less likely to quit: a longitudinal follow-up. <i>Tobacco Control</i> , 2006, 15, 485-488.	1.8	84
440	Feasibility, acceptability, and quality of Internet-administered adolescent health promotion in a preventive-care setting. <i>Health Education Research</i> , 2006, 22, 1-13.	1.0	36
441	Participation rates in worksite-based intervention studies: health promotion context as a crucial quality criterion. <i>Health Promotion International</i> , 2006, 21, 66-69.	0.9	37
442	Comparing stage of change and behavioral intention to understand fruit intake. <i>Health Education Research</i> , 2006, 22, 599-608.	1.0	13
443	Differences in Measured and Self-Reported Height and Weight in Dutch Adolescents. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 339-346.	1.0	69
444	Perceived parenting style and practices and the consumption of sugar-sweetened beverages by adolescents. <i>Health Education Research</i> , 2006, 22, 295-304.	1.0	196
445	Environmental determinants of fruit and vegetable consumption among adults: a systematic review. <i>British Journal of Nutrition</i> , 2006, 96, 620-35.	1.2	252
446	Stages of change in fruit intake: A longitudinal examination of stability, stage transitions and transition profiles. <i>Psychology and Health</i> , 2005, 20, 415-428.	1.2	20
447	Toothbrushing at school. <i>Health Education</i> , 2005, 105, 53-61.	0.4	17
448	Reliability and validity of a questionnaire to measure personal, social and environmental correlates of fruit and vegetable intake in 10-11-year-old children in five European countries. <i>Public Health Nutrition</i> , 2005, 8, 189-200.	1.1	160
449	The impact of a national mass media campaign in The Netherlands on the prevention of weight gain. <i>Public Health Nutrition</i> , 2005, 8, 1250-1257.	1.1	33
450	Long-term efficacy of a checklist to improve patient education in cardiology. <i>Patient Education and Counseling</i> , 2005, 56, 240-248.	1.0	18

#	ARTICLE	IF	CITATIONS
451	Short-term efficacy of a web-based computer-tailored nutrition intervention: Main Effects and Mediators. <i>Annals of Behavioral Medicine</i> , 2005, 29, 54-63.	1.7	143
452	Efficacy of sequential or simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , 2005, 29, 138-146.	1.7	129
453	The impact of a nutrition education intervention on main meal quality and fruit intake in people with financial problems. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 205-212.	1.3	9
454	Determinants of fruit and vegetable consumption among 6-12-year-old children and effective interventions to increase consumption. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 431-443.	1.3	411
455	Netherlands Research programme weight Gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 498-507.	1.3	41
456	Promoting and sustaining health through increased vegetable and fruit consumption among European schoolchildren: The Pro Children Project. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2005, 13, 97-101.	0.8	6
457	Is personality related to fruit and vegetable intake and physical activity in adolescents?. <i>Health Education Research</i> , 2005, 20, 635-644.	1.0	57
458	How stable are stages of change for nutrition behaviors in the Netherlands?. <i>Health Promotion International</i> , 2005, 20, 27-32.	0.9	33
459	The 'balance intervention' for promoting caloric compensatory behaviours in response to overeating: a formative evaluation. <i>Health Education Research</i> , 2005, 21, 527-537.	1.0	4
460	The Pro Children Intervention: Applying the Intervention Mapping Protocol to Develop a School-Based Fruit and Vegetable Promotion Programme. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 267-277.	1.0	62
461	The positive effect on determinants of physical activity of a tailored, general practice-based physical activity intervention. <i>Health Education Research</i> , 2005, 20, 345-356.	1.0	64
462	Promoting Fruit and Vegetable Consumption among European Schoolchildren: Rationale, Conceptualization and Design of the Pro Children Project. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 212-220.	1.0	118
463	The Pro Children Study: Conceptualization, Baseline Results and Intervention Development of a European Effort to Promote Fruit and Vegetable Consumption in Schoolchildren. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 209-211.	1.0	11
464	Fruit and Vegetable Intake in a Sample of 11-Year-Old Children in 9 European Countries: The Pro Children Cross-Sectional Survey. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 236-245.	1.0	259
465	Fruit and Vegetable Intake of Mothers of 11-Year-Old Children in Nine European Countries: The Pro Children Cross-Sectional Survey. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 246-254.	1.0	37
466	Personal, Social and Environmental Factors regarding Fruit and Vegetable Intake among Schoolchildren in Nine European Countries. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 255-266.	1.0	51
467	A Qualitative Exploration of Determinants of Fruit and Vegetable Intake among 10- and 11-Year-Old Schoolchildren in the Low Countries. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 228-235.	1.0	51
468	Determinants of Forward Stage Transition from Precontemplation and Contemplation for Fruit Consumption. <i>American Journal of Health Promotion</i> , 2005, 19, 278-285.	0.9	35

#	ARTICLE	IF	CITATIONS
469	Determinants of adolescent bicycle use for transportation and snacking behavior. Preventive Medicine, 2005, 40, 658-667.	1.6	113
470	The Dutch heart health community intervention "Hartslag Limburg": results of an effect study at organizational level. Public Health, 2005, 119, 353-360.	1.4	5
471	Correlates of motivation to prevent weight gain: a cross sectional survey. International Journal of Behavioral Nutrition and Physical Activity, 2005, 2, 1.	2.0	83
472	Theory, evidence and Intervention Mapping to improve behavior nutrition and physical activity interventions. International Journal of Behavioral Nutrition and Physical Activity, 2005, 2, 2.	2.0	322
473	Cognitive Determinants of Energy Balance-Related Behaviours. Sports Medicine, 2005, 35, 923-933.	3.1	69
474	SARS Risk Perception, Knowledge, Precautions, and Information Sources, the Netherlands. Emerging Infectious Diseases, 2004, 10, 1486-1489.	2.0	410
475	The Dutch Heart Health community intervention 'Hartslag Limburg': results of an effect study at individual level. Health Promotion International, 2004, 19, 21-31.	0.9	26
476	The Dutch Heart Health Community Intervention 'Hartslag Limburg': design and results of a process study. Health Education Research, 2004, 19, 596-607.	1.0	26
477	Process evaluation of a school-based education program about organ donation and registration, and the intention for continuance. Health Education Research, 2004, 19, 720-729.	1.0	24
478	Determinants of forward stage transitions: a Delphi study. Health Education Research, 2004, 20, 195-205.	1.0	121
479	The Dutch Heart Health Community Intervention 'Hartslag Limburg': Effects on smoking behaviour. European Journal of Public Health, 2004, 14, 191-193.	0.1	12
480	Acceptability and feasibility of an interactive computer-tailored fat intake intervention in Belgium. Health Promotion International, 2004, 19, 463-470.	0.9	48
481	The impact and evaluation of two school-based interventions on intention to register an organ donation preference. Health Education Research, 2004, 19, 447-456.	1.0	26
482	Dietary intakes of adults in the Netherlands by childhood and adulthood socioeconomic position. European Journal of Clinical Nutrition, 2004, 58, 871-880.	1.3	36
483	Dietary change, nutrition education and chronic obstructive pulmonary disease. Patient Education and Counseling, 2004, 52, 249-257.	1.0	43
484	Unplanned smoking initiation: new insights and implications for interventions. Patient Education and Counseling, 2004, 55, 345-352.	1.0	30
485	The Transtheoretical Model and stages of change: a critique: Observations by five Commentators on the paper by Adams, J. and White, M. (2004) Why don't stage-based activity promotion interventions work?. Health Education Research, 2004, 20, 244-258.	1.0	128
486	Clustering of energy balance-related behaviours and their intrapersonal determinants. Psychology and Health, 2004, 19, 595-606.	1.2	81

#	ARTICLE	IF	CITATIONS
487	Intervention Mapping: Protocol for Applying Health Psychology Theory to Prevention Programmes. <i>Journal of Health Psychology</i> , 2004, 9, 85-98.	1.3	306
488	Explaining fruit and vegetable consumption: the theory of planned behaviour and misconception of personal intake levels. <i>Appetite</i> , 2004, 42, 157-166.	1.8	120
489	Why do diabetic patients not attend appointments with their dietitian?. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 151-158.	1.3	65
490	Feedback strategies to raise awareness of personal dietary intake: results of a randomized controlled trial. <i>Preventive Medicine</i> , 2003, 36, 429-439.	1.6	52
491	Parenting style and adolescent fruit consumption. <i>Appetite</i> , 2003, 41, 43-50.	1.8	342
492	Exploring the occurrence and nature of comparison of one's own perceived dietary fat intake to that of self-selected others. <i>Appetite</i> , 2003, 41, 259-264.	1.8	17
493	The Effects of Practicing Registration of Organ Donation Preference on Self-Efficacy and Registration Intention: An Enactive Mastery Experience. <i>Psychology and Health</i> , 2003, 18, 585-594.	1.2	21
494	The (Ir)Relevance of Framing Nutrition Education Messages. <i>Nutrition and Health</i> , 2003, 17, 9-20.	0.6	32
495	The Dutch heart health community intervention "Hartslag Limburg" evaluation design and baseline data. <i>Health Education</i> , 2003, 103, 330-341.	0.4	7
496	Past, present, and future of computer-tailored nutrition education. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1028S-1034S.	2.2	303
497	A Short Dutch Questionnaire to Measure Fruit and Vegetable Intake: Relative Validity Among Adults and Adolescents. <i>Nutrition and Health</i> , 2002, 16, 85-106.	0.6	164
498	Differences in impact between a family- versus an individual-based tailored intervention to reduce fat intake. <i>Health Education Research</i> , 2002, 17, 435-449.	1.0	26
499	A checklist to improve patient education in a cardiology outpatient setting. <i>Patient Education and Counseling</i> , 2001, 42, 231-238.	1.0	23
500	The relative validity of a short Dutch questionnaire as a means to categorize adults and adolescents to total and saturated fat intake. <i>Journal of Human Nutrition and Dietetics</i> , 2001, 14, 377-390.	1.3	141
501	Framing of nutrition education messages in persuading consumers of the advantages of a healthy diet. <i>Journal of Human Nutrition and Dietetics</i> , 2001, 14, 435-442.	1.3	47
502	Determinants of the intention of Dutch adolescents to register as organ donors. <i>Social Science and Medicine</i> , 2001, 53, 383-392.	1.8	51
503	Stages of change, psychological factors and awareness of physical activity levels in the Netherlands. <i>Health Promotion International</i> , 2001, 16, 305-314.	0.9	165
504	Evoked fear and effects of appeals on attitudes to performing breast self-examination: an information-processing perspective. <i>Health Education Research</i> , 2001, 16, 307-319.	1.0	38

#	ARTICLE	IF	CITATIONS
505	Web-based tailored nutrition education: results of a randomized controlled trial. Health Education Research, 2001, 16, 647-660.	1.0	268
506	Beliefs About Fat Why do we Hold Beliefs About Fat and why and how do we Study these Beliefs?. , 2001, , 39-54.		4
507	PREDICTORS OF ORGAN DONATION REGISTRATION AMONG DUTCH ADOLESCENTS. Transplantation, 2001, 72, 51-56.	0.5	24
508	Predictors of willingness to register as an organ donor among dutch adolescents. Psychology and Health, 2000, 15, 357-368.	1.2	59
509	Tailoring dietary feedback to reduce fat intake: an intervention at the family level. Health Education Research, 2000, 15, 449-462.	1.0	66
510	Differences in use and impact of computer-tailored dietary fat-feedback according to stage of change and education. Appetite, 2000, 34, 285-293.	1.8	65
511	Computer-tailored nutrition education: differences between two interventions. Health Education Research, 1999, 14, 249-256.	1.0	65
512	Editorial. Patient Education and Counseling, 1999, 36, 99-105.	1.0	295
513	The application and impact of computer-generated personalized nutrition education: A review of the literature. Patient Education and Counseling, 1999, 36, 145-156.	1.0	309
514	An exploratory study into Dutch consumers' experiences with implementing dietary recommendations to reduce fat intake. Journal of Human Nutrition and Dietetics, 1999, 12, 103-112.	1.3	5
515	The Impact of Computer-Tailored Feedback and Iterative Feedback on Fat, Fruit, and Vegetable Intake. Health Education and Behavior, 1998, 25, 517-531.	1.3	231
516	Nationwide implementation of guided supermarket tours in the Netherlands: a dissemination study. Health Education Research, 1998, 13, 557-566.	1.0	17
517	Fat Watch: A Nationwide Campaign in the Netherlands to Reduce Fat Intakeâ€™Effect Evaluation. Nutrition and Health, 1998, 12, 119-130.	0.6	16
518	Fat Watch: A Nationwide Campaign in the Netherlands to Reduce Fat Intakeâ€™Process Evaluations. Nutrition and Health, 1998, 12, 107-117.	0.6	15
519	Differences in psychosocial factors and fat consumption between stages of change for fat reduction. Psychology and Health, 1997, 12, 719-727.	1.2	45
520	Nutrition Education Interventions in a Community Setting: 2 Dutch Examples. Nutrition and Health, 1997, 12, 45-54.	0.6	5
521	Results of a Community-Based Campaign to Reduce Fat Intake. Nutrition and Health, 1997, 11, 207-218.	0.6	17
522	The Relationship between Self-Efficacy, Attitudes, Intake Compared to Others, Consumption, and Stages of Change Related to Fruit and Vegetables. American Journal of Health Promotion, 1997, 12, 25-30.	0.9	100

#	ARTICLE	IF	CITATIONS
523	Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. <i>Journal of Nutrition Education and Behavior</i> , 1997, 29, 313-320.	0.5	112
524	Consumption of fruit and vegetables: how to motivate the population to change their behavior. <i>Cancer Letters</i> , 1997, 114, 335-336.	3.2	16
525	Are awareness of dietary fat intake and actual fat consumption associated?â€”A Dutch–American Comparison. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 542-547.	1.3	66
526	Validity and Reliability of Self-Reported Exposure to Environmental Tobacco Smoke in Work Offices. <i>Journal of Occupational and Environmental Medicine</i> , 1997, 39, 1111-1114.	0.9	26
527	The Impact of a Computer-Tailored Nutrition Intervention. <i>Preventive Medicine</i> , 1996, 25, 236-242.	1.6	310
528	Differences in Cancer Incidence and Mortality Among Socio-Economic Groups. <i>Scandinavian Journal of Public Health</i> , 1995, 23, 110-120.	0.6	96
529	Psychosocial determinants of fruit and vegetable consumption among adults: Results of focus group interviews. <i>Food Quality and Preference</i> , 1995, 6, 99-107.	2.3	128
530	Psychosocial Determinants of Fruit and Vegetable Consumption. <i>Appetite</i> , 1995, 25, 285-296.	1.8	215
531	Self-rated dietary fat intake: Association with objective assessment of fat, psychosocial factors, and intention to change. <i>Journal of Nutrition Education and Behavior</i> , 1994, 26, 218-223.	0.5	137
532	Indicators of Iodine Status among Adults. <i>Annals of Nutrition and Metabolism</i> , 1992, 36, 129-134.	1.0	7
533	Gender, ethnic and school type differences in overweight and energy balance-related behaviours among Dutch adolescents. <i>Pediatric Obesity</i> , 0, , 1-10.	3.2	1