Robert Colebunders

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3314548/publications.pdf

Version: 2024-02-01

215 papers

5,210 citations

94433 37 h-index 60 g-index

222 all docs 222 docs citations

times ranked

222

4797 citing authors

#	Article	IF	Citations
1	Tuberculosis-associated immune reconstitution inflammatory syndrome: case definitions for use in resource-limited settings. Lancet Infectious Diseases, The, 2008, 8, 516-523.	9.1	681
2	Factors Affecting COVID-19 Vaccine Acceptance: An International Survey among Low- and Middle-Income Countries. Vaccines, 2021, 9, 515.	4.4	207
3	Prednisone for the Prevention of Paradoxical Tuberculosis-Associated IRIS. New England Journal of Medicine, 2018, 379, 1915-1925.	27.0	139
4	The temporal relationship between onchocerciasis and epilepsy: a population-based cohort study. Lancet Infectious Diseases, The, 2018, 18, 1278-1286.	9.1	114
5	COVID-19 Vaccine Acceptance in the Democratic Republic of Congo: A Cross-Sectional Survey. Vaccines, 2021, 9, 153.	4.4	102
6	Community-Based Active Tuberculosis Case Finding in Poor Urban Settlements of Phnom Penh, Cambodia: A Feasible and Effective Strategy. PLoS ONE, 2014, 9, e92754.	2.5	88
7	The Use of Ebola Convalescent Plasma to Treat Ebola Virus Disease in Resource-Constrained Settings: A Perspective From the Field. Clinical Infectious Diseases, 2016, 62, 69-74.	5.8	84
8	New filovirus disease classification and nomenclature. Nature Reviews Microbiology, 2019, 17, 261-263.	28.6	84
9	High prevalence of onchocerciasis-associated epilepsy in villages in Maridi County, Republic of South Sudan: A community-based survey. Seizure: the Journal of the British Epilepsy Association, 2018, 63, 93-101.	2.0	79
10	Corticosteroid-modulated Immune Activation in the Tuberculosis Immune Reconstitution Inflammatory Syndrome. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 369-377.	5.6	75
11	Tuberculosis immune reconstitution inflammatory syndrome in countries with limited resources. International Journal of Tuberculosis and Lung Disease, 2006, 10, 946-53.	1.2	72
12	Onchocerciasis-Associated Epilepsy, an Additional Reason for Strengthening Onchocerciasis Elimination Programs. Trends in Parasitology, 2018, 34, 208-216.	3.3	71
13	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic. PLoS ONE, 2020, 15, e0238830.	2.5	71
14	Clinical Characteristics, Diagnosis, Management, and Outcomes of Disseminated Emmonsiosis: A Retrospective Case Series. Clinical Infectious Diseases, 2015, 61, 1004-1012.	5.8	68
15	"lt's Better Not To Know― Perceived Barriers to HIV Voluntary Counseling and Testing among Sub-Saharan African Migrants in Belgium. AIDS Education and Prevention, 2009, 21, 582-593.	1.1	62
16	A new model to monitor the virological efficacy of antiretroviral treatment in resource-poor countries. Lancet Infectious Diseases, The, 2006, 6, 53-59.	9.1	59
17	Onchocerciasisâ€associated epilepsy: From recent epidemiological and clinical findings to policy implications. Epilepsia Open, 2017, 2, 145-152.	2.4	57
18	High prevalence of epilepsy in two rural onchocerciasis endemic villages in the Mahenge area, Tanzania, after 20Âyears of community directed treatment with ivermectin. Infectious Diseases of Poverty, 2018, 7, 64.	3.7	56

#	Article	IF	CITATIONS
19	High prevalence of epilepsy in onchocerciasis endemic regions in the Democratic Republic of the Congo. PLoS Neglected Tropical Diseases, 2017, 11, e0005732.	3.0	56
20	Onchocerca volvulus and epilepsy: A comprehensive review using the Bradford Hill criteria for causation. PLoS Neglected Tropical Diseases, 2021, 15, e0008965.	3.0	55
21	Factors associated with adherence to COVID-19 prevention measures in the Democratic Republic of the Congo (DRC): results of an online survey. BMJ Open, 2021, 11, e043356.	1.9	53
22	Epidemiology of onchocerciasis-associated epilepsy in the Mbam and Sanaga river valleys of Cameroon: impact of more than 13Âyears of ivermectin. Infectious Diseases of Poverty, 2018, 7, 114.	3.7	52
23	Prevalence and incidence of nodding syndrome and other forms of epilepsy in onchocerciasis-endemic areas in northern Uganda after the implementation of onchocerciasis control measures. Infectious Diseases of Poverty, 2020, 9, 12.	3.7	52
24	Risk factors for epilepsy in Bas-UéIé Province, Democratic Republic of the Congo: a case–control study. International Journal of Infectious Diseases, 2016, 49, 1-8.	3.3	51
25	Nodding syndrome and epilepsy in onchocerciasis endemic regions: comparing preliminary observations from South Sudan and the Democratic Republic of the Congo with data from Uganda. BMC Research Notes, 2016, 9, 182.	1.4	51
26	Clinical characteristics of onchocerciasis-associated epilepsy in villages in Maridi County, Republic of South Sudan. Seizure: the Journal of the British Epilepsy Association, 2018, 62, 108-115.	2.0	51
27	COVID-19 Vaccine Acceptability and Its Determinants in Mozambique: An Online Survey. Vaccines, 2021, 9, 828.	4.4	51
28	High prevalence of epilepsy in onchocerciasis endemic health areas in Democratic Republic of the Congo. Infectious Diseases of Poverty, 2018, 7, 68.	3.7	49
29	COVID-19 Vaccine Acceptability and Adherence to Preventive Measures in Somalia: Results of an Online Survey. Vaccines, 2021, 9, 543.	4.4	49
30	Access to healthcare and prevalence of anxiety and depression in persons with epilepsy during the COVID-19 pandemic: A multicountry online survey. Epilepsy and Behavior, 2020, 112, 107350.	1.7	48
31	From river blindness to river epilepsy: Implications for onchocerciasis elimination programmes. PLoS Neglected Tropical Diseases, 2019, 13, e0007407.	3.0	47
32	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. PLoS Neglected Tropical Diseases, 2019, 13, e0007300.	3.0	47
33	Challenges from Tuberculosis Diagnosis to Care in Community-Based Active Case Finding among the Urban Poor in Cambodia: A Mixed-Methods Study. PLoS ONE, 2015, 10, e0130179.	2.5	45
34	Neuroinflammation and Not Tauopathy Is a Predominant Pathological Signature of Nodding Syndrome. Journal of Neuropathology and Experimental Neurology, 2019, 78, 1049-1058.	1.7	44
35	Level and Determinants of Adherence to COVID-19 Preventive Measures in the First Stage of the Outbreak in Uganda. International Journal of Environmental Research and Public Health, 2020, 17, 8810.	2.6	44
36	AIDS-Related Endemic Mycoses in Western Cape, South Africa, and Clinical Mimics: A Cross-Sectional Study of Adults With Advanced HIV and Recent-Onset, Widespread Skin Lesions. Open Forum Infectious Diseases, 2017, 4, ofx186.	0.9	41

#	Article	IF	Citations
37	From river blindness control to elimination: bridge over troubled water. Infectious Diseases of Poverty, 2018, 7, 21.	3.7	41
38	High prevalence of epilepsy in an onchocerciasis endemic health zone in the Democratic Republic of the Congo, despite 14 years of community-directed treatment with ivermectin: A mixed-method assessment. International Journal of Infectious Diseases, 2019, 79, 187-194.	3.3	41
39	Clinical presentations of onchocerciasis-associated epilepsy (OAE) in Cameroon. Epilepsy and Behavior, 2019, 90, 70-78.	1.7	40
40	Assessment of cardiovascular risk factors in people with HIV infection treated with ART in rural South Africa: a cross sectional study. AIDS Research and Therapy, 2015, 12, 42.	1.7	37
41	Is Urinary Lipoarabinomannan the Result of Renal Tuberculosis? Assessment of the Renal Histology in an Autopsy Cohort of Ugandan HIV-Infected Adults. PLoS ONE, 2015, 10, e0123323.	2.5	36
42	Nodding syndromeâ€"a new hypothesis and new direction for research. International Journal of Infectious Diseases, 2014, 27, 74-77.	3.3	35
43	Impact of the COVID-19 Pandemic on the Medical Follow-up and Psychosocial Well-Being of People Living With HIV: A Cross-Sectional Survey. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 257-262.	2.1	35
44	Nodding Syndrome May Be Only the Ears of the Hippo. PLoS Neglected Tropical Diseases, 2015, 9, e0003880.	3.0	34
45	Burden of onchocerciasis-associated epilepsy: first estimates and research priorities. Infectious Diseases of Poverty, 2018, 7, 101.	3.7	34
46	The blackfly vectors and transmission of Onchocerca volvulus in Mahenge, south eastern Tanzania. Acta Tropica, 2018, 181, 50-59.	2.0	33
47	COVID-19 in Somalia: Adherence to Preventive Measures and Evolution of the Disease Burden. Pathogens, 2020, 9, 735.	2.8	33
48	Changes in epilepsy burden after onchocerciasis elimination in a hyperendemic focus of western Uganda: a comparison of two population-based, cross-sectional studies. Lancet Infectious Diseases, The, 2020, 20, 1315-1323.	9.1	33
49	Mass masking as a way to contain COVID-19 and exit lockdown in low- and middle-income countries. Journal of Infection, 2020, 81, e1-e5.	3.3	31
50	The Role of the Maridi Dam in Causing an Onchocerciasis-Associated Epilepsy Epidemic in Maridi, South Sudan: An Epidemiological, Sociological, and Entomological Study. Pathogens, 2020, 9, 315.	2.8	31
51	Role of the CD4 count in HIV management. HIV Therapy, 2010, 4, 27-39.	0.6	30
52	Report of the first international workshop on onchocerciasis-associated epilepsy. Infectious Diseases of Poverty, 2018, 7, 23.	3.7	30
53	Onchocerca volvulus is not detected in the cerebrospinal fluid of persons with onchocerciasis-associated epilepsy. International Journal of Infectious Diseases, 2020, 91, 119-123.	3.3	30
54	Prevalence of River Epilepsy in the Orientale Province in the Democratic Republic of the Congo. PLoS Neglected Tropical Diseases, 2016, 10, e0004478.	3.0	29

#	Article	IF	CITATIONS
55	Persons with onchocerciasisâ€associated epilepsy and nodding seizures have a more severe form of epilepsy with more cognitive impairment and higher levels of <i>Onchocerca volvulus</i> infection. Epileptic Disorders, 2020, 22, 301-308.	1.3	29
56	Nodding Syndrome in Onchocerciasis Endemic Areas. Trends in Parasitology, 2016, 32, 581-583.	3.3	28
57	First HIV prevalence estimates of a representative sample of adult sub-Saharan African migrants in a European city. Results of a community-based, cross-sectional study in Antwerp, Belgium. PLoS ONE, 2017, 12, e0174677.	2.5	28
58	Stigma and epilepsy in onchocerciasis-endemic regions in Africa: a review and recommendations from the onchocerciasis-associated epilepsy working group. Infectious Diseases of Poverty, 2019, 8, 34.	3.7	28
59	Adherence to COVID-19 Preventive Measures in Mozambique: Two Consecutive Online Surveys. International Journal of Environmental Research and Public Health, 2021, 18, 1091.	2.6	28
60	Accuracy of Lipoarabinomannan and Xpert MTB/RIF Testing in Cerebrospinal Fluid To Diagnose Tuberculous Meningitis in an Autopsy Cohort of HIV-Infected Adults. Journal of Clinical Microbiology, 2015, 53, 2667-2673.	3.9	27
61	Nodding syndrome since 2012: recent progress, challenges and recommendations for future research. Tropical Medicine and International Health, 2015, 20, 194-200.	2.3	24
62	High-risk alcohol use and associated socio-demographic, health and psychosocial factors in patients with HIV infection in three primary health care clinics in South Africa. International Journal of STD and AIDS, 2017, 28, 651-659.	1.1	24
63	Effect of Integrated Capacity-Building Interventions on Malaria Case Management by Health Professionals in Uganda: A Mixed Design Study with Pre/Post and Cluster Randomized Trial Components. PLoS ONE, 2014, 9, e84945.	2.5	22
64	Nodding syndromeâ€"we can now prevent it. International Journal of Infectious Diseases, 2016, 44, 61-63.	3.3	22
65	Nodding syndrome: Preventable and treatable. Science Translational Medicine, 2017, 9, .	12.4	22
66	Impact of 19Âyears of mass drug administration with ivermectin on epilepsy burden in a hyperendemic onchocerciasis area in Cameroon. Parasites and Vectors, 2019, 12, 114.	2.5	22
67	Low prevalence of epilepsy and onchocerciasis after more than 20 years of ivermectin treatment in the Imo River Basin in Nigeria. Infectious Diseases of Poverty, 2019, 8, 8.	3.7	22
68	Adults' Acceptance of COVID-19 Vaccine for Children in Selected Lower- and Middle-Income Countries. Vaccines, 2022, 10, 11.	4.4	22
69	Ivermectin Treatment in Patients With Onchocerciasis-Associated Epilepsy: Protocol of a Randomized Clinical Trial. JMIR Research Protocols, 2017, 6, e137.	1.0	21
70	Practice of percutaneous needle autopsy; a descriptive study reporting experiences from Uganda. BMC Clinical Pathology, 2014, 14, 44.	1.8	20
71	Priorities for Ebola virus disease response in west Africa. Lancet, The, 2014, 384, 1843.	13.7	20
72	Meta-analysis of epilepsy prevalence in West Africa and its relationship with onchocerciasis endemicity and control. International Health, 2020, 12, 192-202.	2.0	20

#	Article	IF	Citations
73	Concentration of Lymph Node Aspirate Improves the Sensitivity of Acid Fast Smear Microscopy for the Diagnosis of Tuberculous Lymphadenitis in Jimma, Southwest Ethiopia. PLoS ONE, 2014, 9, e106726.	2.5	19
74	Onchocerca volvulus as a risk factor for developing epilepsy in onchocerciasis endemic regions in the Democratic Republic of Congo: a case control study. Infectious Diseases of Poverty, 2018, 7, 79.	3.7	19
75	Ivermectin as an adjuvant to anti-epileptic treatment in persons with onchocerciasis-associated epilepsy: AÂrandomized proof-of-concept clinical trial. PLoS Neglected Tropical Diseases, 2020, 14, e0007966.	3.0	19
76	High Prevalence of Epilepsy in an Onchocerciasis-Endemic Area in Mvolo County, South Sudan: A Door-To-Door Survey. Pathogens, 2021, 10, 599.	2.8	19
77	Is nodding syndrome in northern Uganda linked to consumption of mycotoxin contaminated food grains?. BMC Research Notes, 2018, 11, 678.	1.4	18
78	COVID-19 Preventive Behaviours in Cameroon: A Six-Month Online National Survey. International Journal of Environmental Research and Public Health, 2021, 18, 2554.	2.6	18
79	Large-scale Convalescent Blood and Plasma Transfusion Therapy for Ebola Virus Disease. Journal of Infectious Diseases, 2015, 211, 1208-10.	4.0	17
80	Community perceptions of epilepsy and its treatment in an onchocerciasis endemic region in Ituri, Democratic Republic of Congo. Infectious Diseases of Poverty, 2018, 7, 115.	3.7	17
81	Comprehensive management of epilepsy in onchocerciasis-endemic areas: lessons learnt from community-based surveys. Infectious Diseases of Poverty, 2019, 8, 11.	3.7	17
82	The Secretome of Filarial Nematodes and Its Role in Host-Parasite Interactions and Pathogenicity in Onchocerciasis-Associated Epilepsy. Frontiers in Cellular and Infection Microbiology, 2021, 11, 662766.	3.9	17
83	Evidence for significant COVID-19 community transmission in Somalia using a clinical case definition. International Journal of Infectious Diseases, 2020, 98, 206-207.	3.3	16
84	Single versus Multiple Dose Ivermectin Regimen in Onchocerciasis-Infected Persons with Epilepsy Treated with Phenobarbital: A Randomized Clinical Trial in the Democratic Republic of Congo. Pathogens, 2020, 9, 205.	2.8	16
85	Impact of COVID-19 on the lives and psychosocial well-being of persons with epilepsy during the third trimester of the pandemic: Results from an international, online survey. Epilepsy and Behavior, 2021, 116, 107800.	1.7	16
86	No Evidence for the Involvement of Leiomodin-1 Antibodies in the Pathogenesis of Onchocerciasis-Associated Epilepsy. Pathogens, 2021, 10, 845.	2.8	16
87	Lower Pre-Treatment T Cell Activation in Early- and Late-Onset Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome. PLoS ONE, 2015, 10, e0133924.	2.5	16
88	"Slash and Clearâ€, a Community-Based Vector Control Method to Reduce Onchocerciasis Transmission by Simulium sirbanum in Maridi, South Sudan: A Prospective Study. Pathogens, 2021, 10, 1329.	2.8	16
89	Enhanced surveillance of monkeypox in Bas-UéIé, Democratic Republic of Congo: the limitations of symptom-based case definitions. International Journal of Infectious Diseases, 2022, 122, 647-655.	3.3	16
90	Body Mass Index and Waist Circumference in Patients with HIV in South Africa and Associated Socio-demographic, Health Related and Psychosocial Factors. AIDS and Behavior, 2018, 22, 1972-1986.	2.7	15

#	Article	IF	CITATIONS
91	Attempted molecular detection of the thermally dimorphic human fungal pathogen Emergomyces africanus in terrestrial small mammals in South Africa. Medical Mycology, 2018, 56, 510-513.	0.7	15
92	The effect of bi-annual community-directed treatment with ivermectin on the incidence of epilepsy in onchocerciasis endemic villages in South Sudan: a study protocol. Infectious Diseases of Poverty, 2018, 7, 112.	3.7	15
93	Women with epilepsy in sub–Saharan Africa: A review of the reproductive health challenges and perspectives for management. Seizure: the Journal of the British Epilepsy Association, 2019, 71, 312-317.	2.0	15
94	Comparison of Diagnostic Tests for Onchocerca volvulus in the Democratic Republic of Congo. Pathogens, 2020, 9, 435.	2.8	15
95	Follow-Up Survey of the Impact of COVID-19 on People Living with HIV during the Second Semester of the Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 4635.	2.6	15
96	COVID-19 Vaccine Acceptance in Azuay Province, Ecuador: A Cross-Sectional Online Survey. Vaccines, 2021, 9, 678.	4.4	15
97	First-line antiretroviral therapy in Africahow evidence-base are our recommendations?. AIDS Reviews, 2005, 7, 148-54.	1.0	15
98	Adherence to COVID-19 Prevention Measures in the Democratic Republic of the Congo, Results of Two Consecutive Online Surveys. International Journal of Environmental Research and Public Health, 2021, 18, 2525.	2.6	14
99	Impact of COVID-19 on Healthcare Workers in Brazil between August and November 2020: A Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2021, 18, 6511.	2.6	14
100	Stress and Associated Factors among Frontline Healthcare Workers in the COVID-19 Epicenter of Da Nang City, Vietnam. International Journal of Environmental Research and Public Health, 2021, 18, 7378.	2.6	14
101	Patients who return to care after tracking remain at high risk of attrition: experience from a large HIV clinic, Uganda. International Journal of STD and AIDS, 2015, 26, 42-47.	1.1	13
102	PrEP for African migrants in Europe? A research agenda. Lancet HIV, the, 2016, 3, e505-e507.	4.7	13
103	Essentials of filoviral load quantification. Lancet Infectious Diseases, The, 2016, 16, e134-e138.	9.1	13
104	Nodding syndrome, other forms of epilepsy, and the Nakalanga syndrome most likely directly or indirectly caused by Onchocerca volvulus. Journal of the Neurological Sciences, 2017, 372, 439-440.	0.6	13
105	Economic Burden of Epilepsy in Rural Ituri, Democratic Republic of Congo. EClinicalMedicine, 2019, 9, 60-66.	7.1	13
106	Well-Being of Healthcare Workers and the General Public during the COVID-19 Pandemic in Vietnam: An Online Survey. International Journal of Environmental Research and Public Health, 2021, 18, 4737.	2.6	13
107	Temporal trends in death causes in adults attending an urban HIV clinic in Uganda: a retrospective chart review. BMJ Open, 2016, 6, e008718.	1.9	12
108	Dried Blood Microsampling-Based Therapeutic Drug Monitoring of Antiepileptic Drugs in Children With Nodding Syndrome and Epilepsy in Uganda and the Democratic Republic of the Congo. Therapeutic Drug Monitoring, 2020, 42, 481-490.	2.0	12

#	Article	IF	CITATIONS
109	Seroprevalence of SARS-CoV-2 Infection and Adherence to Preventive Measures in Cuenca, Ecuador, October 2020, a Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 4657.	2.6	12
110	Antigen-Specific Interferon-Gamma Responses and Innate Cytokine Balance in TB-IRIS. PLoS ONE, 2014, 9, e113101.	2.5	12
111	Onchocerca volvulus transmission in the Mbam valley of Cameroon following 16Âyears of annual community-directed treatment with ivermectin, and the description of a new cytotype of Simulium squamosum. Parasites and Vectors, 2021, 14, 563.	2.5	12
112	Increase in numbers and proportions of review articles in Tropical Medicine, Infectious Diseases, and oncology. Journal of the Association for Information Science and Technology, 2014, 65, 201-205.	2.9	11
113	Behaviour, not mobility, is a risk factor for HIV. Lancet HIV, the, 2015, 2, e223-e224.	4.7	11
114	Weight status and associated factors among HIV infected people on antiretroviral therapy in rural Dikgale, Limpopo, South Africa. African Journal of Primary Health Care and Family Medicine, 2016, 8, e1-e8.	0.8	11
115	Effect of TB/HIV Integration on TB and HIV Indicators in Rural Ugandan Health Facilities. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 605-611.	2.1	11
116	Elimination of onchocerciasis in Africa by 2025: an ambitious target requires ambitious interventions. Infectious Diseases of Poverty, 2019, 8, 83.	3.7	11
117	Intimate Partners Violence against Women during a COVID-19 Lockdown Period: Results of an Online Survey in 7 Provinces of the Democratic Republic of Congo. International Journal of Environmental Research and Public Health, 2021, 18, 5108.	2.6	11
118	Free Antiretrovirals Must Not Be Restricted Only to Treatment-Naive Patients. PLoS Medicine, 2005, 2, e276.	8.4	10
119	Treatment decisions and mortality in HIV-positive presumptive smear-negative TB in the Xpert® MTB/RIF era: a cohort study. BMC Infectious Diseases, 2017, 17, 433.	2.9	10
120	Clinical presentation of epilepsy in six villages in an onchocerciasis endemic area in Mahenge, Tanzania. Epileptic Disorders, 2019, 21, 425-435.	1.3	10
121	Preventing Paradoxical Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome in High-Risk Patients: Protocol of a Randomized Placebo-Controlled Trial of Prednisone (PredART Trial). JMIR Research Protocols, 2016, 5, e173.	1.0	10
122	The Prevalence of Onchocerciasis-Associated Epilepsy in Mundri West and East Counties, South Sudan: A Door-to-Door Survey. Pathogens, 2022, 11, 396.	2.8	10
123	High COVID-19 Vaccine Acceptance among Eye Healthcare Workers in Uganda. Vaccines, 2022, 10, 609.	4.4	10
124	CD4 T-cell activation and reduced regulatory T-cell populations are associated with early development of cataracts among HIV-infected adults in Uganda. Immunology Letters, 2014, 161, 44-49.	2.5	9
125	Malaria Care in Infants Aged under Six Months in Uganda: An Area of Unmet Needs!. PLoS ONE, 2015, 10, e0123283.	2.5	9
126	Ivermectin Treatment Response in Onchocerca Volvulus Infected Persons with Epilepsy: A Three-Country Short Cohort Study. Pathogens, 2020, 9, 617.	2.8	9

#	Article	IF	CITATIONS
127	Risk Factors for Nodding Syndrome and Other Forms of Epilepsy in Northern Uganda: A Case-Control Study. Pathogens, 2021, 10, 1451.	2.8	9
128	Systematic screening for drug-resistant tuberculosis with Xpert $\langle SUP \rangle \hat{A}^{\otimes} \langle SUP \rangle MTB/RIF$ in a referral hospital in Cambodia. International Journal of Tuberculosis and Lung Disease, 2015, 19, 1528-1535.	1.2	8
129	Impact of decentralisation of antiretroviral therapy services on HIV testing and care at a population level in Agago District in rural Northern Uganda: results from the Lablite population surveys. International Health, 2017, 9, 91-99.	2.0	8
130	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. IBRO Reports, 2019, 6, S506.	0.3	8
131	Integrated seroprevalence-based assessment of Wuchereria bancrofti and Onchocerca volvulus in two lymphatic filariasis evaluation units of Mali with the SD Bioline Onchocerciasis/LF IgG4 Rapid Test. PLoS Neglected Tropical Diseases, 2019, 13, e0007064.	3.0	8
132	Low ivermectin use among 5- to 6-year-old children: observations from door-to-door surveys in onchocerciasis-endemic regions in Africa. International Health, 2020, 12, 72-75.	2.0	8
133	Epilepsy-related stigma and cost in two onchocerciasis-endemic areas in South Sudan: A pilot descriptive study. Seizure: the Journal of the British Epilepsy Association, 2020, 81, 151-156.	2.0	8
134	Urinary N-acetyltyramine-O, \hat{l}^2 -glucuronide in Persons with Onchocerciasis-Associated Epilepsy. Pathogens, 2020, 9, 191.	2.8	8
135	First description of Nodding Syndrome in the Central African Republic. PLoS Neglected Tropical Diseases, 2021, 15, e0009430.	3.0	8
136	Using Andersen's model of health care utilization to assess factors associated with COVID-19 testing among adults in nine low-and middle-income countries: an online survey. BMC Health Services Research, 2022, 22, 265.	2.2	8
137	Inadequate Monitoring in Advanced Stages of Disease with Lack of Supportive Counseling Increases Attrition among Patients on Antiretroviral Treatment at a Large Urban Clinic in Uganda. Journal of the International Association of Providers of AIDS Care, 2014, 13, 547-554.	1.5	7
138	Predictors of Mortality among Tuberculosis/HIV-Coinfected Persons in Southwest Ethiopia. Journal of the International Association of Providers of AIDS Care, 2015, 14, 269-273.	1.5	7
139	Effectiveness of educational outreach in infectious diseases management: a cluster randomized trial in Uganda. BMC Public Health, 2016, 16, 714.	2.9	7
140	Evolution of epilepsy prevalence and incidence in a Tanzanian area endemic for onchocerciasis and the potential impact of community-directed treatment with ivermectin: a cross-sectional study and comparison over 28 years. BMJ Open, 2018, 8, e017188.	1.9	7
141	Onchocerciasis-associated epilepsy: another piece in the puzzle from the Mahenge mountains, southern Tanzania. Infectious Diseases of Poverty, 2019, 8, 35.	3.7	7
142	A call for strengthened evidence on targeted, non-pharmaceutical interventions against COVID-19 for the protection of vulnerable individuals in sub-Saharan Africa. International Journal of Infectious Diseases, 2020, 99, 482-484.	3.3	7
143	Focus of Ongoing Onchocerciasis Transmission Close to Bangui, Central African Republic. Pathogens, 2020, 9, 337.	2.8	7
144	Community perceptions and attitudes regarding epilepsy and disease cost after implementation of a community-based epilepsy treatment program in onchocerciasis-endemic communities in the Democratic Republic of Congo. Epilepsy and Behavior, 2021, 116, 107773.	1.7	7

#	Article	lF	CITATIONS
145	Nodding syndrome research revisited. International Journal of Infectious Diseases, 2021, 104, 739-741.	3.3	7
146	No Evidence Known Viruses Play a Role in the Pathogenesis of Onchocerciasis-Associated Epilepsy. An Explorative Metagenomic Case-Control Study. Pathogens, 2021, 10, 787.	2.8	7
147	A peer support group intervention to decrease epilepsy-related stigma in an onchocerciasis-endemic area in Mahenge, Tanzania: A pilot study. Epilepsy and Behavior, 2021, 124, 108372.	1.7	7
148	Effect of Ivermectin Treatment on the Frequency of Seizures in Persons with Epilepsy Infected with Onchocerca volvulus. Pathogens, 2021, 10, 21.	2.8	7
149	Adherence to COVID-19 Preventive Measures among Dental Care Workers in Vietnam: An Online Cross-Sectional Survey. International Journal of Environmental Research and Public Health, 2022, 19, 481.	2.6	7
150	â€~Slash and clear' vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. BMJ Open, 2021, 11, e050341.	1.9	7
151	Effect of On-Site Support on Laboratory Practice for Human Immunodeficiency Virus, Tuberculosis, and Malaria Testing. American Journal of Clinical Pathology, 2016, 146, 469-477.	0.7	6
152	Patient-level benefits associated with decentralization of antiretroviral therapy services to primary health facilities in Malawi and Uganda. International Health, 2018, 10, 8-19.	2.0	6
153	Epilepsy in the Sanagaâ€Mbam valley, an onchocerciasisâ€endemic region in Cameroon: electroclinical and neuropsychological findings. Epilepsia Open, 2021, 6, 513-527.	2.4	6
154	Association Between Ov16 Seropositivity and Neurocognitive Performance Among Children in Rural Cameroon: a Pilot Study. Journal of Pediatric Neuropsychology, 2021, 7, 192-202.	0.6	6
155	TOGETHER Project to Increase Understanding of the HIV Epidemic Among Sub-Saharan African Migrants: Protocol of Community-Based Participatory Mixed-Method Studies. JMIR Research Protocols, 2016, 5, e48.	1.0	6
156	Reducing onchocerciasis-associated morbidity in onchocerciasis-endemic foci with high ongoing transmission: a focus on the children International Journal of Infectious Diseases, 2022, 116, 302-305.	3.3	6
157	Use of Self-Reported Adherence and Keeping Clinic Appointments as Predictors of Viremia in Routine HIV Care in the Gambia. Journal of the International Association of Providers of AIDS Care, 2015, 14, 343-347.	1.5	5
158	Improved Adherence to Antiretroviral Therapy Observed Among HIV-Infected Children Whose Caregivers had Positive Beliefs in Medicine in Sub-Saharan Africa. AIDS and Behavior, 2017, 21, 441-449.	2.7	5
159	Aberrant plasma MMP and TIMP dynamics in Schistosoma - Immune reconstitution inflammatory syndrome (IRIS). PLoS Neglected Tropical Diseases, 2018, 12, e0006710.	3.0	5
160	Epidemiological evidence concerning the association between onchocerciasis and epilepsy. International Journal of Infectious Diseases, 2019, 82, 77-78.	3.3	5
161	Serological Evaluation of Onchocerciasis and Lymphatic Filariasis Elimination in the Bakoye and Falémé Foci, Mali. Clinical Infectious Diseases, 2021, 72, 1585-1593.	5.8	5
162	Assessment of adherence to public health measures and their impact on the COVID-19 outbreak in Benin Republic, West Africa. Pan African Medical Journal, 2021, 38, 293.	0.8	5

#	Article	IF	CITATIONS
163	Impact of the COVID-19 pandemic on persons with epilepsy in Uganda: A descriptive cross-sectional study. Epilepsy and Behavior, 2022, 128, 108536.	1.7	5
164	Surveillance for Onchocerciasis-Associated Epilepsy and OV16 IgG4 Testing of Children 6–10 Years Old Should Be Used to Identify Areas Where Onchocerciasis Elimination Programs Need Strengthening. Pathogens, 2022, 11, 281.	2.8	5
165	Is frontloaded sputum microscopy an option in active tuberculosis case finding?. International Journal of Tuberculosis and Lung Disease, 2015, 19, 91-96.	1.2	4
166	Early Tracking after a Missed Return Visit Reduces the Proportion of Untraceable Patients at a Large HIV Clinic in Kampala, Uganda. Journal of the International Association of Providers of AIDS Care, 2016, 15, 338-344.	1.5	4
167	Synergistic Impact of Training Followed by On-Site Support on HIV Clinical Practice: A Mixed-Design Study in Uganda With Pre/Post and Cluster-Randomized Trial Components. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 467-475.	2.1	4
168	In pursuit of a cure: The plural therapeutic landscape of onchocerciasis-associated epilepsy in Cameroon – A mixed methods study. PLoS Neglected Tropical Diseases, 2021, 15, e0009206.	3.0	4
169	The World Health Organization road map for neglected tropical diseases 2021–2030: implications for onchocerciasis elimination programs. Infectious Diseases of Poverty, 2021, 10, 70.	3.7	4
170	Nodding syndrome, many questions remain but we can prevent it by eliminating onchocerciasis. Brain Communications, 2021, 3, fcaa228.	3.3	4
171	Tandem Use of OvMANE1 and Ov-16 ELISA Tests Increases the Sensitivity for the Diagnosis of Human Onchocerciasis. Life, 2021, 11, 1284.	2.4	4
172	Community knowledge, attitudes, and practices regarding epilepsy in Mahenge, Tanzania: A socio-anthropological study in an onchocerciasis-endemic area with a high prevalence of epilepsy. Epilepsy and Behavior, 2022, 128, 108568.	1.7	4
173	Treatment of Pregnant Women with Ivermectin during Mass Drug Distribution: Time to Investigate Its Safety and Potential Benefits. Pathogens, 2021, 10, 1588.	2.8	4
174	Immunoinformatics Design and Assessment of a Multiepitope Antigen (OvMCBL02) for Onchocerciasis Diagnosis and Monitoring. Diagnostics, 2022, 12, 1440.	2.6	4
175	The Association between Female Genital Cutting and Spousal HCV Infection in Egypt. International Journal of Hepatology, 2014, 2014, 1-10.	1.1	3
176	Cardiovascular risk factors in a treatment-na \tilde{A} -ve, human immunodeficiency virus-infected rural population in Dikgale, South Africa. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2014, 56, 190-195.	0.6	3
177	Reply to "A Word of Caution in Considering the Use of the Lipoarabinomannan Lateral Flow Assay on Cerebrospinal Fluid for Detection of Tuberculous Meningitis― Journal of Clinical Microbiology, 2016, 54, 243-243.	3.9	3
178	Ivermectin use in children below 15 kg: potential benefits for onchocerciasis and scabies elimination programmes. British Journal of Dermatology, 2020, 182, 1064-1064.	1.5	3
179	From nodding syndrome to onchocerciasis-associated epilepsy. Revue Neurologique, 2020, 176, 405-406.	1.5	3
180	Lymphedema in three previously Wuchereria bancrofti-endemic health districts in Mali after cessation of mass drug administration. BMC Infectious Diseases, 2020, 20, 48.	2.9	3

#	Article	IF	Citations
181	Potential Parasitic Causes of Epilepsy in an Onchocerciasis Endemic Area in the Ituri Province, Democratic Republic of Congo. Pathogens, 2021, 10, 359.	2.8	3
182	Serotonin Levels in the Serum of Persons with Onchocerciasis-Associated Epilepsy: A Case-Control Study. Pathogens, 2021, 10, 720.	2.8	3
183	Hepatitis B virus genotypes A and D in Uganda. Journal of Virus Eradication, 2016, 2, 19-21.	0.5	3
184	Community perception of epilepsy and its treatment in onchocerciasis-endemic villages of Maridi county, western equatoria state, South Sudan. Epilepsy and Behavior, 2022, 127, 108537.	1.7	3
185	A nasal septum perforation caused by a Varicella zoster infection in an AIDS patient. Acta Oto-rhino-laryngologica Belgica, 1997, 51, 49-50.	0.0	3
186	Defining post-COVID condition. Lancet Infectious Diseases, The, 2022, 22, 316-317.	9.1	3
187	Onchocerciasis associated epilepsy: An important neglected public health problem. Seizure: the Journal of the British Epilepsy Association, 2018, 60, 205.	2.0	2
188	Nodding syndrome research, lessons learned from the NSETHIO project. Global Mental Health (Cambridge, England), 2019, 6, e26.	2.5	2
189	Would ivermectin for malaria control be beneficial in onchocerciasis-endemic regions?. Infectious Diseases of Poverty, 2019, 8, 77.	3.7	2
190	Epilepsy prevention. Lancet, The, 2019, 394, 2072.	13.7	2
191	OV16 Seroprevalence among Persons with Epilepsy in Onchocerciasis Endemic Regions: A Multi-Country Study. Pathogens, 2020, 9, 847.	2.8	2
192	Safety of ivermectin during pregnancy. The Lancet Global Health, 2020, 8, e338.	6.3	2
193	Neuropathological Changes in Nakalanga Syndrome—A Case Report. Pathogens, 2021, 10, 116.	2.8	2
194	Cytokines and Onchocerciasis-Associated Epilepsy, a Pilot Study and Review of the Literature. Pathogens, 2021, 10, 310.	2.8	2
195	Factors Associated with Wuchereria bancrofti Microfilaremia in an Endemic Area of Mali. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1782-1787.	1.4	2
196	'Slash and clear' vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. BMJ Open, 2021, 11, e050341.	1.9	2
197	â€~There Were Moments We Wished She Could Just Die': The Highly Gendered Burden of Nodding Syndrome in Northern Uganda. Qualitative Health Research, 2022, 32, 1544-1556.	2.1	2
198	Does the CHER trial open up new therapeutic perspectives?. Lancet, The, 2013, 382, 1539-1540.	13.7	1

#	Article	IF	CITATIONS
199	THE IMMUNE RECONSTITUTION INFLAMMATORY SYNDROME: A CAUSE OF DEATH IN PERSONS ON ANTIRETROVIRAL THERAPY?. Acta Clinica Belgica, 2013, 68, 294-297.	1.2	1
200	High mortality in non-Ebola virus disease cases: need to provide timely and effective care. Lancet Infectious Diseases, The, 2017, 17, 1021-1022.	9.1	1
201	Considerations for Randomized Controlled Trials During Future Filovirus Outbreaks. Clinical Infectious Diseases, 2018, 67, 984-985.	5. 8	1
202	Analysis of the RIMDAMAL trial. Lancet, The, 2019, 394, 1006.	13.7	1
203	Onchocerciasis Prevalence among Persons with Epilepsy in an Onchocerciasis Hypo-Endemic Area in the Democratic Republic of Congo: A Cross-Sectional Study. Pathogens, 2021, 10, 389.	2.8	1
204	Extensive Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Transmission Associated With Low Mortality in Kinshasa, Democratic Republic of the Congo: For How Long?. Clinical Infectious Diseases, 2021, , .	5.8	1
205	Effect of Educational Outreach Timing and Duration on Facility Performance for Infectious Disease Care in Uganda: A Trial with Pre-Post and Cluster Randomized Controlled Components. PLoS ONE, 2015, 10, e0136966.	2.5	1
206	Prevalence and risk factors associated with epilepsy in six health districts of Mali: a community-based cross-sectional and nested case-control study. Neuroepidemiology, 2022, , .	2.3	1
207	Psychosocial Factors Associated With Adherence to COVID-19 Preventive Measures in Low-Middle-Income Countries, December 2020 to February 2021. International Journal of Public Health, 0, 67, .	2.3	1
208	Overlooking the importance of immunoassays – Authors' reply. Lancet Infectious Diseases, The, 2016, 16, 1110.	9.1	0
209	The predicament of patients with suspected Ebola. The Lancet Global Health, 2017, 5, e658.	6.3	0
210	Increased costâ€benefit of strengthening onchocerciasis elimination efforts in areas with high onchocerciasisâ€associated epilepsy. Tropical Medicine and International Health, 2019, 24, 1259-1259.	2.3	0
211	Nodding Syndrome. Pediatric Infectious Disease Journal, 2019, 38, e313-e313.	2.0	0
212	COVID-19: The African Enigma. Colombia Medica, 2021, 52, e7014816.	0.2	0
213	lvermectin should not be recommended to treat SARS-CoV-2 infection. Open Forum Infectious Diseases, 0, , .	0.9	0
214	Case Report: Nakalanga Syndrome Revisited: Long-Term Follow-Up of a Patient Living in Western Uganda, 1994–2018. American Journal of Tropical Medicine and Hygiene, 2020, , .	1.4	0
215	Ivermectin for malaria control in mass drug administration programmes. Lancet Infectious Diseases, The, 2022, 22, 449-450.	9.1	0