

Robert Colebunders

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3314548/publications.pdf>

Version: 2024-02-01

215
papers

5,210
citations

94433

37
h-index

128289

60
g-index

222
all docs

222
docs citations

222
times ranked

4797
citing authors

#	ARTICLE	IF	CITATIONS
1	Adherence to COVID-19 Preventive Measures among Dental Care Workers in Vietnam: An Online Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 481.	2.6	7
2	Community perception of epilepsy and its treatment in onchocerciasis-endemic villages of Maridi county, western equatoria state, South Sudan. <i>Epilepsy and Behavior</i> , 2022, 127, 108537.	1.7	3
3	Reducing onchocerciasis-associated morbidity in onchocerciasis-endemic foci with high ongoing transmission: a focus on the children.. <i>International Journal of Infectious Diseases</i> , 2022, 116, 302-305.	3.3	6
4	Prevalence and risk factors associated with epilepsy in six health districts of Mali: a community-based cross-sectional and nested case-control study. <i>Neuroepidemiology</i> , 2022, , .	2.3	1
5	Impact of the COVID-19 pandemic on persons with epilepsy in Uganda: A descriptive cross-sectional study. <i>Epilepsy and Behavior</i> , 2022, 128, 108536.	1.7	5
6	Community knowledge, attitudes, and practices regarding epilepsy in Mahenge, Tanzania: A socio-anthropological study in an onchocerciasis-endemic area with a high prevalence of epilepsy. <i>Epilepsy and Behavior</i> , 2022, 128, 108568.	1.7	4
7	Adults' Acceptance of COVID-19 Vaccine for Children in Selected Lower- and Middle-Income Countries. <i>Vaccines</i> , 2022, 10, 11.	4.4	22
8	Using Andersen's model of health care utilization to assess factors associated with COVID-19 testing among adults in nine low-and middle-income countries: an online survey. <i>BMC Health Services Research</i> , 2022, 22, 265.	2.2	8
9	Surveillance for Onchocerciasis-Associated Epilepsy and OV16 IgG4 Testing of Children 6-10 Years Old Should Be Used to Identify Areas Where Onchocerciasis Elimination Programs Need Strengthening. <i>Pathogens</i> , 2022, 11, 281.	2.8	5
10	Defining post-COVID condition. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 316-317.	9.1	3
11	The Prevalence of Onchocerciasis-Associated Epilepsy in Mundri West and East Counties, South Sudan: A Door-to-Door Survey. <i>Pathogens</i> , 2022, 11, 396.	2.8	10
12	Ivermectin for malaria control in mass drug administration programmes. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 449-450.	9.1	0
13	High COVID-19 Vaccine Acceptance among Eye Healthcare Workers in Uganda. <i>Vaccines</i> , 2022, 10, 609.	4.4	10
14	"There Were Moments We Wished She Could Just Die": The Highly Gendered Burden of Nodding Syndrome in Northern Uganda. <i>Qualitative Health Research</i> , 2022, 32, 1544-1556.	2.1	2
15	Immunoinformatics Design and Assessment of a Multi-epitope Antigen (OvMCBL02) for Onchocerciasis Diagnosis and Monitoring. <i>Diagnostics</i> , 2022, 12, 1440.	2.6	4
16	Enhanced surveillance of monkeypox in Bas-Uele, Democratic Republic of Congo: the limitations of symptom-based case definitions. <i>International Journal of Infectious Diseases</i> , 2022, 122, 647-655.	3.3	16
17	Serological Evaluation of Onchocerciasis and Lymphatic Filariasis Elimination in the Bakoye and Fala Foci, Mali. <i>Clinical Infectious Diseases</i> , 2021, 72, 1585-1593.	5.8	5
18	Factors associated with adherence to COVID-19 prevention measures in the Democratic Republic of the Congo (DRC): results of an online survey. <i>BMJ Open</i> , 2021, 11, e043356.	1.9	53

#	ARTICLE	IF	CITATIONS
19	Neuropathological Changes in Nakalanga Syndrome – A Case Report. <i>Pathogens</i> , 2021, 10, 116.	2.8	2
20	Adherence to COVID-19 Preventive Measures in Mozambique: Two Consecutive Online Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1091.	2.6	28
21	Assessment of adherence to public health measures and their impact on the COVID-19 outbreak in Benin Republic, West Africa. <i>Pan African Medical Journal</i> , 2021, 38, 293.	0.8	5
22	In pursuit of a cure: The plural therapeutic landscape of onchocerciasis-associated epilepsy in Cameroon – A mixed methods study. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009206.	3.0	4
23	COVID-19 Vaccine Acceptance in the Democratic Republic of Congo: A Cross-Sectional Survey. <i>Vaccines</i> , 2021, 9, 153.	4.4	102
24	Potential Parasitic Causes of Epilepsy in an Onchocerciasis Endemic Area in the Ituri Province, Democratic Republic of Congo. <i>Pathogens</i> , 2021, 10, 359.	2.8	3
25	Impact of COVID-19 on the lives and psychosocial well-being of persons with epilepsy during the third trimester of the pandemic: Results from an international, online survey. <i>Epilepsy and Behavior</i> , 2021, 116, 107800.	1.7	16
26	COVID-19 Preventive Behaviours in Cameroon: A Six-Month Online National Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2554.	2.6	18
27	Community perceptions and attitudes regarding epilepsy and disease cost after implementation of a community-based epilepsy treatment program in onchocerciasis-endemic communities in the Democratic Republic of Congo. <i>Epilepsy and Behavior</i> , 2021, 116, 107773.	1.7	7
28	Adherence to COVID-19 Prevention Measures in the Democratic Republic of the Congo, Results of Two Consecutive Online Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2525.	2.6	14
29	Onchocerciasis Prevalence among Persons with Epilepsy in an Onchocerciasis Hypo-Endemic Area in the Democratic Republic of Congo: A Cross-Sectional Study. <i>Pathogens</i> , 2021, 10, 389.	2.8	1
30	Cytokines and Onchocerciasis-Associated Epilepsy, a Pilot Study and Review of the Literature. <i>Pathogens</i> , 2021, 10, 310.	2.8	2
31	Nodding syndrome research revisited. <i>International Journal of Infectious Diseases</i> , 2021, 104, 739-741.	3.3	7
32	Seroprevalence of SARS-CoV-2 Infection and Adherence to Preventive Measures in Cuenca, Ecuador, October 2020, a Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4657.	2.6	12
33	COVID-19: The African Enigma. <i>Colombia Medica</i> , 2021, 52, e7014816.	0.2	0
34	The Secretome of Filarial Nematodes and Its Role in Host-Parasite Interactions and Pathogenicity in Onchocerciasis-Associated Epilepsy. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 662766.	3.9	17
35	Follow-Up Survey of the Impact of COVID-19 on People Living with HIV during the Second Semester of the Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4635.	2.6	15
36	Well-Being of Healthcare Workers and the General Public during the COVID-19 Pandemic in Vietnam: An Online Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4737.	2.6	13

#	ARTICLE	IF	CITATIONS
37	Factors Affecting COVID-19 Vaccine Acceptance: An International Survey among Low- and Middle-Income Countries. <i>Vaccines</i> , 2021, 9, 515.	4.4	207
38	High Prevalence of Epilepsy in an Onchocerciasis-Endemic Area in Mvolo County, South Sudan: A Door-To-Door Survey. <i>Pathogens</i> , 2021, 10, 599.	2.8	19
39	COVID-19 Vaccine Acceptability and Adherence to Preventive Measures in Somalia: Results of an Online Survey. <i>Vaccines</i> , 2021, 9, 543.	4.4	49
40	The World Health Organization road map for neglected tropical diseases 2021–2030: implications for onchocerciasis elimination programs. <i>Infectious Diseases of Poverty</i> , 2021, 10, 70.	3.7	4
41	Intimate Partners Violence against Women during a COVID-19 Lockdown Period: Results of an Online Survey in 7 Provinces of the Democratic Republic of Congo. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5108.	2.6	11
42	First description of Nodding Syndrome in the Central African Republic. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009430.	3.0	8
43	No Evidence Known Viruses Play a Role in the Pathogenesis of Onchocerciasis-Associated Epilepsy. An Explorative Metagenomic Case-Control Study. <i>Pathogens</i> , 2021, 10, 787.	2.8	7
44	Serotonin Levels in the Serum of Persons with Onchocerciasis-Associated Epilepsy: A Case-Control Study. <i>Pathogens</i> , 2021, 10, 720.	2.8	3
45	Extensive Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Transmission Associated With Low Mortality in Kinshasa, Democratic Republic of the Congo: For How Long?. <i>Clinical Infectious Diseases</i> , 2021, , .	5.8	1
46	Impact of COVID-19 on Healthcare Workers in Brazil between August and November 2020: A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6511.	2.6	14
47	COVID-19 Vaccine Acceptance in Azuay Province, Ecuador: A Cross-Sectional Online Survey. <i>Vaccines</i> , 2021, 9, 678.	4.4	15
48	Stress and Associated Factors among Frontline Healthcare Workers in the COVID-19 Epicenter of Da Nang City, Vietnam. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7378.	2.6	14
49	No Evidence for the Involvement of Leiomodin-1 Antibodies in the Pathogenesis of Onchocerciasis-Associated Epilepsy. <i>Pathogens</i> , 2021, 10, 845.	2.8	16
50	COVID-19 Vaccine Acceptability and Its Determinants in Mozambique: An Online Survey. <i>Vaccines</i> , 2021, 9, 828.	4.4	51
51	Epilepsy in the Sanaga–Mbam valley, an onchocerciasis–endemic region in Cameroon: electroclinical and neuropsychological findings. <i>Epilepsia Open</i> , 2021, 6, 513-527.	2.4	6
52	Association Between Ov16 Seropositivity and Neurocognitive Performance Among Children in Rural Cameroon: a Pilot Study. <i>Journal of Pediatric Neuropsychology</i> , 2021, 7, 192-202.	0.6	6
53	Nodding syndrome, many questions remain but we can prevent it by eliminating onchocerciasis. <i>Brain Communications</i> , 2021, 3, fcaa228.	3.3	4
54	Onchocerca volvulus and epilepsy: A comprehensive review using the Bradford Hill criteria for causation. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008965.	3.0	55

#	ARTICLE	IF	CITATIONS
55	‘Slash and Clear’, a Community-Based Vector Control Method to Reduce Onchocerciasis Transmission by Simulium sirbanum in Maridi, South Sudan: A Prospective Study. <i>Pathogens</i> , 2021, 10, 1329.	2.8	16
56	A peer support group intervention to decrease epilepsy-related stigma in an onchocerciasis-endemic area in Mahenge, Tanzania: A pilot study. <i>Epilepsy and Behavior</i> , 2021, 124, 108372.	1.7	7
57	Effect of Ivermectin Treatment on the Frequency of Seizures in Persons with Epilepsy Infected with <i>Onchocerca volvulus</i> . <i>Pathogens</i> , 2021, 10, 21.	2.8	7
58	<i>Onchocerca volvulus</i> transmission in the Mbam valley of Cameroon following 16 years of annual community-directed treatment with ivermectin, and the description of a new cytotype of <i>Simulium squamosum</i> . <i>Parasites and Vectors</i> , 2021, 14, 563.	2.5	12
59	‘Slash and clear’ vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. <i>BMJ Open</i> , 2021, 11, e050341.	1.9	2
60	Risk Factors for Nodding Syndrome and Other Forms of Epilepsy in Northern Uganda: A Case-Control Study. <i>Pathogens</i> , 2021, 10, 1451.	2.8	9
61	Tandem Use of OvMANE1 and Ov-16 ELISA Tests Increases the Sensitivity for the Diagnosis of Human Onchocerciasis. <i>Life</i> , 2021, 11, 1284.	2.4	4
62	‘Slash and clear’™ vector control for onchocerciasis elimination and epilepsy prevention: a protocol of a cluster randomised trial in Cameroonian villages. <i>BMJ Open</i> , 2021, 11, e050341.	1.9	7
63	Treatment of Pregnant Women with Ivermectin during Mass Drug Distribution: Time to Investigate Its Safety and Potential Benefits. <i>Pathogens</i> , 2021, 10, 1588.	2.8	4
64	Low ivermectin use among 5- to 6-year-old children: observations from door-to-door surveys in onchocerciasis-endemic regions in Africa. <i>International Health</i> , 2020, 12, 72-75.	2.0	8
65	Ivermectin use in children below 15 kg: potential benefits for onchocerciasis and scabies elimination programmes. <i>British Journal of Dermatology</i> , 2020, 182, 1064-1064.	1.5	3
66	Dried Blood Microsampling-Based Therapeutic Drug Monitoring of Antiepileptic Drugs in Children With Nodding Syndrome and Epilepsy in Uganda and the Democratic Republic of the Congo. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 481-490.	2.0	12
67	<i>Onchocerca volvulus</i> is not detected in the cerebrospinal fluid of persons with onchocerciasis-associated epilepsy. <i>International Journal of Infectious Diseases</i> , 2020, 91, 119-123.	3.3	30
68	A call for strengthened evidence on targeted, non-pharmaceutical interventions against COVID-19 for the protection of vulnerable individuals in sub-Saharan Africa. <i>International Journal of Infectious Diseases</i> , 2020, 99, 482-484.	3.3	7
69	Evidence for significant COVID-19 community transmission in Somalia using a clinical case definition. <i>International Journal of Infectious Diseases</i> , 2020, 98, 206-207.	3.3	16
70	Mass masking as a way to contain COVID-19 and exit lockdown in low- and middle-income countries. <i>Journal of Infection</i> , 2020, 81, e1-e5.	3.3	31
71	Ivermectin Treatment Response in <i>Onchocerca Volvulus</i> Infected Persons with Epilepsy: A Three-Country Short Cohort Study. <i>Pathogens</i> , 2020, 9, 617.	2.8	9
72	Impact of the COVID-19 Pandemic on the Medical Follow-up and Psychosocial Well-Being of People Living With HIV: A Cross-Sectional Survey. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 257-262.	2.1	35

#	ARTICLE	IF	CITATIONS
73	OV16 Seroprevalence among Persons with Epilepsy in Onchocerciasis Endemic Regions: A Multi-Country Study. <i>Pathogens</i> , 2020, 9, 847.	2.8	2
74	Epilepsy-related stigma and cost in two onchocerciasis-endemic areas in South Sudan: A pilot descriptive study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 81, 151-156.	2.0	8
75	COVID-19 in Somalia: Adherence to Preventive Measures and Evolution of the Disease Burden. <i>Pathogens</i> , 2020, 9, 735.	2.8	33
76	Access to healthcare and prevalence of anxiety and depression in persons with epilepsy during the COVID-19 pandemic: A multicountry online survey. <i>Epilepsy and Behavior</i> , 2020, 112, 107350.	1.7	48
77	Preventive behavior of Vietnamese people in response to the COVID-19 pandemic. <i>PLoS ONE</i> , 2020, 15, e0238830.	2.5	71
78	Level and Determinants of Adherence to COVID-19 Preventive Measures in the First Stage of the Outbreak in Uganda. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8810.	2.6	44
79	From nodding syndrome to onchocerciasis-associated epilepsy. <i>Revue Neurologique</i> , 2020, 176, 405-406.	1.5	3
80	Comparison of Diagnostic Tests for <i>Onchocerca volvulus</i> in the Democratic Republic of Congo. <i>Pathogens</i> , 2020, 9, 435.	2.8	15
81	Focus of Ongoing Onchocerciasis Transmission Close to Bangui, Central African Republic. <i>Pathogens</i> , 2020, 9, 337.	2.8	7
82	Urinary N-acetyltiramine-O, β -glucuronide in Persons with Onchocerciasis-Associated Epilepsy. <i>Pathogens</i> , 2020, 9, 191.	2.8	8
83	Meta-analysis of epilepsy prevalence in West Africa and its relationship with onchocerciasis endemicity and control. <i>International Health</i> , 2020, 12, 192-202.	2.0	20
84	Single versus Multiple Dose Ivermectin Regimen in Onchocerciasis-Infected Persons with Epilepsy Treated with Phenobarbital: A Randomized Clinical Trial in the Democratic Republic of Congo. <i>Pathogens</i> , 2020, 9, 205.	2.8	16
85	Prevalence and incidence of nodding syndrome and other forms of epilepsy in onchocerciasis-endemic areas in northern Uganda after the implementation of onchocerciasis control measures. <i>Infectious Diseases of Poverty</i> , 2020, 9, 12.	3.7	52
86	Changes in epilepsy burden after onchocerciasis elimination in a hyperendemic focus of western Uganda: a comparison of two population-based, cross-sectional studies. <i>Lancet Infectious Diseases</i> , 2020, 20, 1315-1323.	9.1	33
87	Safety of ivermectin during pregnancy. <i>The Lancet Global Health</i> , 2020, 8, e338.	6.3	2
88	Ivermectin as an adjuvant to anti-epileptic treatment in persons with onchocerciasis-associated epilepsy: A randomized proof-of-concept clinical trial. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0007966.	3.0	19
89	Lymphedema in three previously <i>Wuchereria bancrofti</i> -endemic health districts in Mali after cessation of mass drug administration. <i>BMC Infectious Diseases</i> , 2020, 20, 48.	2.9	3
90	The Role of the Maridi Dam in Causing an Onchocerciasis-Associated Epilepsy Epidemic in Maridi, South Sudan: An Epidemiological, Sociological, and Entomological Study. <i>Pathogens</i> , 2020, 9, 315.	2.8	31

#	ARTICLE	IF	CITATIONS
91	Persons with onchocerciasis-associated epilepsy and nodding seizures have a more severe form of epilepsy with more cognitive impairment and higher levels of <i>Onchocerca volvulus</i> infection. <i>Epileptic Disorders</i> , 2020, 22, 301-308.	1.3	29
92	Case Report: Nakalanga Syndrome Revisited: Long-Term Follow-Up of a Patient Living in Western Uganda, 1994-2018. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, .	1.4	0
93	Increased cost-benefit of strengthening onchocerciasis elimination efforts in areas with high onchocerciasis-associated epilepsy. <i>Tropical Medicine and International Health</i> , 2019, 24, 1259-1259.	2.3	0
94	From river blindness to river epilepsy: Implications for onchocerciasis elimination programmes. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007407.	3.0	47
95	Nodding syndrome research, lessons learned from the NSETHIO project. <i>Global Mental Health (Cambridge, England)</i> , 2019, 6, e26.	2.5	2
96	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. <i>IBRO Reports</i> , 2019, 6, S506.	0.3	8
97	Impact of 19 years of mass drug administration with ivermectin on epilepsy burden in a hyperendemic onchocerciasis area in Cameroon. <i>Parasites and Vectors</i> , 2019, 12, 114.	2.5	22
98	Would ivermectin for malaria control be beneficial in onchocerciasis-endemic regions?. <i>Infectious Diseases of Poverty</i> , 2019, 8, 77.	3.7	2
99	Women with epilepsy in sub-Saharan Africa: A review of the reproductive health challenges and perspectives for management. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 71, 312-317.	2.0	15
100	Neuroinflammation and Not Tauopathy Is a Predominant Pathological Signature of Nodding Syndrome. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 1049-1058.	1.7	44
101	Elimination of onchocerciasis in Africa by 2025: an ambitious target requires ambitious interventions. <i>Infectious Diseases of Poverty</i> , 2019, 8, 83.	3.7	11
102	Analysis of the RIMDAMAL trial. <i>Lancet, The</i> , 2019, 394, 1006.	13.7	1
103	Low prevalence of epilepsy and onchocerciasis after more than 20 years of ivermectin treatment in the Imo River Basin in Nigeria. <i>Infectious Diseases of Poverty</i> , 2019, 8, 8.	3.7	22
104	Economic Burden of Epilepsy in Rural Ituri, Democratic Republic of Congo. <i>EClinicalMedicine</i> , 2019, 9, 60-66.	7.1	13
105	Onchocerciasis-associated epilepsy: another piece in the puzzle from the Mahenge mountains, southern Tanzania. <i>Infectious Diseases of Poverty</i> , 2019, 8, 35.	3.7	7
106	Stigma and epilepsy in onchocerciasis-endemic regions in Africa: a review and recommendations from the onchocerciasis-associated epilepsy working group. <i>Infectious Diseases of Poverty</i> , 2019, 8, 34.	3.7	28
107	Epidemiological evidence concerning the association between onchocerciasis and epilepsy. <i>International Journal of Infectious Diseases</i> , 2019, 82, 77-78.	3.3	5
108	New filovirus disease classification and nomenclature. <i>Nature Reviews Microbiology</i> , 2019, 17, 261-263.	28.6	84

#	ARTICLE	IF	CITATIONS
109	High prevalence of epilepsy in an onchocerciasis endemic health zone in the Democratic Republic of the Congo, despite 14 years of community-directed treatment with ivermectin: A mixed-method assessment. <i>International Journal of Infectious Diseases</i> , 2019, 79, 187-194.	3.3	41
110	Integrated seroprevalence-based assessment of <i>Wuchereria bancrofti</i> and <i>Onchocerca volvulus</i> in two lymphatic filariasis evaluation units of Mali with the SD Bioline Onchocerciasis/LF IgG4 Rapid Test. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007064.	3.0	8
111	Comprehensive management of epilepsy in onchocerciasis-endemic areas: lessons learnt from community-based surveys. <i>Infectious Diseases of Poverty</i> , 2019, 8, 11.	3.7	17
112	Onchocerciasis-associated epilepsy in the Democratic Republic of Congo: Clinical description and relationship with microfilarial density. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007300.	3.0	47
113	Nodding Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, e313-e313.	2.0	0
114	Epilepsy prevention. <i>Lancet</i> , The, 2019, 394, 2072.	13.7	2
115	Clinical presentations of onchocerciasis-associated epilepsy (OAE) in Cameroon. <i>Epilepsy and Behavior</i> , 2019, 90, 70-78.	1.7	40
116	Clinical presentation of epilepsy in six villages in an onchocerciasis endemic area in Mahenge, Tanzania. <i>Epileptic Disorders</i> , 2019, 21, 425-435.	1.3	10
117	The blackfly vectors and transmission of <i>Onchocerca volvulus</i> in Mahenge, south eastern Tanzania. <i>Acta Tropica</i> , 2018, 181, 50-59.	2.0	33
118	Onchocerciasis associated epilepsy: An important neglected public health problem. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 60, 205.	2.0	2
119	Synergistic Impact of Training Followed by On-Site Support on HIV Clinical Practice: A Mixed-Design Study in Uganda With Pre/Post and Cluster-Randomized Trial Components. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 467-475.	2.1	4
120	Onchocerciasis-Associated Epilepsy, an Additional Reason for Strengthening Onchocerciasis Elimination Programs. <i>Trends in Parasitology</i> , 2018, 34, 208-216.	3.3	71
121	Report of the first international workshop on onchocerciasis-associated epilepsy. <i>Infectious Diseases of Poverty</i> , 2018, 7, 23.	3.7	30
122	From river blindness control to elimination: bridge over troubled water. <i>Infectious Diseases of Poverty</i> , 2018, 7, 21.	3.7	41
123	Considerations for Randomized Controlled Trials During Future Filovirus Outbreaks. <i>Clinical Infectious Diseases</i> , 2018, 67, 984-985.	5.8	1
124	Evolution of epilepsy prevalence and incidence in a Tanzanian area endemic for onchocerciasis and the potential impact of community-directed treatment with ivermectin: a cross-sectional study and comparison over 28 years. <i>BMJ Open</i> , 2018, 8, e017188.	1.9	7
125	Body Mass Index and Waist Circumference in Patients with HIV in South Africa and Associated Socio-demographic, Health Related and Psychosocial Factors. <i>AIDS and Behavior</i> , 2018, 22, 1972-1986.	2.7	15
126	Attempted molecular detection of the thermally dimorphic human fungal pathogen <i>Emergomyces africanus</i> in terrestrial small mammals in South Africa. <i>Medical Mycology</i> , 2018, 56, 510-513.	0.7	15

#	ARTICLE	IF	CITATIONS
127	Effect of TB/HIV Integration on TB and HIV Indicators in Rural Ugandan Health Facilities. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2018, 79, 605-611.	2.1	11
128	Community perceptions of epilepsy and its treatment in an onchocerciasis endemic region in Ituri, Democratic Republic of Congo. <i>Infectious Diseases of Poverty</i> , 2018, 7, 115.	3.7	17
129	High prevalence of onchocerciasis-associated epilepsy in villages in Maridi County, Republic of South Sudan: A community-based survey. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 63, 93-101.	2.0	79
130	Prednisone for the Prevention of Paradoxical Tuberculosis-Associated IRIS. <i>New England Journal of Medicine</i> , 2018, 379, 1915-1925.	27.0	139
131	<i>Onchocerca volvulus</i> as a risk factor for developing epilepsy in onchocerciasis endemic regions in the Democratic Republic of Congo: a case control study. <i>Infectious Diseases of Poverty</i> , 2018, 7, 79.	3.7	19
132	Epidemiology of onchocerciasis-associated epilepsy in the Mbam and Sanaga river valleys of Cameroon: impact of more than 13 years of ivermectin. <i>Infectious Diseases of Poverty</i> , 2018, 7, 114.	3.7	52
133	The effect of bi-annual community-directed treatment with ivermectin on the incidence of epilepsy in onchocerciasis endemic villages in South Sudan: a study protocol. <i>Infectious Diseases of Poverty</i> , 2018, 7, 112.	3.7	15
134	Burden of onchocerciasis-associated epilepsy: first estimates and research priorities. <i>Infectious Diseases of Poverty</i> , 2018, 7, 101.	3.7	34
135	The temporal relationship between onchocerciasis and epilepsy: a population-based cohort study. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1278-1286.	9.1	114
136	Aberrant plasma MMP and TIMP dynamics in <i>Schistosoma</i> - Immune reconstitution inflammatory syndrome (IRIS). <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006710.	3.0	5
137	Is nodding syndrome in northern Uganda linked to consumption of mycotoxin contaminated food grains?. <i>BMC Research Notes</i> , 2018, 11, 678.	1.4	18
138	Clinical characteristics of onchocerciasis-associated epilepsy in villages in Maridi County, Republic of South Sudan. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 62, 108-115.	2.0	51
139	Patient-level benefits associated with decentralization of antiretroviral therapy services to primary health facilities in Malawi and Uganda. <i>International Health</i> , 2018, 10, 8-19.	2.0	6
140	High prevalence of epilepsy in onchocerciasis endemic health areas in Democratic Republic of the Congo. <i>Infectious Diseases of Poverty</i> , 2018, 7, 68.	3.7	49
141	High prevalence of epilepsy in two rural onchocerciasis endemic villages in the Mahenge area, Tanzania, after 20 years of community directed treatment with ivermectin. <i>Infectious Diseases of Poverty</i> , 2018, 7, 64.	3.7	56
142	Factors Associated with <i>Wuchereria bancrofti</i> Microfilaremia in an Endemic Area of Mali. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 1782-1787.	1.4	2
143	Nodding syndrome: Preventable and treatable. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	22
144	Treatment decisions and mortality in HIV-positive presumptive smear-negative TB in the Xpert® MTB/RIF era: a cohort study. <i>BMC Infectious Diseases</i> , 2017, 17, 433.	2.9	10

#	ARTICLE	IF	CITATIONS
145	Onchocerciasis-associated epilepsy: From recent epidemiological and clinical findings to policy implications. <i>Epilepsia Open</i> , 2017, 2, 145-152.	2.4	57
146	Improved Adherence to Antiretroviral Therapy Observed Among HIV-Infected Children Whose Caregivers had Positive Beliefs in Medicine in Sub-Saharan Africa. <i>AIDS and Behavior</i> , 2017, 21, 441-449.	2.7	5
147	Nodding syndrome, other forms of epilepsy, and the Nakalanga syndrome most likely directly or indirectly caused by <i>Onchocerca volvulus</i> . <i>Journal of the Neurological Sciences</i> , 2017, 372, 439-440.	0.6	13
148	High mortality in non-Ebola virus disease cases: need to provide timely and effective care. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 1021-1022.	9.1	1
149	The predicament of patients with suspected Ebola. <i>The Lancet Global Health</i> , 2017, 5, e658.	6.3	0
150	Impact of decentralisation of antiretroviral therapy services on HIV testing and care at a population level in Agago District in rural Northern Uganda: results from the Lablite population surveys. <i>International Health</i> , 2017, 9, 91-99.	2.0	8
151	High-risk alcohol use and associated socio-demographic, health and psychosocial factors in patients with HIV infection in three primary health care clinics in South Africa. <i>International Journal of STD and AIDS</i> , 2017, 28, 651-659.	1.1	24
152	AIDS-Related Endemic Mycoses in Western Cape, South Africa, and Clinical Mimics: A Cross-Sectional Study of Adults With Advanced HIV and Recent-Onset, Widespread Skin Lesions. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx186.	0.9	41
153	First HIV prevalence estimates of a representative sample of adult sub-Saharan African migrants in a European city. Results of a community-based, cross-sectional study in Antwerp, Belgium. <i>PLoS ONE</i> , 2017, 12, e0174677.	2.5	28
154	High prevalence of epilepsy in onchocerciasis endemic regions in the Democratic Republic of the Congo. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005732.	3.0	56
155	Ivermectin Treatment in Patients With Onchocerciasis-Associated Epilepsy: Protocol of a Randomized Clinical Trial. <i>JMIR Research Protocols</i> , 2017, 6, e137.	1.0	21
156	Prevalence of River Epilepsy in the Orientale Province in the Democratic Republic of the Congo. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004478.	3.0	29
157	Weight status and associated factors among HIV infected people on antiretroviral therapy in rural Dikgale, Limpopo, South Africa. <i>African Journal of Primary Health Care and Family Medicine</i> , 2016, 8, e1-e8.	0.8	11
158	Overlooking the importance of immunoassays – Authors' reply. <i>Lancet Infectious Diseases</i> , The, 2016, 16, 1110.	9.1	0
159	Risk factors for epilepsy in Bas-Ul' Province, Democratic Republic of the Congo: a case-control study. <i>International Journal of Infectious Diseases</i> , 2016, 49, 1-8.	3.3	51
160	Effect of On-Site Support on Laboratory Practice for Human Immunodeficiency Virus, Tuberculosis, and Malaria Testing. <i>American Journal of Clinical Pathology</i> , 2016, 146, 469-477.	0.7	6
161	PrEP for African migrants in Europe? A research agenda. <i>Lancet HIV</i> , the, 2016, 3, e505-e507.	4.7	13
162	Effectiveness of educational outreach in infectious diseases management: a cluster randomized trial in Uganda. <i>BMC Public Health</i> , 2016, 16, 714.	2.9	7

#	ARTICLE	IF	CITATIONS
163	Temporal trends in death causes in adults attending an urban HIV clinic in Uganda: a retrospective chart review. <i>BMJ Open</i> , 2016, 6, e008718.	1.9	12
164	Nodding syndrome—we can now prevent it. <i>International Journal of Infectious Diseases</i> , 2016, 44, 61-63.	3.3	22
165	Nodding syndrome and epilepsy in onchocerciasis endemic regions: comparing preliminary observations from South Sudan and the Democratic Republic of the Congo with data from Uganda. <i>BMC Research Notes</i> , 2016, 9, 182.	1.4	51
166	Essentials of filoviral load quantification. <i>Lancet Infectious Diseases</i> , The, 2016, 16, e134-e138.	9.1	13
167	Nodding Syndrome in Onchocerciasis Endemic Areas. <i>Trends in Parasitology</i> , 2016, 32, 581-583.	3.3	28
168	Early Tracking after a Missed Return Visit Reduces the Proportion of Untraceable Patients at a Large HIV Clinic in Kampala, Uganda. <i>Journal of the International Association of Providers of AIDS Care</i> , 2016, 15, 338-344.	1.5	4
169	The Use of Ebola Convalescent Plasma to Treat Ebola Virus Disease in Resource-Constrained Settings: A Perspective From the Field. <i>Clinical Infectious Diseases</i> , 2016, 62, 69-74.	5.8	84
170	Reply to “A Word of Caution in Considering the Use of the Lipoarabinomannan Lateral Flow Assay on Cerebrospinal Fluid for Detection of Tuberculous Meningitis”. <i>Journal of Clinical Microbiology</i> , 2016, 54, 243-243.	3.9	3
171	TOGETHER Project to Increase Understanding of the HIV Epidemic Among Sub-Saharan African Migrants: Protocol of Community-Based Participatory Mixed-Method Studies. <i>JMIR Research Protocols</i> , 2016, 5, e48.	1.0	6
172	Preventing Paradoxical Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome in High-Risk Patients: Protocol of a Randomized Placebo-Controlled Trial of Prednisone (PredART Trial). <i>JMIR Research Protocols</i> , 2016, 5, e173.	1.0	10
173	Hepatitis B virus genotypes A and D in Uganda. <i>Journal of Virus Eradication</i> , 2016, 2, 19-21.	0.5	3
174	Behaviour, not mobility, is a risk factor for HIV. <i>Lancet HIV</i> , the, 2015, 2, e223-e224.	4.7	11
175	Use of Self-Reported Adherence and Keeping Clinic Appointments as Predictors of Viremia in Routine HIV Care in the Gambia. <i>Journal of the International Association of Providers of AIDS Care</i> , 2015, 14, 343-347.	1.5	5
176	Assessment of cardiovascular risk factors in people with HIV infection treated with ART in rural South Africa: a cross sectional study. <i>AIDS Research and Therapy</i> , 2015, 12, 42.	1.7	37
177	Malaria Care in Infants Aged under Six Months in Uganda: An Area of Unmet Needs!. <i>PLoS ONE</i> , 2015, 10, e0123283.	2.5	9
178	Is Urinary Lipoarabinomannan the Result of Renal Tuberculosis? Assessment of the Renal Histology in an Autopsy Cohort of Ugandan HIV-Infected Adults. <i>PLoS ONE</i> , 2015, 10, e0123323.	2.5	36
179	Nodding Syndrome May Be Only the Ears of the Hippo. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003880.	3.0	34
180	Large-scale Convalescent Blood and Plasma Transfusion Therapy for Ebola Virus Disease. <i>Journal of Infectious Diseases</i> , 2015, 211, 1208-10.	4.0	17

#	ARTICLE	IF	CITATIONS
181	Predictors of Mortality among Tuberculosis/HIV-Coinfected Persons in Southwest Ethiopia. <i>Journal of the International Association of Providers of AIDS Care</i> , 2015, 14, 269-273.	1.5	7
182	Clinical Characteristics, Diagnosis, Management, and Outcomes of Disseminated Emmonsiosis: A Retrospective Case Series. <i>Clinical Infectious Diseases</i> , 2015, 61, 1004-1012.	5.8	68
183	Patients who return to care after tracking remain at high risk of attrition: experience from a large HIV clinic, Uganda. <i>International Journal of STD and AIDS</i> , 2015, 26, 42-47.	1.1	13
184	Nodding syndrome since 2012: recent progress, challenges and recommendations for future research. <i>Tropical Medicine and International Health</i> , 2015, 20, 194-200.	2.3	24
185	Is frontloaded sputum microscopy an option in active tuberculosis case finding?. <i>International Journal of Tuberculosis and Lung Disease</i> , 2015, 19, 91-96.	1.2	4
186	Accuracy of Lipoarabinomannan and Xpert MTB/RIF Testing in Cerebrospinal Fluid To Diagnose Tuberculous Meningitis in an Autopsy Cohort of HIV-Infected Adults. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2667-2673.	3.9	27
187	Systematic screening for drug-resistant tuberculosis with Xpert [®] MTB/RIF in a referral hospital in Cambodia. <i>International Journal of Tuberculosis and Lung Disease</i> , 2015, 19, 1528-1535.	1.2	8
188	Challenges from Tuberculosis Diagnosis to Care in Community-Based Active Case Finding among the Urban Poor in Cambodia: A Mixed-Methods Study. <i>PLoS ONE</i> , 2015, 10, e0130179.	2.5	45
189	Lower Pre-Treatment T Cell Activation in Early- and Late-Onset Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome. <i>PLoS ONE</i> , 2015, 10, e0133924.	2.5	16
190	Effect of Educational Outreach Timing and Duration on Facility Performance for Infectious Disease Care in Uganda: A Trial with Pre-Post and Cluster Randomized Controlled Components. <i>PLoS ONE</i> , 2015, 10, e0136966.	2.5	1
191	Effect of Integrated Capacity-Building Interventions on Malaria Case Management by Health Professionals in Uganda: A Mixed Design Study with Pre/Post and Cluster Randomized Trial Components. <i>PLoS ONE</i> , 2014, 9, e84945.	2.5	22
192	Concentration of Lymph Node Aspirate Improves the Sensitivity of Acid Fast Smear Microscopy for the Diagnosis of Tuberculous Lymphadenitis in Jimma, Southwest Ethiopia. <i>PLoS ONE</i> , 2014, 9, e106726.	2.5	19
193	Practice of percutaneous needle autopsy; a descriptive study reporting experiences from Uganda. <i>BMC Clinical Pathology</i> , 2014, 14, 44.	1.8	20
194	Increase in numbers and proportions of review articles in Tropical Medicine, Infectious Diseases, and oncology. <i>Journal of the Association for Information Science and Technology</i> , 2014, 65, 201-205.	2.9	11
195	Inadequate Monitoring in Advanced Stages of Disease with Lack of Supportive Counseling Increases Attrition among Patients on Antiretroviral Treatment at a Large Urban Clinic in Uganda. <i>Journal of the International Association of Providers of AIDS Care</i> , 2014, 13, 547-554.	1.5	7
196	Nodding syndrome—“a new hypothesis and new direction for research. <i>International Journal of Infectious Diseases</i> , 2014, 27, 74-77.	3.3	35
197	The Association between Female Genital Cutting and Spousal HCV Infection in Egypt. <i>International Journal of Hepatology</i> , 2014, 2014, 1-10.	1.1	3
198	Cardiovascular risk factors in a treatment-naïve, human immunodeficiency virus-infected rural population in Dikgale, South Africa. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , 2014, 56, 190-195.	0.6	3

#	ARTICLE	IF	CITATIONS
199	Priorities for Ebola virus disease response in west Africa. <i>Lancet, The</i> , 2014, 384, 1843.	13.7	20
200	CD4 T-cell activation and reduced regulatory T-cell populations are associated with early development of cataracts among HIV-infected adults in Uganda. <i>Immunology Letters</i> , 2014, 161, 44-49.	2.5	9
201	Community-Based Active Tuberculosis Case Finding in Poor Urban Settlements of Phnom Penh, Cambodia: A Feasible and Effective Strategy. <i>PLoS ONE</i> , 2014, 9, e92754.	2.5	88
202	Antigen-Specific Interferon-Gamma Responses and Innate Cytokine Balance in TB-IRIS. <i>PLoS ONE</i> , 2014, 9, e113101.	2.5	12
203	Does the CHER trial open up new therapeutic perspectives?. <i>Lancet, The</i> , 2013, 382, 1539-1540.	13.7	1
204	THE IMMUNE RECONSTITUTION INFLAMMATORY SYNDROME: A CAUSE OF DEATH IN PERSONS ON ANTIRETROVIRAL THERAPY?. <i>Acta Clinica Belgica</i> , 2013, 68, 294-297.	1.2	1
205	Corticosteroid-modulated Immune Activation in the Tuberculosis Immune Reconstitution Inflammatory Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 186, 369-377.	5.6	75
206	Role of the CD4 count in HIV management. <i>HIV Therapy</i> , 2010, 4, 27-39.	0.6	30
207	It's Better Not To Know: Perceived Barriers to HIV Voluntary Counseling and Testing among Sub-Saharan African Migrants in Belgium. <i>AIDS Education and Prevention</i> , 2009, 21, 582-593.	1.1	62
208	Tuberculosis-associated immune reconstitution inflammatory syndrome: case definitions for use in resource-limited settings. <i>Lancet Infectious Diseases, The</i> , 2008, 8, 516-523.	9.1	681
209	A new model to monitor the virological efficacy of antiretroviral treatment in resource-poor countries. <i>Lancet Infectious Diseases, The</i> , 2006, 6, 53-59.	9.1	59
210	Tuberculosis immune reconstitution inflammatory syndrome in countries with limited resources. <i>International Journal of Tuberculosis and Lung Disease</i> , 2006, 10, 946-53.	1.2	72
211	Free Antiretrovirals Must Not Be Restricted Only to Treatment-Naive Patients. <i>PLoS Medicine</i> , 2005, 2, e276.	8.4	10
212	First-line antiretroviral therapy in Africa--how evidence-base are our recommendations?. <i>AIDS Reviews</i> , 2005, 7, 148-54.	1.0	15
213	A nasal septum perforation caused by a Varicella zoster infection in an AIDS patient. <i>Acta Oto-rhino-laryngologica Belgica</i> , 1997, 51, 49-50.	0.0	3
214	Ivermectin should not be recommended to treat SARS-CoV-2 infection. <i>Open Forum Infectious Diseases</i> , 0, , .	0.9	0
215	Psychosocial Factors Associated With Adherence to COVID-19 Preventive Measures in Low-Middle-Income Countries, December 2020 to February 2021. <i>International Journal of Public Health</i> , 0, 67, .	2.3	1